

Paper F-02: Galactic Dynamics: A Constraint-Driven Flux Dynamics (CDFD) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

Founder, Vura Labs

Kampala, Uganda

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This paper develops a falsifiable CDFD/AFL model of Galactic Dynamics. It maps accretion, star formation, radiation, gas flow, and angular momentum to driving flux Φ , gravity, feedback, cooling, orbital structure, and halo potential to active constraint C , spiral waves, bars, outflows, mixing, and orbital reorganization to responsiveness S , and mergers, metallicity, stellar populations, and orbital history to structural memory M_s . The target outcome is morphology, star formation, rotation, and long-term evolution, tested against multiwavelength surveys, kinematics, gas maps, stellar populations, and simulations. The paper treats universality as a shared model architecture rather than an assertion that unlike systems have the same material mechanism. It states the negative result that would make the mapping unnecessary and places the domain claim inside the cumulative CDFD programme and its reproducible runtime boundary.

Symbol Conventions

CDFD/AFL Part IV symbol convention.

Symbol	Part IV meaning	Cross-domain reading
Φ	Driving flux or throughput	Energy, matter, signal, capital, information, traffic, force, or biological load entering a system
C	Active constraint or capacity burden	Bottleneck, resistance, boundary, scarcity, toxicity, regulation, topology, latency, or load-bearing limit
S	Responsiveness or adaptive surface	The system's ability to reconfigure, buffer, route, repair, learn, or preserve function under changing load
M_s	Structural memory	Stored damage, hysteresis, inherited topology, institutional memory, trained weights, ecological legacy, or retained state
Ψ_s	Adaptive operating ratio $(\Phi/C) \cdot S \cdot M_s$	Local bookkeeping gauge for constrained operation, overload, recovery, or regime change; not a universal constant
Λ	Life Number or capstone surplus ratio where explicitly defined	Reserved for Part II-derived life-number notation or synthesis-level surplus measures, never an undefined decoration

Greek-symbol convention.

Symbol	Local role	Interpretation rule
α	Accumulation or reinforcement coefficient	Sets how fast a pathway, constraint, habit, cascade, or retained structure grows under load
β	Relaxation, decay, clearance, or washout coefficient	Sets loss, recovery, damping, forgetting, degradation, or return toward baseline
γ	Coupling, diffusion, redistribution, or transfer coefficient	Sets spread across nodes, layers, tissues, markets, infrastructures, media, or physical phases
δ, ϵ	Perturbation, tolerance, small offset, or numerical guard	Used only as local thresholds, stability margins, measurement tolerances, or stress increments
η, λ, μ, ν	Efficiency, rate, baseline, intensity, or frequency terms	Meaning is fixed by the equation, subscript, and domain-specific proxy in the paragraph where the term appears
ρ, σ, τ, ϕ	Density/correlation, variability/noise, time-scale, phase, or field terms	Local coefficients only; subscripts bind them to the named pathway, domain, or experiment
Ω, Λ	Domain/state space; Life Number where defined	Ω names a modeled state space; Λ carries life-number or synthesis notation only when the paper defines it

1 Series Context

Part I sets the flow-constraint language used here [2]. Part II develops the Life Number and the origins-of-life use of the same notation [3]. Part III applies AFL to biology and medicine

[4]. Part IV [5], DOI <https://doi.org/10.5281/zenodo.20395901>, is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

2 Introduction

2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [2], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux (Φ) against a rigid topological constraint (C) can drive system saturation. When Φ/C approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

2.2 The Mujjabi Universal Memory Law

The **Mujjabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory (M_s) and its relaxation parameter decays ($\tau_{relax} \rightarrow \infty$), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

A galaxy is an open thermodynamic system. Gas flows inward from the cosmic web, stars form and migrate, and energy is violently expelled outward by supernovae and active galactic nuclei (AGN). The delicate balance of these forces creates stable, long-lived structures such as spiral arms and galactic bars.

In standard Λ CDM cosmology, these structures are shaped by the dominant gravitational well of a dark matter halo. However, under the CDFD framework, dark matter is re-evaluated. Whether it is a distinct particle or a topological property of the vacuum itself (as posited in earlier papers of this series), its functional role in the galaxy is unambiguous: it serves as the master structural constraint (C) that binds the immense radial throughput (Φ) of the galactic disk.

3 The Galactic Flow Network

We apply the core Adaptive Flux Limitation equation to the galactic scale:

$$\Psi_s = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (1)$$

Here, the parameters of the galactic "organism" are:

- **Flux (Φ):** The kinetic flow of stars and the thermodynamic flux of the interstellar medium (ISM). High star formation rates (SFR) correspond to peaks in Φ .
- **Constraint (C):** The gravitational binding energy. In the outer radii of the galaxy, the constraint C must remain high to prevent the high-velocity stellar flow (Φ) from causing $\Psi_s \gg 1$ (which would result in dissolution of the galactic disk). The "dark matter halo" provides exactly the required geometric constraint.

- **Responsiveness (S):** The density of cold molecular gas capable of collapsing into new stars.
- **Memory (M_s):** Spiral density waves and metallicity gradients. Spiral arms are essentially kinetic "memory banks"—standing wave patterns that remember the gravitational history of passing molecular clouds.

3.1 Density Waves as Memory Lattices

Lin-Shu density wave theory describes spiral arms as regions of enhanced density through which stars and gas flow, analogous to a traffic jam. In CDFD, this traffic jam is a chronic constraint applied to the flow. When gas enters the spiral arm, C spikes locally, forcing Φ to bottleneck. The resulting compression triggers star formation, briefly raising the responsiveness S .

If the memory term M_s (the density wave pattern) locks the galaxy into too strict of a constraint, star formation ceases as the gas is entirely consumed or blown away. This perfectly describes the transition from active, blue spiral galaxies (Sustained Growth, $\Psi_s > 1$) to "red and dead" elliptical galaxies (Decay/Recession, $\Psi_s < 1$), where the gas flux has dropped to zero and only the kinetic memory remains.

4 Dark Matter as Vacuum Constraint

As observed in galaxy rotation curves, the rotational velocity $v(r)$ remains constant at large radii. Under the CDFD formulation, a constant $v(r)$ implies that the ratio Φ/C is invariant across the outer disk. As the visible matter density (S) drops off exponentially, the system maintains $\Psi_s \approx 1$ only if the constraint term C scales appropriately with radius.

The dark matter halo is therefore the necessary vacuum response to galactic-scale angular momentum. Just as an expanding biological tissue induces the growth of surrounding extracellular matrix to support it, the spinning galactic disk induces a topological constraint in the surrounding adaptive vacuum.

5 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system's ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

5.1 Current Runtime Diagnostic: Universal Network Cascade

The release-local discovery script keeps this paper tied to the current CDFD Runtime [6], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the 2026-06-04 runtime pass, the localized hub-drive stress test ended with hub

$\Psi_s = 5.21$, peak network $\Psi_s = 5.21$, 21 nodes above $\Psi_s > 1.5$, and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

6 Major Universal Upgrade: Mechanism, Scale, and Tests

6.1 Observable Translation

The paper-specific translation begins with an observable chain rather than a verbal analogy. For Galactic Dynamics, the proposed drive is accretion, star formation, radiation, gas flow, and angular momentum. The active limitation is gravity, feedback, cooling, orbital structure, and halo potential. Responsiveness is carried by spiral waves, bars, outflows, mixing, and orbital reorganization, while retained state is represented by mergers, metallicity, stellar populations, and orbital history. The outcome to explain is morphology, star formation, rotation, and long-term evolution.

Table 1: Operational CDFD/AFL map for Paper F-02.

Term	Paper-specific observable meaning	Measurement question
Φ	accretion, star formation, radiation, gas flow, and angular momentum	What rate, load, gradient, or demand enters the focal system?
C	gravity, feedback, cooling, orbital structure, and halo potential	Which measured bottleneck limits transfer, function, or recovery?
S	spiral waves, bars, outflows, mixing, and orbital reorganization	Which process changes effective capacity or reroutes the load?
M_s	mergers, metallicity, stellar populations, and orbital history	Which retained state makes equal present loads produce different futures?
Y	morphology, star formation, rotation, and long-term evolution	Which outcome is predicted out of sample, with uncertainty?




Figure 1: Paper F-02 observable CDFD/AFL architecture for Galactic Dynamics. Solid arrows give the proposed forward chain; dashed arrows make history-dependent feedback explicit.

6.2 Minimal Coupled Model

A paper-level model must separate throughput, constraint accumulation, response, and history. One deliberately minimal form is

$$Y(t) = \frac{\Phi(t)S(t)}{\epsilon + C(t)}, \quad (2)$$

$$\frac{dC}{dt} = \alpha\Phi(t) - \beta S(t)C(t) + \gamma\mathcal{L}C(t), \quad (3)$$

$$\frac{dM_s}{dt} = \eta C(t) - \mu M_s(t), \quad (4)$$

$$\Psi_s(t) = \frac{\widehat{\Phi}(t)}{\epsilon + \widehat{C}(t)} \widehat{S}(t) [1 + \omega \widehat{M}_s(t)]. \quad (5)$$

Here Y is the measured output, $\epsilon > 0$ prevents a singular denominator, $\mathcal{L}$ is a spatial or network coupling operator, and hats denote explicitly normalized variables. The sign and magnitude of ω must be estimated: memory can preserve useful organization or amplify damage. No fixed threshold is universal before the variables, normalization, and observation scale are declared.

For this paper, the hypothesized causal sequence is specific. A change in accretion, star formation, radiation, gas flow, and angular momentum arrives faster than spiral waves, bars, outflows, mixing, and orbital reorganization can compensate. This raises or redistributes gravity, feedback, cooling, orbital structure, and halo potential. If the load persists, the retained state encoded by mergers, metallicity, stellar populations, and orbital history changes the next response, so a later event of equal magnitude can produce a different trajectory in morphology, star formation, rotation, and long-term evolution. The scientific task is to estimate that sequence against the best ordinary model of the domain, not merely to redescribe the outcome after it occurs.

6.3 Cross-Scale Universality Without Mechanistic Erasure

For the cosmic and subatomic systems family, the universal comparison must remain subordinate to conservation laws, relativity, quantum mechanics, and established astrophysical or plasma equations. CDFD is useful only if it compresses a regime transition or hysteresis question without pretending that biological adaptation and physical response are the same mechanism. [8, 7, 1] The CDFD programme is cumulative: Part I supplies the flow–constraint foundation [2]; Part II asks when maintained throughput supports persistent organized states [3]; Part III develops adaptive limitation and biological memory [4]; and Part IV [5] tests how much of that architecture survives translation. The CDFD Runtime [6] supplies a reproducible numerical stress surface, but it does not substitute for the domain evidence named here.

The required scale declaration for this paper is thousands to billions of years; clouds to galaxy clusters. At short scales, the key question is whether the incoming drive is transmitted, buffered, or diverted. At intermediate scales, response changes effective capacity and network exposure. At long scales, retained structure can alter the state space itself. A result is genuinely cross-scale only when the aggregation rule is stated and the same conclusion is not an artifact of averaging.

6.4 Evidence Ladder and Discriminating Tests

Table 2: Evidence ladder for Paper F-02. Each rung can fail independently.

Test	Design	Discriminating result
Proxy audit	Measure multiwavelength surveys, kinematics, gas maps, stellar populations, and simulations and preregister how each record maps to Φ , C , S , M_s , and Y .	The mapping fails if proxies are non-identifiable, circular, or change meaning across cases.
Load ramp	Apply or observe a matched comparison across galaxies with contrasting merger or feedback histories while estimating the dominant constraint and response time.	A threshold claim requires a reproducible nonlinear change and uncertainty bounds, not a visually chosen breakpoint.
Recovery and memory	Match present load across units with different histories, then compare recovery paths.	The memory claim requires history-dependent divergence after current conditions are controlled.
Model comparison	Compare the baseline domain model with and without the CDFD/AFL state variables using held-out data.	The paper’s stated falsifier is: the mapping adds no predictive value beyond standard galactic dynamics.

The strongest practical design combines a prospective perturbation with a recovery window. The load-ramp phase estimates where constraint begins to rise faster than output. The recovery phase estimates β and μ , separating fast relaxation from persistent memory. A topology or coupling intervention then asks whether rerouting changes the cascade as predicted. Null results are informative because they identify domains in which the universal notation adds no measurable value.

6.5 Research Programme and Boundary Conditions

The immediate research programme has four steps. First, construct a documented dataset from multiwavelength surveys, kinematics, gas maps, stellar populations, and simulations and retain raw units before normalization. Second, fit a baseline domain model and report its calibration and out-of-sample error. Third, add the smallest identifiable CDFD/AFL state extension and test whether it improves prediction of morphology, star formation, rotation, and long-term evolution. Fourth, repeat the analysis across the declared scale range and publish negative cases as part of the universality audit.

Three boundaries are non-negotiable. Correlation between flow and failure does not identify a constraint mechanism. A fitted memory term does not prove that the stored state has the same material meaning in another domain. Finally, a runtime cascade is evidence about the implementation, not evidence that the real system follows it. The paper becomes stronger when it can say precisely where the translation stops.

7 Conclusion

Galactic evolution mirrors biological aging. A galaxy begins with high flux and responsiveness, generating stars aggressively. Over billions of years, it builds structural memory in the form

of spiral density waves and supermassive black holes. Eventually, these constraints lock the system, halting the throughput of fresh gas and driving the galaxy into a quiescent state. By analyzing galaxies through the CDFD equation, we unify the astrophysics of dark matter and spiral morphology with the universal principles of adaptive flux limitation.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Part-specific runtime diagnostics are under each Part's `outputs/` directory.

Release-wide code: `Part_E_Synthesis/supplementary/`.

Generated summaries: `Part_E_Synthesis/outputs/`.

Figures: `Part_E_Synthesis/figures/`.

8 Reference Layer

References

- [1] Per Bak, Chao Tang, and Kurt Wiesenfeld. Self-organized criticality: An explanation of the $1/f$ noise. *Physical Review Letters*, 59(4):381–384, 1987. DOI: <https://doi.org/10.1103/PhysRevLett.59.381>.
- [2] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20250821>.
- [3] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20264779>.
- [4] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20344695>.
- [5] Steve Bico Mujjabi. Cdfd part iv: Universal adaptive flux limitation - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20395901>.
- [6] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdf execution engine, 2026. DOI: <https://doi.org/10.5281/zenodo.20343160>.
- [7] Claude E. Shannon. A mathematical theory of communication. *Bell System Technical Journal*, 27(3):379–423, 1948. DOI: <https://doi.org/10.1002/j.1538-7305.1948.tb01338.x>.
- [8] A. M. Turing. The chemical basis of morphogenesis. *Philosophical Transactions of the Royal Society of London. Series B*, 237(641):37–72, 1952. DOI: <https://doi.org/10.1098/rstb.1952.0012>.