

Paper G-01: Language Evolution: A Constraint-Driven Flux Dynamics (CDFD) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

Founder, Vura Labs

Kampala, Uganda

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This paper develops a falsifiable CDFD/AFL model of Language Evolution. It maps utterances, meanings, learners, media, and social interaction to driving flux Φ , cognition, channel capacity, social structure, ambiguity, and convention to active constraint C , innovation, repair, learning, borrowing, and accommodation to responsiveness S , and grammar, lexicon, corpora, identity, institutions, and historical contact to structural memory M_s . The target outcome is intelligibility, change, diffusion, and linguistic diversity, tested against corpora, experiments, social networks, historical records, and longitudinal language data. The paper treats universality as a shared model architecture rather than an assertion that unlike systems have the same material mechanism. It states the negative result that would make the mapping unnecessary and places the domain claim inside the cumulative CDFD programme and its reproducible runtime boundary.

Symbol Conventions

CDFD/AFL Part IV symbol convention.

Symbol	Part IV meaning	Cross-domain reading
Φ	Driving flux or throughput	Energy, matter, signal, capital, information, traffic, force, or biological load entering a system
C	Active constraint or capacity burden	Bottleneck, resistance, boundary, scarcity, toxicity, regulation, topology, latency, or load-bearing limit
S	Responsiveness or adaptive surface	The system's ability to reconfigure, buffer, route, repair, learn, or preserve function under changing load
M_s	Structural memory	Stored damage, hysteresis, inherited topology, institutional memory, trained weights, ecological legacy, or retained state
Ψ_s	Adaptive operating ratio $(\Phi/C) \cdot S \cdot M_s$	Local bookkeeping gauge for constrained operation, overload, recovery, or regime change; not a universal constant
Λ	Life Number or capstone surplus ratio where explicitly defined	Reserved for Part II-derived life-number notation or synthesis-level surplus measures, never an undefined decoration

Greek-symbol convention.

Symbol	Local role	Interpretation rule
α	Accumulation or reinforcement coefficient	Sets how fast a pathway, constraint, habit, cascade, or retained structure grows under load
β	Relaxation, decay, clearance, or washout coefficient	Sets loss, recovery, damping, forgetting, degradation, or return toward baseline
γ	Coupling, diffusion, redistribution, or transfer coefficient	Sets spread across nodes, layers, tissues, markets, infrastructures, media, or physical phases
δ, ϵ	Perturbation, tolerance, small offset, or numerical guard	Used only as local thresholds, stability margins, measurement tolerances, or stress increments
η, λ, μ, ν	Efficiency, rate, baseline, intensity, or frequency terms	Meaning is fixed by the equation, subscript, and domain-specific proxy in the paragraph where the term appears
ρ, σ, τ, ϕ	Density/correlation, variability/noise, time-scale, phase, or field terms	Local coefficients only; subscripts bind them to the named pathway, domain, or experiment
Ω, Λ	Domain/state space; Life Number where defined	Ω names a modeled state space; Λ carries life-number or synthesis notation only when the paper defines it

1 Series Context

Part I sets the flow-constraint language used here [3]. Part II develops the Life Number and the origins-of-life use of the same notation [4]. Part III applies AFL to biology and medicine

[5]. Part IV [6], DOI <https://doi.org/10.5281/zenodo.20395901>, is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

2 Introduction

2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [3], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux (Φ) against a rigid topological constraint (C) can drive system saturation. When Φ/C approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

2.2 The Mujjabi Universal Memory Law

The **Mujjabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory (M_s) and its relaxation parameter decays ($\tau_{relax} \rightarrow \infty$), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

Language is not a static repository of symbols; it is an active, self-regulating biological and social phenomenon. Words are invented, adopted, mutated, and discarded at rates that mirror genetic drift and viral epidemiology.

When a language spreads across a wide geographic and social space, changing contact networks can limit communication and support dialect formation. CDFD treats this as a testable interaction among information flow, network constraint, adaptive repair, and historical memory rather than an inevitable breakdown.

3 Linguistics as an Adaptive Surface

We apply the Universal Adaptive Ratio to the domain of human communication:

$$\Psi_s = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (1)$$

For a language group, the parameters map directly to informational transport:

- **Flux (Φ):** The daily volume of communication, trade, and memetic exchange occurring across the population.
- **Constraint (C):** Geographic boundaries (mountains, oceans), political borders, or simply the physical limits of ancient communication speeds.
- **Responsiveness (S):** The cognitive plasticity of the population, particularly the youth, who act as the primary agents of linguistic innovation and adoption.

- **Memory (M_s):** The formal grammar, written records, and academic institutions that standardize the language. High memory rigidly enforces "correct" usage, resisting phonetic drift.

3.1 Dialectic Bifurcation and Regime Shifts

Consider a unified language spoken across an expanding empire. Initially, trade and travel are high (Φ is large), maintaining a healthy communicative regime ($\Psi_s \approx 1$).

If the empire fractures, the constraint (C) between two provinces drastically increases. The cross-border flux Φ drops. Consequently, the adaptive ratio across that specific geographical border plummets to $\Psi_s \ll 1$. The system is in "communicative decay."

To restore local equilibrium, the isolated nodes (provinces) must adapt internally. Cut off from the central normalizing flux, their local youth populations (high S) begin optimizing the language for local efficiency, introducing slang and phonetic shifts. The central, formal grammar (high M_s) can no longer suppress these changes because the regulatory flux (Φ) from the capital is gone. The language bifurcates. What was once a unified active surface topologically splits into two distinct, localized surfaces, each achieving its own stable $\Psi_s \approx 1$ state as a new, distinct language (e.g., the fracturing of Latin into the Romance languages).

4 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system's ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

4.1 Current Runtime Diagnostic: Universal Network Cascade

The release-local discovery script keeps this paper tied to the current CDFD Runtime [7], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the 2026-06-04 runtime pass, the localized hub-drive stress test ended with hub $\Psi_s = 5.21$, peak network $\Psi_s = 5.21$, 21 nodes above $\Psi_s > 1.5$, and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

5 Major Universal Upgrade: Mechanism, Scale, and Tests

5.1 Observable Translation

The paper-specific translation begins with an observable chain rather than a verbal analogy. For Language Evolution, the proposed drive is utterances, meanings, learners, media, and social interaction. The active limitation is cognition, channel capacity, social structure, ambiguity, and

convention. Responsiveness is carried by innovation, repair, learning, borrowing, and accommodation, while retained state is represented by grammar, lexicon, corpora, identity, institutions, and historical contact. The outcome to explain is intelligibility, change, diffusion, and linguistic diversity.

Table 1: Operational CDFD/AFL map for Paper G-01.

Term	Paper-specific observable meaning	Measurement question
Φ	utterances, meanings, learners, media, and social interaction	What rate, load, gradient, or demand enters the focal system?
C	cognition, channel capacity, social structure, ambiguity, and convention	Which measured bottleneck limits transfer, function, or recovery?
S	innovation, repair, learning, borrowing, and accommodation	Which process changes effective capacity or reroutes the load?
M_s	grammar, lexicon, corpora, identity, institutions, and historical contact	Which retained state makes equal present loads produce different futures?
Y	intelligibility, change, diffusion, and linguistic diversity	Which outcome is predicted out of sample, with uncertainty?




Figure 1: Paper G-01 observable CDFD/AFL architecture for Language Evolution. Solid arrows give the proposed forward chain; dashed arrows make history-dependent feedback explicit.

5.2 Minimal Coupled Model

A paper-level model must separate throughput, constraint accumulation, response, and history. One deliberately minimal form is

$$Y(t) = \frac{\Phi(t)S(t)}{\epsilon + C(t)}, \quad (2)$$

$$\frac{dC}{dt} = \alpha\Phi(t) - \beta S(t)C(t) + \gamma\mathcal{L}C(t), \quad (3)$$

$$\frac{dM_s}{dt} = \eta C(t) - \mu M_s(t), \quad (4)$$

$$\Psi_s(t) = \frac{\hat{\Phi}(t)}{\epsilon + \hat{C}(t)} \hat{S}(t) [1 + \omega \hat{M}_s(t)]. \quad (5)$$

Here Y is the measured output, $\epsilon > 0$ prevents a singular denominator, $\mathcal{L}$ is a spatial or network coupling operator, and hats denote explicitly normalized variables. The sign and magnitude of

ω must be estimated: memory can preserve useful organization or amplify damage. No fixed threshold is universal before the variables, normalization, and observation scale are declared.

For this paper, the hypothesized causal sequence is specific. A change in utterances, meanings, learners, media, and social interaction arrives faster than innovation, repair, learning, borrowing, and accommodation can compensate. This raises or redistributes cognition, channel capacity, social structure, ambiguity, and convention. If the load persists, the retained state encoded by grammar, lexicon, corpora, identity, institutions, and historical contact changes the next response, so a later event of equal magnitude can produce a different trajectory in intelligibility, change, diffusion, and linguistic diversity. The scientific task is to estimate that sequence against the best ordinary model of the domain, not merely to redescribe the outcome after it occurs.

5.3 Cross-Scale Universality Without Mechanistic Erasure

For the abstract and cognitive systems family, the universal comparison is between information-bearing activity, limited channels or institutions, adaptive reorganization, and retained semantic or technical structure. Because meanings and goals are not conserved physical quantities, every mapping must state its observational unit and avoid treating metaphor as measurement. [8, 2, 10, 9, 1] The CDFD programme is cumulative: Part I supplies the flow-constraint foundation [3]; Part II asks when maintained throughput supports persistent organized states [4]; Part III develops adaptive limitation and biological memory [5]; and Part IV [6] tests how much of that architecture survives translation. The CDFD Runtime [7] supplies a reproducible numerical stress surface, but it does not substitute for the domain evidence named here.

The required scale declaration for this paper is milliseconds to millennia; speakers to language families. At short scales, the key question is whether the incoming drive is transmitted, buffered, or diverted. At intermediate scales, response changes effective capacity and network exposure. At long scales, retained structure can alter the state space itself. A result is genuinely cross-scale only when the aggregation rule is stated and the same conclusion is not an artifact of averaging.

5.4 Evidence Ladder and Discriminating Tests

The strongest practical design combines a prospective perturbation with a recovery window. The load-ramp phase estimates where constraint begins to rise faster than output. The recovery phase estimates β and μ , separating fast relaxation from persistent memory. A topology or coupling intervention then asks whether rerouting changes the cascade as predicted. Null results are informative because they identify domains in which the universal notation adds no measurable value.

5.5 Research Programme and Boundary Conditions

The immediate research programme has four steps. First, construct a documented dataset from corpora, experiments, social networks, historical records, and longitudinal language data and retain raw units before normalization. Second, fit a baseline domain model and report its

Table 2: Evidence ladder for Paper G-01. Each rung can fail independently.

Test	Design	Discriminating result
Proxy audit	Measure corpora, experiments, social networks, historical records, and longitudinal language data and preregister how each record maps to Φ , C , S , M_s , and Y .	The mapping fails if proxies are non-identifiable, circular, or change meaning across cases.
Load ramp	Apply or observe a communication or contact shift across communities with different histories while estimating the dominant constraint and response time.	A threshold claim requires a reproducible nonlinear change and uncertainty bounds, not a visually chosen breakpoint.
Recovery and memory	Match present load across units with different histories, then compare recovery paths.	The memory claim requires history-dependent divergence after current conditions are controlled.
Model comparison	Compare the baseline domain model with and without the CDFD/AFL state variables using held-out data.	The paper’s stated falsifier is: constraint-memory terms do not improve language-change or comprehension prediction.

calibration and out-of-sample error. Third, add the smallest identifiable CDFD/AFL state extension and test whether it improves prediction of intelligibility, change, diffusion, and linguistic diversity. Fourth, repeat the analysis across the declared scale range and publish negative cases as part of the universality audit.

Three boundaries are non-negotiable. Correlation between flow and failure does not identify a constraint mechanism. A fitted memory term does not prove that the stored state has the same material meaning in another domain. Finally, a runtime cascade is evidence about the implementation, not evidence that the real system follows it. The paper becomes stronger when it can say precisely where the translation stops.

6 Conclusion

Language evolution is not exempt from the laws of universal thermodynamics. Grammatical rules are systemic memory; communication is energetic flux; and dialects are structural bifurcations born of chronic constraint. CDFD suggests that information networks, whether composed of neurons, electrical grids, or human speech, optimize their topology using the same candidate mathematical structure.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Part-specific runtime diagnostics are under each Part’s `outputs/` directory.

Release-wide code: `Part_E_Synthesis/supplementary/`.

Generated summaries: `Part_E_Synthesis/outputs/`.

7 Reference Layer

References

- [1] Per Bak, Chao Tang, and Kurt Wiesenfeld. Self-organized criticality: An explanation of the $1/f$ noise. *Physical Review Letters*, 59(4):381–384, 1987. DOI: <https://doi.org/10.1103/PhysRevLett.59.381>.
- [2] Albert-Laszlo Barabasi and Reka Albert. Emergence of scaling in random networks. *Science*, 286(5439):509–512, 1999. DOI: <https://doi.org/10.1126/science.286.5439.509>.
- [3] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20250821>.
- [4] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20264779>.
- [5] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20344695>.
- [6] Steve Bico Mujjabi. Cdfd part iv: Universal adaptive flux limitation - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20395901>.
- [7] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdfl execution engine, 2026. DOI: <https://doi.org/10.5281/zenodo.20343160>.
- [8] Claude E. Shannon. A mathematical theory of communication. *Bell System Technical Journal*, 27(3):379–423, 1948. DOI: <https://doi.org/10.1002/j.1538-7305.1948.tb01338.x>.
- [9] A. M. Turing. The chemical basis of morphogenesis. *Philosophical Transactions of the Royal Society of London. Series B*, 237(641):37–72, 1952. DOI: <https://doi.org/10.1098/rstb.1952.0012>.
- [10] Duncan J. Watts and Steven H. Strogatz. Collective dynamics of small-world networks. *Nature*, 393:440–442, 1998. DOI: <https://doi.org/10.1038/30918>.