

Paper G-02: Science Paradigms: A Constraint-Driven Flux Dynamics (CDFD) Perspective

Steve Bico Mujjabi, MD

Independent Researcher

Founder, Vura Labs

Kampala, Uganda

ORCID: 0009-0001-0556-5516

May 2026

Abstract

This paper develops a falsifiable CDFD/AFL model of Science Paradigms. It maps observations, anomalies, ideas, instruments, and research effort to driving flux Φ , methods, evidence, institutions, incentives, and cognitive limits to active constraint C , replication, theory revision, tool building, collaboration, and critique to responsiveness S , and paradigms, training, citation networks, instruments, and institutional history to structural memory M_s . The target outcome is explanation, prediction, error correction, and scientific transition, tested against publication and citation networks, replications, forecasts, funding, and historical case studies. The paper treats universality as a shared model architecture rather than an assertion that unlike systems have the same material mechanism. It states the negative result that would make the mapping unnecessary and places the domain claim inside the cumulative CDFD programme and its reproducible runtime boundary.

Symbol Conventions

CDFD/AFL Part IV symbol convention.

Symbol	Part IV meaning	Cross-domain reading
Φ	Driving flux or throughput	Energy, matter, signal, capital, information, traffic, force, or biological load entering a system
C	Active constraint or capacity burden	Bottleneck, resistance, boundary, scarcity, toxicity, regulation, topology, latency, or load-bearing limit
S	Responsiveness or adaptive surface	The system's ability to reconfigure, buffer, route, repair, learn, or preserve function under changing load
M_s	Structural memory	Stored damage, hysteresis, inherited topology, institutional memory, trained weights, ecological legacy, or retained state
Ψ_s	Adaptive operating ratio $(\Phi/C) \cdot S \cdot M_s$	Local bookkeeping gauge for constrained operation, overload, recovery, or regime change; not a universal constant
Λ	Life Number or capstone surplus ratio where explicitly defined	Reserved for Part II-derived life-number notation or synthesis-level surplus measures, never an undefined decoration

Greek-symbol convention.

Symbol	Local role	Interpretation rule
α	Accumulation or reinforcement coefficient	Sets how fast a pathway, constraint, habit, cascade, or retained structure grows under load
β	Relaxation, decay, clearance, or washout coefficient	Sets loss, recovery, damping, forgetting, degradation, or return toward baseline
γ	Coupling, diffusion, redistribution, or transfer coefficient	Sets spread across nodes, layers, tissues, markets, infrastructures, media, or physical phases
δ, ϵ	Perturbation, tolerance, small offset, or numerical guard	Used only as local thresholds, stability margins, measurement tolerances, or stress increments
η, λ, μ, ν	Efficiency, rate, baseline, intensity, or frequency terms	Meaning is fixed by the equation, subscript, and domain-specific proxy in the paragraph where the term appears
ρ, σ, τ, ϕ	Density/correlation, variability/noise, time-scale, phase, or field terms	Local coefficients only; subscripts bind them to the named pathway, domain, or experiment
Ω, Λ	Domain/state space; Life Number where defined	Ω names a modeled state space; Λ carries life-number or synthesis notation only when the paper defines it

1 Series Context

Part I sets the flow-constraint language used here [3]. Part II develops the Life Number and the origins-of-life use of the same notation [4]. Part III applies AFL to biology and medicine

[5]. Part IV [6], DOI <https://doi.org/10.5281/zenodo.20395901>, is the cross-domain stress test: it asks where the notation clarifies measurement, and where it becomes only a metaphor.

2 Introduction

2.1 The Mujjabi Universal Capacity Law

Building directly upon the Fundamental Physics (Part I) [3], the **Mujjabi Universal Capacity Law** proposes that across all scales—from black hole event horizons to global financial markets and power grids—driving high flux (Φ) against a rigid topological constraint (C) can drive system saturation. When Φ/C approaches critical thresholds, the system does not scale linearly; it undergoes a topological phase transition.

2.2 The Mujjabi Universal Memory Law

The **Mujjabi Universal Memory Law** frames persistent systemic collapse. When a complex network fails to clear its structural memory (M_s) and its relaxation parameter decays ($\tau_{relax} \rightarrow \infty$), temporary stressors become permanent rigidities. This is the proposed CDFD mechanism behind ecological death, economic depressions, and infrastructural gridlock.

The pursuit of scientific knowledge is an information-processing endeavor. A theoretical paradigm serves as the operating system for a scientific community: it defines what questions are valid, what tools to use, and what data is ignored as "noise."

While philosophy of science treats this process sociologically, CDFD treats it thermodynamically. A scientific paradigm is an adaptive membrane. It consumes raw data, metabolizes it into structured theory, and rejects incompatible anomalies. When anomalies build up faster than the paradigm can explain them, the membrane undergoes acute systemic stress.

3 The Epistemological Adaptive Ratio

We model the health and validity of a scientific paradigm using the Universal Adaptive Ratio:

$$\Psi_s = \left(\frac{\Phi}{C} \right) \cdot S \cdot M_s \quad (1)$$

In the realm of epistemology:

- **Flux (Φ):** The incoming stream of novel experimental data, particularly anomalous observations that do not fit the current theory.
- **Constraint (C):** The fundamental axioms and dogmas of the prevailing paradigm. The constraint acts to filter, suppress, or heavily "massage" incoming anomalous data to make it fit.
- **Responsiveness (S):** The intellectual plasticity of the scientific community (often driven by younger researchers or outsiders less wedded to the establishment).

- **Memory (M_s):** Institutional inertia. Textbooks, peer-review networks, and tenure systems mathematically lock the community into defending the existing constraint structure. High M_s creates theoretical rigidity.

3.1 Normal Science vs. Crisis ($\Psi_s \ll 1$)

During "Normal Science," the paradigm works well. The influx of anomalies (Φ) is low, and the community easily processes it within the existing constraints (C). The system is healthy ($\Psi_s \approx 1$).

As measurement tools improve, anomalous data (Φ) can accumulate faster than a prevailing framework can absorb it. Ad-hoc corrections may raise effective constraint complexity (C), while institutional memory (M_s) can slow revision; whether this produces productive refinement or rigid lock-in is testable.

The adaptive ratio crashes: $\Psi_s \ll 1$. The scientific field enters a state of crisis, analogous to biological ischemia or market recession. Theoretical progress grinds to a halt under the weight of its own internal contradictions.

3.2 The Paradigm Shift (Topological Reconnection)

To escape the crisis, the system must undergo a phase transition. The old memory (M_s) must be discarded, and the restrictive constraint (C) shattered. A new theory is proposed that naturally incorporates the anomalies, drastically dropping C and increasing S .

This paradigm shift is the epistemological equivalent of magnetic reconnection in a plasma. The built-up topological tension is violently released, the old structures are wiped clean, and the scientific community re-establishes a $\Psi_s \approx 1$ equilibrium under a new, lower-constraint theoretical framework.

4 Measurement Layer

The first job in any domain is to choose proxies before drawing conclusions. Φ may be a rate of material, energy, information, capital, or signal flow. C is the bottleneck that slows or redirects that flow. S measures the system's ability to reconfigure under stress, and M_s records the past load that still changes present behavior. A useful application gives those four terms observable definitions, a time scale, and a failure condition. If a standard domain model explains the same data more cleanly, the CDFD/AFL mapping should give way.

4.1 Current Runtime Diagnostic: Universal Network Cascade

The release-local discovery script keeps this paper tied to the current CDFD Runtime [7], including RK4 field updates, surface dynamics, structural-memory diffusion, and a finite-value audit. In the 2026-06-04 runtime pass, the localized hub-drive stress test ended with hub $\Psi_s = 5.21$, peak network $\Psi_s = 5.21$, 21 nodes above $\Psi_s > 1.5$, and 37 maximum memory-locked nodes. I treat those numbers as a runtime sanity check and as a target for later domain measurement, not as a substitute for field data.

5 Major Universal Upgrade: Mechanism, Scale, and Tests

5.1 Observable Translation

The paper-specific translation begins with an observable chain rather than a verbal analogy. For Science Paradigms, the proposed drive is observations, anomalies, ideas, instruments, and research effort. The active limitation is methods, evidence, institutions, incentives, and cognitive limits. Responsiveness is carried by replication, theory revision, tool building, collaboration, and critique, while retained state is represented by paradigms, training, citation networks, instruments, and institutional history. The outcome to explain is explanation, prediction, error correction, and scientific transition.

Table 1: Operational CDFD/AFL map for Paper G-02.

Term	Paper-specific observable meaning	Measurement question
Φ	observations, anomalies, ideas, instruments, and research effort	What rate, load, gradient, or demand enters the focal system?
C	methods, evidence, institutions, incentives, and cognitive limits	Which measured bottleneck limits transfer, function, or recovery?
S	replication, theory revision, tool building, collaboration, and critique	Which process changes effective capacity or reroutes the load?
M_s	paradigms, training, citation networks, instruments, and institutional history	Which retained state makes equal present loads produce different futures?
Y	explanation, prediction, error correction, and scientific transition	Which outcome is predicted out of sample, with uncertainty?




Figure 1: Paper G-02 observable CDFD/AFL architecture for Science Paradigms. Solid arrows give the proposed forward chain; dashed arrows make history-dependent feedback explicit.

5.2 Minimal Coupled Model

A paper-level model must separate throughput, constraint accumulation, response, and history. One deliberately minimal form is

$$Y(t) = \frac{\Phi(t)S(t)}{\epsilon + C(t)}, \quad (2)$$

$$\frac{dC}{dt} = \alpha\Phi(t) - \beta S(t)C(t) + \gamma\mathcal{L}C(t), \quad (3)$$

$$\frac{dM_s}{dt} = \eta C(t) - \mu M_s(t), \quad (4)$$

$$\Psi_s(t) = \frac{\widehat{\Phi}(t)}{\epsilon + \widehat{C}(t)} \widehat{S}(t) [1 + \omega \widehat{M}_s(t)]. \quad (5)$$

Here Y is the measured output, $\epsilon > 0$ prevents a singular denominator, $\mathcal{L}$ is a spatial or network coupling operator, and hats denote explicitly normalized variables. The sign and magnitude of ω must be estimated: memory can preserve useful organization or amplify damage. No fixed threshold is universal before the variables, normalization, and observation scale are declared.

For this paper, the hypothesized causal sequence is specific. A change in observations, anomalies, ideas, instruments, and research effort arrives faster than replication, theory revision, tool building, collaboration, and critique can compensate. This raises or redistributes methods, evidence, institutions, incentives, and cognitive limits. If the load persists, the retained state encoded by paradigms, training, citation networks, instruments, and institutional history changes the next response, so a later event of equal magnitude can produce a different trajectory in explanation, prediction, error correction, and scientific transition. The scientific task is to estimate that sequence against the best ordinary model of the domain, not merely to redescribe the outcome after it occurs.

5.3 Cross-Scale Universality Without Mechanistic Erasure

For the abstract and cognitive systems family, the universal comparison is between information-bearing activity, limited channels or institutions, adaptive reorganization, and retained semantic or technical structure. Because meanings and goals are not conserved physical quantities, every mapping must state its observational unit and avoid treating metaphor as measurement. [8, 2, 10, 9, 1] The CDFD programme is cumulative: Part I supplies the flow-constraint foundation [3]; Part II asks when maintained throughput supports persistent organized states [4]; Part III develops adaptive limitation and biological memory [5]; and Part IV [6] tests how much of that architecture survives translation. The CDFD Runtime [7] supplies a reproducible numerical stress surface, but it does not substitute for the domain evidence named here.

The required scale declaration for this paper is months to centuries; projects to scientific institutions. At short scales, the key question is whether the incoming drive is transmitted, buffered, or diverted. At intermediate scales, response changes effective capacity and network exposure. At long scales, retained structure can alter the state space itself. A result is genuinely cross-scale only when the aggregation rule is stated and the same conclusion is not an artifact of averaging.

5.4 Evidence Ladder and Discriminating Tests

Table 2: Evidence ladder for Paper G-02. Each rung can fail independently.

Test	Design	Discriminating result
Proxy audit	Measure publication and citation networks, replications, forecasts, funding, and historical case studies and preregister how each record maps to Φ , C , S , M_s , and Y .	The mapping fails if proxies are non-identifiable, circular, or change meaning across cases.
Load ramp	Apply or observe a persistent anomaly or new instrument introduced into contrasting fields while estimating the dominant constraint and response time.	A threshold claim requires a reproducible nonlinear change and uncertainty bounds, not a visually chosen breakpoint.
Recovery and memory	Match present load across units with different histories, then compare recovery paths.	The memory claim requires history-dependent divergence after current conditions are controlled.
Model comparison	Compare the baseline domain model with and without the CDFD/AFL state variables using held-out data.	The paper’s stated falsifier is: the mapping cannot distinguish productive stability from obstructive lock-in.

The strongest practical design combines a prospective perturbation with a recovery window. The load-ramp phase estimates where constraint begins to rise faster than output. The recovery phase estimates β and μ , separating fast relaxation from persistent memory. A topology or coupling intervention then asks whether rerouting changes the cascade as predicted. Null results are informative because they identify domains in which the universal notation adds no measurable value.

5.5 Research Programme and Boundary Conditions

The immediate research programme has four steps. First, construct a documented dataset from publication and citation networks, replications, forecasts, funding, and historical case studies and retain raw units before normalization. Second, fit a baseline domain model and report its calibration and out-of-sample error. Third, add the smallest identifiable CDFD/AFL state extension and test whether it improves prediction of explanation, prediction, error correction, and scientific transition. Fourth, repeat the analysis across the declared scale range and publish negative cases as part of the universality audit.

Three boundaries are non-negotiable. Correlation between flow and failure does not identify a constraint mechanism. A fitted memory term does not prove that the stored state has the same material meaning in another domain. Finally, a runtime cascade is evidence about the implementation, not evidence that the real system follows it. The paper becomes stronger when it can say precisely where the translation stops.

6 Conclusion

The evolution of human knowledge is governed by the same laws of throughput and constraint as stellar evolution and metabolism. Theoretical dogma is institutional memory; anomalous

data is thermodynamic pressure. By mapping epistemology to the CDFD framework, we model the hypothesis that scientific revolutions are the model-predicted healing mechanisms of an over-constrained intellectual network.

Conflict of Interest

The author declares no conflict of interest.

Data Availability

Part-specific runtime diagnostics are under each Part's `outputs/` directory.

Release-wide code: `Part_E_Synthesis/supplementary/`.

Generated summaries: `Part_E_Synthesis/outputs/`.

Figures: `Part_E_Synthesis/figures/`.

7 Reference Layer

References

- [1] Per Bak, Chao Tang, and Kurt Wiesenfeld. Self-organized criticality: An explanation of the $1/f$ noise. *Physical Review Letters*, 59(4):381–384, 1987. DOI: <https://doi.org/10.1103/PhysRevLett.59.381>.
- [2] Albert-Laszlo Barabasi and Reka Albert. Emergence of scaling in random networks. *Science*, 286(5439):509–512, 1999. DOI: <https://doi.org/10.1126/science.286.5439.509>.
- [3] Steve Bico Mujjabi. Cdfd part i: Fundamental physics - constraint-driven field theory and flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20250821>.
- [4] Steve Bico Mujjabi. Cdfd part ii: Origins of life and tri-regime bioenergetics - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20264779>.
- [5] Steve Bico Mujjabi. Cdfd part iii: Adaptive flux limitation biology and medicine - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20344695>.
- [6] Steve Bico Mujjabi. Cdfd part iv: Universal adaptive flux limitation - constraint-driven flux dynamics, 2026. DOI: <https://doi.org/10.5281/zenodo.20395901>.
- [7] Steve Bico Mujjabi. Cdfd runtime: Constraint-driven flux dynamics and cdfd execution engine, 2026. DOI: <https://doi.org/10.5281/zenodo.20343160>.
- [8] Claude E. Shannon. A mathematical theory of communication. *Bell System Technical Journal*, 27(3):379–423, 1948. DOI: <https://doi.org/10.1002/j.1538-7305.1948.tb01338.x>.

- [9] A. M. Turing. The chemical basis of morphogenesis. *Philosophical Transactions of the Royal Society of London. Series B*, 237(641):37–72, 1952. DOI: <https://doi.org/10.1098/rstb.1952.0012>.
- [10] Duncan J. Watts and Steven H. Strogatz. Collective dynamics of small-world networks. *Nature*, 393:440–442, 1998. DOI: <https://doi.org/10.1038/30918>.