Character Set MSWindows 1252 Latin 1 Tengwar table

Decimal code*1	Unicode	Character Name*2	Latin*3 Character	Tengwar Character	Access*4,5 ALT- 0nnn ALT- kkk	Quenya Name / Description
32	0020	space			Alt-032 Alt-32	space
33	0021	exclam	!	þ	Alt-033 Alt-33	Alternative **Thúle** in Black Speech
34	0022	quotedbl	"	—	Alt-034 Alt-34	Long under-bar Quenya consonant modifier
35	0023	numbersign	#	⸫	Alt-035 Alt-35	Three over-dots type Quenya 'A' Tehta (V1)
36	0024	dollar	$	´	Alt-036 Alt-36	Over-acute Quenya 'E' Tehta (V1)
37	0025	percent	%	·	Alt-037 Alt-37	Single over-dot Quenya 'I' Tehta (V1)
38	0026	ampersand	&	ͻ	Alt-038 Alt-38	Over-curl Quenya 'U' Tehta (V1)
39	0027	quotesingle	'	—	Alt-039 Alt-39	Short under-bar Quenya consonant modifier
40	0028	parenleft	(	·	Alt-040 Alt-40	Single under-dot (for wide letters)
41	0029	parenright	)	~	Alt-041 Alt-41	Extra high long over-tilde Quenya consonant modifier
42	002A	asterisk	*	Ϲ	Alt-042 Alt-42	**Silme** (V2)
43	002B	plus	+	ɔ	Alt-043 Alt-43	English s-curl for tinco
44	002C	comma	,	Ʒ	Alt-044 Alt-44	**Áze nuquerna** (V2)
45	002D	hyphen	-	⁚	Alt-045 Alt-45	Quenya semi-colon or period
46	002E	period	.	o	Alt-046 Alt-46	**Úre**
47	002F	slash	/	~	Alt-047 Alt-47	Extra low short under-tilde Quenya consonant modifier
48	0030	zero	0	~	Alt-048 Alt-48	Extra high short over-tilde Quenya consonant modifier
49	0031	one	1	ρ	Alt-049 Alt-49	**Tinco**

50	0032	two	2	ꝑꝺ	Alt-050 Alt-50	**Ando**
51	0033	three	3	ꜧ	Alt-051 Alt-51	**Thúle or Súle**
52	0034	four	4	ꜧꝺ	Alt-052 Alt-52	**Anto**
53	0035	five	5	ꝳ	Alt-053 Alt-53	**Númen**
54	0036	six	6	ꝏ	Alt-054 Alt-54	**Óre**
55	0037	seven	7	ɣ	Alt-055 Alt-55	**Rómen**
56	0038	eight	8	ɕ	Alt-056 Alt-56	**Silme** (V1)
57	0039	nine	9	λ	Alt-057 Alt-57	**Hyarmen**
58	003A	colon	:	~	Alt-058 Alt-58	Long under-tilde Quenya consonant modifier
59	003B	semicolon	;	~	Alt-059 Alt-59	Short under-tilde Quenya consonant modifier
60	003C	less	<	ꝺ	Alt-060 Alt-60	Alt. letter for **Hwesta**
61	003D	equal	=	·	Alt-061 Alt-61	Quenya comma
62	003E	greater	>	⸫	Alt-062 Alt-62	Reverse triple under-dots (for short carrier)
63	003F	question	?	~	Alt-063 Alt-63	Extra low long under-tide Quenya consonant modifier
64	0040	at	@	ꝑꝺ	Alt-064 Alt-64	Alternative **Anto** in Black Speech
65	0041	A	A	ꝗ	Alt-065 Alt-65	Alternative **Harma** in Black Speech
66	0042	B	B	·	Alt-066 Alt-66	Single over-dot Quenya 'I' Tehta (V4)
67	0043	C	C	⸫	Alt-067 Alt-67	Three over-dots type Quenya 'A' Tehta (V4)
68	0044	D	D	⸫	Alt-068 Alt-68	Three over-dots type Quenya 'A' Tehta (V3)
69	0045	E	E	⸫	Alt-069 Alt-69	Three over-dots type Quenya 'A' Tehta (V2)

70	0046	F	F	´	Alt-070 Alt-70	Over-acute Quenya 'E' Tehta (V3)
71	0047	G	G	·	Alt-071 Alt-71	Single over-dot Quenya 'I' Tehta (V3)
72	0048	H	H	͡	Alt-072 Alt-72	Over-curl Quenya 'O' Tehta (V3)
73	0049	I	I	?	Alt-073 Alt-73	**Silme nuquerna** (V2)
74	004A	J	J	͜	Alt-074 Alt-74	Over-curl Quenya 'U' Tehta (V3)
75	004B	K	K	Ɛ	Alt-075 Alt-75	**Áze, Áre or Esse** (V2)
76	004C	L	L	·	Alt-076 Alt-76	Single inner-dot (for Lambe)
77	004D	M	M	͜	Alt-077 Alt-77	Over-curl Quenya 'U' Tehta (V4)
78	004E	N	N	͡	Alt-078 Alt-78	Over-curl Quenya 'O' Tehta (V4)
79	004F	O	O	·	Alt-079 Alt-79	Single under-dot (for narrow letters)
80	0050	P	P	~	Alt-080 Alt-80	Long over-tilde Quenya consonant modifier
81	0051	Q	Q	þ	Alt-081 Alt-81	Alternative **Formen** in Black Speech
82	0052	R	R	´	Alt-082 Alt-82	Over-acute Quenya 'E' Tehta (V2)
83	0053	S	S	cᴄ|	Alt-083 Alt-83	Alternative **Anca** in Black Speech
84	0054	T	T	·	Alt-084 Alt-84	Single over-dot Quenya 'I' Tehta (V2)
85	0055	U	U	͜	Alt-085 Alt-85	Over-curl Quenya 'U' Tehta (V2)
86	0056	V	V	´	Alt-086 Alt-86	Over-acute Quenya 'E' Tehta (V4)
87	0057	W	W	þ	Alt-087 Alt-87	Alternative **Ampa** in Black Speech
88	0058	X	X	ᵫ	Alt-088 Alt-88	Alternative **Unque** in Black Speech
89	0059	Y	Y	͡	Alt-089 Alt-89	Over-curl Quenya 'O' Tehta (V2)

90	005A	z	Z	ᵩ	**Alt-090** **Alt-90**	Alternative **Hwesta** in Black Speech
91	005B	bracketleft	[	–	**Alt-091** **Alt-91**	Short over-bar Quenya consonant modifier
92	005C	backslash	\	~	**Alt-092** **Alt-92**	short punctuation tilde
93	005D	bracketright	]	c	**Alt-093** **Alt-93**	**letter A in Sindarin (osse)** Mode of Beleriand
94	005E	asciicircum	^	⌐	**Alt-094** **Alt-94**	Over-curl Quenya 'O' Tehta (V1)
95	005F	underscore	_	⌐	**Alt-095** **Alt-95**	English s-curl for lambe
96	0060	grave	`	،	**Alt-096** **Alt-96**	**short carrier**
97	0061	a	a	Ꮣ	**Alt-097** **Alt-97**	**Calma**
98	0062	b	b	ᄍ	**Alt-098** **Alt-98**	**Nwalme**
99	0063	c	c	ᄖ	**Alt-099** **Alt-99**	**Hwesta**
100	0064	d	d	Ꮷ	**Alt-0100** **Alt-100**	**Harma or Aha**
101	0065	e	e	ᖯ	**Alt-0101** **Alt-101**	**Formen**
102	0066	f	f	ᴄᏧ	**Alt-0102** **Alt-102**	**Anca**
103	0067	g	g	ᴄᴀ	**Alt-0103** **Alt-103**	**Noldo**
104	0068	h	h	ᴀ	**Alt-0104** **Alt-104**	**Anna**
105	0069	i	i	᎒	**Alt-0105** **Alt-105**	**Silme Nuquerna (V1)**
106	006A	j	j	ᖶ	**Alt-0106** **Alt-106**	**Lambe**
107	006B	k	k	ᘉ	**Alt-0107** **Alt-107**	**Áze, Áre or Esse** (V1)
108	006C	l	l	ᴧ	**Alt-0108** **Alt-108**	**Yanta**
109	006D	m	m	ᔓ	**Alt-0109** **Alt-109**	**Alda**

110	006E	n	n	ᴦ	Alt-0110 Alt-110	**Wilya or Vilya**
111	006F	o	o	ᴅ	Alt-0111 Alt-111	**Hwesta Sindarinwa**
112	0070	p	p	˜	Alt-0112 Alt-112	Short over-tilde Quenya consonant modifier
113	0071	q	q	ᴘ	Alt-0113 Alt-113	**Parma**
114	0072	r	r	ᴆ	Alt-0114 Alt-114	**Ampa**
115	0073	s	s	ᴄᴐ	Alt-0115 Alt-115	**Anga**
116	0074	t	t	ᴍ	Alt-0116 Alt-116	**Malta**
117	0075	u	u	ᴩ	Alt-0117 Alt-117	**Arda**
118	0076	v	v	ᴂ	Alt-0118 Alt-118	**Unque**
119	0077	w	w	ᴘ	Alt-0119 Alt-119	**Umbar**
120	0078	x	x	ᴨ	Alt-0120 Alt-120	**Ungwe**
121	0079	y	y	ᴨ	Alt-0121 Alt-121	**Vala**
122	007A	z	z	ᴨ	Alt-0122 Alt-122	**Quesse**
123	007B	braceleft	{	—	Alt-0123 Alt-123	Long over-bar Quenya consonant modifier
124	007C	bar	|	،	Alt-0124 Alt-124	English s-curl for quesse
125	007D	braceright	}	،	Alt-0125 Alt-125	Curl for short carrier
126	007E	asciitilde	~	)	Alt-0126 Alt-126	**long carrier**
127	----	----				
128	20AC 02D8	Euro	€	˜	Alt-0128	High short over-tilde (V2)
129	----	----				

130	201A	quotesinglbase	‚	″	Alt-0130	Inside double accents for Lambe
131	0192	florin	ƒ	″	Alt-0131 Alt-159	Double under-accents (V1)
132	201E	quotedblbase	„	″	Alt-0132	Double under-accents (V2)
133	2026	ellipsis	…	″	Alt-0133	Double under-accents (V3)
134	2020	dagger	†	″	Alt-0134	Double under-accents (V4)
135	2021	daggerdbl	‡	ς	Alt-0135	**Alternate letter A** (Sindarin)
136	02C6	circumflex	^	⦂	Alt-0136	Elvish comma
137	2030	perthousand	‰	´	Alt-0137	Single under-accent (V1)
138	0160	Scaron	Š	´	Alt-0138	Single under-accent (V2)
139	2039	guilsinglleft	‹	´	Alt-0139	Single under-accent (V3)
140	0152	OE	Œ	(	Alt-0140	Modern front parenthesis
141	----	----				
142	017D 02D9	**Zcaron**	Ž	ʒ	Alt-0142	**Áze nuquerna** (V1)
143	----	----				
144	----	----				
145	2018	quoteleft	'	ᴗ	Alt-0145	Under-tail (V1)
146	2019	quoteright	'	ᴗ	Alt-0146	Under-tail (V2)
147	201C	quotedblleft	"	ᴗ	Alt-0147	Under-tail (V3)
148	201D	quotedblright	"	ᴗ	Alt-0148	Under-tail (V4)
149	2022	bullet	•	ƥ	Alt-0149	**Old English letter HW** (Anglo-saxon)

150	**2013**	**endash**	—	*Ꮯᴅ*	**Alt-0150**	**Old English letter SC** (sh) (Anglo-saxon)
151	**2014**	**emdash**	——	*ꓐ*	**Alt-0151**	**Old English letter for &** (Anglo-saxon)
152	**02DC**	**tilde**	~	∘	**Alt-0152**	base-12 identifier (V1)
153	**2122**	**trademark**	™	∘	**Alt-0153**	base-12 identifier (V2)
154	**0161**	**scaron**	š	*ꝳ*	**Alt-0154**	**Alternate letter for MH** (Sindarin)
155	**203A**	**guilsinglright**	›	*ʃʃ*	**Alt-0155**	Elvish parenthesis (Sindarin)
156	**0153**	**oe**	œ	)	**Alt-0156**	Modern back parenthesis
157	**----**	**----**			**Alt-0157**	
158	**017E** **02DA**	**zcaron**	ž	~	**Alt-0158**	Extra high short over-tilde (V2)
159	**0178**	**Ydieresis**	Ÿ	´	**Alt-0159**	Single under-accent (V4)
160	**00A0**	**nbspace**			**Alt-0160** **Alt-255**	"fixed" nbspace
161	**00A1**	**exclamdown**	¡	ᴐ	**Alt-0161** **Alt-173**	Lifted s-curl
162	**00A2**	**cent**	¢	ᴐ	**Alt-0162** **Alt-189**	Raised s-curl
163	**00A3**	**sterling**	£	*ƒ*	**Alt-0163** **Alt-156**	Swash-s-curl
164	**00A4**	**currency**	¤	¤	**Alt-0164** **Alt-207**	*currency*
165	**00A5**	**yen**	¥	*ƒ*	**Alt-0165** **Alt-190**	Lowered swash-s-curl
166	**00A6**	**brokenbar**	¦	ቀ	**Alt-0166** **Alt-221**	**Old English letter back-HT** (Anglo-saxon)
167	**00A7**	**section**	§	ቀ	**Alt-0167** **Alt-245**	**Old English letter front-HT** (Anglo-saxon)
168	**00A8**	**dieresis**	¨	∘	**Alt-0168** **Alt-249**	base-12 identifier (V3)
169	**00A9**	**copyright**	©	∘	**Alt-0169** **Alt-184**	base-12 identifier (V4)

170	00AA	ordfeminine	a	⸫	Alt-0170 Alt-166	Reverse triple over-dots (V1)
171	00AB	guillemotleft	«	«	Alt-0171 Alt-174	Old English double front quote
172	00AC	logicalnot	¬	≈	Alt-0172 Alt-170	Double narrow tilde Elvish punctuation mark
173	00AD	minus	-	⸫	Alt-0173 Alt-240	Reverse triple over-dots (V2)
174	00AE	registered	®	?	Alt-0174 Alt-169	Modern question mark
175	00AF	macron	¯	⸫	Alt-0175 Alt-238	Reverse triple over-dots (V3)
176	00B0	degree	°	~	Alt-0176 Alt-248	Inside tilde (Lambe) Quenya consonant modifier
177	00B1	plusminus	±	'	Alt-0177 Alt-241	Modern front quote
178	00B2	twosuperior	2	'	Alt-0178 Alt-253	Modern back quote
179	00B3	threesuperior	3	2	Alt-0179 Alt-252	**Alternate letter for English HW**
180	00B4	acute	´	··	Alt-0180 Alt-239	Inside double dots for Lambe
181	00B5	mu	µ	⸫	Alt-0181 Alt-230	Reverse triple over-dots (V4)
182	00B6	paragraph	¶	¶	Alt-0182 Alt-244	*paragraph*
183	00B7 2219	periodcentered	·	·	Alt-0183 Alt-250	*middle dot*
184	00B8	cedilla	¸	–	Alt-0184 Alt-247	Inside bar (Lambe) Quenya consonant modifier
185	00B9	onesuperior	1	,	Alt-0185 Alt-251	Modern comma
186	00BA	ordmasculine	º	·	Alt-0186 Alt-167	Modern period
187	00BB	guillemotright	»	»	Alt-0187 Alt-175	Old English double back quote
188	00BC	onequarter	¼	⌐	Alt-0188 Alt-172	**Alternate letter for English 'schwa'**
189	00BD	onehalf	½	)	Alt-0189 Alt-171	**Halla**

190	00BE	threequarters	¾	![2]	Alt-0190 Alt-243	**Alternate letter for English HW**
191	00BF	questiondown	¿	![2]	Alt-0191 Alt-168	**Alternate letter for English HW**
192	00C0	Agrave	À	ß	Alt-0192 Alt-183	Quenya question mark
193	00C1	Aacute	Á	ʃ	Alt-0193 Alt-181	Quenya exclamation mark
194	00C2	Acircumflex	Â	~	Alt-0194 Alt-182	Single wide tilde elvish punctuation mark
195	00C3	Atilde	Ã	;	Alt-0195 Alt-199	Modern semi-colon
196	00C4	Adieresis	Ä	q	Alt-0196 Alt-142	**Alternate letter for quesse**
197	00C5	Aring	Å	ﻭ	Alt-0197 Alt-143	Upward s-curl
198	00C6	AE	Æ	ﻭ	Alt-0198 Alt-146	Raised upward s-curl
199	00C7	Ccedilla	Ç	!	Alt-0199 Alt-128	Modern exclamation mark
200	00C8	Egrave	È	.	Alt-0200 Alt-212	Single under-dot (V1)
201	00C9	Eacute	É	.	Alt-0201 Alt-144	Single under-dot (V2)
202	00CA	Ecircumflex	Ê	.	Alt-0202 Alt-210	Single under-dot (V3)
203	00CB	Edieresis	Ë	.	Alt-0203 Alt-211	Single under-dot (V4)
204	00CC	Igrave	Ì	..	Alt-0204 Alt-222	Double under-dots Quenya 'Y' Tehta (V1)
205	00CD	Iacute	Í	..	Alt-0205 Alt-214	Double under-dots Quenya 'Y' Tehta (V2)
206	00CE	Icircumflex	Î	..	Alt-0206 Alt-215	Double under-dots Quenya 'Y' Tehta (V3)
207	00CF	Idieresis	Ï	..	Alt-0207 Alt-216	Double under-dots Quenya 'Y' Tehta (V4)
208	00D0	Eth	Ð	⁖	Alt-0208 Alt-209	Reverse triple under-dots (V1)
209	00D1	Ntilde	Ñ	⁖	Alt-0209 Alt-165	Reverse triple under-dots (V2)

210	**00D2**	**Ograve**	Ò	⠶	**Alt-0210** **Alt-227**	Reverse triple under-dots (V3)
211	**00D3**	**Oacute**	Ó	⠶	**Alt-0211** **Alt-224**	Reverse triple under-dots (V4)
212	**00D4**	**Ocircumflex**	Ô	⠒	**Alt-0212** **Alt-226**	Double over-dots (V1)
213	**00D5**	**Otilde**	Õ	⠒	**Alt-0213** **Alt-229**	Double over-dots (V2)
214	**00D6**	**Odieresis**	Ö	⠒	**Alt-0214** **Alt-153**	Double over-dots (V3)
215	**00D7**	**multiply**	×	⠒	**Alt-0215** **Alt-158**	Double over-dots (V4)
216	**00D8**	**Oslash**	Ø	⌄	**Alt-0216** **Alt-157**	Over-chevron (V1)
217	**00D9**	**Ugrave**	Ù	⌄	**Alt-0217** **Alt-235**	Over-chevron (V2)
218	**00DA**	**Uacute**	Ú	⌄	**Alt-0218** **Alt-233**	Over-chevron (V3)
219	**00DB**	**Ucircumflex**	Û	⌄	**Alt-0219** **Alt-234**	Over-chevron (V4)
220	**00DC**	**Udieresis**	Ü	^	**Alt-0220** **Alt-154**	Over-circunflex (V1)
221	**00DD**	**Yacute**	Ý	^	**Alt-0221** **Alt-237**	Over-circunflex (V2)
222	**00DE**	**Thorn**	Þ	^	**Alt-0222** **Alt-232**	Over-circunflex (V3)
223	**00DF**	**germandbls**	ß	^	**Alt-0223** **Alt-225**	Over-circunflex (V4)
224	**00E0**	**agrave**	à	ⸯ	**Alt-0224** **Alt-133**	Reverse Over-Curl (V1)
225	**00E1**	**aacute**	á	ⸯ	**Alt-0225** **Alt-160**	Reverse Over-Curl (V2)
226	**00E2**	**acircumflex**	â	ⸯ	**Alt-0226** **Alt-131**	Reverse Over-Curl (V3)
227	**00E3**	**atilde**	ã	ⸯ	**Alt-0227** **Alt-198**	Reverse Over-Curl (V4)
228	**00E4**	**adieresis**	ä	ↄ	**Alt-0228** **Alt-132**	Under-curl (V1)
229	**00E5**	**aring**	å	ↄ	**Alt-0229** **Alt-134**	Under-curl (V2)

230	**00E6**	**ae**	æ	،	**Alt-0230** **Alt-145**	Under-curl (V3)
231	**00E7**	**ccedilla**	ç	،	**Alt-0231** **Alt-135**	Under-curl (V4)
232	**00E8**	**egrave**	è	⅃	**Alt-0232** **Alt-138**	Over-twist (V1)
233	**00E9**	**eacute**	é	⅃	**Alt-0233** **Alt-130**	Over-twist (V2)
234	**00EA**	**ecircumflex**	ê	⅃	**Alt-0234** **Alt-136**	Over-twist (V3)
235	**00EB**	**edieresis**	ë	⅃	**Alt-0235** **Alt-137**	Over-twist (V4)
236	**00EC**	**igrave**	ì	—	**Alt-0236** **Alt-141**	Extra high long over-bar Quenya consonant modifier
237	**00ED**	**iacute**	í	—	**Alt-0237** **Alt-161**	Extra low long under-bar Quenya consonant modifier
238	**00EE**	**icircumflex**	î	—	**Alt-0238** **Alt-140**	Extra high short over-bar Quenya consonant modifier
239	**00EF**	**idieresis**	ï	—	**Alt-0239** **Alt-139**	Extra low short under-bar Quenya consonant modifier
240	**00F0**	**eth**	ð	ɔ	**Alt-0240** **Alt-208**	Elvish number zero
241	**00F1**	**ntilde**	ñ	ᴛ	**Alt-0241** **Alt-164**	**Mine** Elvish number one
242	**00F2**	**ograve**	ò	ᴛᴛ	**Alt-0242** **Alt-149**	**Atta** Elvish number two
243	**00F3**	**oacute**	ó	ᴛᴛᴛ	**Alt-0243** **Alt-162**	**Nelde** Elvish number three
244	**00F4**	**ocircumflex**	ô	∫	**Alt-0244** **Alt-147**	**Canta** Elvish number four
245	**00F5**	**otilde**	õ	ᛏᴛ	**Alt-0245** **Alt-228**	**Lempe** Elvish number five
246	**00F6**	**odieresis**	ö	ᛏᴛᴛ	**Alt-0246** **Alt-148**	**Enque** Elvish number six
247	**00F7**	**divide**	÷	∫	**Alt-0247** **Alt-246**	**Otso** Elvish number seven
248	**00F8**	**oslash**	ø	þ	**Alt-0248** **Alt-155**	**Tolto** Elvish number eight
249	**00F9**	**ugrave**	ù	þ∞	**Alt-0249** **Alt-151**	**Nerte** Elvish number nine

250	00FA	uacute	ú	ᘒ	**Alt-0250** **Alt-163**	**Cainen** Elvish number ten
251	00FB	ucircumflex	û	ᙏ	**Alt-0251** **Alt-150**	**Minque** Elvish number eleven
252	00FC	udieresis	ü	،	**Alt-0252** **Alt-129**	Under-carrier (V1)
253	00FD	yacute	ý	،	**Alt-0253** **Alt-236**	Under-carrier (V2)
254	00FE	thorn	þ	،	**Alt-0254** **Alt-231**	Under-carrier (V3)
255	00FF	ydieresis	ÿ	،	**Alt-0255** **Alt-152**	Under-carrier (V4)

*1: Decimal code according MS Windows 1252 Latin 1 Encoding
*2: Character name according MS Windows 1252 Latin 1 Encoding
*3: Character latin glyph according MS Windows 1252 Latin 1 Encoding
*4: nnn is the decimal code for the character name according MS Windows 1252 Latin 1 Encoding
*5: kkk is the decimal code for the character name according MS DOS 850 Latin 1 Encoding

Aditional Characters: 3

New characters included (now available) in the MSWindows 1252 latin 1 Enconding

Characters not available in the MSWindows 1252 latin 1 Enconding