

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area (checked with vnu 25.12.21)

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ CSS

```
<!DOCTYPE html>
<html lang="en">

<head>

  <meta charset="utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <meta name="csrf-token" content="UQZwRCZxerCcPLxjQ19Ss0FtLiknNJDTBZZt3EGy">
```

Check

1. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

[From line 100, column 5; to line 100, column 96](#)

```
<link rel="preload" as="style" href="http://127.0.0.1:8000/build/
assets/app-6vm4pv6z.css" /><link
```

2. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

[From line 100, column 97; to line 100, column 194](#)

```
6z.css" /><link rel="modulepreload" as="script" href="http://127.0.0.1:8000/
build/assets/app-DGB59JL3.js" /><link
```

3. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

[From line 100, column 195; to line 100, column 278](#)

```
JL3.js" /><link rel="stylesheet" href="http://127.0.0.1:8000/build/assets/
```

```
app-6vm4pv6z.css" /><scrip
```

4. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 357, column 29; to line 357, column 131](#)

```
<input type="hidden" name="_token"
value="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
```

5. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 496, column 17; to line 496, column 119](#)

```
<input type="hidden" name="_token"
value="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
```

6. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 557, column 37; to line 557, column 139](#)

```
<input type="hidden" name="_token"
value="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
```

7. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.

[From line 557, column 176; to line 557, column 381](#)

```
<input type="email" name="invitee_email" required class="flex-1
rounded-lg border-slate-300 shadow-s...s:border-indigo-500 focus:ring-indigo-500
text-sm" placeholder="Enter email address to invite..." /><
```

8. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 581, column 49; to line 581, column 151](#)

```
<input type="hidden" name="_token"
value="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
```

9. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 664, column 21; to line 664, column 123](#)

```
<input type="hidden" name="_token"
```

```
value="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
```

10. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 666, column 21; to line 666, column 123](#)

```
<input type="hidden" name="_token"
value="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
```

11. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 821, column 21; to line 821, column 123](#)

```
<input type="hidden" name="_token"
value="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
```

12. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 863, column 21; to line 863, column 123](#)

```
<input type="hidden" name="_token"
value="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
```

There were errors.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. ↵
4. <head>↵
5.   ↵
6.   ↵
7.   ↵
8.   <meta charset="utf-8">↵
9.   ↵
10.  ↵
11.  <meta name="viewport" content="width=device-width, initial-scale=1">↵
12.  ↵
13.  ↵
14.  <meta name="csrf-token"
content="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy">↵
15.  ↵
16.  ↵
17.  <meta property="og:title" content="GRANDE PORTO">↵
18.  <meta property="og:description" content="EventSquare - The best place to
manage and discover events.">↵
19.  <meta property="og:image" content="http://127.0.0.1:8000/images/og-
image.jpg">↵
20.  <meta property="og:url" content="http://127.0.0.1:8000/events/9">↵
```

```
21. <meta property="og:type" content="website">↵
22. ↵
23. <!-- Scripts -->↵
24. <script src="http://127.0.0.1:8000/js/app.js" defer></script>↵
25. <script>↵
26. document.addEventListener('DOMContentLoaded', function() {↵
27.   const pollsContainer = document.getElementById('polls-container');↵
28.   if (!pollsContainer) return;↵
29. ↵
30.   pollsContainer.addEventListener('submit', async function(e) {↵
31.     const form = e.target;↵
32.     const isVote = form.matches('.poll-vote-form');↵
33.     const isRemove = form.matches('.poll-remove-vote-form');↵
34.     if (!isVote && !isRemove) return;↵
35. ↵
36.     e.preventDefault();↵
37. ↵
38.     const formData = new FormData(form);↵
39. ↵
40.     if (isRemove) {↵
41.       formData.append('_method', 'DELETE');↵
42.     }↵
43. ↵
44.     const btn = form.querySelector('button[type="submit"]');↵
45.     if (btn) btn.disabled = true;↵
46. ↵
47.     try {↵
48.       const res = await fetch(form.action, {↵
49.         method: 'POST',↵
50.         body: formData,↵
51.         headers: {↵
52.           'X-Requested-With': 'XMLHttpRequest',↵
53.           'Accept': 'application/json'↵
54.         }↵
55.       });↵
56. ↵
57.       const contentType = res.headers.get('content-type') || '';↵
58.       const bodyText = await res.text();↵
59. ↵
60.       if (!contentType.includes('application/json')) {↵
61.         console.error('Response non-JSON:', bodyText);↵
62.         window.location.reload();↵
63.         return;↵
64.       }↵
65. ↵
66.       const data = JSON.parse(bodyText);↵
67. ↵
68.       if (!res.ok) {↵
69.         console.error('HTTP error:', res.status, data);↵
70.         window.location.reload();↵
71.         return;↵
72.       }↵
73. ↵
74.       if (!data.html) {↵
75.         console.error('Missing html:', data);↵
76.         window.location.reload();↵
77.         return;↵
78.       }↵
79. ↵
80.       const card = form.closest('[id^="poll-card-"]');↵
81.       if (card) card.outerHTML = data.html;↵
82. ↵
83.     } catch (error) {↵
84.       console.error('Vote error:', error);↵
85.       window.location.reload();↵
86.     } finally {↵
87.       if (btn) btn.disabled = false;↵
88.     }↵
```

```

89.         });↵
90.     });↵
91. </script>↵
92. ↵
93. ↵
94. <title>GRANDE PORTO</title>↵
95. ↵
96. ↵
97. <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">↵
98. ↵
99. ↵
100. <link rel="preload" as="style" href="http://127.0.0.1:8000/build/assets/
app-6vm4pv6z.css" /><link rel="modulepreload" as="script"
href="http://127.0.0.1:8000/build/assets/app-DGB59JL3.js" /><link
rel="stylesheet" href="http://127.0.0.1:8000/build/assets/app-6vm4pv6z.css" /
><script type="module" src="http://127.0.0.1:8000/build/assets/app-
DGB59JL3.js"></script>↵
101. ↵
102. <script id="browser-logger-active">↵
103. (function() {↵
104.     const ENDPOINT = 'http://127.0.0.1:8000/_boost/browser-logs';↵
105.     const logQueue = [];↵
106.     let flushTimeout = null;↵
107. ↵
108.     console.log('🔍 Browser logger active (MCP server detected). Posting to: '
+ ENDPOINT);↵
109. ↵
110.     // Store original console methods↵
111.     const originalConsole = {↵
112.         log: console.log,↵
113.         info: console.info,↵
114.         error: console.error,↵
115.         warn: console.warn,↵
116.         table: console.table↵
117.     };↵
118. ↵
119.     // Helper to safely stringify values↵
120.     function safeStringify(obj) {↵
121.         const seen = new WeakSet();↵
122.         return JSON.stringify(obj, (key, value) => {↵
123.             if (typeof value === 'object' && value !== null) {↵
124.                 if (seen.has(value)) return '[Circular]';↵
125.                 seen.add(value);↵
126.             }↵
127.             if (value instanceof Error) {↵
128.                 return {↵
129.                     name: value.name,↵
130.                     message: value.message,↵
131.                     stack: value.stack↵
132.                 };↵
133.             }↵
134.             return value;↵
135.         });↵
136.     }↵
137. ↵
138.     // Batch and send logs↵
139.     function flushLogs() {↵
140.         if (logQueue.length === 0) return;↵
141. ↵
142.         const batch = logQueue.splice(0, logQueue.length);↵
143. ↵
144.         fetch(ENDPOINT, {↵
145.             method: 'POST',↵
146.             headers: {↵
147.                 'Content-Type': 'application/json',↵
148.                 'X-Requested-With': 'XMLHttpRequest'↵
149.             },↵

```

```
150.         body: JSON.stringify({ logs: batch })↵
151.     }).catch(err => {↵
152.         // Silently fail to avoid infinite loops↵
153.         originalConsole.error('Failed to send logs:', err);↵
154.     });↵
155. }↵
156. ↵
157. // Debounced flush (100ms)↵
158. function scheduleFlush() {↵
159.     if (flushTimeout) clearTimeout(flushTimeout);↵
160.     flushTimeout = setTimeout(flushLogs, 100);↵
161. }↵
162. ↵
163. // Intercept console methods↵
164. ['log', 'info', 'error', 'warn', 'table'].forEach(method => {↵
165.     console[method] = function(...args) {↵
166.         // Call original method↵
167.         originalConsole[method].apply(console, args);↵
168. ↵
169.         // Capture log data↵
170.         try {↵
171.             logQueue.push({↵
172.                 type: method,↵
173.                 timestamp: new Date().toISOString(),↵
174.                 data: args.map(arg => {↵
175.                     try {↵
176.                         return typeof arg === 'object' ?
JSON.parse(safeStringify(arg)) : arg;↵
177.                     } catch (e) {↵
178.                         return String(arg);↵
179.                     }↵
180.                 }),↵
181.                 url: window.location.href,↵
182.                 userAgent: navigator.userAgent↵
183.             });↵
184. ↵
185.             scheduleFlush();↵
186.         } catch (e) {↵
187.             // Fail silently↵
188.         }↵
189.     });↵
190. });↵
191. ↵
192. // Global error handlers for uncaught errors↵
193. const originalOnError = window.onerror;↵
194. window.onerror = function boostErrorHandler(errorMsg, url, lineNumber,
colNumber, error) {↵
195.     try {↵
196.         logQueue.push({↵
197.             type: 'uncaught_error',↵
198.             timestamp: new Date().toISOString(),↵
199.             data: [{↵
200.                 message: errorMsg,↵
201.                 filename: url,↵
202.                 lineno: lineNumber,↵
203.                 colno: colNumber,↵
204.                 error: error ? {↵
205.                     name: error.name,↵
206.                     message: error.message,↵
207.                     stack: error.stack↵
208.                 } : null↵
209.             }],↵
210.             url: window.location.href,↵
211.             userAgent: navigator.userAgent↵
212.         });↵
213. ↵
214.         scheduleFlush();↵
215.     } catch (e) {↵
```

```
216.         // Fail silently↵
217.     }↵
218. ↵
219.         // Call original handler if it exists↵
220.         if (originalOnError && typeof originalOnError === 'function') {↵
221.             return originalOnError(errorMsg, url, lineNumber, colNumber,
error);↵
222.         }↵
223. ↵
224.         // Let the error continue to propagate↵
225.         return false;↵
226.     }↵
227.     window.addEventListener('error', (event) => {↵
228.         try {↵
229.             logQueue.push({↵
230.                 type: 'window_error',↵
231.                 timestamp: new Date().toISOString(),↵
232.                 data: [{↵
233.                     message: event.message,↵
234.                     filename: event.filename,↵
235.                     lineno: event.lineno,↵
236.                     colno: event.colno,↵
237.                     error: event.error ? {↵
238.                         name: event.error.name,↵
239.                         message: event.error.message,↵
240.                         stack: event.error.stack↵
241.                     } : null↵
242.                 }],↵
243.                 url: window.location.href,↵
244.                 userAgent: navigator.userAgent↵
245.             });↵
246. ↵
247.             scheduleFlush();↵
248.         } catch (e) {↵
249.             // Fail silently↵
250.         }↵
251. ↵
252.         // Let the error continue to propagate↵
253.         return false;↵
254.     });↵
255.     window.addEventListener('unhandledrejection', (event) => {↵
256.         try {↵
257.             logQueue.push({↵
258.                 type: 'error',↵
259.                 timestamp: new Date().toISOString(),↵
260.                 data: [{↵
261.                     message: 'Unhandled Promise Rejection',↵
262.                     reason: event.reason instanceof Error ? {↵
263.                         name: event.reason.name,↵
264.                         message: event.reason.message,↵
265.                         stack: event.reason.stack↵
266.                     } : event.reason↵
267.                 }],↵
268.                 url: window.location.href,↵
269.                 userAgent: navigator.userAgent↵
270.             });↵
271. ↵
272.             scheduleFlush();↵
273.         } catch (e) {↵
274.             // Fail silently↵
275.         }↵
276. ↵
277.         // Let the rejection continue to propagate↵
278.         return false;↵
279.     });↵
280. ↵
281.     // Flush on page unload↵
282.     window.addEventListener('beforeunload', () => {↵
```

```

283.         if (logQueue.length > 0) {↵
284.             navigator.sendBeacon(ENDPOINT, JSON.stringify({ logs: logQueue
285.         }));↵
286.     });↵
287. }();↵
288. </script>↵
289. </head>↵
290. ↵
291. ↵
292. <body class="font-sans antialiased">↵
293.     ↵
294.     <a href="#main-content" class="sr-only focus:not-sr-only focus:absolute
focus:top-4 focus:left-4 bg-indigo-600 text-white px-4 py-2 rounded-md z-50">↵
295.         Skip to content↵
296.     </a>↵
297. ↵
298.     ↵
299.     <header class="bg-white shadow-sm border-b border-gray-200 sticky top-0
z-50">↵
300.         ↵
301.         <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">↵
302.             ↵
303.             <div class="flex justify-between items-center h-16">↵
304.                 ↵
305.                 ↵
306.                 ↵
307.                 <a href="http://127.0.0.1:8000" class="flex items-center
space-x-3 text-xl font-bold text-indigo-600 hover:text-indigo-700 transition-
colors">↵
308.                     ↵
309.                     <i class="fas fa-calendar-alt text-2xl"></i>↵
310.                     ↵
311.                     <span>EventSquare</span>↵
312.                 </a>↵
313.                 ↵
314.                 ↵
315.                 <nav class="hidden md:flex items-center space-x-8">↵
316.                     ↵
317.                     </nav>↵
318.                     ↵
319.                     ↵
320.                     ↵
321.                     <div class="flex items-center space-x-4">↵
322.                         ↵
323.                         ↵
324.                         <div class="flex items-center gap-4
text-sm text-gray-700">↵
325.                             <div class="flex items-center
gap-2">↵
326.                                 Welcome,&nbsp;↵
327.                                 <a↵
328.                                     href="http://127.0.0.1:8000/profile"↵
329.                                     class="font-semibold hover:underline"↵
330.                                     title="View profile"↵
331.                                 >↵
332.                                     Sofia Almeida↵
333.                                 </a>↵
334.                             </div>↵
335.                             ↵
336.                             ↵
337.                             <a
href="http://127.0.0.1:8000/my-events" class="inline-flex items-center
rounded-full bg-white border border-indigo-100 px-3 py-1 text-xs font-medium
text-indigo-700 shadow-sm hover:bg-indigo-50 hover:border-indigo-200
transition">↵
338.                                 <i class="fas fa-calendar-alt mr-1 text-[11px]"></i>
i>↵

```

```
339.         <span>My events</span><br>
340.     </a><br>
341.         <br>
342.         <a
href="http://127.0.0.1:8000/events/create" class="inline-flex items-center
rounded-full bg-white border border-indigo-100 px-3 py-1 text-xs font-medium
text-indigo-700 shadow-sm hover:bg-indigo-50 hover:border-indigo-200
transition"><br>
343.             <i class="fas fa-plus mr-1 text-[11px]"></i><br>
344.             <span>Create event</span><br>
345.         </a><br>
346.         <br>
347.         <a
href="http://127.0.0.1:8000/notifications" class="inline-flex items-center
rounded-full bg-white border border-indigo-100 px-3 py-1 text-xs font-medium
text-slate-700 shadow-sm hover:bg-indigo-50 hover:border-indigo-200
transition"><br>
348.             <i class="fas fa-bell mr-1 text-[12px] text-
indigo-600"></i><br>
349.             <span class="flex items-center
gap-1">Notifications<br>
350.                 <span id="notification-badge" class="text-xs
font-bold text-indigo-600 hidden"><br>
351.                     <br>
352.                 </span><br>
353.             </span><br>
354.         </a><br>
355.         <br>
356.         <form action="http://127.0.0.1:8000/logout"
method="POST" class="inline"><br>
357.             <input type="hidden" name=" token"
value="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
<button type="submit" class="inline-flex items-center rounded-full bg-white
border border-slate-200 px-3 py-1 text-xs font-medium text-slate-700 shadow-sm
hover:bg-slate-50 hover:border-slate-300 transition"><br>
358.                 <i class="fas fa-sign-out-alt mr-1 text-
[11px]"></i><br>
359.                 <span>Logout</span><br>
360.             </button><br>
361.         </form><br>
362.     </div><br>
363.         </div><br>
364.     </div><br>
365. </div><br>
366. </header><br>
367. <br>
368.     <br>
369.     <main id="main-content"><br>
370.         <br>
371.         <br>
372.         <br>
373.         <br>
374.         <br>
375.         <br>
376.         <br>
377.         <br>
378.         <div class="relative bg-gradient-to-br from-indigo-900 via-purple-900 to-
slate-900 py-16 sm:py-24"><br>
379.             <div class="absolute inset-0 overflow-hidden"><br>
380.                 <div class="absolute inset-0 bg-[url('/img/grid.svg')] bg-center
[mask-image:linear-gradient(180deg,white,rgba(255,255,255,0))]"></div><br>
381.             </div><br>
382.             <div class="relative max-w-7xl mx-auto px-4 sm:px-6 lg:px-8"><br>
383.                 <div class="flex flex-col md:flex-row md:items-end md:justify-
between gap-6"><br>
384.                     <div class="flex-1"><br>
385.                         <h1 class="text-3xl sm:text-4xl md:text-5xl font-extrabold
text-white tracking-tight mb-2"><br>
```

```
386.                 GRANDE PORTO↵
387.                 </h1>↵
388.                 <div class="flex items-center text-indigo-200 text-sm
sm:text-base mb-4">↵
389.                     <i class="fas fa-map-marker-alt mr-2"></i>↵
390.                     lapa↵
391.                 </div>↵
392.                 <div class="flex flex-wrap gap-2">↵
393.                     <span class="inline-flex items-center gap-1.5 rounded-
full bg-white/10 px-3 py-1 text-xs font-medium text-white backdrop-blur-sm
border border-white/20">↵
394.                         <i class="fas fa-eye text-indigo-300"></i>↵
395.                         Public↵
396.                     </span>↵
397.                     <span class="inline-flex items-center gap-1.5 rounded-
full px-3 py-1 text-xs font-medium backdrop-blur-sm border↵
398.                         bg-green-500/20 text-green-200 border-
green-500/30↵
399.                         ">↵
400.                         <i class="fas fa-circle text-[0.6rem] mr-1"></i>↵
401.                         Published↵
402.                     </span>↵
403.                 </div>↵
404.             </div>↵
405.             ↵
406.             ↵
407.             <div class="hidden md:flex gap-3">↵
408.                 <a href="http://127.0.0.1:8000/events/9/edit" class="inline-flex items-center
gap-2 rounded-lg bg-white/10 px-4 py-2 text-sm font-medium text-white
hover:bg-white/20 backdrop-blur-sm transition border border-white/20">↵
409.                     <i class="fas fa-edit"></i> Edit↵
410.                 </a>↵
411.                 ↵
412.                 <button
onclick="openCancelModal('cancel-form-9')" class="inline-flex items-center
gap-2 rounded-lg bg-yellow-500/20 px-4 py-2 text-sm font-medium text-
yellow-200 hover:bg-yellow-500/30 backdrop-blur-sm transition border border-
yellow-500/30">↵
413.                     <i class="fas fa-ban"></i> Cancel↵
414.                 </button>↵
415.                 ↵
416.                 <button
onclick="openDeleteModal('delete-form-9')" class="inline-flex items-center
gap-2 rounded-lg bg-red-500/20 px-4 py-2 text-sm font-medium text-red-200
hover:bg-red-500/30 backdrop-blur-sm transition border border-red-500/30">↵
417.                     <i class="fas fa-trash"></i> Delete↵
418.                 </button>↵
419.             ↵
420.             </div>↵
421.         </div>↵
422.     </div>↵
423. </div>↵
424. ↵
425. <div class="relative z-10 max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 -mt-8
pb-12">↵
426.     <div class="grid grid-cols-1 lg:grid-cols-3 gap-8">↵
427.         ↵
428.         <div class="lg:col-span-2 space-y-8">↵
429.             ↵
430.             <div class="bg-white rounded-2xl shadow-sm border border-
slate-200 p-6 sm:p-8">↵
431.                 <h2 class="text-xl font-bold text-slate-900 mb-4 flex
items-center gap-2">↵
432.                     <i class="fas fa-align-left text-indigo-500"></i>
About this Event↵
433.                 </h2>↵
```

```
434.         <div class="prose prose-slate max-w-none text-slate-600">↵
435.             <p class="whitespace-pre-line">nao sei↵
436.         ↵
437.         sei ↵
438.         adeuu↵
439.         sma↵
440.         arlar↵
441.         r↵
442.         maltunha+</p>↵
443.             </div>↵
444.         ↵
445.         ↵
446.             <div class="mt-6 pt-6 border-t
border-slate-100">↵
447.                 <h3 class="text-sm font-semibold text-slate-900
mb-3">Tags</h3>↵
448.                 <div class="flex flex-wrap gap-2">↵
449.                     <a
href="http://127.0.0.1:8000/events?tags%5B%5D=career%20fair" class="inline-
flex items-center px-3 py-1 rounded-full text-xs font-medium bg-slate-100
text-slate-700 hover:bg-indigo-50 hover:text-indigo-700 transition">↵
450.                         #career fair↵
451.                     </a>↵
452.                     <a
href="http://127.0.0.1:8000/events?tags%5B%5D=press%20meet" class="inline-flex
items-center px-3 py-1 rounded-full text-xs font-medium bg-slate-100 text-
slate-700 hover:bg-indigo-50 hover:text-indigo-700 transition">↵
453.                         #press meet↵
454.                     </a>↵
455.                 </div>↵
456.             </div>↵
457.         </div>↵
458.     ↵
459.     ↵
460.         <div class="bg-white rounded-2xl shadow-sm border border-
slate-200 p-6 sm:p-8">↵
461.             <div class="flex items-center justify-between mb-6">↵
462.                 <h2 class="text-xl font-bold text-slate-900 flex
items-center gap-2">↵
463.                     <i class="fas fa-users text-indigo-500"></i>
Attendees↵
464.                 </h2>↵
465.                 <span class="text-sm font-medium text-slate-500">↵
466.                     0 / 50↵
467.                 </span>↵
468.             </div>↵
469.         ↵
470.         ↵
471.         <div class="w-full bg-slate-100 rounded-full h-2.5 mb-6
overflow-hidden">↵
472.             <div class="bg-indigo-600 h-2.5 rounded-full
transition-all duration-500" style="width: 0% "></div>↵
473.         </div>↵
474.     ↵
475.             <div
class="text-center py-8 bg-slate-50 rounded-xl border border-dashed border-
slate-200">↵
476.                 <p class="text-slate-500 text-sm">Be the first
to join!</p>↵
477.             </div>↵
478.         </div>↵
479.     ↵
480.     ↵
481.         <div class="bg-white rounded-2xl shadow-sm
border border-slate-200 p-6 sm:p-8">↵
482.             <div class="flex items-center justify-between mb-6">↵
483.                 <h2 class="text-xl font-bold text-slate-900 flex
items-center gap-2">↵
```

```
484.                                     <i class="fas fa-poll text-indigo-500"></i>
Polls↵
485.                                     </h2>↵
486.                                     <button
onclick="openCreatePollModal()" class="inline-flex items-center gap-2 rounded-
lg bg-indigo-600 px-3 py-1.5 text-xs font-medium text-white hover:bg-
indigo-700 transition">↵
487.                                     <i class="fas fa-plus"></i> Create Poll↵
488.                                     </button>↵
489.                                     </div>↵
490. ↵
491.                                     <div class="space-y-6"
id="polls-container">↵
492.                                     <div
id="poll-card-4" class="bg-slate-50 rounded-xl p-4 border border-slate-200">↵
493.         <div class="flex justify-between items-start mb-3">↵
494.             <h3 class="font-semibold text-slate-900">á</h3>↵
495.             <form action="http://127.0.0.1:8000/polls/4" method="POST"
onsubmit="return confirm('Delete this poll?');">↵
496.                 <input type="hidden" name=" token"
value="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
<input type="hidden" name=" method" value="DELETE">
<input type="submit" class="text-slate-400 hover:text-red-600 transition">↵
497.                 <i class="fas fa-trash"></i>↵
498.             </button>↵
499.         </form>↵
500.     </div>↵
501. ↵
502. ↵
503.     <div id="poll-results-4" class="space-y-3">↵
504.         <div class="relative">↵
505.             <div class="flex items-center justify-between text-sm
mb-1">↵
506.                 <span class="font-medium text-slate-700">↵
507.                     a↵
508.                 </span>↵
509.                 <span class="text-slate-500 text-xs">0 votes (0%)</
span>↵
510.             </div>↵
511.             <div class="w-full bg-slate-200 rounded-full h-2 overflow-
hidden">↵
512.                 <div class="bg-indigo-500 h-2 rounded-full transition-
all duration-500" style="width: 0%></div>↵
513.             </div>↵
514.         </div>↵
515.         <div class="relative">↵
516.             <div class="flex items-center justify-between text-sm
mb-1">↵
517.                 <span class="font-medium text-slate-700">↵
518.                     d↵
519.                 </span>↵
520.                 <span class="text-slate-500 text-xs">0 votes (0%)</
span>↵
521.             </div>↵
522.             <div class="w-full bg-slate-200 rounded-full h-2 overflow-
hidden">↵
523.                 <div class="bg-indigo-500 h-2 rounded-full transition-
all duration-500" style="width: 0%></div>↵
524.             </div>↵
525.         </div>↵
526. ↵
527.     <div class="flex justify-between items-center mt-2">↵
528.         <p class="text-xs text-slate-400">Total votes: 0</p>↵
529.     ↵
530.     </div>↵
531. </div>↵
532. ↵
533. ↵
```

```

534.      ↵
535.      ↵
536.      </div>
537.                                     </div>↵
538.
539.      ↵
540.                                     <div class="bg-
white rounded-2xl shadow-sm border border-slate-200 p-6 sm:p-8 mb-6">↵
541.                                     <h2 class="text-xl font-bold text-slate-900 mb-4
flex items-center gap-2">↵
542.                                     <i class="fas fa-clipboard-list text-
indigo-500"></i> Manage Applications↵
543.                                     </h2>↵
544.      ↵
545.                                     <div class="space-y-2 max-h-60 overflow-y-auto
pr-2">↵
546.                                     <p
class="text-sm text-slate-500 text-center py-4">No pending applications.</p>↵
547.                                     </div>↵
548.                                     </div>↵
549.
550.      ↵
551.                                     <div class="bg-
white rounded-2xl shadow-sm border border-slate-200 p-6 sm:p-8">↵
552.                                     <h2 class="text-xl font-bold text-slate-900 mb-4
flex items-center gap-2">↵
553.                                     <i class="fas fa-envelope text-indigo-500"></
i> Manage Invitations↵
554.                                     </h2>↵
555.      ↵
556.      <form action="http://127.0.0.1:8000/events/9/invite" method="POST" class="flex
gap-2 mb-6">↵
557.                                     <input type="hidden" name=" token"
value="UQZwRCZxerCcPLxi019Ss0FtLiknNJDtBZZt3EGv" autocomplete="off">
<input type="email" name="invitee email" required class="flex-1 rounded-lg
border-slate-300 shadow-sm focus:border-indigo-500 focus:ring-indigo-500 text-
sm" placeholder="Enter email address to invite..." />↵
558.                                     <button type="submit" class="inline-flex
items-center gap-2 rounded-lg bg-indigo-600 px-4 py-2 text-sm font-semibold
text-white shadow hover:bg-indigo-700 transition">↵
559.                                     <i class="fas fa-paper-plane"></i>
Invite↵
560.                                     </button>↵
561.      </form>↵
562.      ↵
563.      <div class="space-y-2 max-h-60 overflow-y-auto
pr-2">↵
564.                                     <div
class="flex items-center justify-between p-3 rounded-lg bg-slate-50 border
border-slate-100">↵
565.                                     <div class="flex items-center gap-3">↵
566.                                     <div class="h-8 w-8 rounded-full
bg-white border border-slate-200 flex items-center justify-center text-
slate-400 text-xs">↵
567.                                     <i class="fas fa-user"></i>↵
568.                                     </div>↵
569.                                     </div>↵
570.      <a href="http://127.0.0.1:8000/profile/2" class="text-sm font-medium text-
slate-900 hover:text-indigo-600 hover:underline transition">↵
571.                                     Ana Santos↵
572.      </a>↵
573.      <p class="text-xs text-slate-500">Invited 5 minutes ago</p>↵
574.      </div>↵
575.      </div>↵
576.      <div class="flex items-center gap-2">↵

```

```
577.                                     <span class="inline-flex items-
center rounded-full px-2.5 py-0.5 text-xs font-medium bg-yellow-100 text-
yellow-800">↵
578.                                     Pending↵
579.                                     </span>↵
580.                                     <form
action="http://127.0.0.1:8000/invitations/7" method="POST" onsubmit="return
confirm('Are you sure you want to cancel this invitation?');">↵
581.                                     <input type="hidden"
name=" token" value="UQZwRCZxerCcPLxjQ19Ss0FtLiknNJDTBZZt3EGy"
autocomplete="off">↵                                     <input
type="hidden" name=" _method" value="DELETE">
<button type="submit" class="text-slate-400 hover:text-red-600 transition-
colors" title="Cancel Invitation">↵
582.                                     <i class="fas fa-trash-
alt"></i>↵
583.                                     </button>↵
584.                                     </form>↵
585.                                     </div>↵
586.                                     </div>↵
587.                                     </div>↵
588.                                     </div>↵
589.                                     </div>↵
590. ↵
591. ↵
592.         <div class="space-y-6">↵
593. ↵
594.         <div class="bg-white rounded-2xl shadow-sm border border-
slate-200 p-6">↵
595.             <h3 class="text-sm font-semibold text-slate-400 uppercase
tracking-wider mb-4">Event Details</h3>↵
596. ↵
597.             <div class="space-y-4">↵
598.                 <div class="flex items-start gap-3">↵
599.                     <div class="mt-1 h-8 w-8 rounded-lg bg-indigo-50
flex items-center justify-center text-indigo-600 shrink-0">↵
600.                         <i class="fas fa-calendar"></i>↵
601.                     </div>↵
602.                     <div>↵
603.                         <p class="text-sm font-medium text-
slate-900">Date & Time</p>↵
604.                         <p class="text-sm text-slate-600">↵
605.                             Jan 03, 2026↵
606.                             -
607.                             </p>↵
608.                         <p class="text-xs text-slate-500">11:01 AM -
11:01 AM</p>↵
609.                     </div>↵
610.                 </div>↵
611. ↵
612.                 <div class="flex items-start gap-3">↵
613.                     <div class="mt-1 h-8 w-8 rounded-lg bg-indigo-50
flex items-center justify-center text-indigo-600 shrink-0">↵
614.                         <i class="fas fa-map-marker-alt"></i>↵
615.                     </div>↵
616.                     <div>↵
617.                         <p class="text-sm font-medium text-
slate-900">Location</p>↵
618.                         <p class="text-sm text-slate-600">lapa</p>↵
619.                     </div>↵
620.                 </div>↵
621. ↵
622.                 <div class="flex items-start gap-3">↵
623.                     <div class="mt-1 h-8 w-8 rounded-lg bg-indigo-50
flex items-center justify-center text-indigo-600 shrink-0">↵
624.                         <i class="fas fa-user-circle"></i>↵
625.                     </div>↵
```

```
626.                <div>↵
627.                <p class="text-sm font-medium text-
        slate-900">Organizer</p>↵
628.                <p class="text-sm text-slate-600">Sofia
        Almeida</p>↵
629.                <a href="http://127.0.0.1:8000/profile/8"
        class="text-xs text-indigo-600 hover:text-indigo-700 font-medium">View
        Profile</a>↵
630.            </div>↵
631.        </div>↵
632.    </div>↵
633.↵
634.                ↵
635.            ↵
636.                ↵
637.                ↵
638.        </div>↵
639.↵
640.↵
641.            ↵
642.                <div
        class="md:hidden bg-white rounded-2xl shadow-sm border border-slate-200 p-6
        space-y-3">↵
643.                <h3 class="text-sm font-semibold text-slate-900
        mb-2">Organizer Actions</h3>↵
644.                ↵
645.                <a
        href="http://127.0.0.1:8000/events/9/edit" class="block w-full text-center
        rounded-lg border border-slate-300 bg-white px-4 py-2 text-sm font-medium
        text-slate-700 hover:bg-slate-50">↵
646.                    Edit Event↵
647.                </a>↵
648.                ↵
649.                <button
        onclick="openCancelModal('cancel-form-9')" class="block w-full text-center
        rounded-lg border border-yellow-300 bg-yellow-50 px-4 py-2 text-sm font-medium
        text-yellow-700 hover:bg-yellow-100">↵
650.                    Cancel Event↵
651.                </button>↵
652.            ↵
653.↵
654.                <button
        onclick="openDeleteModal('delete-form-9')" class="block w-full text-center
        rounded-lg border border-red-300 bg-red-50 px-4 py-2 text-sm font-medium text-
        red-700 hover:bg-red-100">↵
655.                    Delete Event↵
656.                </button>↵
657.            </div>↵
658.        </div>↵
659.    </div>↵
660.↵
661.↵
662.↵
663.                <form id="cancel-form-9"
        action="http://127.0.0.1:8000/events/9/cancel" method="POST" class="hidden">↵
664.                <input type="hidden" name=" token"
        value="UQZwRCZxerCcPLxjQ19Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
        </form>↵
665.                <form id="delete-form-9"
        action="http://127.0.0.1:8000/events/9" method="POST" class="hidden">↵
666.                <input type="hidden" name=" token"
        value="UQZwRCZxerCcPLxjQ19Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
        <input type="hidden" name="_method" value="DELETE">
        </form>↵
667.            ↵
668.↵
669.↵
670.        <div id="cancel-modal" class="hidden fixed inset-0 z-[100] overflow-y-
        auto" aria-labelledby="cancel-modal-title" role="dialog" aria-modal="true">↵
```

```
671.     <div class="flex items-end justify-center min-h-screen pt-4 px-4 pb-20
text-center sm:block sm:p-0">↵
672.     ↵
673.     <div class="fixed inset-0 bg-gray-500/75 transition-opacity" aria-
hidden="true" onclick="document.getElementById('cancel-
modal').classList.add('hidden')"></div>↵
674. ↵
675.     <span class="hidden sm:inline-block sm:align-middle sm:h-screen" aria-
hidden="true">&#8203;</span>↵
676. ↵
677.     ↵
678.     <div class="relative inline-block align-bottom bg-white rounded-lg
text-left overflow-hidden shadow-xl transform transition-all sm:my-8 sm:align-
middle sm:max-w-lg sm:w-full">↵
679.         <div class="bg-white px-4 pt-5 pb-4 sm:p-6 sm:pb-4">↵
680.             <div class="sm:flex sm:items-start">↵
681.                 <div class="mx-auto flex-shrink-0 flex items-center
justify-center h-12 w-12 rounded-full bg-yellow-100 sm:mx-0 sm:h-10 sm:w-10">↵
682.                     <i class="fas fa-exclamation-triangle text-
yellow-600"></i>↵
683.                 </div>↵
684.                 <div class="mt-3 text-center sm:mt-0 sm:ml-4 sm:text-
left">↵
685.                     <h3 class="text-lg leading-6 font-medium text-
gray-900" id="cancel-modal-title">↵
686.                         Cancel Event↵
687.                     </h3>↵
688.                     <div class="mt-2">↵
689.                         <p class="text-sm text-gray-500">↵
690.                             Are you sure you want to cancel this event?
The event will remain visible but no one will be able to apply to join.↵
691.                         </p>↵
692.                     </div>↵
693.                 </div>↵
694.             </div>↵
695.         </div>↵
696.         <div class="bg-gray-50 px-4 py-3 sm:px-6 sm:flex sm:flex-row-
reverse">↵
697.             <button type="button" onclick="confirmCancel()" class="w-full
inline-flex justify-center rounded-md border border-transparent shadow-sm px-4
py-2 bg-yellow-600 hover:bg-yellow-700 focus:ring-yellow-500 text-base font-
medium text-white focus:outline-none focus:ring-2 focus:ring-offset-2 sm:ml-3
sm:w-auto sm:text-sm">↵
698.                 Cancel Event↵
699.             </button>↵
700.             <button type="button"
onclick="document.getElementById('cancel-modal').classList.add('hidden')"
class="mt-3 w-full inline-flex justify-center rounded-md border border-
gray-300 shadow-sm px-4 py-2 bg-white text-base font-medium text-gray-700
hover:bg-gray-50 focus:outline-none focus:ring-2 focus:ring-offset-2
focus:ring-indigo-500 sm:mt-0 sm:ml-3 sm:w-auto sm:text-sm">↵
701.                 Cancel↵
702.             </button>↵
703.         </div>↵
704.     </div>↵
705. </div>↵
706. </div>↵
707.     <div id="delete-modal" class="hidden fixed inset-0 z-[100] overflow-y-
auto" aria-labelledby="delete-modal-title" role="dialog" aria-modal="true">↵
708.         <div class="flex items-end justify-center min-h-screen pt-4 px-4 pb-20
text-center sm:block sm:p-0">↵
709.             ↵
710.             <div class="fixed inset-0 bg-gray-500/75 transition-opacity" aria-
hidden="true" onclick="document.getElementById('delete-
modal').classList.add('hidden')"></div>↵
711.             ↵
712.             <span class="hidden sm:inline-block sm:align-middle sm:h-screen" aria-
hidden="true">&#8203;</span>↵
```

```
713. ↵
714.     ↵
715.     <div class="relative inline-block align-bottom bg-white rounded-lg
text-left overflow-hidden shadow-xl transform transition-all sm:my-8 sm:align-
middle sm:max-w-lg sm:w-full">↵
716.         <div class="bg-white px-4 pt-5 pb-4 sm:p-6 sm:pb-4">↵
717.             <div class="sm:flex sm:items-start">↵
718.                 <div class="mx-auto flex-shrink-0 flex items-center
justify-center h-12 w-12 rounded-full bg-red-100 sm:mx-0 sm:h-10 sm:w-10">↵
719.                     <i class="fas fa-exclamation-triangle text-red-600"></
i>↵
720.                 </div>↵
721.                 <div class="mt-3 text-center sm:mt-0 sm:ml-4 sm:text-
left">↵
722.                     <h3 class="text-lg leading-6 font-medium text-
gray-900" id="delete-modal-title">↵
723.                         Delete Event Forever↵
724.                     </h3>↵
725.                     <div class="mt-2">↵
726.                         <p class="text-sm text-gray-500">↵
727.                             This event has no registrations, so it can be
deleted without leaving traces. This action cannot be undone.↵
728.                         </p>↵
729.                     </div>↵
730.                 </div>↵
731.             </div>↵
732.         </div>↵
733.         <div class="bg-gray-50 px-4 py-3 sm:px-6 sm:flex sm:flex-row-
reverse">↵
734.             <button type="button" onclick="confirmDelete()" class="w-full
inline-flex justify-center rounded-md border border-transparent shadow-sm px-4
py-2 bg-red-600 hover:bg-red-700 focus:ring-red-500 text-base font-medium
text-white focus:outline-none focus:ring-2 focus:ring-offset-2 sm:ml-3 sm:w-
auto sm:text-sm">↵
735.                 Delete Event↵
736.             </button>↵
737.             <button type="button"
onclick="document.getElementById('delete-modal').classList.add('hidden')"
class="mt-3 w-full inline-flex justify-center rounded-md border border-
gray-300 shadow-sm px-4 py-2 bg-white text-base font-medium text-gray-700
hover:bg-gray-50 focus:outline-none focus:ring-2 focus:ring-offset-2
focus:ring-indigo-500 sm:mt-0 sm:ml-3 sm:w-auto sm:text-sm">↵
738.                 Cancel↵
739.             </button>↵
740.         </div>↵
741.     </div>↵
742. </div>↵
743. </div>↵
744.     <div id="admin-delete-modal" class="hidden fixed inset-0 z-[100] overflow-
y-auto" aria-labelledby="admin-delete-modal-title" role="dialog" aria-
modal="true">↵
745.         <div class="flex items-end justify-center min-h-screen pt-4 px-4 pb-20
text-center sm:block sm:p-0">↵
746.             ↵
747.             <div class="fixed inset-0 bg-gray-500/75 transition-opacity" aria-
hidden="true" onclick="document.getElementById('admin-delete-
modal').classList.add('hidden')"></div>↵
748.             ↵
749.             <span class="hidden sm:inline-block sm:align-middle sm:h-screen" aria-
hidden="true">&#8203;</span>↵
750.             ↵
751.             ↵
752.             <div class="relative inline-block align-bottom bg-white rounded-lg
text-left overflow-hidden shadow-xl transform transition-all sm:my-8 sm:align-
middle sm:max-w-lg sm:w-full">↵
753.                 <div class="bg-white px-4 pt-5 pb-4 sm:p-6 sm:pb-4">↵
754.                     <div class="sm:flex sm:items-start">↵
755.                         <div class="mx-auto flex-shrink-0 flex items-center
```

```

756. justify-center h-12 w-12 rounded-full bg-red-100 sm:mx-0 sm:h-10 sm:w-10">↵
      <i class="fas fa-exclamation-triangle text-red-600"></i>↵
757. i>↵
758.       </div>↵
759.       <div class="mt-3 text-center sm:mt-0 sm:ml-4 sm:text-
left">↵
760.           <h3 class="text-lg leading-6 font-medium text-
gray-900" id="admin-delete-modal-title">↵
761.               Admin: Delete Event↵
762.           </h3>↵
763.           <div class="mt-2">↵
764.               <p class="text-sm text-gray-500">↵
Warning: You are about to permanently delete
this event as an administrator. This action will be logged and cannot be
undone.↵
765.               </p>↵
766.           </div>↵
767.       </div>↵
768.   </div>↵
769. </div>↵
770. <div class="bg-gray-50 px-4 py-3 sm:px-6 sm:flex sm:flex-row-
reverse">↵
771.     <button type="button" onclick="confirmAdminDelete()" class="w-
full inline-flex justify-center rounded-md border border-transparent shadow-sm
px-4 py-2 bg-red-600 hover:bg-red-700 focus:ring-red-500 text-base font-medium
text-white focus:outline-none focus:ring-2 focus:ring-offset-2 sm:ml-3 sm:w-
auto sm:text-sm">↵
772.         Delete Event↵
773.     </button>↵
774.     <button type="button" onclick="document.getElementById('admin-
delete-modal').classList.add('hidden')" class="mt-3 w-full inline-flex
justify-center rounded-md border border-gray-300 shadow-sm px-4 py-2 bg-white
text-base font-medium text-gray-700 hover:bg-gray-50 focus:outline-none
focus:ring-2 focus:ring-offset-2 focus:ring-indigo-500 sm:mt-0 sm:ml-3 sm:w-
auto sm:text-sm">↵
775.         Cancel↵
776.     </button>↵
777. </div>↵
778. </div>↵
779. </div>↵
780. </div>↵
781. ↵
782. <div id="attendees-modal" class="fixed inset-0 z-[100] hidden overflow-y-
auto" aria-labelledby="attendees-modal-title" role="dialog" aria-
modal="true">↵
783.     <div class="flex items-end justify-center min-h-screen pt-4 px-4 pb-20
text-center sm:block sm:p-0">↵
784.         ↵
785.         <div class="fixed inset-0 bg-gray-500 bg-opacity-75 transition-
opacity" aria-hidden="true" onclick="closeAttendeesModal()"></div>↵
786.         ↵
787.         <span class="hidden sm:inline-block sm:align-middle sm:h-screen"
aria-hidden="true">&#8203;</span>↵
788.         ↵
789.         ↵
790.         <div class="inline-block align-bottom bg-white rounded-lg text-
left overflow-hidden shadow-xl transform transition-all sm:my-8 sm:align-
middle sm:max-w-lg sm:w-full relative z-10">↵
791.             <div class="bg-white px-4 pt-5 pb-4 sm:p-6 sm:pb-4">↵
792.                 <div class="sm:flex sm:items-start">↵
793.                     <div class="mt-3 text-center sm:mt-0 sm:ml-4 sm:text-
left w-full">↵
794.                         <h3 class="text-lg leading-6 font-bold text-
slate-900 mb-4 flex items-center gap-2" id="attendees-modal-title">↵
795.                             <i class="fas fa-users text-indigo-500"></i>
All Attendees (0)↵
796.                         </h3>↵
797.                     <div class="mt-2 max-h-96 overflow-y-auto pr-2

```

```
custom-scrollbar">↵
798.                <div class="space-y-3">↵
799.                                                    </div>↵
800.                </div>↵
801.            </div>↵
802.        </div>↵
803.    </div>↵
804.    <div class="bg-gray-50 px-4 py-3 sm:px-6 sm:flex sm:flex-row-
reverse">↵
805.        <button type="button" class="mt-3 w-full inline-flex
justify-center rounded-md border border-gray-300 shadow-sm px-4 py-2 bg-white
text-base font-medium text-gray-700 hover:bg-gray-50 focus:outline-none
focus:ring-2 focus:ring-offset-2 focus:ring-indigo-500 sm:mt-0 sm:ml-3 sm:w-
auto sm:text-sm" onclick="closeAttendeesModal()">↵
806.            Close↵
807.        </button>↵
808.    </div>↵
809. </div>↵
810. </div>↵
811. </div>↵
812. ↵
813. ↵
814.    <div id="create-poll-modal" class="fixed inset-0 z-[100] hidden overflow-
y-auto" aria-labelledby="create-poll-modal-title" role="dialog" aria-
modal="true">↵
815.        <div class="flex items-end justify-center min-h-screen pt-4 px-4 pb-20
text-center sm:block sm:p-0">↵
816.            <div class="fixed inset-0 bg-gray-500 bg-opacity-75 transition-
opacity" aria-hidden="true" onclick="closeCreatePollModal()"></div>↵
817.            <span class="hidden sm:inline-block sm:align-middle sm:h-screen"
aria-hidden="true">&#8203;</span>↵
818.            ↵
819.            <div class="inline-block align-bottom bg-white rounded-lg text-
left overflow-hidden shadow-xl transform transition-all sm:my-8 sm:align-
middle sm:max-w-lg sm:w-full relative z-10">↵
820.                <form action="http://127.0.0.1:8000/events/9/polls"
method="POST">↵
821.                    <input type="hidden" name=" token"
value="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">
<div class="bg-white px-4 pt-5 pb-4 sm:p-6 sm:pb-4">↵
822.                        <h3 class="text-lg leading-6 font-bold text-slate-900
mb-4" id="create-poll-modal-title">Create New Poll</h3>↵
823.                        ↵
824.                        <div class="space-y-4">↵
825.                            <div>↵
826.                                <label for="poll-question" class="block text-
sm font-medium text-slate-700">Question</label>↵
827.                                <input type="text" name="question" id="poll-
question" required class="mt-1 block w-full rounded-md border-slate-300
shadow-sm focus:border-indigo-500 focus:ring-indigo-500 sm:text-sm"
placeholder="e.g., What should we eat?">↵
828.                            </div>↵
829.                            ↵
830.                            <div>↵
831.                                <label class="block text-sm font-medium text-
slate-700 mb-2">Options</label>↵
832.                                <div id="poll-options-container" class="space-
y-2">↵
833.                                    <input type="text" name="options[]"
required class="block w-full rounded-md border-slate-300 shadow-sm
focus:border-indigo-500 focus:ring-indigo-500 sm:text-sm" placeholder="Option
1">↵
834.                                    <input type="text" name="options[]"
required class="block w-full rounded-md border-slate-300 shadow-sm
focus:border-indigo-500 focus:ring-indigo-500 sm:text-sm" placeholder="Option
2">↵
835.                                </div>↵
836.                                <button type="button"
```

```
onclick="addPollOption()" class="mt-2 text-sm text-indigo-600 hover:text-indigo-800 font-medium">↵
837.         + Add another option↵
838.         </button>↵
839.     </div>↵
840. </div>↵
841. </div>↵
842. <div class="bg-gray-50 px-4 py-3 sm:px-6 sm:flex sm:flex-row-reverse">↵
843.     <button type="submit" class="w-full inline-flex justify-center rounded-md border border-transparent shadow-sm px-4 py-2 bg-indigo-600 text-base font-medium text-white hover:bg-indigo-700 focus:outline-none focus:ring-2 focus:ring-offset-2 focus:ring-indigo-500 sm:ml-3 sm:w-auto sm:text-sm">↵
844.         Create Poll↵
845.     </button>↵
846.     <button type="button" class="mt-3 w-full inline-flex justify-center rounded-md border border-gray-300 shadow-sm px-4 py-2 bg-white text-base font-medium text-gray-700 hover:bg-gray-50 focus:outline-none focus:ring-2 focus:ring-offset-2 focus:ring-indigo-500 sm:mt-0 sm:ml-3 sm:w-auto sm:text-sm" onclick="closeCreatePollModal()">↵
847.         Cancel↵
848.     </button>↵
849. </div>↵
850. </form>↵
851. </div>↵
852. </div>↵
853. </div>↵
854. ↵
855. ↵
856. <div id="report-modal" class="fixed inset-0 z-[100] hidden overflow-y-auto" aria-labelledby="report-modal-title" role="dialog" aria-modal="true">↵
857.     <div class="flex items-end justify-center min-h-screen pt-4 px-4 pb-20 text-center sm:block sm:p-0">↵
858.         <div class="fixed inset-0 bg-gray-500 bg-opacity-75 transition-opacity" aria-hidden="true" onclick="closeReportModal()"></div>↵
859.         <span class="hidden sm:inline-block sm:align-middle sm:h-screen" aria-hidden="true">&#8203;</span>↵
860.         ↵
861.         <div class="inline-block align-bottom bg-white rounded-lg text-left overflow-hidden shadow-xl transform transition-all sm:my-8 sm:align-middle sm:max-w-lg sm:w-full relative z-10">↵
862.             <form action="http://127.0.0.1:8000/events/9/report" method="POST">↵
863.                 <input type="hidden" name="token" value="UQZwRCZxerCcPLxjQl9Ss0FtLiknNJDTBZZt3EGy" autocomplete="off">↵
864.                 <div class="bg-white px-4 pt-5 pb-4 sm:p-6 sm:pb-4">↵
865.                     <h3 class="text-lg leading-6 font-bold text-slate-900 mb-4 flex items-center gap-2" id="report-modal-title">↵
866.                         <i class="fas fa-flag text-red-500"></i> Report Event↵
867.                     </h3>↵
868.                     <div class="space-y-4">↵
869.                         ↵
870.                         <p class="text-sm text-slate-600">Please describe why you are reporting this event. This will be reviewed by an administrator.</p>↵
871.                         <div>↵
872.                             <label for="report-reason" class="block text-sm font-medium text-slate-700">Reason</label>↵
873.                             <textarea name="reason" id="report-reason" rows="4" required class="mt-1 block w-full rounded-md border-slate-300 shadow-sm focus:border-indigo-500 focus:ring-indigo-500 sm:text-sm" placeholder="e.g., Inappropriate content, spam, etc."></textarea>↵
874.                         </div>↵
875.                     </div>↵
876.                 </div>↵
```

```
877.         <div class="bg-gray-50 px-4 py-3 sm:px-6 sm:flex sm:flex-  
row-reverse">↵  
878.             <button type="submit" class="w-full inline-flex  
justify-center rounded-md border border-transparent shadow-sm px-4 py-2 bg-  
red-600 text-base font-medium text-white hover:bg-red-700 focus:outline-none  
focus:ring-2 focus:ring-offset-2 focus:ring-red-500 sm:ml-3 sm:w-auto sm:text-  
sm">↵  
879.                 Submit Report↵  
880.             </button>↵  
881.             <button type="button" class="mt-3 w-full inline-flex  
justify-center rounded-md border border-gray-300 shadow-sm px-4 py-2 bg-white  
text-base font-medium text-gray-700 hover:bg-gray-50 focus:outline-none  
focus:ring-2 focus:ring-offset-2 focus:ring-indigo-500 sm:mt-0 sm:ml-3 sm:w-  
auto sm:text-sm" onclick="closeReportModal()">↵  
882.                 Cancel↵  
883.             </button>↵  
884.         </div>↵  
885.     </form>↵  
886. </div>↵  
887. </div>↵  
888. </div>↵  
889. ↵  
890. <script>↵  
891.     // Modal Logic↵  
892.     let activeForm = null;↵  
893. ↵  
894.     function openCancelModal(formId) {↵  
895.         activeForm = document.getElementById(formId);↵  
896.         document.getElementById('cancel-  
modal').classList.remove('hidden');↵  
897.     }↵  
898. ↵  
899.     function openDeleteModal(formId) {↵  
900.         activeForm = document.getElementById(formId);↵  
901.         document.getElementById('delete-  
modal').classList.remove('hidden');↵  
902.     }↵  
903. ↵  
904.     function openAdminDeleteModal(formId) {↵  
905.         activeForm = document.getElementById(formId);↵  
906.         document.getElementById('admin-delete-  
modal').classList.remove('hidden');↵  
907.     }↵  
908. ↵  
909.     function openAttendeesModal() {↵  
910.         document.getElementById('attendees-  
modal').classList.remove('hidden');↵  
911.     }↵  
912. ↵  
913.     function closeAttendeesModal() {↵  
914.         document.getElementById('attendees-  
modal').classList.add('hidden');↵  
915.     }↵  
916. ↵  
917.     function openCreatePollModal() {↵  
918.         document.getElementById('create-poll-  
modal').classList.remove('hidden');↵  
919.     }↵  
920. ↵  
921.     function closeCreatePollModal() {↵  
922.         document.getElementById('create-poll-  
modal').classList.add('hidden');↵  
923.     }↵  
924. ↵  
925.     function openReportModal() {↵  
926.         document.getElementById('report-  
modal').classList.remove('hidden');↵  
927.     }↵
```

```

928. ↵
929.     function closeReportModal() {↵
930.         document.getElementById('report-modal').classList.add('hidden');↵
931.     }↵
932. ↵
933.     function addPollOption() {↵
934.         const container = document.getElementById('poll-options-
container');↵
935.         const count = container.children.length + 1;↵
936.         const input = document.createElement('input');↵
937.         input.type = 'text';↵
938.         input.name = 'options[]';↵
939.         input.required = true;↵
940.         input.className = 'block w-full rounded-md border-slate-300
shadow-sm focus:border-indigo-500 focus:ring-indigo-500 sm:text-sm';↵
941.         input.placeholder = 'Option ' + count;↵
942.         container.appendChild(input);↵
943.     }↵
944. ↵
945.     function confirmCancel() { if(activeForm) activeForm.submit(); }↵
946.     function confirmDelete() { if(activeForm) activeForm.submit(); }↵
947.     function confirmAdminDelete() { if(activeForm) activeForm.submit(); }↵
948. </script>↵
949. </main>↵
950. ↵
951.     ↵
952.     <footer class="bg-white border-t border-gray-200 mt-auto">↵
953.         <div class="max-w-7xl mx-auto py-8 px-4 sm:px-6 lg:px-8">↵
954.             <div class="flex flex-col md:flex-row justify-between items-center
gap-6">↵
955.                 ↵
956.                 <nav class="flex flex-wrap justify-center md:justify-start
items-center gap-x-8 gap-y-2">↵
957.                     <a href="http://127.0.0.1:8000/faq" class="text-sm text-
gray-500 hover:text-indigo-600 transition-colors">FAQ</a>↵
958.                     <a href="http://127.0.0.1:8000/terms-of-service"
class="text-sm text-gray-500 hover:text-indigo-600 transition-colors">Terms of
Service</a>↵
959.                     <a href="http://127.0.0.1:8000/privacy-policy"
class="text-sm text-gray-500 hover:text-indigo-600 transition-colors">Privacy
Policy</a>↵
960.                     <a href="http://127.0.0.1:8000/about" class="text-sm text-
gray-500 hover:text-indigo-600 transition-colors">About Us</a>↵
961.                 </nav>↵
962.                 ↵
963.                 <p class="text-xs text-gray-400">&copy; 2025 EventSquare</p>↵
964.             </div>↵
965.         </div>↵
966.     </footer>↵
967. ↵
968.     <script>↵
969.         document.addEventListener('DOMContentLoaded', function() {↵
970.             const badge = document.getElementById('notification-badge');↵
971.             if (!badge) return; // Not logged in or admin↵
972.             ↵
973.             ↵
974.             function checkNotifications() {↵
975.                 fetch('http://127.0.0.1:8000/notifications/check')↵
976.                 .then(response => response.json())↵
977.                 .then(data => {↵
978.                     if (data.count > 0) {↵
979.                         badge.textContent = data.count;↵
980.                         badge.classList.remove('hidden');↵
981.                     } else {↵
982.                         badge.classList.add('hidden');↵
983.                     }↵
984.                 })↵
985.                 .catch(error => console.error('Error checking

```

```
    notifications:', error));↵
986.     }↵
987. ↵
988.     // Check every 10 seconds↵
989.     setInterval(checkNotifications, 10000);↵
990.     });↵
991. </script>↵
992. ↵
993. ↵
994. <script>↵
995. document.addEventListener('DOMContentLoaded', function() {↵
996.     const pollsContainer = document.getElementById('polls-container');↵
997.     if (!pollsContainer) return;↵
998. ↵
999.     pollsContainer.addEventListener('submit', async function(e) {↵
1000.         const form = e.target;↵
1001.         const isVote = form.matches('.poll-vote-form');↵
1002.         const isRemove = form.matches('.poll-remove-vote-form');↵
1003.         if (!isVote && !isRemove) return;↵
1004. ↵
1005.         e.preventDefault();↵
1006. ↵
1007.         const formData = new FormData(form);↵
1008. ↵
1009.         if (isRemove) {↵
1010.             formData.append('_method', 'DELETE');↵
1011.         }↵
1012. ↵
1013.         const btn = form.querySelector('button[type="submit"]');↵
1014.         if (btn) btn.disabled = true;↵
1015. ↵
1016.         try {↵
1017.             const res = await fetch(form.action, {↵
1018.                 method: 'POST',↵
1019.                 body: formData,↵
1020.                 headers: {↵
1021.                     'X-Requested-With': 'XMLHttpRequest',↵
1022.                     'Accept': 'application/json'↵
1023.                 },↵
1024.             });↵
1025. ↵
1026.             const contentType = res.headers.get('content-type') || '';↵
1027.             const bodyText = await res.text();↵
1028. ↵
1029.             if (!contentType.includes('application/json')) {↵
1030.                 console.error('Response non-JSON:', bodyText);↵
1031.                 window.location.reload();↵
1032.                 return;↵
1033.             }↵
1034. ↵
1035.             const data = JSON.parse(bodyText);↵
1036. ↵
1037.             if (!res.ok) {↵
1038.                 console.error('HTTP error:', res.status, data);↵
1039.                 window.location.reload();↵
1040.                 return;↵
1041.             }↵
1042. ↵
1043.             if (!data.html) {↵
1044.                 console.error('Missing html:', data);↵
1045.                 window.location.reload();↵
1046.                 return;↵
1047.             }↵
1048. ↵
1049.             const card = form.closest('[id^="poll-card-"]');↵
1050.             if (card) card.innerHTML = data.html;↵
1051. ↵
1052.         } catch (error) {↵
```

```
1053.             console.error('Vote error:', error);↵
1054.             window.location.reload();↵
1055.         } finally {↵
1056.             if (btn) btn.disabled = false;↵
1057.         }↵
1058.     });↵
1059. });↵
1060. </script>↵
1061. </body>↵
1062. </html>
```

Used the HTML parser.

Total execution time 100 milliseconds.

[About this checker](#) • [Report an issue](#)