
EXAMEN PRÁCTICO MÓDULO 1

En esta práctica, debe crear su propio servidor web.



Realice el exámen en el siguiente orden:

1. Crear un par de claves nuevo
2. Lanzar una instancia de servidor web
3. Conectarse a la instancia de Linux via SSH
4. Crear un EBS con TAGS y asociarlo a la instancia
5. Crear un bucket (S3) con TAGs y subir un archivo .TXT básico
6. Subir las evidencias a su repositorio de GitHub

1. Crear un par de claves (keypair) nuevo .pem

   Indispensable para poder conectarse a la instancia

2. Lanzar una instancia de servidor web

   IMPORTANTE: Compruebe la VPC predeterminada y la subred. Auto-assign public IP (Asignar automáticamente la IP pública) está configurada en **Enable (Habilitar)**. Justo debajo, crea grupos de seguridad para que actúen como un firewall de la red. Para el grupo de seguridad que está creando en este momento, habilite el tráfico para el puerto 22 desde su servidor y el 80 desde cualquier origen:

   Puerto : 22 Seleccionará My IP

   Puerto 80: Escribe 0.0.0.0/0

   Para todo lo demás, acepte los valores predeterminados.

   Ingrese los siguientes valores en el campo **Datos de usuario (User Data) en la parte de lanzar instancia en avanzado** :

```
#!/bin/bash

# Update system

dnf update -y

# Install required packages

dnf install -y httpd wget php php-fpm php-mysqli php-json php-devel
php-mbstring mariadb105 unzip

# Enable and start Apache

systemctl enable httpd

systemctl start httpd

# Install web app

cd /var/www/html

if [ ! -f immersion-day-app-php7.zip ]; then
```

```
  wget -O immersion-day-app-php7.zip
https://static.us-east-1.prod.workshops.aws/public/0cf8e0cc-9aa4-41b3-aae7-ea46d24b239e/assets/immersion-day-app-php7.zip

  unzip  immersion-day-app-php7.zip

fi

# Install AWS SDK

if [ ! -d /var/www/html/vendor ]; then

  mkdir vendor

  cd vendor

  wget https://docs.aws.amazon.com/aws-sdk-php/v3/download/aws.zip

  unzip aws.zip

fi
```

3. Conectarse a la instancia vía SSH si hace falta comprobar algún servicio


4. Crear un EBS con TAGS y asociarlo a la instancia, máximo de 3GiB

5. Crea un bucket (S3), asignarle TAGs y subir un archivo .TXT básico


6. Subir a su repositorio:
    - Print Screen de resumen de configuración de lanzamiento de EC2
    - Print screen de la URL (IP Pública) de su EC2 una vez esta esté corriendo
    - Print Screen donde se vean los dos discos (EBS). el principal y el que creen en el paso 4 asignados a su instancia
    - Print screen donde se evidencia el archivo subido al S3 después de crearlo.
    - Subirlo en un solo archivo ya sea PDF nombrarlo <Su_Nombre>-Modulo1-Examen.


      ejemplo: PepitoPerez-Modulo1-ExamenPractico


Crear un par de claves (keypair) nuevo .pem





Lanzar una instancia de servidor web





us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1...
Reinicia para actualizar
Search [Alt+S] Ask Amazon Q
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3 Lambda EC2
EC2 > Instances > Launch an instance
Instance type Info | Get advice
Instance type
t3.micro Free tier eligible
Family: t3 2 vCPU 1 GiB Memory Current generation: true
On-Demand Linux base pricing: 0.0104 USD per Hour
On-Demand Windows base pricing: 0.0196 USD per Hour
On-Demand Ubuntu Pro base pricing: 0.0139 USD per Hour
On-Demand SUSE base pricing: 0.0104 USD per Hour On-Demand RHEL base pricing: 0.0392 USD per Hour
All generations
Compare instance types
Additional costs apply for AMIs with pre-installed software
Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
examen-modulo1-key
Create new key pair
Network settings Info
VPC - required Info
vpc-0b53ba6f921095c2b (default)
172.31.0.0/16
Subnet Info
No preference
Create new subnet
Availability Zone Info
No preference
Enable additional zones
Auto-assign public IP Info
Enable
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0b245cc5f82576748
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year of opening an AWS account, you get 750 hours per month of t2.micro instance usage (or t3.micro where t2.micro isn't available) when used with free tier AMIs, 750 hours per month of public IPv4 address usage, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet. Data transfer charges are not included as part of the free tier allowance. Charges may apply depending on your account's free tier status.
Cancel
Launch instance
Preview code


us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1...
Reinicia para actualizar
Search [Alt+S] Ask Amazon Q
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3 Lambda EC2
EC2 > Instances > Launch an instance
Network settings Info
VPC - required Info
vpc-0b53ba6f921095c2b (default)
172.31.0.0/16
Subnet Info
No preference
Create new subnet
Availability Zone Info
No preference
Enable additional zones
Auto-assign public IP Info
Enable
Additional charges apply when outside of free tier allowance
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
Security group name - required
examen-modulo1-sg
This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and ._-:/()#,@[]+=&;{}!$*
Description - required Info
launch-wizard-8 created 2026-09-30T01:31:19.239Z
Inbound Security Group Rules
Security group rule 1 (TCP, 22, 186.87.28.179/32)
Remove
Type Info
ssh
Protocol Info
TCP
Port range Info
22
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0b245cc5f82576748
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year of opening an AWS account, you get 750 hours per month of t2.micro instance usage (or t3.micro where t2.micro isn't available) when used with free tier AMIs, 750 hours per month of public IPv4 address usage, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet. Data transfer charges are not included as part of the free tier allowance. Charges may apply depending on your account's free tier status.
Cancel
Launch instance
Preview code
CloudShell Agent Toolkit for AWS Feedback Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences


us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1...
Reinicia para actualizar
Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3
Lambda
EC2
EC2 > Instances > Launch an instance
Advanced details Info
Domain join directory Info
Select
Create new directory
IAM instance profile Info
Select
Create new IAM profile
Hostname type Info
IP name
DNS Hostname Info
Enable IP name IPv4 (A record) DNS requests
Enable resource-based IPv4 (A record) DNS requests
Enable resource-based IPv6 (AAAA record) DNS requests
Instance auto-recovery Info
Select
Shutdown behavior Info
Stop
Stop - Hibernate behavior Info
Select
Termination protection Info
Select
Stop protection Info
Select
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0b245cc5f82576748
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year of opening an AWS account, you get 750 hours per month of t2.micro instance usage (or t3.micro where t2.micro isn't available) when used with free tier AMIs, 750 hours per month of public IPv4 address usage, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet. Data transfer charges are not included as part of the free tier allowance. Charges may apply depending on your account's free tier status.
Cancel
Launch instance
Preview code


us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1...
Reinicia para actualizar
Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3
Lambda
EC2
EC2 > Instances > Launch an instance
Metadata version Info
V2 only (token required)
For V2 requests, you must include a session token in all instance metadata requests. Applications or agents that use V1 for instance metadata access will break.
Metadata response hop limit Info
2
Allow tags in metadata Info
Select
User data - optional Info
Upload a file with your user data or enter it in the field.
Choose file
#!/bin/bash
Update
system dnf
update -y
Install required packages
dnf install -y httpd wget php php-fpm php-mysqli php-json php-devel php-mbstring
mariadb105 unzip
Enable and start Apache
systemctl enable httpd
systemctl start httpd
Install web app
cd /var/www/html
if [! -f immersion-day-app-php7.zip]; then
wget -O immersion-day-app-php7.zip https://static.us-east-
1.prod.workshops.aws/public/0cf8e0cc-9aa4-41b3-aae7-
User data has already been base64 encoded
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0b245cc5f82576748
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year of opening an AWS account, you get 750 hours per month of t2.micro instance usage (or t3.micro where t2.micro isn't available) when used with free tier AMIs, 750 hours per month of public IPv4 address usage, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet. Data transfer charges are not included as part of the free tier allowance. Charges may apply depending on your account's free tier status.
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1...
Reinicia para actualizar
Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3
Lambda
EC2
EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-044a66d0598d2eb65)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing and free tier usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing and free tier usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
Manage detailed monitoring
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.
Manage detailed monitoring
Create Load Balancer
Create a application, network gateway or classic Elastic Load Balancer
Create Load Balancer
Create AWS budget
AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a single location.
Create AWS budget
Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for the instance.
Manage CloudWatch alarms
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



No es seguro
54.90.226.198
Reinicia para actualizar

It works!



13°
ESP
LAA
9:02 p. m.
29/09/2026


Conectarse a la instancia de Linux via SSH








Crear un EBS con TAGS y asociarlo a la instancia









us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1...
Reinicia para actualizar
Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3
Lambda
EC2
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Successfully created volume vol-0881bfbcc20d0b971.
Volumes (34) Info
Last updated less than a minute ago
Recycle Bin
Actions
Create volume
Saved filter sets
Choose filter set
Search
Name
Volume ID
Type
Size
IOPS
Throughput
Owner ID
Snapshot ID
Source vol
examen-modu...
vol-0881bfbcc20d0b971
gp3
3 GiB
3000
125
654654478122
vol-02fb734d5161febbd
8 GiB
vol-01c2ce07f52f3a257
snap-0a16ced...
vol-081e8da9ef95eee63
vol-0c7c6870c65928aa1
Fault tolerance for all volumes in this Region
Snapshot summary
Last updated on Tue, Sep 29, 2026, 09:15:24 PM (GMT-05:00)
Snapshots to back up volumes can be manually created, or created through automation such as Amazon Data Lifecycle Manager, AWS Backup, custom scripts, or third-party tools.
Volumes backed up in the last 24 hours / Total # volumes
0 / 35
Data Lifecycle Manager default policy for EBS Snapshots status
No default policy set up | Create policy
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
13°
ESP
LAA
9:22 p. m.
29/09/2026



us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1...
Reinicia para actualizar
Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3
Lambda
EC2
EC2 > Volumes > vol-0881bfbcc20d0b971
vol-0881bfbcc20d0b971 (examen-modulo1-ebs)
Last updated less than a minute ago
Actions
Delete
Modify
Details
Volume ID
vol-0881bfbcc20d0b971 (examen-modulo1-ebs)
Size
3 GiB
Type
gp3
Status check
Okay
Owner ID
654654478122 (This account)
Volume state
Available
IOPS
3000
Throughput
125
Fast snapshot restored
No
Availability Zone
use1-az4 (us-east-1c)
Created
Tue Sep 29 2026 21:22:46 GMT-0500 (hora estándar de Colombia)
Multi-Attach enabled
No
Attached resources
-
Outposts ARN
-
Managed
false
Operator
-
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations. | Learn more
Source
Snapshot ID
-
Source volume ID
-
Encryption
Encryption
Not encrypted
KMS key ID
-
KMS key alias
-
KMS key ARN
-
Status checks
Monitoring
Volume sharing - new
Tags
Status check
Okay
I/O status
Enabled
I/O performance
Not applicable
https://us-east-1.console.aws.amazon.com/ec2/home?regio...
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
13°
ESP
LAA
9:24 p. m.
29/09/2026


us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1...
Reinicia para actualizar
Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3
Lambda
EC2
EC2 > Volumes > vol-0881bfbcc20d0b971 > Attach volume
Attach volume Info
Attach a volume to an instance to use it as you would a regular physical hard disk drive.
Basic details
Volume ID
vol-0881bfbcc20d0b971 (examen-modulo1-ebs)
Availability Zone
use1-az4 (us-east-1c)
Instance Info
Search instance ID or name tag
Only instances in the same Availability Zone as the selected volume are displayed.
Device name Info
Select a device name
Cancel
Attach volume
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
13°
ESP
LAA
9:25 p. m.
29/09/2026



us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1...
Reinicia para actualizar
Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3
Lambda
EC2
EC2 > Volumes > vol-0881bfbcc20d0b971 > Attach volume
Attach volume Info
Attach a volume to an instance to use it as you would a regular physical hard disk drive.
Basic details
Volume ID
vol-0881bfbcc20d0b971 (examen-modulo1-ebs)
Availability Zone
use1-az4 (us-east-1c)
Instance Info
i-044a66d0598d2eb65
(examen-modulo1-web) (running)
Only instances in the same Availability Zone as the selected volume are displayed.
Device name Info
/dev/sdf
Recommended device names for Linux: /dev/xvda for root volume. /dev/sd[f-p] for data volumes.
Newer Linux kernels may rename your devices to /dev/xvdf through /dev/xvdp internally, even when the device name entered here (and shown in the details) is /dev/sdf through /dev/sdp.
Cancel
Attach volume


us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1...
Reinicia para actualizar
Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3
Lambda
EC2
Successfully attached volume vol-0881bfbcc20d0b971 to instance i-044a66d0598d2eb65.
Volumes (34) Info
Last updated less than a minute ago
Recycle Bin
Actions
Create volume
Saved filter sets
Choose filter set
Search
Name
Volume ID
Type
Size
IOPS
Throughput
Owner ID
Snapshot ID
Source volume ID
Created
examen-modu...
vol-0881bfbcc20d0b971
gp3
3 GiB
3000
125
654654478122
-
-
2026/09/29 21:22 G
vol-02fb734d5161febbd
gp3
8 GiB
3000
125
654654478122
-
-
2026/09/29 19:43 G
vol-01c2ce07f52f3a257
gp3
8 GiB
3000
125
654654478122
snap-0a16ced...
-
2026/09/29 20:19 G
vol-081e8da9ef95eee63
gp3
3 GiB
3000
125
654654478122
-
-
2026/09/29 20:51 G
vol-0c7c6870c65928aa1
gp3
8 GiB
3000
125
654654478122
snap-0a16ced...
-
2026/09/29 20:25 G
Fault tolerance for all volumes in this Region
Snapshot summary
Last updated on Tue, Sep 29, 2026, 09:15:24 PM (GMT-05:00)
Snapshots to back up volumes can be manually created, or created through automation such as Amazon Data Lifecycle Manager, AWS Backup, custom scripts, or third-party tools.
Volumes backed up in the last 24 hours / Total # volumes
0 / 35
Data Lifecycle Manager default policy for EBS Snapshots status
No default policy set up | Create policy
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
13°
ESP
LAA
9:28 p. m.
29/09/2026


us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Insta...
Reinicia para actualizar
Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3
Lambda
EC2
EC2 > Instances > i-044a66d0598d2eb65
Instance summary for i-044a66d0598d2eb65 (examen-modulo1-web) Info
Updated 1 minute ago
Connect
Instance state
Actions
Instance ID
i-044a66d0598d2eb65
Public IPv4 address
54.90.226.198 | open address
Private IPv4 addresses
172.31.27.254
IPv6 address
-
Instance state
Running
Public DNS
ec2-54-90-226-198.compute-1.amazonaws.com | open address
Hostname type
IP name: ip-172-31-27-254.ec2.internal
Private IP DNS name (IPv4 only)
ip-172-31-27-254.ec2.internal
Answer private resource DNS name
IPv4 (A)
Instance type
t3.micro
Elastic IP addresses
-
Auto-assigned IP address
54.90.226.198 [Public IP]
VPC ID
vpc-0b53ba6f921095c2b
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations. | Learn more
IAM role
-
Subnet ID
subnet-02f914e793b4a561a
Auto Scaling Group name
-
IMDSv2
Required
Instance ARN
arn:aws:ec2:us-east-1:654654478122:instance/i-044a66d0598d2eb65
Managed
false
Operator
-
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Root device details
Root device name
/dev/xvda
Root device type
EBS
EBS optimization
Enabled
Block devices
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Insta...
Reinicia para actualizar
Search
[Alt+S]
Ask Amazon Q
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3
Lambda
EC2
EC2 > Instances > i-044a66d0598d2eb65
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Root device details
Root device name
/dev/xvda
Root device type
EBS
EBS optimization
Enabled
Block devices
Filter block devices
Volume ID
Device name
Volume size (GiB)
Volume State
Attachment status
Attachment time
Encrypted
KMS key ID
vol-0d0581f7884442697
/dev/xvda
8
In-use
Attached
2026/09/29 20:56 GMT-5
No
vol-0881bfbcc20d0b971
/dev/sdf
3
In-use
Attached
2026/09/29 21:28 GMT-5
No
Volume monitoring (1)
Alarm recommendations
Investigate with AI - new
1h
3h
12h
1d
3d
1w
Custom
UTC timezone
Explore related
Stalled I/O Check
Average read latency (ms/op)
Average write latency (ms/op)
Read throughput (KiB/s)
Write throughput (KiB/s)
Read operations (Ops/s)
Write operations (Ops/s)
Average queue length (Operat...
https://us-east-1.console.aws.amazon.com/ec2/home?regio...
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
13°
ESP
LAA
9:35 p. m.
29/09/2026

Crear un bucket (S3) con TAGs y subir un archivo .TXT básico




Carrera 43 A # 34 – 155. Torre Norte, Almacentro. Oficina 701.


Medellín, Colombia

www.betek.la

@betek.la


us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Volu...
Reinicia para actualizar
Search
[Alt+S]
United States (N. Virginia)
Entrenamiento (654654478122)
BrayanSmithAndradesRenteria
S3
Lambda
EC2
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Target Groups
Trust Stores
Auto Scaling
Auto Scaling Groups
Successfully deleted volume vol-0881bfbcc20d0b971.
Volumes (21) Info
Last updated less than a minute ago
Recycle Bin
Actions
Create volume
Saved filter sets
Choose filter set
Search
Name
Volume ID
Type
Size
IOPS
Throughput
Owner ID
examen-modulo1-ebs
vol-0881bfbcc20d0b971
gp3
3 GiB
3000
125
654654478122
vol-02fb734d5161febbd
gp3
8 GiB
3000
125
654654478122
vol-0d922d14ed87077d8
gp3
3 GiB
3000
125
654654478122
vol-0d717eae8eeb91352
gp3
8 GiB
3000
125
654654478122
vol-081e8da9ef95eee63
gp3
3 GiB
3000
125
654654478122
Fault tolerance for all volumes in this Region
Snapshot summary
Last updated on Tue, Sep 29, 2026, 09:55:45 PM (GMT-05:00)
Snapshots to back up volumes can be manually created, or created through automation such as Amazon Data Lifecycle Manager, AWS Backup, custom scripts, or third-party tools.
Volumes backed up in the last 24 hours / Total # volumes
0 / 21
Data Lifecycle Manager default policy for EBS Snapshots status
No default policy set up | Create policy
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
13°
ESP
LAA
9:59 p. m.
29/09/2026

Terminado y eliminación de instancia



Eliminación de bucket

