



Ultimate Parallax Documentation

[About Ultimate Parallax](#)

[Getting started](#)

[Create Parallax Manager](#)

[Set the target Camera](#)

[Add sprites](#)

[Order Layers](#)

[Setup Layer Groups](#)

[Set Layer Groups](#)

[Configure Layers](#)

[Repeating Sprites \(Optional\)](#)

[Final Steps](#)

[Parallax Manager](#)

[Top Settings](#)

[Layer Groups](#)

[Function Buttons](#)

About Ultimate Parallax

This asset is designed to quickly and easily generate parallax sprites, the intention is to continually expand the asset with improved features and performance as time goes on.

If you have any feedback or issues feel free to join the discord or email.

<https://discord.gg/EdxYf4dsfB>

hawkeye.gamestudios@gmail.com

Getting started

Create Parallax Manager

After importing the package create an empty gameobject and add UltimateParallaxManager.cs
You can use the provided menu tool in:

Tools -> UltimateParallax -> Create Ultimate Parallax Manager

Set the target Camera


Assign the Target Camera to the Main Camera which will be used.

Add sprites

Add the sprites in which you wish to use for the parallax layers.

A helper tool is available to create the scene objects from sprite assets within the project window. Just select all the desired assets, right click and select:

Tools -> UltimateParallax -> Create Scene Objects from Selection



Order Layers

Set the sprite renderer "Order In Layer" in the order in which they should appear in the end.

Two helper functions under *Tools -> UltimateParallax -> Utils* can be found to set sprites render order by their layer in descending or ascending order.

Setup Layer Groups

Ultimate Parallax uses groups to organise parallax layers, placing layer objects under the group's parent.


Organise the created sprites into groups, multiple layer sprites can exist in one group. If you wish for multiple sprites to be placed in one layer you can put them under an empty child GameObject.

The name of the group will be initially determined by the group GameObject names.


Add a parent object to the

A helper function in *Tools -> UltimateParallax -> Utils* can add empty parents to selection all at once rather than creating each one individually.

Before:




After:




Set Layer Groups

Lock the inspector to the ParallaxManager object, this allows you to use the Parallax Manager while selecting objects.




Select the layer groups and on UltimateParallaxManager click “Set Groups from Selection”. This will automatically set up and add the groups of the layers to the manager.

NOTE: Only have the parents of the groups selected! If you have child objects selected the setup will break!



Configure Layers



The buttons on the right of the fields will set the values for all layers within the group, to apply the changes to the group layers click the “Set” button.

Group Name: Name of the group

Group Parent: Object in which all layers will be placed under for organization and setup uses.

Starting Layer: Layer which will be assigned when “Set Layers” is pressed to all layers in group

Z Offset: Sets the Z position of the layers, useful for visual separation in editor

Layer - +: Moves the sort order of the layer up or down one, useful for when images are competing for render priority

Layer Up Down Arrows: Moves the layer to a group above or below current layer.

Parallax Speed X&Y: Speed in which the layer will follow the camera

Below 0 to -200	Opposite direction of the camera, useful for foregrounds
-100	Opposite direction of camera, actual speed when scale is 1.
0	Stationary to camera, for any static background images
100	Same direction of camera, actual speed when scale is 1.
Above 0 to 200	Same direction of camera, useful for backgrounds

Repeating Sprites (Optional)

Create a repeating sprite which will infinitely scroll select the sprie(s) which you want to repeat and use the utility function under:

Tools -> UltimateParallax -> Setup Repeating Sprite



This will automatically create 2 repeating sprites on either side of the original sprite which will be used to loop when the camera moves enough to cause the sprite to be out of range.

Final Steps


Setup all your layers with your starting layers and parallax speed then test out the parallax by moving your target camera.

You can test in play mode, or in editor (note only parallax movement will work not sprite repetition).

Enjoy Ultimate Parallax and create great environments!

If you have any questions, feedback or want to show off your game please feel free to email or join the discord found in [About Ultimate Parallax](#)

Parallax Manager



The manager consists of the top settings, layer groups, and function buttons.

Top Settings

Target Camera: This is the camera in which the parallax will be handled

Preview In Edit Mode: When enabled the parallax positioning will be active during edit mode

Parallax Scale: Speed multiplier for parallax calculations (NOTE: it is advised to leave this alone for normal use)

Layer Groups

Refer to getting started guide on configuring layers

Function Buttons

Find UltimateParallax Layers: Finds any missing parallax layers and will add them to the first group. Used when adding new layers.

Clear & Find UltimateParallax Layers: Clears all layers from groups and finds all layers and will add them to the first group. Used when doing major removals and changes of layers.

Set Groups From Selection: Used for initial setup or major changes in setup, this will completely clear all groups and layers, and find all elements as new.