



BLACKOUT
PROTOCOL

Your main account is gone.

Can your team recover?

One account can stop essential work.

Small teams share access. They need a way back.

A recovery email that needs the lost account is a dead end.

Email unavailable

Shared files blocked

**Website access
blocked**

Illustrative dependency chain

Start with the services your team uses.

One service at a time.

Name the owner.
Record what access needs.

YOUR MAP

Add a service

Service name

Team chat

Responsible person

Volunteer lead

☒ We can access this now

Ways back in

+ Add recovery option

No recovery option recorded yet.

► More details

Cancel


✓ Save to map

See what a loss would block.

1 / 3

activities still working

Example loss:
email + backup




Illustrative map • your accounts stay unchanged

Prepare a route that survives the loss.


**Keep the
proposal
separate.**

Assign the preparation.
Confirm the real method.



Check the recovery order together.

Owners act in order.



Approve people.
Assign
accounts.
Record the
check.

Leave with a usable recovery plan.

A readable reference

An encrypted backup

Actions with owners

41

unit / integration tests

9

browser journeys

Tested prototype • provider recovery and production security remain unverified

BLACKOUT PROTOCOL

**Find the dead end.
Prepare the way back.**

A recovery plan your team can act on.

github.com/banany338/BLACKOUT-PROTOCOL