



BLACKOUT  
PROTOCOL

# Your main account is gone.

## Can your team recover?

# One account can stop essential work.

## Small teams share access. They need a way back.

A recovery email that needs the lost account is a dead end.

**Email unavailable**

**Shared files blocked**

**Website access  
blocked**

Illustrative dependency chain

# Start with the services your team uses.

## One service at a time.

Name the owner.  
Record what access needs.

YOUR MAP

Add a service

Service name

Team chat

Responsible person

Volunteer lead

☒ We can access this now

Ways back in

+ Add recovery option

No recovery option recorded yet.

► More details

Cancel


✓ Save to map

# See what a loss would block.

1 / 3


activities still working

Example loss:  
email + backup



Illustrative map • your accounts stay unchanged

# Prepare a route that survives the loss.




**Keep the  
proposal  
separate.**

Assign the preparation.  
Confirm the real method.

# Check the recovery order together.

## Owners act in order.



Approve people.  
Assign  
accounts.  
Record the  
check.

# Leave with a usable recovery plan.

**A readable reference**

41

unit / integration tests

**An encrypted backup**

**Actions with owners**

9

browser journeys

Tested prototype • provider recovery and production security remain unverified

## BLACKOUT PROTOCOL

**Find the dead end.  
Prepare the way back.**

A recovery plan your team can act on.

[github.com/banany338/BLACKOUT-PROTOCOL](https://github.com/banany338/BLACKOUT-PROTOCOL)