

- Integration with global fault handler
  - ■ Trigger
    - [ Trigger TriggerParentFBDI using RTR\_OIC\_REST\_Connt connection of type REST ]
  - ■ Assign
    - [ Assign values to vSTPFileDirectory, vBIPPath, Error\_flag, vStageInsertStatus, vImportStatus, vTransformationSucessSta... ]
  - Stitch
    - [ Stitch ]
  - Map to STARTLOG
    - [ Map from TriggerParentFBDI to STARTLOG ]
  - Integration
    - [ Integration: STARTLOG ]
  - Scope
    - [ Scope : MainScope ]
      - Map to Get\_FileName
        - [ Map from TriggerParentFBDI to Get\_FileName ]
      - Invoke
        - [ Invoke Get\_FileName using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
      - Assign
        - [ Assign values to vFilename ]
      - Map to GetProcessingStatus
        - [ Map from TriggerParentFBDI to GetProcessingStatus ]
      - Invoke
        - [ Invoke GetProcessingStatus using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
      - IF COUNT\_\_\_ > 0
        - [ If (COUNT\_\_\_ > 0) then do ]
          - Scope
            - [ Scope : Scope3 ]
              - Map to ReadCoaErrorSegment
                - [ Map from TriggerParentFBDI to ReadCoaErrorSegment ]
              - Invoke
                - [ Invoke ReadCoaErrorSegment using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
              - Map to ReadFileName
                - [ Map from TriggerParentFBDI to ReadFileName ]
              - Invoke
                - [ Invoke ReadFileName using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
              - Map to WriteCoaErrorSegments
                - [ Map from TriggerParentFBDI to WriteCoaErrorSegments ]
              - Stage file
                - [ Perform Write operation on stage file ]
              - Map to EmailCoaErrorNotification
                - [ Map from TriggerParentFBDI to EmailCoaErrorNotification ]
              - Invoke
                - [ Invoke EmailCoaErrorNotification using RTR\_OIC\_REST\_Connt connection of type REST ]
              - Stop
                - [ Terminate the integration ]
    - Map to Get\_RecordsCount

- [ Map from TriggerParentFBDI to Get\_RecordsCount ]
- Invoke
  - [ Invoke Get\_RecordsCount using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
- Map to GetStageRecordCount
  - [ Map from TriggerParentFBDI to GetStageRecordCount ]
- Invoke
  - [ Invoke GetStageRecordCount using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
- While
  - [ While (\$vRetryCount < \$vRetryMaxCount) ]
    - Scope
      - [ Scope : ERP\_Retry\_scope ]
        - Map to GetSourceID
          - [ Map from TriggerParentFBDI to GetSourceID ]
        - Invoke
          - [ Invoke GetSourceID using RTR\_ERP\_REST\_CONN connection of type REST ]
        - Assign
          - [ Assign values to vSourceID, vRetryCount ]
      - Fault handler
        - [ Handle all exception ]
          - Assign
            - [ Assign values to vRetryCount, vErrorCode ]
          - Throw new fault
            - [ Throw new fault errorCode ]
          - Wait
            - [ Wait for vWaitTime ]
    - Assign
      - [ Assign values to vFilename, vFileRecordCount ]
    - Throw new fault
      - [ Throw new fault 'Error' ]
    - Map to DistinctLedgers
      - [ Map from TriggerParentFBDI to DistinctLedgers ]
    - Invoke
      - [ Invoke DistinctLedgers using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
    - For each
      - [ For each item in (DistinctLedgersOutput) ]
        - Scope
          - [ Scope : FBDI\_Scope ]
            - Stitch
              - [ Stitch ]
            - Map to GetGroupId
              - [ Map from TriggerParentFBDI to GetGroupId ]
            - Invoke
              - [ Invoke GetGroupId using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
            - Map to Update\_Group\_Id
              - [ Map from TriggerParentFBDI to Update\_Group\_Id ]
            - Invoke
              - [ Invoke Update\_Group\_Id using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]

- Map to GetLederRecordCount
  - [ Map from TriggerParentFBDI to GetLederRecordCount ]
- Invoke
  - [ Invoke GetLederRecordCount using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
- Assign
  - [ Assign values to v18, v19 ]
- Stitch
  - [ Stitch ]
- Map to GetMinandMaxRecordID
  - [ Map from TriggerParentFBDI to GetMinandMaxRecordID ]
- Invoke
  - [ Invoke GetMinandMaxRecordID using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
- Throw new fault
  - [ Throw new fault '2' ]
- Assign
  - [ Assign values to vMinRecordID, vMaxRecordID, vStartID ]
- Assign
  - [ Assign values to FileDirectoryVar ]
- While
  - [ While (\$vStartID <= \$vMaxRecordID) ]
    - Assign
      - [ Assign values to vEndID ]
    - Map to GetFBDIRecords
      - [ Map from TriggerParentFBDI to GetFBDIRecords ]
    - Invoke
      - [ Invoke GetFBDIRecords using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
    - Assign
      - [ Assign values to vStartID ]
    - Logger
      - [ Log message formed by (count(GetFBDIRecordsOutput)); Message will be logged Always ]
    - Switch
      - [ Contains 2 route(s) ]
        - 1
          - IF SwitchNullRecords
            - [ If (SwitchNullRecords) then do ]
              - Logger
                - [ Log message formed by (count(GetFBDIRecordsOutput)); Message will be logged Always ]
          - 2
            - Otherwise undefined
              - [ Else do ]
                - Map to Write\_FBDI\_Files
                  - [ Map from TriggerParentFBDI to Write\_FBDI\_Files ]
                - Stage file

- [ Perform Write operation on stage file ]
- Map to WritePropertiesFile
  - [ Map from TriggerParentFBDI to WritePropertiesFile ]
- Stage file
  - [ Perform Write operation on stage file ]
- Stage file
  - [ Perform Zip operation on stage file ]
- Map to ERPCall
  - [ Map from TriggerParentFBDI to ERPCall ]
- Invoke
  - [ Invoke ERPCall using RTR\_ERP\_CONN\_PUBLIC connection of type Oracle ERP Cloud ]
- Assign
  - [ Assign values to attribute10 ]
- Map to Update\_JobId
  - [ Map from TriggerParentFBDI to Update\_JobId ]
- Invoke
  - [ Invoke Update\_JobId using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
- Fault handler
  - [ Handle all exception ]
  - Assign
    - [ Assign values to Error\_flag, vStausCode, vStatusMessage, vStatus ]
  - Logger
    - [ Log message formed by ('FBDI LOG'); Message will be logged Always ]
  - Map to DetailLogs
    - [ Map from TriggerParentFBDI to DetailLogs ]
  - Integration
    - [ Integration: DetailLogs ]
  - Map to UpdateTxnTableLedger
    - [ Map from TriggerParentFBDI to UpdateTxnTableLedger ]
  - Invoke
    - [ Invoke UpdateTxnTableLedger using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
  - Map to Update\_Error\_Status\_Stg
    - [ Map from TriggerParentFBDI to Update\_Error\_Status\_Stg ]
  - Invoke
    - [ Invoke Update\_Error\_Status\_Stg using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
  - Map to Notification\_for\_ledge\_failure
    - [ Map from TriggerParentFBDI to Notification\_for\_ledge\_failure ]
  - Invoke
    - [ Invoke Notification\_for\_ledge\_failure using RTR\_OIC\_REST\_Connt connection of type REST ]
- Map to Detail\_Logs
  - [ Map from TriggerParentFBDI to Detail\_Logs ]
- Integration
  - [ Integration: Detail\_Logs ]

- Fault handler
  - [ Handle all exception ]
    - Logger
      - [ Log message formed by (details); Message will be logged Always ]
    - Assign
      - [ Assign values to vErrorFileName, vStausCode, vStatusMessage, vStatus, Error\_flag ]
    - Map to ErrorUpdateTxnTbl
      - [ Map from TriggerParentFBDI to ErrorUpdateTxnTbl ]
    - Invoke
      - [ Invoke ErrorUpdateTxnTbl using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
    - Map to ErrorUpdateSTGTabletotal
      - [ Map from TriggerParentFBDI to ErrorUpdateSTGTabletotal ]
    - Invoke
      - [ Invoke ErrorUpdateSTGTabletotal using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
    - Map to Notification\_Default
      - [ Map from TriggerParentFBDI to Notification\_Default ]
    - Invoke
      - [ Invoke Notification\_Default using RTR\_OIC\_REST\_Connt connection of type REST ]
    - Map to Detail\_Log
      - [ Map from TriggerParentFBDI to Detail\_Log ]
    - Integration
      - [ Integration: Detail\_Log ]
- IF Error\_flag = 'Y'
  - [ If (Error\_flag = 'Y') then do ]
    - Map to GetErrorRecordsMinMaxRecordID
      - [ Map from TriggerParentFBDI to GetErrorRecordsMinMaxRecordID ]
    - Invoke
      - [ Invoke GetErrorRecordsMinMaxRecordID using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
    - Map to CountOfErrorRecordsFromStgTable
      - [ Map from TriggerParentFBDI to CountOfErrorRecordsFromStgTable ]
    - Invoke
      - [ Invoke CountOfErrorRecordsFromStgTable using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
    - Assign
      - [ Assign values to vMinRecordID, vMaxRecordID, vStartID, FileDirectoryVar ]
    - Assign
      - [ Assign values to vErrorFileName, vErrorFileOutputDirectory ]
    - While
      - [ While (\$vStartID <= \$vMaxRecordID) ]
        - Assign
          - [ Assign values to vEndID ]
        - Map to ErrorRecordsFromStgTable
          - [ Map from TriggerParentFBDI to ErrorRecordsFromStgTable ]
        - Invoke
          - [ Invoke ErrorRecordsFromStgTable using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
        - Assign
          - [ Assign values to vStartID ]
        - Switch

- [ Contains 2 route(s) ]
  - 1
    - IF count(ErrorRecordsFr...
    - [ If (count(ErrorRecordsFromStgTableOutput) = 0) then do ]
      - Logger
        - [ Log message formed by (count(ErrorRecordsFromStgTableOutput)); Message will be logged Always ]
    - 2
      - Otherwise undefined
      - [ Else do ]
        - Map to WriteErrorFileForLedger
          - [ Map from TriggerParentFBDI to WriteErrorFileForLedger ]
        - Stage file
          - [ Perform Write operation on stage file ]
        - Assign
          - [ Assign values to vErrorFileReferance ]
      - Map to AppendFooterline
        - [ Map from TriggerParentFBDI to AppendFooterline ]
      - Stage file
        - [ Perform Write operation on stage file ]
      - Map to ArchiveLedgerErrorFile
        - [ Map from TriggerParentFBDI to ArchiveLedgerErrorFile ]
      - Invoke
        - [ Invoke ArchiveLedgerErrorFile using RTR\_OIC\_REST\_Connt connection of type REST ]
    - Map to END\_LOG
      - [ Map from TriggerParentFBDI to END\_LOG ]
    - Integration
      - [ Integration: END\_LOG ]
    - Stop
      - [ Terminate the integration ]
- Global fault handler
  - Map to UpdateGblFaluts
    - [ Map from TriggerParentFBDI to UpdateGblFaluts ]
  - Invoke
    - [ Invoke UpdateGblFaluts using RTR\_ATP\_DB\_CONN connection of type Oracle Autonomous AI Transaction Processing (ATP) ]
  - Map to Notification
    - [ Map from TriggerParentFBDI to Notification ]
  - Invoke
    - [ Invoke Notification using RTR\_OIC\_REST\_Connt connection of type REST ]
  - Map to GlobalFault\_EndLog
    - [ Map from TriggerParentFBDI to GlobalFault\_EndLog ]
  - Integration
    - [ Integration: GlobalFault\_EndLog ]
  - Re-throw fault
    - [ Error handling terminates ]