



Dokumentacija

Branislav Radovanovic 31/22

ByteBlend JavaScript site

Uvod	1
Korisceni Jezici:	1
Koriscene biblioteke:	1
Uvod u Template	1
Style.css	2
Img folder	2
Main.js	3
Lib folder	3
Funkcionalnosti sajta	3
Dinamicki ispis blokova/sadrzaja	4
Loading Screen (template)	4
Sticky Navbar	4
Nazad na vrh dugme	4
Obrada Forme	4
Provera podataka	4
Funkcije	5
Dinamicka dodaja fokus dogodjaja na sve elemente forme	5
Organizacija	5
Raspored sadrzaja na template	5
HTML / CSS kodovi	12
Index.html	12
Author.html	37
CSS kod	50
JavaScript / JQuery kod	55

Uvod

Korisceni Jezici:

Sam sam pisao/modifikovao

- JavaScript
- HTML
- CSS
- XML

Template ne modifikovano


- SCSS

Koriscene biblioteke:

- Bootstrap
- Counterup
- OwlCarousel
- Wow
- Jquery

Uvod u Template

Design templata je dosta izmenjen. Proemenje su boje, odredjeni blokovi su obrisani ili izmenjeni.



Style.css

U style.css pisan je template css sve do linije koda 632 - nakon toga sledi moj css.

Img folder

Putanja: /img/

Nalaze se slike iz template

Putanja: /img/non-template-img

Nalaze se sve custom slike koje su koriscene za modifikovan template

Main.js

U main.js pisan je moj JavaScript I JQuery kod.

Sav template kod je izmenjen sem koda iznad koga stoji komentar gde pise da je template kod.

Sav kod odvojen je regionima radi citljivosti koda.

KOD IZNAD KOGA STOJI //TEMPLATE CODE je kod sa templata .

Samo zakomentarisani kod je ostao u proveru forme u slucaju promene user experience-a.

Lib folder

U ovom folderu su sacuvane sve biblioteke koje se koriste na sajtu.

Iako u folderu ima dosta biblioteka koja su dosla uz template odlucio sam da ih ne obrisem.

NE Koriste se biblioteke:

- Easing
- isotope
- Lightbox
- Wow

Koriste se:

- Counterup
- Owlcarousel
- JQuery
- wow

Funkcionalnosti sajta

Kratak opis I spisak funkcionalnosti, logika se moze videti u kodu.

Dinamicki ispis blokova/sadržaja

Najpre, kreiran je objekat sa svim razlicitostima u bloku/regionu/tekstu

I zatim prolazom kroz pretlju te izmene to jest podatke iz objekta upijem u HTML kod koji kasnije generisem za svaki blok.

U formi Services dinamcki je ispisano koristeci funkciju CreateElement. Cela logika moze se videti u kodu.

Loading Screen (template)

-Vec je postojao u Template

Sticky Navbar

Nakon sto predjemo preko odredjenog broja piksela navbar dobija klasu koja u sebi sadrzi animaciju I position: sticky; svojstvo.

Kada se podignemo preko odredjenog broja piskela navbar gubi tu klasu.

Nazad na vrh dugme

Kada smo skrolovali preko odredjenog broja piksela dugme nestaje sa animacijom u suprotnom ono se vraća na ekran.

Na klik na ovo dugme ono nas pozicionira na zaglavlje sajta.

Obrada Forme

Provera podataka

Podaci se proveravaju regex-om na dogadjaj 'keyup' radi boljeg korisnickog iskustva.

Takodje proveravaju se klikom na submit dugme. Ukoliko su svi podaci ispravni podaci ce biti poslani u suprotnom bice ispisane greske ispod odgovarajucih polja.

Funkcije

isEmpty() - Ukoliko trenutno polje nema vrednost na to polje ispisi gresku.

error() - Ispisi gresku ispod prosledjenog elementa.

errorDisable - Obrisi gresku ispod prosledjenog elementa.

danger() - Oboji border u crveno prosledjenom elementu.

success() - Oboji border u zeleno prosledjenom elementu.

Dinamicka dodaja fokus dogadjaja na sve elemente forme

Na svaki element forme dodaje dogadjaj fokus I kao handler dogadjaja koristi funkciju isEmpty().

Organizacija




Raspored sadrzaja na template

Legenda:

Dinamicko Ispisani Elementi

Izmenjeni Elementi/Staticki Elementi

Elementi u kojima se nalazi biblioteka



**01**

Creative Designers

**02**

Quality Products

**03**

Free Consultation

**04**

Customer Support



About Us

At ByteBlend, we understand that technology is at the heart of progress. That's why we strive not just to meet but to exceed your expectations, ensuring that your devices run seamlessly, your systems are optimized, and your digital endeavors are a success.

Our team of seasoned experts brings a unique blend of technical expertise and innovative solutions to every project. Whether you're in need of reliable PC repairs, cutting-edge hardware components, or tailored software solutions, ByteBlend is here to streamline your digital experience.

**5489**

Happy Clients

**189**

Projects Done

[Explore More](#)

Our Services



PC Repair Services

ByteBlend excels in diagnosing and fixing PC issues, ensuring smooth operation with expert hardware and software solutions.

Reach out now! →



Hardware Components Sales

Explore top-notch hardware components at ByteBlend, where quality meets expertise for your computing needs.


Coming Out Soon! →



Custom PC Assembly

ByteBlend crafts tailored desktops, guaranteeing high performance with customized configurations.

Reach out now! →



Software Installation

ByteBlend ensures seamless software setup and updates, optimizing your system for peak performance.



Software Optimization

ByteBlend enhances system speed and efficiency through expert tuning and



Network Solutions

ByteBlend delivers reliable wired and wireless network setups with troubleshooting and robust security measures.



Why Choose Us —

We believe in the power of customization. Our services go beyond the ordinary, offering bespoke solutions such as tailored PC assembly and fine-tuned system optimizations. We curate a selection of top-notch hardware components, providing not just products but a guided journey to selecting the components that align perfectly with your requirements. We're not just a service; we're a dedicated partner on your digital journey. Choose ByteBlend for an experience where innovation meets expertise, ensuring your technology not only keeps up but leads in the ever-evolving landscape.



Quality
Services



Creative
Designers



Free
Consultation



Customer
Support



Our Projects



Programming Setups

We take special care for programming rigs.



Home setups

We make sure that you enjoy your everyday surfing.



Server cable management

We are here to do even the dirty work!



System Optimization

If your PC is running poorly we are here to fix it.



Gaming Setups


Who doesn't like making gaming setups? We sure like it!



User Experience

We care about how you feel.







Contact Us

Ready to elevate your technology experience? We're here to assist you every step of the way. Whether you have a specific inquiry, need technical support, or want to explore our range of services, ByteBlend is just a message away.


☐ Recieve News



Team Members



Testimonial



HTML / CSS kodovi

Index.html

```
<!DOCTYPE html>
<html lang="en">
```

```
<head>
  <meta charset="utf-8" />
  <title>ByteBlend</title>
```

```

<meta content="width=device-width, initial-scale=1.0" name="viewport" />

<meta content="ByteBlend byteBlend sets programming " name="keywords" />

<meta content="At ByteBlend we offer majority of services so make sure to
check us out!" name="description" />


<!-- Favicon -->

<link rel="icon" type="image/png" href="favicon.png" />

<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous">


<!-- Google Web Fonts -->

<link rel="preconnect" href="https://fonts.googleapis.com" />

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />

<link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet" />


<!-- Icon Font Stylesheet -->

<link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet" />

<link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet" />


<!-- Libraries Stylesheet -->

<link href="lib/animate/animate.min.css" rel="stylesheet" />

<link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet"
/>

```

```

<link href="lib/lightbox/css/lightbox.min.css" rel="stylesheet" />

<!-- Customized Bootstrap Stylesheet -->
<link href="css/bootstrap.min.css" rel="stylesheet" />

<!-- Template Stylesheet -->
<link href="css/style.css" rel="stylesheet" />
</head>

<body>

    <!-- Spinner Start -->

    <div id="spinner" class="show bg-white position-fixed translate-middle w-100 vh-100 top-50 start-50 d-flex align-items-center justify-content-center">

        <div class="spinner-grow text-primary" style="width: 3rem; height: 3rem;" role="status">

            <span class="sr-only">Loading...</span>

        </div>

    </div>

    <!-- Spinner End -->


    <!-- Navbar Start -->

    <nav class="navbar navbar-expand-lg bg-white navbar-light p-0 w-100" id="nav">

```



```

    <a href="index.html" class="navbar-brand d-flex align-items-center px-4 px-lg-5">

        <h2 class="m-0 text-primary">ByteBlend</h2>

    </a>

    <button type="button" class="navbar-toggler me-4" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">

        <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarCollapse">

        <div class="navbar-nav ms-auto p-4 p-lg-0">

            <a href="#" class="nav-item nav-link active">Home</a>

            <a href="#services-holder" class="nav-item nav-link">Service</a>

            <a href="#projects-holder" class="nav-item nav-link">Project</a>

            <a href="#about-holder" class="nav-item nav-link">About</a>

            <a href="index.html#form-hold" class="nav-item nav-link">Contact</a>

            <a href="author.html" class="nav-item nav-link">Author</a>

        </div>

        <a href="index.html#form-hold" class="btn br-btn py-4 px-lg-5 d-none d-lg-block">Order Now!<i class="fa fa-arrow-right ms-3"></i></a>

    </div>

</nav>

<!-- Navbar End -->

<!-- Carousel Start -->

```

```

<div class="container-fluid p-0 overflow-hidden">

  <div class="owl-carousel header-carousel position-relative overflow-
hidden">

    <div class="owl-carousel-item position-relative overflow-hidden">

      <div class="position-absolute top-0 start-0 w-100 h-100 d-flex
align-items-center overflow-hidden" style="background: rgba(53, 53, 53, .7);">

        <div class="container overflow-hidden">

          <div class="row justify-content-center overflow-
hidden">

            <div class="col-12 col-lg-8 text-center overflow-
y-hidden">

              <h5 class="text-white text-uppercase mb-3
animated slideInDown overflow-hidden">Welcome To ByteBlend</h5>

              <h1 class="display-3 text-white animated
slideInDown mb-4 overflow-hidden">Best Computer & Optimization Services</h1>

              <p class="fs-5 fw-medium text-white mb-4 pb-2
overflow-hidden">...</p>

              <a href="#about-holder" class="btn br-btn py-
md-3 px-md-5 me-3 animated slideInLeft">Read More</a>

              <a href="#form-hold" class="btn btn-light py-
md-3 px-md-5 animated slideInRight">Contact</a>

            </div>

          </div>

        </div>

      </div>

    <div class="owl-carousel-item position-relative overflow-y-
hidden">

```

```

        <div class="position-absolute top-0 start-0 w-100 h-100 d-flex
align-items-center" style="background: rgba(53, 53, 53, .7);">

        <div class="container">

            <div class="row justify-content-center">

                <div class="col-12 col-lg-8 text-center">

                    <h5 class="text-white text-uppercase mb-3
animated slideInDown">Welcome To ByteBlend</h5>

                    <h1 class="display-3 text-white animated
slideInDown mb-4">Best Computer & Optimization Services</h1>

                    <p class="fs-5 fw-medium text-white mb-4 pb-
2">...</p>

                    <a href="#about-holder" class="btn br-btn py-
md-3 px-md-5 me-3 animated slideInLeft">Read More</a>

                    <a href="#form-hold" class="btn btn-light py-
md-3 px-md-5 animated slideInRight">Contact</a>

                </div>

            </div>

        </div>

    </div>

</div>

<div class="owl-carousel-item position-relative overflow-y-
hidden">

    <div class="position-absolute top-0 start-0 w-100 h-100 d-flex
align-items-center" style="background: rgba(53, 53, 53, .7);">

        <div class="container">

            <div class="row justify-content-center">

                <div class="col-12 col-lg-8 text-center">

                    <h5 class="text-white text-uppercase mb-3
animated slideInDown">Welcome To ByteBlend</h5>

```

```

        <h1 class="display-3 text-white animated
slideInDown mb-4">Best Computer & Optimization Services</h1>

        <p class="fs-5 fw-medium text-white mb-4 pb-
2">...</p>

        <a href="#about-holder" class="btn br-btn py-
md-3 px-md-5 me-3 animated slideInLeft">Read More</a>

        <a href="#form-hold" class="btn btn-light py-
md-3 px-md-5 animated slideInRight">Contact</a>

        </div>

    </div>

</div>

</div>

</div>

</div>

</div>

</div>

```

```

<!-- Carousel End -->

```

```

<!-- Feature Start -->

<div class="container-xxl py-5">

    <div class="container">

        <div class="row g-5 d-flex justify-content-center"
id="dinamicFeatures">

            <!-- Dynamic Feature HTML -->

        </div>

```

```

        </div>
    </div>

    <!-- Feature End -->


    <!-- About Start -->

    <div class="container-fluid bg-light overflow-hidden my-5 px-lg-0">
        <div class="container about px-lg-0">
            <div class="row g-0 mx-lg-0">
                <div class="col-lg-6 ps-lg-0" style="min-height: 400px;">
                    <div class="position-relative h-100">
                        
                    </div>
                </div>
                <div class="col-lg-6 about-text py-5 wow fadeIn" data-wow-
delay="0.5s" id="about-holder">
                    <div class="p-lg-5 pe-lg-0">
                        <div class="section-title text-start">
                            <h1 class="display-5 mb-4">About Us</h1>
                        </div>
                        <p class="mb-4 pb-2">At ByteBlend, we understand that
technology is at the heart of progress. That's why we strive not just to meet
but to exceed your expectations, ensuring that your devices run seamlessly,
your systems are optimized, and your digital endeavors are a success.
                        </p>

                        <p class="mb-4 pb-2">

```

Our team of seasoned experts brings a unique blend of technical expertise and innovative solutions to every project. Whether you're in need of reliable PC repairs, cutting-edge hardware components, or tailored software solutions, ByteBlend is here to streamline your digital experience.

```

</p>

<div class="row g-4 mb-4 pb-2">

  <div class="col-sm-6 wow fadeIn" data-wow-
delay="0.1s">

    <div class="d-flex align-items-center">

      <div class="d-flex flex-shrink-0 align-
items-center justify-content-center bg-white br-counter-up-style" >

        <i class="fa fa-users fa-2x text-
primary"></i>

      </div>

      <div class="ms-3">

        <h2 class="text-primary mb-1" data-
toggle="counter-up">5489</h2>

        <p class="fw-medium mb-0">Happy
Clients</p>

      </div>

    </div>

  </div>

</div>

<div class="col-sm-6 wow fadeIn" data-wow-
delay="0.3s">

  <div class="d-flex align-items-center">

    <div class="d-flex flex-shrink-0 align-
items-center justify-content-center bg-white" style="width: 60px; height:
60px;">

      <i class="fa fa-check fa-2x text-
primary"></i>

    </div>

    <div class="ms-3">

```

```

<h2 class="text-primary mb-1" data-
toggle="counter-up">189</h2>

<p class="fw-medium mb-0">Projects

Done</p>

</div>

</div>

</div>

</div>

<a href="author.html" class="btn br-btn py-3 px-
5">Explore More</a>

</div>

</div>

</div>

</div>

</div>

<!-- About End -->

<!-- Service Start -->

<div class="container-xxl py-5">
  <div class="container">
    <div class="section-title text-center">
      <h1 class="display-5 mb-5">Our Services</h1>
    </div>
    <div class="row g-4" id="services-holder">

    </div>
  </div>
</div>
</div>

```

```

<!-- Service End -->

<!-- Feature Start -->
<div class="container-fluid bg-light overflow-hidden my-5 px-lg-0">
  <div class="container feature px-lg-0">
    <div class="row g-0 mx-lg-0">
      <div class="col-lg-6 feature-text py-5 wow fadeIn" data-wow-
delay="0.5s">
        <div class="p-lg-5 ps-lg-0">
          <div class="section-title text-start">
            <h1 class="display-5 mb-4">Why Choose Us</h1>
          </div>
          <p>We believe in the power of customization. Our
services go beyond the ordinary, offering bespoke solutions such as tailored
PC assembly and fine-tuned system optimizations. We curate a selection of top-
notch hardware components, providing not just products but a guided journey to
selecting the components that align perfectly with your requirements. We're
not just a service; we're a dedicated partner on your digital journey. Choose
ByteBlend for an experience where innovation meets expertise, ensuring your
technology not only keeps up but leads in the ever-evolving landscape.</p>
          <div class="row g-4">
            <div class="col-6">
              <div class="d-flex align-items-center">
                <div class="d-flex flex-shrink-0 align-
items-center justify-content-center bg-white feature-custom">
                  <i class="fa fa-check fa-2x text-
primary"></i>
                </div>
                <div class="ms-4">
                  <p class="mb-2">Quality</p>

```



```

        <h5 class="mb-0">Services</h5>
    </div>
</div>
</div>
</div>
<div class="col-6">
    <div class="d-flex align-items-center">
        <div class="d-flex flex-shrink-0 align-items-center justify-content-center bg-white feature-custom">
            <i class="fa fa-user-check fa-2x text-primary"></i>
        </div>
        <div class="ms-4">
            <p class="mb-2">Creative</p>
            <h5 class="mb-0">Designers</h5>
        </div>
    </div>
</div>
</div>
<div class="col-6">
    <div class="d-flex align-items-center">
        <div class="d-flex flex-shrink-0 align-items-center justify-content-center bg-white feature-custom">
            <i class="fa fa-drafting-compass fa-2x text-primary"></i>
        </div>
        <div class="ms-4">
            <p class="mb-2">Free</p>
            <h5 class="mb-0">Consultation</h5>
        </div>
    </div>
</div>

```

```

</div>

<div class="col-6">

    <div class="d-flex align-items-center">

        <div class="d-flex flex-shrink-0 align-
items-center justify-content-center bg-white feature-custom">

            <i class="fa fa-headphones fa-2x text-
primary"></i>

        </div>

        <div class="ms-4">

            <p class="mb-2">Customer</p>

            <h5 class="mb-0">Support</h5>

        </div>

    </div>

</div>

</div>

</div>

</div>

</div>

<div class="col-lg-6 pe-lg-0" style="min-height: 400px;">

    <div class="position-relative h-100">

    </div>

</div>

</div>

</div>

</div>

<!-- Feature End -->

```

```

<!-- Projects Start -->
<div class="container-xxl py-5">
    <div class="container overflow-hidden">
        <div class="section-title text-center">
            <h1 class="display-5 mb-5">Our Projects</h1>
        </div>

        <div class="row g-4 portfolio-container" id="projects-holder">
            <div class="col-lg-4 col-md-6 portfolio-item first wow
fadeInUp" data-wow-delay="0.1s">
                <div class="rounded overflow-hidden">
                    <div class="position-relative overflow-hidden">
                        
                    </div>
                    <div class="border border-5 border-light border-top-0
p-4">
                        <p class="text-primary fw-medium mb-2">Programming
Setups</p>
                        <h5 class="lh-base mb-0">We take special care for
programming rigs.</h5>
                    </div>
                </div>
            </div>
            <div class="col-lg-4 col-md-6 portfolio-item first wow
fadeInUp" data-wow-delay="0.3s">
                <div class="rounded overflow-hidden">
                    <div class="position-relative overflow-hidden">
                        

```

```

        </div>

        <div class="border border-5 border-light border-top-0
p-4">

            <p class="text-primary fw-medium mb-2">Home
setups</p>

            <h5 class="lh-base mb-0">We make sure that you
enjoy your everyday surfing.</h5>

        </div>

    </div>

</div>

    <div class="col-lg-4 col-md-6 portfolio-item first wow
fadeInUp" data-wow-delay="0.5s">

        <div class="rounded overflow-hidden">

            <div class="position-relative overflow-hidden">

            </div>

            <div class="border border-5 border-light border-top-0
p-4">

                <p class="text-primary fw-medium mb-2">Server
cable menagment</p>

                <h5 class="lh-base mb-0">We are here to do even
the dirty work!</h5>

            </div>

        </div>

    </div>

    <div class="col-lg-4 col-md-6 portfolio-item first wow
fadeInUp" data-wow-delay="0.1s">

        <div class="rounded overflow-hidden">

```

```

        <div class="position-relative overflow-hidden">
            

        </div>

        <div class="border border-5 border-light border-top-0
p-4">

            <p class="text-primary fw-medium mb-2">System
Optimization</p>

            <h5 class="lh-base mb-0">If your PC is running
poorly we are here to fix it.</h5>

        </div>

    </div>

</div>

<div class="col-lg-4 col-md-6 portfolio-item first wow
fadeInUp" data-wow-delay="0.3s">

    <div class="rounded overflow-hidden">

        <div class="position-relative overflow-hidden">

        </div>

        <div class="border border-5 border-light border-top-0
p-4">

            <p class="text-primary fw-medium mb-2">Gaming
Setups</p>

            <h5 class="lh-base mb-0">Who doesn't like making
gaming setups? We sure like it!</h5>

        </div>

    </div>

</div>

```

```

        <div class="col-lg-4 col-md-6 portfolio-item first wow
fadeInUp" data-wow-delay="0.5s">

            <div class="rounded overflow-hidden">

                <div class="position-relative overflow-hidden">

                </div>

                <div class="border border-5 border-light border-top-0
p-4">

                    <p class="text-primary fw-medium mb-2">Temp</p>

                    <h5 class="lh-base mb-0">lorem ipsumlorem
ipsumlorem ipsumlorem ipsumlorem</h5>

                </div>

            </div>

        </div>

    </div>

</div>

<!-- Projects End -->

```

```

<!-- Contact Start -->

<div class="container-fluid bg-light overflow-hidden my-5 px-lg-0">

    <div class="container quote px-lg-0">

        <div class="row g-0 mx-lg-0">

            <div class="col-lg-6 ps-lg-0" style="min-height: 400px;">

                <div class="position-relative h-100">

```

```

        </div>

    </div>

    <div class="col-lg-6 quote-text py-5 wow fadeIn" data-wow-
delay="0.5s" id="form-hold">

        <div class="p-lg-5 pe-lg-0">

            <div class="section-title text-start">

                <h1 class="display-5 mb-4">Contact Us</h1>

            </div>

            <p class="mb-4 pb-2">Ready to elevate your technology
experience? We're here to assist you every step of the way. Whether you have a
specific inquiry, need technical support, or want to explore our range of
services, ByteBlend is just a message away.</p>

            <form action="2.php" method="post" id="form">

                <div class="row g-3">

                    <div class="col-12 col-sm-6 d-flex flex-column
justify-content-center">

                        <input type="text" class="form-control
form-height" placeholder="Your Name *" id="name" name="name-input" />

                        <small id="field-name" class="form-text
text-danger invisible">

                            This field is required.

                        </small>

                    </div>

                    <div class="col-12 col-sm-6">

                        <input type="email" class="form-control
form-height" placeholder="Your Email *" id="email" name="email-input" />

                        <small id="field-email" class="form-text
text-danger invisible">

                            This field is required.

                        </small>

                    </div>

```

```

<div class="col-12 col-sm-6">
    <input type="text" class="form-control
form-height" placeholder="Your Mobile *" id="mobile" name="mobile-input" />
    <small id="field-mobile" class="form-text
text-danger invisible">
        This field is required.
    </small>
</div>
<div class="col-12 col-sm-6" id="select-
holder">

</div>
<div class="col-12">
    <textarea class="form-control" id="note"
cols="2" placeholder="Special Note"></textarea>

</div>
<div class=" form-check">
    <input type="checkbox" class="form-check-
input mx-2" id="news">
    <label class="form-check-label"
for="news">Recieve News</label>
    <p id="subscribed" class="text-success m-
0"> You are going to recieve news to your mail.</p>
</div>

<div class="col-12">
    <input type="submit" name="btn-submit"
id="btn-submit" value="Submit" class="btn br-btn w-100 py-3" />
</div>

```



```

        </div>
    </form>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- Contact End -->

<!-- Team Start -->
<div class="container-xxl py-5">
    <div class="container">
        <div class="section-title text-center">
            <h1 class="display-5 mb-5">Team Members</h1>
        </div>
        <div class="row g-4" id="team-holder">

            </div>
        </div>
    </div>
</div>
<!-- Team End -->

<!-- Testimonial Start -->
<div class="container-xxl py-5 wow fadeInUp" data-wow-delay="0.1s">

```

```

<div class="container">

  <div class="section-title text-center">

    <h1 class="display-5 mb-5">Testimonial</h1>

  </div>

  <div class="owl-carousel testimonial-carousel">

    <div class="testimonial-item text-center">

      <div class="testimonial-text text-center p-4">

        <p>"ByteBlend transformed my computer experience!
Their expert team resolved a persistent issue that others couldn't. Fast,
efficient, and reliable service. I wouldn't trust my tech needs to anyone
else."</p>

        <h5 class="mb-1">Sarah M</h5>

        <span class="fst-italic">Programmer</span>

      </div>

    </div>

    <div class="testimonial-item text-center">

      <div class="testimonial-text text-center p-4">

        <p>"Impressed with ByteBlend's attention to detail in
custom PC assembly. The result was a powerhouse tailored to my needs. Their
knowledgeable team made the process smooth and enjoyable. Highly
recommended!"</p>

        <h5 class="mb-1">Alex P</h5>

        <span class="fst-italic">Programmer</span>

      </div>

    </div>

    <div class="testimonial-item text-center">

```

```

        <div class="testimonial-text text-center p-4">

            <p>"ByteBlend's software installation service saved me
time and frustration. They not only installed everything flawlessly but also
optimized my system for peak performance. A game-changer for my
productivity!"</p>

            <h5 class="mb-1">David R</h5>

            <span class="fst-italic">Programmer</span>

        </div>

    </div>

</div>

</div>

</div>

</div>

<!-- Testimonial End -->


<!-- Footer Start -->

<div class="container-fluid bg-dark text-light footer mt-5 pt-5 wow fadeIn
" data-wow-delay="0.1s">

    <div class="container py-5">

        <div class="row g-5 d-flex justify-content-evenly align-content-
center">

            <div class="col-lg-3 col-md-6">

                <h4 class="text-light mb-4">Address</h4>

                <p class="mb-2"><i class="fa fa-map-marker-alt me-
3"></i>123 Street, New York, USA</p>

                <p class="mb-2"><i class="fa fa-phone-alt me-3"></i>+012
345 67890</p>

                <p class="mb-2"><i class="fa fa-envelope me-
3"></i><a href="mailto:info@example.com">info@example.com</a></p>

```

```

        <div class="d-flex justify-content-evenly">
            <a class="btn btn-outline-light btn-social"
href="https://twitter.com/?lang=sr"><i class="fab fa-twitter"></i></a>

            <a class="btn btn-outline-light btn-social"
href="https://www.facebook.com/"><i class="fab fa-facebook-f"></i></a>

            <a class="btn btn-outline-light btn-social"
href="https://www.youtube.com/watch?v=85hQhUMu0_M&t=2s&ab_channel=10hoursofShi
tpostinglinked u"><i class="fab fa-youtube"></i></a>

            <a class="btn btn-outline-light btn-social"
href="https://rs.linkedin.com/"><i class="fab fa-linkedin-in"></i></a>

        </div>
    </div>

    <div class="col-lg-3 col-md-6">
        <h4 class="text-light mb-4">Quick Links</h4>
        <a class="btn btn-link" href="sitemap.xml"
target="_blank">sitemap</a>

        <a class="btn btn-link" href="robots.txt">robots</a>

        <a class="btn btn-link" href="Dokumentacija-2.pdf"
target="_blank">Dokumentacija</a>

        <a class="btn btn-link" href="author.html">author</a>

    </div>

</div>

</div>

<div class="container">
    <div class="copyright">
        <div class="row">
            <div class="col-md-6 text-center text-md-start mb-3 mb-md-
0">

```

`ByteBlend`, All
Right Reserved.

`</div>`

`<div class="col-md-6 text-center text-md-end">`

`<p>Original Design By<a class="border-bottom"`
`href="https://htmlcodex.com">HTML Codex</p>`

`<p>Custom Design And JS Code<a class="border-bottom"`
`href="https://www.instagram.com/bbane03/"> Branislav Radovanovic</p>`

`</div>`

`</div>`

`</div>`

`</div>`

`</div>`

`<!-- Footer End -->`

`<!-- Back to Top -->`

`<!-- <a href="#" class="btn btn-lg br-btn btn-lg-square rounded-5 back-to-`
`top"><i class="bi bi-arrow-up"></i> -->`

`<button class="btn btn-lg br-btn btn-lg-square rounded-5 back-to-top"`
`id="bck-top"><i class="bi bi-arrow-up"></i></button>`

`<!-- -->`

`<!-- JavaScript Libraries -->`

`<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>`

```

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>

<script src="lib/wow/wow.min.js"></script>

<!-- <script src="lib/easing/easing.min.js"></script> -->

<script src="lib/waypoints/waypoints.min.js"></script>

<script src="lib/counterup/counterup.min.js"></script>

<script src="lib/owlcarousel/owl.carousel.min.js"></script>

<!-- <script src="lib/isotope/isotope.pkgd.min.js"></script> -->

<!-- <script src="lib/lightbox/js/lightbox.min.js"></script> -->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
C6RzsynM9kWDrMNeT87bh95OGNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL "
crossorigin="anonymous"></script>

<!-- Template And Author Javascript -->

<script src="js/main.js"></script>
</body>

</html>

```

Author.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8" />

  <title>ByteBlend</title>

  <meta content="width=device-width, initial-scale=1.0" name="viewport" />

  <meta content="ByteBlend byteBlend sets programming " name="keywords" />

  <meta content="At ByteBlend we offer majority of services so make sure to
check us out!" name="description" />


  <!-- Favicon -->

  <link rel="icon" type="image/png" href="favicon.png" />

  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous">


  <!-- Google Web Fonts -->

  <link rel="preconnect" href="https://fonts.googleapis.com" />

  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />

  <link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=Roboto:wght@500;700;900&display=swap" rel="stylesheet" />
```

```

<!-- Icon Font Stylesheet -->

<link href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.10.0/css/all.min.css" rel="stylesheet" />

<link href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet" />


<!-- Libraries Stylesheet -->

<link href="lib/animate/animate.min.css" rel="stylesheet" />

<link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet"
/>

<link href="lib/lightbox/css/lightbox.min.css" rel="stylesheet" />


<!-- Customized Bootstrap Stylesheet -->

<link href="css/bootstrap.min.css" rel="stylesheet" />


<!-- Template Stylesheet -->

<link href="css/style.css" rel="stylesheet" />
</head>


<body>

<!-- Spinner Start -->

<div id="spinner" class="show bg-white position-fixed translate-middle w-
100 vh-100 top-50 start-50 d-flex align-items-center justify-content-center">

    <div class="spinner-grow text-primary" style="width: 3rem; height:
3rem;" role="status">

        <span class="sr-only">Loading...</span>

    </div>

```



```

</div>

<!-- Spinner End -->


<!-- Navbar Start -->

<nav class="navbar navbar-expand-lg bg-white navbar-light p-0 w-100"
id="nav">

    <a href="index.html" class="navbar-brand d-flex align-items-center px-
4 px-lg-5">

        <h2 class="m-0 text-primary">ByteBlend</h2>

    </a>

    <button type="button" class="navbar-toggler me-4" data-bs-
toggle="collapse" data-bs-target="#navbarCollapse">

        <span class="navbar-toggler-icon"></span>

    </button>

    <div class="collapse navbar-collapse" id="navbarCollapse">

        <div class="navbar-nav ms-auto p-4 p-lg-0">

            <a href="index.html" class="nav-item nav-link ">Home</a>

            <a href="index.html#services-holder" class="nav-item nav-
link">Service</a>

            <a href="index.html#projects-holder" class="nav-item nav-
link">Project</a>

            <a href="index.html#about-holder" class="nav-item nav-
link">About</a>

            <a href="index.html#form-hold" class="nav-item nav-
link">Contact</a>

```

```

        <a href="author.html" class="nav-item nav-link
active">Author</a>

    </div>

    <a href="index.html#form-hold" class="btn br-btn py-4 px-lg-5 d-
none d-lg-block">Order Now!<i class="fa fa-arrow-right ms-3"></i></a>

    </div>

</nav>

<!-- Navbar End -->

<!-- Carousel Start -->
<div class="container-fluid p-0">
    <div class="owl-carousel header-carousel position-relative ">
        <div class="owl-carousel-item position-relative overflow-y-
hidden">
            
            <div class="position-absolute top-0 start-0 w-100 h-100 d-flex
align-items-center" style="background: rgba(53, 53, 53, .7);">
                <div class="container">
                    <div class="row justify-content-center">
                        <div class="col-12 col-lg-8 text-center">
                            <h5 class="text-white text-uppercase mb-3
animated slideInDown">Welcome To ByteBlend</h5>
                            <h1 class="display-3 text-white animated
slideInDown mb-4">Best Computer & Optimization Services</h1>
                            <p class="fs-5 fw-medium text-white mb-4 pb-
2">...</p>
                            <a href="#about-holder" class="btn br-btn py-
md-3 px-md-5 me-3 animated slideInLeft">Read More</a>

```

```

        <a href="#form-hold" class="btn btn-light py-
md-3 px-md-5 animated slideInRight">Contact</a>

    </div>

</div>

</div>

</div>

</div>

<div class="owl-carousel-item position-relative overflow-y-
hidden">

    <div class="position-absolute top-0 start-0 w-100 h-100 d-flex
align-items-center" style="background: rgba(53, 53, 53, .7);">

        <div class="container">

            <div class="row justify-content-center">

                <div class="col-12 col-lg-8 text-center">

                    <h5 class="text-white text-uppercase mb-3
animated slideInDown">Welcome To ByteBlend</h5>

                    <h1 class="display-3 text-white animated
slideInDown mb-4">Best Computer & Optimization Services</h1>

                    <p class="fs-5 fw-medium text-white mb-4 pb-
2">...</p>

                    <a href="#about-holder" class="btn br-btn py-
md-3 px-md-5 me-3 animated slideInLeft">Read More</a>

                    <a href="#form-hold" class="btn btn-light py-
md-3 px-md-5 animated slideInRight">Contact</a>

                </div>

            </div>

        </div>

    </div>

```

```

        <div class="owl-carousel-item position-relative overflow-y-
hidden">

            <div class="position-absolute top-0 start-0 w-100 h-100 d-flex
align-items-center" style="background: rgba(53, 53, 53, .7);">

                <div class="container">

                    <div class="row justify-content-center">

                        <div class="col-12 col-lg-8 text-center">

                            <h5 class="text-white text-uppercase mb-3
animated slideInDown">Welcome To ByteBlend</h5>

                            <h1 class="display-3 text-white animated
slideInDown mb-4">Best Computer & Optimization Services</h1>

                            <p class="fs-5 fw-medium text-white mb-4 pb-
2">...</p>

                            <a href="#about-holder" class="btn br-btn py-
md-3 px-md-5 me-3 animated slideInLeft">Read More</a>

                            <a href="#form-hold" class="btn btn-light py-
md-3 px-md-5 animated slideInRight">Contact</a>

                        </div>

                    </div>

                </div>

            </div>

        </div>

<!-- bootstrap carousel -----
-->

<!-- <div id="carouselExampleControlsNoTouching" class="carousel slide"
data-bs-touch="false">

```

```

<div class="carousel-inner">
  <div class="carousel-item active">
    
  </div>
  <div class="carousel-item">
    
  </div>
  <div class="carousel-item">
    
  </div>
</div>

<button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleControlsNoTouching" data-bs-slide="prev">
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="visually-hidden">Previous</span>
</button>

<button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleControlsNoTouching" data-bs-slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="visually-hidden">Next</span>
</button>
</div> -->

```

```

<!-- <div id="slider-hold">
  <div class=" d-block img-hold">
    
    
  </div>
</div>

```

```

    </div>

    <div id="controls">

        <button class="btn btn-primary" id="prev">prev</button>

    </div>

    <div class="slide">

    </div>

    <div class="slide">

    </div>

</div> -->

<!-- bootstrap carousel END !----->

<!-- Carousel End -->

```

```

<div class="container-xxl d-flex justify-content-evenly flex-wrap">
  <div class="col-10 col-lg-6" id="author-img">
    
  </div>

  <div class="col-10 col-lg-6 p-5 d-flex flex-column justify-content-
evenly">
    <h2>Branislav Radovanovic 31/22</h2>
    <p class="text-body">

      Ja sam Branislav Radovanović, budući programer koji živi u
      Beogradu. Rođen sam u Arandjelovcu i vecinu svog života sam proveo u njemu, gde
      sam otkrio svoju ljubav prema programiranju. Programiranje mi pruža izazov i
      kreativnu slobodu koju ne nalazim u drugim oblastima, i radujem se što
      svakodnevno mogu da učim nove tehnologije i razvijam svoje veštine.

    </p>
    <p class="text-body">Osim programiranja, moja druga velika strast
    je odbojka. Treniram već godinama i nedavno sam bio deo tima koji je osvojio
    osmo mesto na državnom prvenstvu kao i deo seniorskog tima koji je učestvovao
    u 1. ligi Srbije. Za mene je to bilo veliko postignuće i inspiracija da
    nastavim da radim na svojoj igri i razvijam se kao osoba kroz odbojku.

    </p>
    <a href="https://bane159.github.io/portfolio/" class="btn br-btn
py-3 px-5">Portfolio</a>
  </div>
</div>

```

```

<!-- Footer Start -->

<div class="container-fluid bg-dark text-light footer mt-5 pt-5 wow fadeIn" data-wow-delay="0.1s">
    <div class="container py-5">
        <div class="row g-5 d-flex justify-content-evenly align-content-center">
            <div class="col-lg-3 col-md-6">
                <h4 class="text-light mb-4">Address</h4>
                <p class="mb-2"><i class="fa fa-map-marker-alt me-3"></i>123 Street, New York, USA</p>
                <p class="mb-2"><i class="fa fa-phone-alt me-3"></i>+012 345 67890</p>
                <p class="mb-2"><i class="fa fa-envelope me-3"></i><a href="mailto:info@example.com">info@example.com</a></p>
            <div class="d-flex justify-content-evenly">

```



```

        <a class="btn btn-outline-light btn-social"
href="https://twitter.com/?lang=sr"><i class="fab fa-twitter"></i></a>

        <a class="btn btn-outline-light btn-social"
href="https://www.facebook.com/"><i class="fab fa-facebook-f"></i></a>

        <a class="btn btn-outline-light btn-social"
href="https://www.youtube.com/watch?v=85hQhUMu0_M&t=2s&ab_channel=10hoursofShi
tpostinglinked u"><i class="fab fa-youtube"></i></a>

        <a class="btn btn-outline-light btn-social"
href="https://rs.linkedin.com/"><i class="fab fa-linkedin-in"></i></a>

    </div>

</div>

<div class="col-lg-3 col-md-6">

    <h4 class="text-light mb-4">Quick Links</h4>

    <a class="btn btn-link" href="sitemap.xml"
target="_blank">sitemap</a>

    <a class="btn btn-link" href="robots.txt">robots</a>

    <a class="btn btn-link" href="Dokumentacija-2.pdf"
target="_blank">Dokumentacija</a>

    <a class="btn btn-link" href="author.html">author</a>

</div>

</div>

</div>

<div class="container">

    <div class="copyright">

        <div class="row">

            <div class="col-md-6 text-center text-md-start mb-3 mb-md-
0">

                <a class="border-bottom" href="#">ByteBlend</a>, All
Right Reserved.

```

```

</div>

<div class="col-md-6 text-center text-md-end">

    <p>Original Design By<a class="border-bottom"
href="https://htmlcodex.com">HTML Codex</a></p>

    <p>Custom Design And JS Code<a class="border-bottom"
href="https://www.instagram.com/bbane03/"> Branislav Radovanovic</a></p>

</div>

</div>

</div>

</div>

<!-- Footer End -->


<!-- Back to Top -->

<button class="btn btn-lg br-btn btn-lg-square rounded-5 back-to-top"
id="bck-top"><i class="bi bi-arrow-up"></i></button>


<!-- JavaScript Libraries -->

<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>

<script src="lib/wow/wow.min.js"></script>

```

```

<!-- <script src="lib/easing/easing.min.js"></script> -->
<script src="lib/waypoints/waypoints.min.js"></script>
<script src="lib/counterup/counterup.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>
<!-- <script src="lib/isotope/isotope.pkgd.min.js"></script> -->
<!-- <script src="lib/lightbox/js/lightbox.min.js"></script> -->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
C6RzsynM9kWDrMNeT87bh95OGNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL "
crossorigin="anonymous"></script>

<!-- Template And Author Javascript -->
<script src="js/main.js"></script>
</body>

</html>

```

CSS kod

-Radi lakseg pregledanja unet je samo moj kod. Template css kod je ostavljen I neizmenjen.

```

*{
    margin: 0px;
    padding: 0px;
    overflow-x: hidden;
}

.form-height{
    height: 55px;
}

.text-primary{
    color: #008080 !important;
}

.br-btn{
    background-color:#008080 ;
    color:white;
}

.br-btn:hover{
    background-color:#008080 ;
    color:white;
    transform: scale(1.02);
    overflow: hidden;
}

.br-about{
    object-fit: cover;
}

```

```

.br-counter-up-style{
    width: 60px; height: 60px;
}

.feature-custom{
    width: 60px; height: 60px;
}

textarea{
    resize: none;
}

#nav{

    z-index: 9999999999999999999;
    transition: top 0.5s ease;
    /* position: fixed; */
    /* top: 0px; Adjust the initial top value as needed */
    /* width: 100%; */

}

@keyframes sticknav {
    0%{top: -100px;}
    /* 25%{top: -75px;}
    50%{top: -50px;}
    75%{top: -25px;} */
    100%{top: 0px;}
}

.br-nav-transition{
    /* position: fixed;

```

```

    animation-name: sticknav;
    animation-duration: 5s; /*
    /* transition: .5s; */
    position: fixed!important;
    animation-name: sticknav;
    animation-duration: 1s;
}

.show-nav {
    /* top: -100px; */
    position: fixed;
    animation-name: sticknav;
    animation-duration: 0.6s;
    animation-timing-function: ease;
}

/* .slide{
    display: none;
} */

.br-active{
    display: block!important;
    /* transition: 0.4s; */
}

.br-inactive{
    display: none!important;
}

/* .img-hold{
    width: 100%;
    height: auto;
} */

```

```

.slide{
    /* position: absolute; */
    top: 0;
    left: 0;
}

#controls{
    position: relative;
    top: -80px;
    left: 500px;
}

@keyframes dissapear {
    0%{bottom: 45px;opacity: 100;}
    100%{
        bottom: 25px;
        opacity: 0;
    }
}

@keyframes appear {
    0%{bottom: 25px;
        opacity: 0;}
    100%{
        bottom: 45px;
        opacity: 100;
    }
}

.back-to-top-dissaper{

```

```
    animation-name: dissapear;
    animation-duration: 0.5s;
    /* display: none; */
}

.back-to-top-appear{
    animation-name: appear;
    animation-duration: 0.5s;
    display: block!important;
}

.authorimg{
    background-position: -340px;
}

#subscribed{
display: none;
}
```


JavaScript / JQuery kod

```
(function ($) {  
    "use strict";  
  
    // Spinner TEMPLATE  
    var spinner = function () {  
        setTimeout(function () {  
            if ($('#spinner').length > 0) {  
                $('#spinner').removeClass('show');  
            }  
        }, 1);  
    };  
    spinner();  
  
    // Initiate the wowjs TEMPLATE CODE  
    // new WOW().init();
```

```
// Facts counter JQuery promeni kasnije
$('[data-toggle="counter-up"]').counterUp({
    delay: 10,
    time: 2000
});

// Header carousel karosel library owl
$(".header-carousel").owlCarousel({
    autoplay: true,
    smartSpeed: 1000,
    items: 1,
    dots: true,
    loop: true,
    nav : true,
    navText : [
        '<i class="bi bi-chevron-left"></i>',
        '<i class="bi bi-chevron-right"></i>'
    ]
});

// Testimonials carousel karosel library owl
$(".testimonial-carousel").owlCarousel({
    autoplay: true,
```

```

    smartSpeed: 1000,
    center: true,
    dots: false,
    loop: true,
    nav : false,

    responsive: {
      0:{
        items:1
      },
      768:{
        items:2
      }
    }
  });

```

```

// Portfolio isotope and filter filter za tip projekta TEMPLATE CODE
// var portfolioIsotope = $('.portfolio-container').isotope({
//   itemSelector: '.portfolio-item',
//   layoutMode: 'fitRows'
// });
// $('#portfolio-filters li').on('click', function () {
//   $("#portfolio-filters li").removeClass('active');
//   $(this).addClass('active');

//   portfolioIsotope.isotope({filter: $(this).data('filter')});

```

```
// });

})(jQuery);

//jQuery

//nakon sto se skrola malo dole doda se nav
$(window).scroll(function () {
    if ($(this).scrollTop() > 600) {
        $('#nav').addClass('show-nav');
    } else {
        $('#nav').removeClass('show-nav');
    }
});

//back to top dugme

$(window).scroll(function () {
    if ($(this).scrollTop() < 600) {
        $('#bck-top').removeClass('back-to-top-appear').addClass("back-to-top-
dissaper");
        setTimeout(dissaper,480);
    } else {
```

```

        $('#bck-top').removeClass('back-to-top-dissaper').addClass("back-to-top-appear").removeAttr("style");
    }
});

function dissaper(){
    $('#bck-top').css("display", 'none');
}

```

```

$("#bck-top").click(function(){
    scroll({
        top: 0,
        left: 100,
        behavior: "smooth",
    });
});

```

```

//demo slider
// var slide = document.querySelector(".slide");
// console.log(slide)
// $("#slidetoggle").click(function(){
//     $(".slide").fadeOut();
// });

```

```
// let pics = ['img/carousel-1.jpg','img/carousel-2.jpg','img/carousel-3.jpg'];

// var ijk = 1;

// setInterval(function(){

//     slide.src = pics[ijk++];
//     if(ijk >= pics.length) ijk = 0;
//     console.log("set interval!");

// },5000);

// setInterval(slider, 3000);

// function slider(){
//     console.log("radi interval");

//     var sib = $('.br-active').siblings();

//     $('.br-active').animate({opacity: "0"}).removeClass('br-active').addClass('br-inactive');

//     console.log(sib);
// }
```



```
{
    text: 'Customer Support',
    number: '04',
    icon: 'fa-headphones'
}
];
var ddlFormObjs = [
    {
        value: "0",
        service: "Select a service *",
        isSelected: true
    },
    {
        value: "2",
        service: "Setups",
        isSelected: false
    },
    {
        value: "3",
        service: "Cable Menagment",
        isSelected: false
    },
    {
        value: "4",
        service: "System Optimization",
        isSelected: false
    }
];
```



```

var servicesObj = [
  {
    img: {
      src: 'img/non-template-img/pc-repair.jpg',
      alt: 'pc repair image'
    },
    text:{
      caption: 'PC Repair Services',
      paragraph: 'ByteBlend excels in diagnosing and fixing PC issues,
ensuring smooth operation with expert hardware and software solutions.',
      link: 'Reach out now!'
    }
  },
  {
    img: {
      src: 'img/non-template-img/gpu.jpg',
      alt: 'gpu'
    },
    text:{
      caption: 'Hardware Components Sales',
      paragraph: 'Explore top-notch hardware components at ByteBlend,
where quality meets expertise for your computing needs.',
      link: 'Coming Out Soon!'
    }
  },
  {
    img: {
      src: 'img/non-template-img/pccase.jpg',
      alt: 'pccase'
    }
  }
]

```

```
    },  
    text:{  
      caption: 'Custom PC Assembly',  
      paragraph: 'ByteBlend crafts tailored desktops, guaranteeing high  
performance with customized configurations.',  
      link: 'Reach out now!'  
    }  
  },  
  {  
    img: {  
      src: 'img/non-template-img/software.jpg',  
      alt: 'software'  
    },  
    text:{  
      caption: 'Software Installation',  
      paragraph: 'ByteBlend ensures seamless software setup and updates,  
optimizing your system for peak performance.',  
      link: 'Reach out now!'  
    }  
  },  
  {  
    img: {  
      src: 'img/non-template-img/systemOpt.jpg',  
      alt: 'systemOpt'  
    },  
    text:{  
      caption: 'Software Optimization',  
      paragraph: 'ByteBlend enhances system speed and efficiency through  
expert tuning and maintenance services.',
```

```

        link: 'Reach out now!'
    }
},
{
    img: {
        src: 'img/non-template-img/network.jpg',
        alt: 'network'
    },
    text: {
        caption: 'Network Solutions',
        paragraph: 'ByteBlend delivers reliable wired and wireless network
        setups with troubleshooting and robust security measures.',
        link: 'Reach out now!'
    }
},

];

var projectsObjs = [
    {
        img: {
            src: 'img/non-template-img/project-1.jpg',
            alt: 'First Project'
        },
        caption: 'Programming Setups',
        text: 'We take special care for programming rigs.'
    },
    {
        img: {

```

```
        src: 'img/non-template-img/project-2.jpg',
        alt: 'Second Project'
    },
    caption: 'Home setups',
    text: 'We make sure that you enjoy your everyday surfing.'
},
{
    img: {
        src: 'img/non-template-img/project-3.jpg',
        alt: 'Third Project'
    },
    caption: 'Server cable menagment',
    text: 'We are here to do even the dirty work!'
},
{
    img: {
        src: 'img/non-template-img/project-4.jpg',
        alt: 'Forth Project'
    },
    caption: 'System Optimization',
    text: 'If your PC is running poorly we are here to fix it.'
},
{
    img: {
        src: 'img/non-template-img/project-5.jpg',
        alt: 'Fifth Project'
    },
    caption: 'Gaming Setups',
```

```

    text: 'Who doesn`'t like making gaming setups? We sure like it!'
  },
  {
    img: {
      src: 'img/non-template-img/project-6.jpg',
      alt: 'Sixth Project'
    },
    caption: 'User Experiace',
    text: 'We care about how you feel. '
  }
];

var teamObjs = [
  {
    img:{
      // src:'img/team-1.jpg',
      src:'img/non-template-img/josh.jpg',
      alt:'Josh'
    },
    link:{
      yt:{ link:
'https://www.youtube.com/watch?v=85hQhUMu0M&ab\_channel=10hoursofShitposting'
},
      x: 'https://twitter.com',
      ig: 'https://www.instagram.com/'
    },
    name: 'Josh Hutcherson',
    proffesion: 'Actor/Musitian'
  },

```

```

{
  img:{
    src:'img/team-2.jpg',
    // src:'img/non-template-img/srecko.jpg',

    alt:'Andreja'
  },
  link:{
    yt:{ link:
'https://www.youtube.com/watch?v=85hQhUMu0\_M&ab\_channel=10hoursofShitposting'}
    ,
    x: 'https://twitter.com',
    ig: 'https://www.instagram.com/'
  },
  name: 'Andreja Sreckovic',
  proffesion: 'Programmer'
},
{
  img:{
    src:'img/team-3.jpg',
    // src:'img/team-3.jpg',
    alt:'Sanja'
  },
  link:{
    yt:{ link:
'https://www.youtube.com/watch?v=85hQhUMu0\_M&ab\_channel=10hoursofShitposting'}
    ,
    x: 'https://twitter.com',
    ig: 'https://www.instagram.com/'
  }
}

```

```

    },
    name: 'Sanja Pavlovic',
    proffesion: 'Programmer'
  },
  {
    img:{
      src:'img/team-4.jpg',
      // src:'img/non-template-img/misa.jpg',
      alt:'Milos'
    },
    link:{
      yt:{ link:
'https://www.youtube.com/watch?v=85hQhUMu0\_M&ab\_channel=10hoursofShitposting'
      },
      x: 'https://twitter.com',
      ig: 'https://www.instagram.com/'
    },
    name: 'Milos Milinkovic',
    proffesion: 'Programmer'
  }
];
//#endregion

```

```

//#region Dynamic ispis Team member
function makeTeamMember(member){

```

```

return `<div class="col-lg-3 col-md-6 wow fadeInUp" data-wow-delay="0.1s">

  <div class="team-item">

    <div class="overflow-hidden position-relative">

      <div class="team-social">

        <a class="btn btn-square" href="${member.link.yt.link}"
target="_blank"><i class="fab fa-youtube"></i></a>

        <a class="btn btn-square" href="${member.link.x}"
target="_blank"><i class="fab fa-twitter"></i></a>

        <a class="btn btn-square" href="${member.link.ig}"
target="_blank"><i class="fab fa-instagram"></i></a>

      </div>

    </div>

    <div class="text-center border border-5 border-light border-top-0 p-
4">

      <h5 class="mb-0">${member.name}</h5>

      <small>${member.proffesion}</small>

    </div>

  </div>
</div>`;
}

```

```

var teamHTML = '';
for(let member of teamObjs){
  teamHTML += makeTeamMember(member)
}
document.querySelector('#team-holder').innerHTML = teamHTML;

```



```

//#endregion

//#region dinamic ispis projects
function makeProject(project){
    return `

2



2



Stranica 1


```

```

    projectHTML += makeProject(project);

}

projectHold.innerHTML = projectHTML;

//#endregion


//#region dinamic ispis services
function makeService(service)
{
    return `<div class="col-md-6 col-lg-4 wow fadeInUp" data-wow-delay="0.5s">

        <div class="service-item">

            <div class="overflow-hidden">

                </div><div class="p-4 text-center border border-5
border-light border-top-0"><h4 class="mb-
3">${service.text.caption}</h4><p>${service.text.paragraph}</p>

                <a class="fw-medium text-primary" href="#form-
hold">${service.text.link}

                <i class="fa fa-arrow-right ms-2 text-
primary"></i></a>

            </div>

        </div>

    </div>`
}

var serviceHTML = ``;

```

```

var serviceHolder = document.querySelector("#services-holder");

for(let service of servicesObj){
    serviceHTML += makeService(service);

}

console.log(serviceHolder);

serviceHolder.innerHTML = serviceHTML;

//endregion

//region dinamic ispis Featured

function makeFeature(feature)
{
    let featureHTML = `<div class="col-md-6 col-lg-3 wow fadeIn" data-wow-
delay="0.1s"><div class="d-flex align-items-center justify-content-evenly mb-
2"><div class="d-flex align-items-center justify-content-center bg-light"
style="width: 60px; height: 60px;"><i class="fa ${feature.icon} fa-2x text-
primary"></i></div><h1 class="display-1 text-black-50 mb-
0">${feature.number}</h1></div><h5 class = "text-
center">${feature.text}</h5></div>`;

    return featureHTML;
}

var featureEl = document.querySelector("#dinamicFeatures");

if(featureEl)
{
    for(let feature of FeatureObjs)
    {

```

```
        featureEl.innerHTML += makeFeature(feature);
    }
}

//#endregion

//#region dynamic select ispis
var selectHolder = document.querySelector("#select-holder");

var smallSlct = document.createElement('small');
smallSlct.classList.add('form-text');
smallSlct.classList.add('text-danger');
smallSlct.setAttribute('id', 'field-service');

function createOption(opt){
    let option = document.createElement('option');
    if(opt.isSelected) option.setAttribute('selected', 'selected');
    option.setAttribute('value', `${opt.value}`);
    option.text = opt.service;
    return option;
}

var slctEl = document.createElement('select');
slctEl.classList.add('form-select');
```

```
slctEl.classList.add('form-height');
slctEl.setAttribute('id', 'selectForm');
selectHolder.appendChild(slctEl);
let arrayOption = new Array();
for (let opt of ddlFormObjs)
{
    arrayOption.push(createOption(opt));
}
for(let opt of arrayOption){

    slctEl.appendChild(opt);
}

selectHolder.appendChild(smallSlct);

//#endregion
```

```
//#region Ceo kod za Forme - Provera, ispis gresaka, provera za slanje na
server(zaustavlja submit ako nije sve lepo uneto i izbacuje greske u suprotnom
podaci se salju na .php).
```

//Ako je empty printuj error u odgovarajuće small polje

```
function isEmpty(){
    if(!this.value){
        error("This field is required", `field-${this.id}`)
    }
}
```

```
window.onload = function()
{
```

// postavi focus događaj na svaki element forme (text(ime), email i mobile(text))

```
var elementi = document.getElementsByTagName("input");
for(let el of elementi){
    if(el.getAttribute("type") == "text" || el.getAttribute("type") ==
"email")
        el.addEventListener("focus", isEmpty);
}
```

```
const nameRegex = /^[A-Z][a-z]{1,10}([ ]?[A-Z][a-z]{3,15}){0,2}$/;
```

```
let name = document.querySelector("#name");
```

```
let errorText = document.querySelector("#field-name");
```

//name check of ui/ux

```

// name.addEventListener("focus", function(){
//   if(!name.value){
//       // errorText.classList.remove("invisible")
//       error("This field is required",errorText.id);
//   }
// });
// name.addEventListener("focus", isEmpty);

```

```

name.addEventListener("keyup", function()
{
    if(!name.value)
    {
        danger(name);
        error("This field is required",errorText.id);
    }
    else errorDisable(errorText.id);

    if(nameRegEx.test(name.value))
    {
        success(name);
        errorDisable(errorText.id);
    }
    // if(name.value && !nameRegEx.test(name.value)){
    //     danger(name);
    //     error("Enter a valid name",errorText.id);
    // }
});

```

```

name.addEventListener("blur", function(){
    if(!name.value){
        name.classList.remove("border-danger");
        name.classList.remove("border-success");
        errorDisable(errorText.id);
        // allErrors.emailErrors.push("This field is required");

    }

    // else if(!nameRegEx.test(name.value)){
    //     error("Example: Josh", errorText.id)
    //     // allErrors.emailErrors.push("Enter a valid email:
    username@domen.com");
    // }

    if(nameRegEx.test(name.value)){
        success(name);

        //do success code for blur name
    }
});

```



```

    //email check for ui/ux
const emailRegEx = /^[A-z0-9]{2,30}@(gmail|yahoo)\.(com|rs)$/;
let email = document.querySelector("#email");
let errorTextMail = document.querySelector("#field-email");
// email.addEventListener("focus", function(){
//     if(!email.value){
//         // errorTextMail.classList.remove("invisible")
//         error("This field is required",errorTextMail.id);

//     }
// });
email.addEventListener("keyup", function()
{
    if(!email.value)
    {
        danger(email);
        error("This field is required",errorTextMail.id);
    }
    else errorDisable(errorTextMail.id);

    // if(emailRegEx.test(email.value))
    // {
    //     success(email);
    //     errorDisable(errorTextMail.id);

    // }

```

```

// if(email.value && !emailRegEx.test(email.value)){
//     danger(email);
//     error("Enter a valid Email Adress",errorTextMail.id);

// }

});
email.addEventListener("blur", function(){
    if(!email.value){
        email.classList.remove("border-danger");
        email.classList.remove("border-success");
        errorDisable(errorTextMail.id);
        // allErrors.emailErrors.push("This field is required");
    }
    // if(!emailRegEx.test(email.value)){

//     // allErrors.emailErrors.push("Please enter a valid name")
// }
    if(emailRegEx.test(email.value)){
        success(email);

        //do success code for blur email
    }
});

```

```

//mobile check

const mobRegex = /^[0-9]{9,10}$/;

let mob = document.querySelector("#mobile");
let errorTextMob = document.querySelector("#field-mobile");

// mob.addEventListener("focus",function(){
//     if(!mob.value){
//         error("This field is required", errorTextMob.id);

//     }
// });

// mob.addEventListener("focus",isEmpty);
mob.addEventListener("keyup", function()
{
    if(!mob.value)
    {
        danger(mob);
        error("This field is required",errorTextMob.id);

    }else errorDisable(errorTextMob.id);
    if(mobRegex.test(mob.value))
    {
        success(mob);
        errorDisable(errorTextMob.id);
    }

    // if(mob.value && !mobRegex.test(mob.value)){

```

```

        //      danger(mob);

        //      error("Enter a valid Mobile Number",errorTextMob.id);


        // }
    });

    mob.addEventListener("blur", function(){

        if(!mob.value){

            mob.classList.remove("border-danger");

            mob.classList.remove("border-success");

            errorDisable(errorTextMob.id);

            // allErrors.mobErrors.push("This field is required");

        }

        // if(!mobRegex.test(mob.value)){

        //      // danger(mob);

        //      // allErrors.mobErrors.push("Entar a valid mobile number");

        // }

        if(mobRegex.test(mob.value)){

            success(mob);

            errorDisable(errorTextMob.id);

            //do success code

        }

    });

```

```

    //Checking if smt selected from ddl

var k = 0;

let select = document.querySelector("#selectForm");

select.addEventListener("change", function(){

    k = parseInt(select.options[select.selectedIndex].value);

    if(k != 0) {
        errorDisable(errorTextService.id);
        select.classList.remove("border-danger");
        select.classList.remove("border-success");
        success(select)
    }
    else danger(select)
    console.log(k);

});

select.addEventListener("blur", function(){

    if(k == 0) {
        select.classList.remove("border-danger");
        select.classList.remove("border-success");
    }
    console.log(k);

```

```
});
```

```
//should i subit or no? Also errors prinhting if not sending
```

```
let form = document.querySelector("#form");
// let errorTextService = querySelector("#field-service");
let errorTextService = document.querySelector("#field-service");

form.addEventListener("submit",validateForm);
function validateForm(event)
{

    event.preventDefault();

    if(nameRegex.test(name.value) && mobRegex.test(mob.value) &&
emailRegex.test(email.value) && k != 0){

        form.submit();
    }

    if(!nameRegex.test(name.value))
    {

        error(`Enter a valid name: "Josh"`,errorText.id);

        // scroll({
        //     top: 4900,
```

```

        //      left: 100,
        //      behavior: "auto",
        //    });

    }

    if(!emailRegex.test(email.value))    {
        error(`Invalid email: "username@gmail.com"`,errorTextMail.id);
        // scroll({
        //      top: 4900,
        //      left: 100,
        //      behavior: "auto",
        //    });
    }

    if(!mobRegex.test(mob.value))
    {
        error(`Invalid mobile number: "0641234567"`,errorTextMob.id);
        // scroll({
        //      top: 4900,
        //      left: 100,
        //      behavior: "auto",
        //    });
    }

    if(k == 0)
    {
        error(`Please select a service`,errorTextService.id);
        //      scroll({

```

```

        //      top: 4900,
        //      left: 100,
        //      behavior: "auto",
        //    });
    }
}

var ckcbx = document.querySelector("#news");

$("#news").change(function(){
    if(ckcbx.checked)
    {
        $("#subscribed").slideToggle();
    }
    else
        $("#subscribed").slideToggle();
});

}

//#endregion

//#region  Metode Za Rad Sa Formom
function danger(element)
{

```



```
    element.classList.remove("border-success");
    element.classList.add("border-danger");
}

function success(element)
{
    element.classList.remove("border-danger");
    element.classList.add("border-success");
}

function error(i,element){
    document.querySelector("#" + element.toString()).innerHTML = i;
    document.querySelector("#" +
element.toString()).classList.remove("invisible");
}

function errorDisable(element){
    document.querySelector("#" +
element.toString()).classList.add("invisible");
}

//#endregion
```