

Branislav Radovanovic 31/22 ByteBlend JavaScript site

Contents

Uvod	3
Korisceni programski jezici:	3
Koriscene biblioteke:	3
Funkcionalnosti sajta	3
Dinamicki ispis blokova / sadrzaja	3
Fixed Navbar	3
Nazad na vrh dugme	4
Obrada Forme	4
Provera podataka forme	4
Submit Forme	6
Funkcije koriscene kroz validaciju forme	6
Odbrana od SQL Injekcije	7
Animacije uradjene preko waypoints JQuery biblioteke	7
Organizacija	7
Organizaciona sema	7
Mapa sajta	8
Template	8
Template link:	8
Template JavaScript kod:	8
Uvod u template	9
Struktura fajlova	9
Sadrzaj Sajta	10
Kodovi	14
INDEX HTML	14
CSS TEMPLATE	27
CSS – MOJ	40
Author HTML	43
MAIN JS KOD	49

Uvod

Korisceni programski jezici:

- \rightarrow HTML
- \rightarrow CSS
- → JavaScript

Koriscene biblioteke:

- → CounterUp
- → Waypoints Jquery biblioteka

Funkcionalnosti sajta

Dinamicki ispis blokova / sadrzaja

Najpre, kreiran je objekat sa svim razlicitostima u bloku/regionu/tekstu

I zatim prolazom kroz pretlju te izmene to jest podatke iz objekta upijem u HTML kod koji kasnije generisem za svaki blok.

U formi Services dinamcki je ispisano koristeci funkciju CreateElement. Cela logika moze se videti u kodu.

Takodje drop down lista ispisana je upotrebama funkcija createElement() l appendChild()

Dinamicki ispisani blokovi ce biti oznaceni CRVENOM bojom na slikama sajta iz poglavlja template.

Fixed Navbar

Nakon sto predjemo preko odredjenog broja piksela navbar dobija klasu koja u sebi sadrzi animaciju I position: fixed; svojstvo.

Kada se podignemo preko odredjenog broja piskela navbar gubi tu klasu.

Nismo prosli br piksela I ne vidi se navbar =>



Prosli smo i vid se sa pocetnom animacijom =>



Nazad na vrh dugme

Kada smo skrolovali preko odredjenog broja piksela dugme nestaje sa animacijom u suprotnom ono se vraca na ekran.

Na klik na ovo dugme ono nas pozicionira na zaglavlje sajta.



Obrada Forme


Provera podataka forme

Podaci se proveravaju regex-om na dogadjaj 'keyup' radi boljeg korisnickog iskustva.


I ispisuje se greska praznog polja kada ga obrisemo.

Ukoliko je polje dobro uneseno border ce biti zelen.

Kada kliknemo na blur, ako je polje prazno greske ce se obrisati.



Submit Forme



Samo ukoliko su svi podaci validni isti ce se poslati na server, u suprotnom bice ispisane greske ispod odgovarajucis polja.

Funkcije koriscene kroz validaciju forme

```
function danger(element)
{
    element.classList.remove("border-success");
    element.classList.add("border-danger");
}
function success(element)
{
    element.classList.remove("border-danger");
    element.classList.add("border-success");
}
function error(i,element){
    document.querySelector("#" + element.toString()).innerHTML = i;
    document.querySelector("#" + element.toString()).classList.remove("invisible");
}
function errorDisable(element){
    document.querySelector("#" + element.toString()).classList.add("invisible");
}
```

isEmpty() - Ukoliko trenutno polje nema vrednost na to polje ispisi gresku.

error() - Ispisi gresku ispod prosledjenog elementa.

errorDisable - Obrisi gresku ispod prosledjenog elementa.

danger() - Oboji border u crveno prosledjenom elementu.

success() - Oboji border u zeleno prosledjenom elementu.

Odbrana od SQL Injekcije

Koriscenjem regex-a I niza sa paternima upita, proveravam da li je pattern pronalazi u tekstualnom polju I na taj nacin vrsim proveru.

Ovo se radi na tekstualnom polju za poruku.

```
DROP * FROM nesto

Do not try to sql inject us
```

Animacije uradjene preko waypoints JQuery biblioteke

Waypoints biblioteka je koriscena da bih dobio informaciju o tome kada je korisnik 'skrolovao' Na zadati elemend.

U tom slucaju okinuce se animacija. Primer jedne animacije:

```
$("#form-hold")
.css('right', '-500px')
.waypoint(function(direction){
   if (direction === 'down') {
        $(this.element).animate({ right: 0 },800)
    }
});
```

Organizacija

Organizaciona sema



Mapa sajta

Template

Template link:

https://www.free-css.com/free-css-templates/page294/woody

Template JavaScript kod:

Ovo je jedini template JacaScript kod koji je na sajtu.

```
// Spinner TEMPLATE
var spinner = function () {
    setTimeout(function () {
        if ($('#spinner').length > 0) {
             $('#spinner').removeClass('show');
        }
    }, 1);
};
spinner();
```

Uvod u template

Design templata je dosta izmenjen. Proemenje su boje, odredjeni blokovi su obrisani ili izmenjeni.

Struktura fajlova

Style.scss:

U style.css pisan je template css sve do linije koda 632 - nakon toga sledi moj css.

Img:

Putanja: /img/

Nalaze se slike iz template

Putanja:/img/non-template-img

Nalaze se sve custom slike koje su koriscene za modifikovan template

Main.js


Sav JavaScript kod je obrisan sem spinner koda koji je gorenaveden.

Ovde je pisan ceo JS i JQuery kod.

Lib

U ovom folderu se nalaze biblioteke

- → Waypoints
- $\rightarrow \ \, CounderUp$



Animate je scss fajl u kome se nalazi brdo animacija koje su sluzile za template, nisu obrisane zato sto se koriste sa spinner.

Sadrzaj Sajta.

U ovom poglavlju su slike sajta oznacene po regionama i to onima koji su dinamicki ispisani i staticki. Sa obzirom da je dizajn sajta i velika vecina regiona izmenjena s originalnog template, bice oznaceni oni samo koji nisu izmenjeni.

- → DINAMICKI ISPISANI REGIONI
- → STATICKI REGIONI











Our Services



PC Repair Services

ByceBlend excels to diagnosing and fiving PC assums for smooth operation with expert hardware and software solutions.

Reach out now! >



Hardware Sales

Discover eithe hardware at ByzeBlend, where expertise and quelity converge for all your computing essentials.

Coming Out Soon! *



Custom PC Assembly

ByteBlend crafts high-performance dealtrops, arouning top-count quality through customized configurations

Reach out now! *



Software Installation

We at ByteBland ensures seamless software setup and sipdates, optimizing your system for peak performance.

Reach out novel. >



Software Optimization

Bytefflend enhances system speed and efficiency through expert tuning and

Reach out novel +



Network Solutions

ByteBland delivers reliable world and wireless network secups with troubleshooting and security measures.

Reach out now! >



About Us

At ByteBlend, we understand that technology is at the heart of progress. That's why we strive not just to meet but to exceed your expectations, ensuring that your devices run seamlessly, your systems are optimized, and your digital endeavors are a success.

Our team of seasoned experts brings a unique blend of technical expertise and innovative solutions to every project. Whether you're in need of reliable PC repairs, cutting-edge hardware components, or tailored software solutions, ByteBlend is here to streamline your digital experience.



5489


Happy Clients



189

Projects Done

Explore More



We believe in the power of customization. Our services go beyond the undinary, officing beginds solutions such as selected PC assembly and fine-tuned system supramizations. We curate a selection of top-rough hardware components, providing not yet products but a guided purities to selecting the components that align perfectly with your requirements. We're not just a service, we're a dedicated perform on your digital journey. Choice BytsBend for an experience where innovation meets expertite, ensuring your technology not only keeps up but leads an the exercisoring landware.









Our Projects



Programming Setups

We take special care for programming rigs.



We make sure that you enjoy your everyday surfing.



We are here to do even the dirty work!




If your PC is running poorly we are



Who doesn't like making gaming




We care about how you feel.









Kodovi INDEX HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <title>ByteBlend</title>
    <meta content="width=device-width, initial-scale=1.0" name="viewport" />
    <meta content="ByteBlend byteBlend sets programming " name="keywords" />
    <meta content="At ByteBlend we offer majority of services so make sure to</pre>
check us out!" name="description" />
    <!-- Favicon -->
    <link rel="icon" type="image/png" href="favicon.png" />
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous" />
    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    link
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=R
oboto:wght@500;700;900&display=swap" rel="stylesheet" />
    <!-- Icon Font Stylesheet -->
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.10.0/css/all.min.css" rel="stylesheet" />
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet" />
    <!-- Libraries Stylesheet -->
    <link href="lib/animate/animate.min.css" rel="stylesheet" />
rel="stylesheet" /> -->
    <!-- <link href="lib/lightbox/css/lightbox.min.css" rel="stylesheet" /> --
    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/bootstrap.min.css" rel="stylesheet" />
    <!-- Template Stylesheet -->
    <link href="css/style.css" rel="stylesheet" />
```

```
</head>
<body>
    <!-- Spinner Start -->
    <div id="spinner" class="show bg-white position-fixed translate-middle w-</pre>
100 vh-100 top-50 start-50 d-flex align-items-center justify-content-center">
        <div class="spinner-grow text-primary" style="width: 3rem; height:</pre>
3rem;" role="status">
            <span class="sr-only">Loading...</span>
        </div>
    </div>
    <!-- Navbar Start -->
    <nav class="navbar navbar-expand-lg bg-white navbar-light p-0 w-100"</pre>
id="nav">
        <a href="index.html" class="navbar-brand d-flex align-items-center px-</pre>
4 px-lg-5">
            <h2 class="m-0 text-primary">ByteBlend</h2>
        </a>
        <button type="button" class="navbar-toggler me-4" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarCollapse">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarCollapse">
            <div class="navbar-nav ms-auto p-4 p-lg-0">
                 <a href="#" class="nav-item nav-link active">Home</a>
                <a href="#services-holder" class="nav-item nav-</pre>
link">Service</a>
                 <a href="#projects-holder" class="nav-item nav-</pre>
link">Project</a>
                 <a href="#about-holder" class="nav-item nav-link">About</a>
                <a href="index.html#form-hold" class="nav-item nav-</pre>
link">Contact</a>
                 <a href="author.html" class="nav-item nav-link">Author</a>
            <a href="index.html#form-hold" class="btn br-btn py-4 px-lg-5 d-</pre>
none d-lg-block">Order Now!<i class="fa fa-arrow-right ms-3"></i></a>
        </div>
    </nav>
    <!-- Navbar End -->
    <div id="carouselExample" class="carousel slide">
```

```
<div class="carousel-inner">
          <div class="carousel-item active">
            <img src="img/non-template-img/slide1.jpg" class="d-block w-100"</pre>
alt="slide1" />
          </div>
          <div class="carousel-item">
            <img src="img/non-template-img/slide2.jpg" class="d-block w-100"</pre>
alt="slide2" />
          </div>
          <div class="carousel-item">
            <img src="img/non-template-img/slide3.jpg" class="d-block w-100"</pre>
alt="slide3" />
          </div>
        </div>
        <button class="carousel-control-prev" type="button" data-bs-</pre>
target="#carouselExample" data-bs-slide="prev">
          <span class="carousel-control-prev-icon" aria-hidden="true"></span>
          <span class="visually-hidden">Previous</span>
        <button class="carousel-control-next" type="button" data-bs-</pre>
target="#carouselExample" data-bs-slide="next">
          <span class="carousel-control-next-icon" aria-hidden="true"></span>
          <span class="visually-hidden">Next</span>
        </button>
      </div>
    <!-- Feature Start -->
    <div class="container-xxl py-5">
        <div class="container">
            <div class="row g-5 d-flex justify-content-center"</pre>
id="dinamicFeatures">
                <!-- Dynamic Feature HTML -->
            </div>
        </div>
    </div>
    <!-- Feature End -->
    <!-- About Start -->
    <div class="container-fluid bg-light overflow-hidden my-5 px-lg-0">
        <div class="container about px-lg-0">
            <div class="row g-0 mx-lg-0">
                 <div class="col-lg-6 ps-lg-0" style="min-height: 400px;">
                    <div class="position-relative h-100">
```

```
<img class="position-absolute img-fluid w-100 h-100</pre>
br-about" src="img/non-template-img/about.jpg" alt="about" />
                   </div>
                </div>
                <div class="col-lg-6 about-text py-5 position-relative"</pre>
id="about-holder">
                   <div class="p-lg-5 pe-lg-0">
                       <div class="section-title text-start">
                           <h1 class="display-5 mb-4">About Us</h1>
                       </div>
                       At ByteBlend, we understand that
technology is at the heart of progress. That's why we strive not just to meet
but to exceed your expectations, ensuring that your devices run seamlessly,
your systems are optimized, and your digital endeavors are a success.
                       Our team of seasoned experts brings a unique blend
of technical expertise and innovative solutions to every project. Whether
you're in need of reliable PC repairs, cutting-edge hardware components, or
tailored software solutions, ByteBlend is here to streamline your digital
experience.
                       <div class="row g-4 mb-4 pb-2">
                           <div class="col-sm-6" >
                               <div class="d-flex align-items-center">
                                   <div class="d-flex flex-shrink-0 align-</pre>
items-center justify-content-center bg-white br-counter-up-style" >
                                       <i class="fa fa-users fa-2x text-</pre>
primary"></i>
                                   </div>
                                   <div class="ms-3">
                                       <h2 class="text-primary mb-1" data-</pre>
toggle="counter-up">5489</h2>
                                       Happy
Clients
                                   </div>
                               </div>
                           </div>
                           <div class="col-sm-6">
                               <div class="d-flex align-items-center">
                                   <div class="d-flex flex-shrink-0 align-</pre>
items-center justify-content-center bg-white style="width: 60px; height:
60px;">
                                       <i class="fa fa-check fa-2x text-</pre>
primary"></i>
                                   </div>
                                   <div class="ms-3">
```

```
<h2 class="text-primary mb-1" data-</pre>
toggle="counter-up">189</h2>
                                        Projects
Done
                                    </div>
                                </div>
                            </div>
                        </div>
                        <a href="author.html" class="btn br-btn py-3 px-
5">Explore More</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!-- Service Start -->
    <div class="container-xxl py-5">
        <div class="container">
            <div class="section-title text-center">
                <h1 class="display-5 mb-5">Our Services</h1>
            </div>
            <div class="row g-4 position-relative" id="services-holder">
            </div>
        </div>
    </div>
    <!-- Service End -->
    <!-- Feature Start -->
    <div class="container-fluid bg-light overflow-hidden my-5 px-lg-0">
        <div class="container feature px-lg-0">
            <div class="row g-0 mx-lg-0">
                <div class="col-lg-6 feature-text py-5 position-</pre>
relative" id="whychoose">
                    <div class="p-lg-5 ps-lg-0">
                        <div class="section-title text-start">
                            <h1 class="display-5 mb-4">Why Choose Us</h1>
                        </div>
                        We believe in the power of customization. Our
services go beyond the ordinary, offering bespoke solutions such as tailored
PC assembly and fine-tuned system optimizations. We curate a selection of top-
notch hardware components, providing not just products but a guided journey to
selecting the components that align perfectly with your requirements. We're
not just a service; we're a dedicated partner on your digital journey. Choose
```

```
ByteBlend for an experience where innovation meets expertise, ensuring your
technology not only keeps up but leads in the ever-evolving landscape.
                        <div class="row g-4">
                            <div class="col-6">
                                <div class="d-flex align-items-center">
                                    <div class="d-flex flex-shrink-0 align-</pre>
items-center justify-content-center bg-white feature-custom">
                                        <i class="fa fa-check fa-2x text-</pre>
primary"></i>
                                    </div>
                                    <div class="ms-4">
                                        Quality
                                        <h5 class="mb-0">Services</h5>
                                    </div>
                                </div>
                            </div>
                            <div class="col-6">
                                <div class="d-flex align-items-center">
                                    <div class="d-flex flex-shrink-0 align-</pre>
items-center justify-content-center bg-white feature-custom">
                                        <i class="fa fa-user-check fa-2x text-</pre>
primary"></i>
                                    </div>
                                    <div class="ms-4">
                                        Creative
                                        <h5 class="mb-0">Designers</h5>
                                    </div>
                                </div>
                            </div>
                            <div class="col-6">
                                <div class="d-flex align-items-center">
                                    <div class="d-flex flex-shrink-0 align-</pre>
items-center justify-content-center bg-white feature-custom">
                                        <i class="fa fa-drafting-compass fa-2x</pre>
text-primary"></i>
                                    </div>
                                    <div class="ms-4">
                                        Free
                                        <h5 class="mb-0">Consultation</h5>
                                    </div>
                                </div>
                            </div>
                            <div class="col-6">
                                <div class="d-flex align-items-center">
                                    <div class="d-flex flex-shrink-0 align-</pre>
items-center justify-content-center bg-white feature-custom">
                                        <i class="fa fa-headphones fa-2x text-</pre>
primary"></i>
```

```
</div>
                                   <div class="ms-4">
                                       Customer
                                       <h5 class="mb-0">Support</h5>
                                   </div>
                               </div>
                           </div>
                       </div>
                   </div>
               </div>
                <div class="col-lg-6 pe-lg-0" style="min-height: 400px;">
                   <div class="position-relative h-100">
                       <img class="position-absolute img-fluid w-100 h-100</pre>
br-about" src="img/non-template-img/whychoose.jpg" alt="feature" />
                   </div>
               </div>
            </div>
        </div>
    </div>
    <!-- Feature End -->
    <!-- Projects Start -->
    <div class="container-xxl py-5">
       <div class="container overflow-hidden">
            <div class="section-title text-center">
                <h1 class="display-5 mb-5">Our Projects</h1>
            </div>
           <div class="row g-4 portfolio-container position-relative"</pre>
id="projects-holder">
               <div class="col-lg-4 col-md-6 portfolio-item first ">
                   <div class="rounded overflow-hidden">
                       <div class="position-relative overflow-hidden">
                           <img class="img-fluid w-100" src="img/non-</pre>
template-img/project-1.jpg" alt="1" />
                       </div>
                       <div class="border border-5 border-light border-top-0</pre>
p-4">
                           Programming
Setups
                           <h5 class="lh-base mb-0">We take special care for
programming rigs.</h5>
                       </div>
                   </div>
               </div>
               <div class="col-lg-4 col-md-6 portfolio-item first">
                   <div class="rounded overflow-hidden">
```

```
<div class="position-relative overflow-hidden">
                          <img class="img-fluid w-100" src="img/non-</pre>
template-img/project-2.jpg" alt="2" />
                      </div>
                      <div class="border border-5 border-light border-top-0</pre>
p-4">
                          Home
setups
                          <h5 class="lh-base mb-0">We make sure that you
enjoy your everyday surfing.</h5>
                      </div>
                   </div>
               </div>
               <div class="col-lg-4 col-md-6 portfolio-item first" >
                   <div class="rounded overflow-hidden">
                      <div class="position-relative overflow-hidden">
                          <img class="img-fluid w-100" src="img/non-</pre>
template-img/project-3.jpg" alt="3" />
                      </div>
                      <div class="border border-5 border-light border-top-0</pre>
p-4">
                          Server
cable menagment
                          <h5 class="lh-base mb-0">We are here to do even
the dirty work!</h5>
                      </div>
                   </div>
               </div>
               <div class="col-lg-4 col-md-6 portfolio-item first">
                   <div class="rounded overflow-hidden">
                      <div class="position-relative overflow-hidden">
                          <img class="img-fluid w-100" src="img/non-</pre>
template-img/project-4.jpg" alt="4" />
                      </div>
                      <div class="border border-5 border-light border-top-0</pre>
p-4">
                          System
Optimization
                          <h5 class="lh-base mb-0">If your PC is running
poorly we are here to fix it.</h5>
                      </div>
                   </div>
               </div>
               <div class="col-lg-4 col-md-6 portfolio-item first" >
                  <div class="rounded overflow-hidden">
```

```
<div class="position-relative overflow-hidden">
                           <img class="img-fluid w-100" src="img/non-</pre>
template-img/project-5.jpg" alt="5" />
                       </div>
                       <div class="border border-5 border-light border-top-0</pre>
p-4">
                           Gaming
Setups
                           <h5 class="lh-base mb-0">Who doesn`t like making
gaming setups? We sure like it!</h5>
                       </div>
                   </div>
               </div>
               <div class="col-lg-4 col-md-6 portfolio-item first">
                   <div class="rounded overflow-hidden">
                       <div class="position-relative overflow-hidden">
                           <img class="img-fluid w-100" src="img/non-</pre>
template-img/project-6.jpg" alt="6" />
                       </div>
                       <div class="border border-5 border-light border-top-0</pre>
p-4">
                           Temp
                           <h5 class="lh-base mb-0">lorem ipsumlorem
ipsumlorem ipsumlorem</h5>
                       </div>
                   </div>
               </div>
           </div>
       </div>
    </div>
    <!-- Projects End -->
    <!-- Contact Start -->
    <div class="container-fluid bg-light overflow-hidden my-5 px-lg-0">
       <div class="container quote px-lg-0">
           <div class="row g-0 mx-lg-0">
               <div class="col-lg-6 ps-lg-0" style="min-height: 400px;">
                   <div class="position-relative h-100">
                       <img class="position-absolute img-fluid w-100 h-100</pre>
br-about" src="img/quote.jpg" alt="quote" />
                   </div>
               </div>
               <div class="col-lg-6 quote-text py-5 position-relative"</pre>
id="form-hold">
                   <div class="p-lg-5 pe-lg-0">
                       <div class="section-title text-start">
```

```
<h1 class="display-5 mb-4">Contact Us</h1>
                        </div>
                        Ready to elevate your technology
experience? We're here to assist you every step of the way. Whether you have a
specific inquiry, need technical support, or want to explore our range of
services, ByteBlend is just a message away.
                        <form action="2.php" method="post" id="form">
                             <div class="row g-3">
                                 <div class="col-12 col-sm-6 d-flex flex-column"</pre>
justify-content-center">
                                     <input type="text" class="form-control</pre>
form-height" placeholder="Your Name *" id="name" name="name-input" />
                                     <small id="field-name" class="form-text</pre>
text-danger invisible">
                                         This field is required.
                                     </small>
                                 </div>
                                 <div class="col-12 col-sm-6">
                                     <input type="email" class="form-control</pre>
form-height" placeholder="Your Email *" id="email" name="email-input" />
                                     <small id="field-email" class="form-text</pre>
text-danger invisible">
                                         This field is required.
                                     </small>
                                 </div>
                                 <div class="col-12 col-sm-6">
                                     <input type="text" class="form-control</pre>
form-height" placeholder="Your Mobile *" id="mobile" name="mobile-input" />
                                     <small id="field-mobile" class="form-text</pre>
text-danger invisible">
                                         This field is required.
                                     </small>
                                 </div>
                                 <div class="col-12 col-sm-6" id="select-
holder">
                                 </div>
                                 <div class="col-12">
                                     <textarea class="form-control" id="note"</pre>
cols="2" placeholder="Special Note"></textarea>
                                     <small id="field-textarea" class="form-</pre>
text text-danger d-none">
                                         Do not try to sql inject us
                                     </small>
                                 </div>
                                 <div class=" form-check">
```

```
<input type="checkbox" class="form-check-</pre>
input mx-2" id="news">
                                   <label class="form-check-label"</pre>
for="news">Recieve News</label>
                                   0"> You are going to recieve news to your mail.
                               </div>
                                <div class="col-12">
                                   <input type="submit" name="btn-submit"</pre>
id="btn-submit" value="Submit" class="btn br-btn w-100 py-3" />
                               </div>
                            </div>
                       </form>
                    </div>
                </div>
            </div>
       </div>
    </div>
    <!-- Contact End -->
    <!-- Team Start -->
    <div class="container-xxl py-5" id="tim">
        <div class="container">
            <div class="section-title text-center">
                <h1 class="display-5 mb-5">Team Members</h1>
            </div>
            <div class="row g-4" id="team-holder">
            </div>
        </div>
    </div>
    <!-- Testimonial Start -->
    <!-- <div class="container-xxl py-5 wow fadeInUp" data-wow-delay="0.1s">
        <div class="container">
            <div class="section-title text-center">
                <h1 class="display-5 mb-5">Testimonial</h1>
            </div>
            <div class="owl-carousel testimonial-carousel">
                <div class="testimonial-item text-center">
                    <img class="img-fluid bg-light p-2 mx-auto mb-3"</pre>
src="img/testimonial-1.jpg" style="width: 90px; height: 90px;">
                    <div class="testimonial-text text-center p-4">
```

```
"ByteBlend transformed my computer experience!"
Their expert team resolved a persistent issue that others couldn't. Fast,
efficient, and reliable service. I wouldn't trust my tech needs to anyone
else."
                        <h5 class="mb-1">Sarah M</h5>
                        <span class="fst-italic">Programmer</span>
                    </div>
                </div>
                <div class="testimonial-item text-center">
                    <img class="img-fluid bg-light p-2 mx-auto mb-3"</pre>
src="img/testimonial-2.jpg" style="width: 90px; height: 90px;">
                    <div class="testimonial-text text-center p-4">
                        "Impressed with ByteBlend's attention to detail in
custom PC assembly. The result was a powerhouse tailored to my needs. Their
knowledgeable team made the process smooth and enjoyable. Highly
recommended!"
                        <h5 class="mb-1">Alex P</h5>
                        <span class="fst-italic">Programmer</span>
                </div>
                <div class="testimonial-item text-center">
                    <img class="img-fluid bg-light p-2 mx-auto mb-3"</pre>
src="img/testimonial-3.jpg" style="width: 90px; height: 90px;">
                    <div class="testimonial-text text-center p-4">
                        "ByteBlend's software installation service saved me
time and frustration. They not only installed everything flawlessly but also
optimized my system for peak performance. A game-changer for my
productivity!"
                        <h5 class="mb-1">David R</h5>
                        <span class="fst-italic">Programmer</span>
                </div>
            </div>
        </div>
    </div> -->
    <!-- Testimonial End -->
    <!-- Footer Start -->
    <div class="container-fluid bg-dark text-light footer mt-5 pt-5" >
        <div class="container py-5">
            <div class="row g-5 d-flex justify-content-evenly align-content-</pre>
center">
                <div class="col-lg-3 col-md-6">
                    <h4 class="text-light mb-4">Address</h4>
                    <i class="fa fa-map-marker-alt me-</pre>
3"></i>123 Street, New York, USA
                   <i class="fa fa-phone-alt me-3"></i>+012
345 67890
```

```
<i class="fa fa-envelope me-</pre>
3"></i>info@example.com
                    <div class="d-flex justify-content-evenly">
                         <a class="btn btn-outline-light btn-social"</pre>
href="https://twitter.com/?lang=sr"><i class="fab fa-twitter"></i></a>
                        <a class="btn btn-outline-light btn-social"</pre>
href="https://www.facebook.com/"><i class="fab fa-facebook-f"></i></a>
                        <a class="btn btn-outline-light btn-social"</pre>
href="https://www.youtube.com/watch?v=85hQhUMu0 M&t=2s&ab channel=10hoursofShi
tpostinglinked u"><i class="fab fa-youtube"></i></a>
                        <a class="btn btn-outline-light btn-social"</pre>
href="https://rs.linkedin.com/"><i class="fab fa-linkedin-in"></i></a>
                    </div>
                </div>
                <div class="col-lg-3 col-md-6">
                    <h4 class="text-light mb-4">Quick Links</h4>
                    <a class="btn btn-link" href="sitemap.xml"</pre>
target=" blank">sitemap</a>
                    <a class="btn btn-link" href="robots.txt">robots</a>
                    <a class="btn btn-link" href="Dokumentacija-2.pdf"</pre>
target="_blank">Dokumentacija</a>
                    <a class="btn btn-link" href="author.html">author</a>
                </div>
            </div>
        </div>
        <div class="container">
            <div class="copyright">
                <div class="row">
                    <div class="col-md-6 text-center text-md-start mb-3 mb-md-</pre>
0">
                         <a class="border-bottom" href="#">ByteBlend</a>, All
Right Reserved.
                    </div>
                    <div class="col-md-6 text-center text-md-end">
                        Original Design By<a class="border-bottom"</p>
href="https://htmlcodex.com">HTML Codex</a>
                       Custom Design And JS Code<a class="border-bottom"</p>
href="https://www.instagram.com/bbane03/"> Branislav Radovanovic</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!-- Footer End -->
```

```
<!-- <a href="#" class="btn btn-lg br-btn btn-lg-square rounded-5 back-to-
    <button class="btn btn-lg br-btn btn-lg-square rounded-5 back-to-top"</pre>
id="bck-top"><i class="bi bi-arrow-up"></i></button>
    <!-- <a href="#nav" class="btn btn-lg btn-primary btn-lg-square "></a> -->
    <!-- JavaScript Libraries -->
    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
    <script src="lib/waypoints/waypoints.min.js"></script>
    <script src="lib/counterup/counterup.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
C6RzsynM9kWDrMNeT87bh950GNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL"
crossorigin="anonymous"></script>
    <!-- Template And Author Javascript -->
    <script src="js/main.js"></script>
</body>
</html>
```

CSS TEMPLATE

```
/******** Template CSS *******
:root {
        --primary: #4d42ab;
        --light: #F5F5F5;
        --dark: #353535;
}
.fw-medium {
        font-weight: 500 !important;
}
.fw-bold {
        font-weight: 700 !important;
}
```

```
.fw-black {
    font-weight: 900 !important;
.back-to-top{
   position: fixed;
   right: 45px;
   bottom: 45px;
   z-index: 99;
#spinner {
   opacity: 0;
   visibility: hidden;
   transition: opacity .5s ease-out, visibility 0s linear .5s;
    z-index: 99999;
#spinner.show {
    transition: opacity .5s ease-out, visibility 0s linear 0s;
    visibility: visible;
    opacity: 1;
/*** Button ***/
.btn {
   font-weight: 500;
   transition: .5s;
.btn.btn-primary,
.btn.btn-secondary {
    color: #FFFFFF;
.btn-square {
   width: 38px;
   height: 38px;
.btn-sm-square {
   width: 32px;
   height: 32px;
```

```
.btn-lg-square {
    width: 48px;
    height: 48px;
.btn-square,
.btn-sm-square,
.btn-lg-square {
   padding: 0;
   display: flex;
   align-items: center;
   justify-content: center;
   font-weight: normal;
/*** Navbar ***/
.navbar .dropdown-toggle::after {
   border: none;
    content: "\f107";
    font-family: "Font Awesome 5 Free";
    font-weight: 900;
   vertical-align: middle;
   margin-left: 8px;
.navbar-light .navbar-nav .nav-link {
   margin-right: 30px;
    padding: 25px 0;
   color: #FFFFFF;
    font-size: 15px;
    font-weight: 500;
    text-transform: uppercase;
    outline: none;
.navbar-light .navbar-nav .nav-link:hover,
.navbar-light .navbar-nav .nav-link.active {
    color: var(--primary);
@media (max-width: 991.98px) {
    .navbar-light .navbar-nav .nav-link {
        margin-right: 0;
        padding: 10px 0;
    .navbar-light .navbar-nav {
        border-top: 1px solid #EEEEEE;
```

```
.navbar-light .navbar-brand,
.navbar-light a.btn {
    height: 75px;
.navbar-light .navbar-nav .nav-link {
    color: var(--dark);
    font-weight: 500;
.navbar-light.sticky-top {
    top: -100px;
    transition: .5s;
@media (min-width: 992px) {
    .navbar .nav-item .dropdown-menu {
        display: block;
        border: none;
        margin-top: 0;
        top: 150%;
        opacity: 0;
        visibility: hidden;
        transition: .5s;
    .navbar .nav-item:hover .dropdown-menu {
        top: 100%;
        visibility: visible;
        transition: .5s;
        opacity: 1;
@media (max-width: 768px) {
    .header-carousel .owl-carousel-item {
        position: relative;
        min-height: 500px;
    .header-carousel .owl-carousel-item img {
        position: absolute;
        width: 100%;
        height: 100%;
```

```
object-fit: cover;
    .header-carousel .owl-carousel-item h5,
    .header-carousel .owl-carousel-item p {
        font-size: 14px !important;
       font-weight: 400 !important;
    .header-carousel .owl-carousel-item h1 {
       font-size: 30px;
       font-weight: 600;
    .back-to-top{
       display: none;
.header-carousel .owl-nav {
   position: absolute;
   width: 200px;
   height: 45px;
   bottom: 30px;
   left: 50%;
   transform: translateX(-50%);
   display: flex;
   justify-content: space-between;
.header-carousel .owl-nav .owl-prev,
.header-carousel .owl-nav .owl-next {
   width: 45px;
   height: 45px;
   display: flex;
   align-items: center;
   justify-content: center;
   color: #FFFFFF;
   background: transparent;
   border: 1px solid #FFFFFF;
   font-size: 22px;
   transition: .5s;
.header-carousel .owl-nav .owl-prev:hover,
.header-carousel .owl-nav .owl-next:hover {
   background: var(--primary);
   border-color: var(--primary);
```

```
.header-carousel .owl-dots {
    position: absolute;
    height: 45px;
    bottom: 30px;
    left: 50%;
    transform: translateX(-50%);
    display: flex;
    align-items: center;
    justify-content: center;
.header-carousel .owl-dot {
    position: relative;
    display: inline-block;
    margin: 0 5px;
    width: 15px;
    height: 15px;
    background: transparent;
    border: 1px solid #FFFFFF;
    transition: .5s;
.header-carousel .owl-dot::after {
    position: absolute;
    content: "";
    width: 5px;
    height: 5px;
    top: 4px;
    left: 4px;
    background: transparent;
    border: 1px solid #FFFFFF;
.header-carousel .owl-dot.active {
    background: var(--primary);
    border-color: var(--primary);
.page-header {
    background: linear-gradient(rgba(53, 53, 53, .7), rgba(53, 53, 53, .7)),
url(../img/carousel-1.jpg) center center no-repeat;
    background-size: cover;
.breadcrumb-item + .breadcrumb-item::before {
    color: var(--light);
```

```
.section-title h1 {
    position: relative;
    display: inline-block;
   padding: 0 60px;
.section-title.text-start h1 {
    padding-left: 0;
.section-title h1::before,
.section-title h1::after {
    position: absolute;
    content: "";
   width: 45px;
   height: 5px;
   bottom: 0;
    background: var(--dark);
.section-title h1::before {
    left: 0;
.section-title h1::after {
    right: 0;
.section-title.text-start h1::before {
    display: none;
@media (min-width: 992px) {
    .container.about {
        max-width: 100% !important;
    .about-text {
        padding-right: calc(((100\% - 960px) / 2) + .75rem);
@media (min-width: 1200px) {
  .about-text {
```

```
padding-right: calc(((100\% - 1140px) / 2) + .75rem);
@media (min-width: 1400px) {
    .about-text {
        padding-right: calc(((100\% - 1320px) / 2) + .75rem);
.service-item img {
    transition: .5s;
.service-item:hover img {
    transform: scale(1.1);
@media (min-width: 992px) {
    .container.feature {
        max-width: 100% !important;
    .feature-text {
        padding-left: calc(((100\% - 960px) / 2) + .75rem);
@media (min-width: 1200px) {
    .feature-text {
        padding-left: calc(((100\% - 1140px) / 2) + .75rem);
@media (min-width: 1400px) {
    .feature-text {
        padding-left: calc(((100% - 1320px) / 2) + .75rem);
/*** Project Portfolio ***/
#portfolio-flters li {
    display: inline-block;
   font-weight: 500;
```

```
color: var(--dark);
    cursor: pointer;
    transition: .5s;
    border-bottom: 2px solid transparent;
#portfolio-flters li:hover,
#portfolio-flters li.active {
    color: var(--primary);
    border-color: var(--primary);
.portfolio-item img {
    transition: .5s;
.portfolio-item:hover img {
    transform: scale(1.1);
.portfolio-item .portfolio-overlay {
    position: absolute;
    display: flex;
    align-items: center;
    justify-content: center;
    width: 0;
    height: 0;
    bottom: 0;
    left: 50%;
    background: rgba(53, 53, 53, .7);
    transition: .5s;
.portfolio-item:hover .portfolio-overlay {
    width: 100%;
    height: 100%;
    left: 0;
.portfolio-item .portfolio-overlay .btn {
    opacity: 0;
.portfolio-item:hover .portfolio-overlay .btn {
    opacity: 1;
/*** Quote ***/
```

```
@media (min-width: 992px) {
    .container.quote {
        max-width: 100% !important;
    .quote-text {
        padding-right: calc(((100% - 960px) / 2) + .75rem);
@media (min-width: 1200px) {
    .quote-text {
        padding-right: calc(((100\% - 1140px) / 2) + .75rem);
@media (min-width: 1400px) {
    .quote-text {
        padding-right: calc(((100\% - 1320px) / 2) + .75rem);
.team-item img {
    transition: .5s;
.team-item:hover img {
    transform: scale(1.1);
.team-item .team-social {
    position: absolute;
   width: 38px;
    top: 50%;
   left: -38px;
   transform: translateY(-50%);
    display: flex;
    flex-direction: column;
   background: #FFFFFF;
    transition: .5s;
.team-item .team-social .btn {
    color: var(--primary);
    background: #FFFFFF;
```

```
.team-item .team-social .btn:hover {
    color: #FFFFFF;
    background: var(--primary);
.team-item:hover .team-social {
    left: 0;
/*** Testimonial ***/
.testimonial-carousel::before {
    position: absolute;
    content: "";
    top: 0;
    left: 0;
    height: 100%;
    width: 0;
    background: linear-gradient(to right, rgba(255, 255, 255, 1) 0%, rgba(255,
255, 255, 0) 100%);
    z-index: 1;
.testimonial-carousel::after {
    position: absolute;
    content: "";
    top: 0;
    right: 0;
    height: 100%;
    width: 0;
    background: linear-gradient(to left, rgba(255, 255, 255, 1) 0%, rgba(255,
255, 255, 0) 100%);
    z-index: 1;
@media (min-width: 768px) {
    .testimonial-carousel::before,
    .testimonial-carousel::after {
        width: 200px;
    #br-btp{
        display: none;
@media (min-width: 992px) {
    .testimonial-carousel::before,
    .testimonial-carousel::after {
        width: 300px;
```

```
.testimonial-carousel .owl-item .testimonial-text {
    border: 5px solid var(--light);
    transform: scale(.8);
    transition: .5s;
.testimonial-carousel .owl-item.center .testimonial-text {
    transform: scale(1);
.testimonial-carousel .owl-nav {
    position: absolute;
   width: 350px;
    top: 10px;
   left: 50%;
    transform: translateX(-50%);
    display: flex;
   justify-content: space-between;
    opacity: 0;
    transition: .5s;
    z-index: 1;
.testimonial-carousel:hover .owl-nav {
   width: 300px;
   opacity: 1;
.testimonial-carousel .owl-nav .owl-prev,
.testimonial-carousel .owl-nav .owl-next {
    position: relative;
   color: var(--primary);
   font-size: 45px;
   transition: .5s;
.testimonial-carousel .owl-nav .owl-prev:hover,
.testimonial-carousel .owl-nav .owl-next:hover {
    color: var(--dark);
@media (min-width: 992px) {
    .container.contact {
        max-width: 100% !important;
```

```
.contact-text {
        padding-left: calc(((100\% - 960px) / 2) + .75rem);
@media (min-width: 1200px) {
    .contact-text {
        padding-left: calc(((100\% - 1140px) / 2) + .75rem);
@media (min-width: 1400px) {
    .contact-text {
        padding-left: calc(((100\% - 1320px) / 2) + .75rem);
/*** Footer ***/
.footer {
    background: linear-gradient(rgba(53, 53, 53, .7), rgba(53, 53, 53, .7)),
url(../img/footer.jpg) center center no-repeat;
    background-size: cover;
.footer .btn.btn-social {
   margin-right: 5px;
   width: 35px;
   height: 35px;
   display: flex;
    align-items: center;
    justify-content: center;
    color: var(--light);
   border: 1px solid #FFFFFF;
    transition: .3s;
.footer .btn.btn-social:hover {
    color: var(--primary);
.footer .btn.btn-link {
   display: block;
   margin-bottom: 5px;
    padding: 0;
   text-align: left;
   color: #FFFFFF;
```

```
font-size: 15px;
   font-weight: normal;
   text-transform: capitalize;
   transition: .3s;
.footer .btn.btn-link::before {
   position: relative;
   content: "\f105";
   font-family: "Font Awesome 5 Free";
   font-weight: 900;
   margin-right: 10px;
.footer .btn.btn-link:hover {
   color: var(--primary);
   letter-spacing: 1px;
   box-shadow: none;
.footer .copyright {
   padding: 25px 0;
   font-size: 15px;
   border-top: 1px solid rgba(256, 256, 256, .1);
.footer .copyright a {
   color: var(--light);
.footer .copyright a:hover {
   color: var(--primary);
```

CSS - MOJ

```
.form-height{
    height: 55px;
.text-primary{
    color: #008080 !important;
.br-btn{
    background-color:#008080 ;
    color:white;
.br-btn:hover{
    background-color:#008080;
    color:white;
   /* transform: scale(1.02); */
    overflow: hidden;
.br-about{
    object-fit: cover;
.br-counter-up-style{
    width: 60px; height: 60px;
.feature-custom{
    width: 60px; height: 60px;
textarea{
    resize: none;
#nav{
    z-index: 99999999999999999999999;
    transition: top 0.5s ease;
    /* position: fixed; */
    /* top: 0px; Adjust the initial top value as needed */
    /* width: 100%; */
@keyframes sticknav {
    0%{top: -100px;}
    /* 25%{top:-75px;}
    50%{top: -50px;}
    75%{top: -25px;} */
    100%{top: 0px;}
.br-nav-transition{
    /* position: fixed;
```

```
animation-duration: 5s; */
    /* transition: .5s; */
    position: fixed!important;
    animation-name: sticknav;
    animation-duration: 1s;
.show-nav {
    /* top: -100px; */
    position: fixed;
    animation-name: sticknav;
    animation-duration: 0.6s;
    animation-timing-function: ease;
/* .slide{
    display: none;
.br-active{
    display: block!important;
    /* transition: 0.4s; */
.br-inactive{
    display: none!important;
/* .img-hold{
    width: 100%;
    height: auto;
.slide{
    /* position: absolute; */
    top: 0;
    left: 0;
#controls{
    position: relative;
    top: -80px;
    left: 500px;
@keyframes dissapear {
    0%{bottom: 45px;opacity: 100;}
    100%{
        bottom: 25px;
        opacity: 0;
@keyframes appear {
    0%{bottom: 25px;
```

```
opacity: 0;}
100%{

    bottom: 45px;
    opacity: 100;
}

back-to-top-dissaper{
    animation-name: dissapear;
    animation-duration: 0.5s;
    /* display: none; */
}

.back-to-top-appear{
    animation-name: appear;
    animation-duration: 0.5s;
    display: block!important;
}

.authorimg{
    background-position: -340px;
}

#subscribed{
display: none;
}
```

Author HTML

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="utf-8" />
    <title>ByteBlend</title>
    <meta_content="width=device-width, initial-scale=1.0" name="viewport" />
    <meta content="ByteBlend byteBlend sets programming " name="keywords" />
    <meta content="At ByteBlend we offer majority of services so make sure to</pre>
check us out!" name="description" />
    <!-- Favicon -->
    <link rel="icon" type="image/png" href="favicon.png" />
    link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous">
   <!-- Google Web Fonts -->
```

```
<link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;500&family=R
oboto:wght@500;700;900&display=swap" rel="stylesheet" />
    <!-- Icon Font Stylesheet -->
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.10.0/css/all.min.css" rel="stylesheet" />
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet" />
    <!-- Libraries Stylesheet -->
    <link href="lib/animate/animate.min.css" rel="stylesheet" />
    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/bootstrap.min.css" rel="stylesheet" />
    <!-- Template Stylesheet -->
    <link href="css/style.css" rel="stylesheet" />
</head>
<body>
    <!-- Spinner Start -->
    <div id="spinner" class="show bg-white position-fixed translate-middle w-</pre>
100 vh-100 top-50 start-50 d-flex align-items-center justify-content-center">
        <div class="spinner-grow text-primary" style="width: 3rem; height:</pre>
3rem;" role="status">
            <span class="sr-only">Loading...</span>
    </div>
    <!-- Navbar Start -->
    <nav class="navbar navbar-expand-lg bg-white navbar-light p-0 w-100"</pre>
id="nav">
        <a href="index.html" class="navbar-brand d-flex align-items-center px-</pre>
4 px-lg-5">
            <h2 class="m-0 text-primary">ByteBlend</h2>
        </a>
        <button type="button" class="navbar-toggler me-4" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarCollapse">
            <span class="navbar-toggler-icon"></span>
        </button>
```

```
<div class="collapse navbar-collapse" id="navbarCollapse">
            <div class="navbar-nav ms-auto p-4 p-lg-0">
                 <a href="index.html" class="nav-item nav-link ">Home</a>
                 <a href="index.html#services-holder" class="nav-item nav-</pre>
link">Service</a>
                 <a href="index.html#projects-holder" class="nav-item nav-</pre>
link">Project</a>
                <a href="index.html#about-holder" class="nav-item nav-</pre>
link">About</a>
                <a href="index.html#form-hold" class="nav-item nav-</pre>
link">Contact</a>
                <a href="author.html" class="nav-item nav-link"</pre>
active">Author</a>
            </div>
            <a href="index.html#form-hold" class="btn br-btn py-4 px-lg-5 d-</pre>
none d-lg-block">Order Now!<i class="fa fa-arrow-right ms-3"></i></a>
    </nav>
    <!-- Navbar End -->
    <!-- bootstrap carousel -----
    <div id="carouselExample" class="carousel slide">
        <div class="carousel-inner">
          <div class="carousel-item active">
            <img src="img/non-template-img/slide1.jpg" class="d-block w-100"</pre>
alt="slide1" />
          </div>
          <div class="carousel-item">
            <img src="img/non-template-img/slide2.jpg" class="d-block w-100"</pre>
alt="slide2" />
          </div>
          <div class="carousel-item">
            <img src="img/non-template-img/slide3.jpg" class="d-block w-100"</pre>
alt="slide3" />
          </div>
        <button class="carousel-control-prev" type="button" data-bs-</pre>
target="#carouselExample" data-bs-slide="prev">
          <span class="carousel-control-prev-icon" aria-hidden="true"></span>
          <span class="visually-hidden">Previous</span>
        </button>
        <button class="carousel-control-next" type="button" data-bs-</pre>
target="#carouselExample" data-bs-slide="next">
         <span class="carousel-control-next-icon" aria-hidden="true"></span>
```

```
<span class="visually-hidden">Next</span>
        </button>
      </div>
<!-- bootstrap carousel END !-----
    <div class="container-xxl d-flex py-4 justify-content-evenly flex-wrap">
        <div class="col-10 col-lg-6" id="author-img">
           <img src="author.png" class="img-fluid authorimg" alt="" />
        </div>
        <div class="col-10 col-lg-6 p-5 d-flex flex-column justify-content-</pre>
evenly">
           <h2>Branislav Radovanovic 31/22</h2>
           Ja sam Branislav Radovanović, budući programer koji živi u
Beogradu. Rođen sam u Aranđelovcu i vecinu svog života sam proveo u njemu, gde
sam otkrio svoju ljubav prema programiranju. Programiranje mi pruža izazov i
kreativnu slobodu koju ne nalazim u drugim oblastima, i radujem se što
svakodnevno mogu da učim nove tehnologije i razvijam svoje veštine.
           Osim programiranja, moja druga velika strast
je odbojka. Treniram već godinama i nedavno sam bio deo tima koji je osvojio
osmo mesto na državnom prvenstvu kao i deo seniorskog tima koji je učestvovao
u 1. ligi Srbije. Za mene je to bilo veliko postignuće i inspiracija da
nastavim da radim na svojoj igri i razvijam se kao osoba kroz odbojku.
           <a href="https://bane159.github.io/portfolio/" class="btn br-btn"</pre>
py-3 px-5">Portfolio</a>
        </div>
    </div>
```

```
<!-- Footer Start -->
    <div class="container-fluid bg-dark text-light footer mt-5 pt-5 wow fadeIn</pre>
data-wow-delay="0.1s">
        <div class="container py-5">
            <div class="row g-5 d-flex justify-content-evenly align-content-</pre>
center">
                <div class="col-lg-3 col-md-6">
                    <h4 class="text-light mb-4">Address</h4>
                    <i class="fa fa-map-marker-alt me-</pre>
3"></i>123 Street, New York, USA
                    <i class="fa fa-phone-alt me-3"></i>+012
345 67890
                    <i class="fa fa-envelope me-</pre>
3"></i>info@example.com
                    <div class="d-flex justify-content-evenly">
                        <a class="btn btn-outline-light btn-social"</pre>
href="https://twitter.com/?lang=sr"><i class="fab fa-twitter"></i></a>
                        <a class="btn btn-outline-light btn-social"</pre>
href="https://www.facebook.com/"><i class="fab fa-facebook-f"></i></a>
                        <a class="btn btn-outline-light btn-social"</pre>
href="https://www.youtube.com/watch?v=85hQhUMu0_M&t=2s&ab_channel=10hoursofShi
tpostinglinked u"><i class="fab fa-youtube"></i></a>
                        <a class="btn btn-outline-light btn-social"</pre>
href="https://rs.linkedin.com/"><i class="fab fa-linkedin-in"></i></a>
                    </div>
                </div>
                <div class="col-lg-3 col-md-6">
                    <h4 class="text-light mb-4">Quick Links</h4>
                    <a class="btn btn-link" href="sitemap.xml"</pre>
target="_blank">sitemap</a>
                    <a class="btn btn-link" href="robots.txt">robots</a>
                    <a class="btn btn-link" href="Dokumentacija-2.pdf"</pre>
target="_blank">Dokumentacija</a>
                    <a class="btn btn-link" href="author.html">author</a>
                </div>
            </div>
        </div>
        <div class="container">
```

```
<div class="copyright">
                <div class="row">
                    <div class="col-md-6 text-center text-md-start mb-3 mb-md-</pre>
0">
                         <a class="border-bottom" href="#">ByteBlend</a>, All
Right Reserved.
                    </div>
                    <div class="col-md-6 text-center text-md-end">
                        Original Design By<a class="border-bottom"</p>
href="https://htmlcodex.com">HTML Codex</a>
                       Custom Design And JS Code<a class="border-bottom"</p>
href="https://www.instagram.com/bbane03/"> Branislav Radovanovic</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!-- Footer End -->
    <button class="btn btn-lg br-btn btn-lg-square rounded-5 back-to-top"</pre>
id="bck-top"><i class="bi bi-arrow-up"></i></button>
    <!-- JavaScript Libraries -->
    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min
.js"></script>
    <!-- <script src="lib/easing/easing.min.js"></script> -->
    <script src="lib/waypoints/waypoints.min.js"></script>
    <script src="lib/counterup/counterup.min.js"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
C6RzsynM9kWDrMNeT87bh950GNyZPhcTNXj1NW7RuBCsyN/o0jlpcV8Qyq46cDfL"
crossorigin="anonymous"></script>
    <!-- Template And Author Javascript -->
    <script src="js/main.js"></script>
</body>
</html>
```

```
(function ($) { //CELA FUNKCIJA JE TEMPLATE
    "use strict";
    // Spinner TEMPLATE
    var spinner = function () {
        setTimeout(function () {
            if ($('#spinner').length > 0) {
                $('#spinner').removeClass('show');
        }, 1);
    };
    spinner();
    // Facts counter JQuery biblioteka koriscena.
    $('[data-toggle="counter-up"]').counterUp({
        delay: 20,
        time: 1500
    });
})(jQuery);
//jQUERY MOJ KOD! NISTA VISE NIJE OD TEMPLATA
//#region ANIMACIJE
//koristeci JQuery biblioteku waypoints kada skrolamo na ovaj element
trigerujemo event.
$('#tim')
  .css('opacity', '0')
  .waypoint(function(direction) {
    if (direction === 'down') {
     $(this.element).animate({ opacity: 1 },800)
    // alert()
  });
$("#whychoose")
.css('left', '-500px')
.waypoint(function(direction){
```

```
if (direction === 'down') {
        $(this.element).animate({ left: 0 },800)
});
// $('#about-holder')
     .waypoint(function(direction) {
         $(this.element).animate({ left:0 },800)
// $("#services-holder")
// .waypoint(function(direction){
           $(this.element).animate({ opacity: 1 },800)
$("#form-hold")
.css('right', '-500px')
.waypoint(function(direction){
    if (direction === 'down') {
        $(this.element).animate({ right: 0 },800)
});
$("#projects-holder")
.css('left', '-500px')
.waypoint(function(direction){
    if (direction === 'down') {
        $(this.element).animate({ left: 0 },800)
});
//#endregion
$(window).scroll(function () {
    if ($(this).scrollTop() > 600) {
```

```
$('#nav').addClass('show-nav');
    } else {
        $('#nav').removeClass('show-nav');
});
//back to top dugme
$(window).scroll(function () {
    if ($(this).scrollTop() < 600) {</pre>
        $('#bck-top').removeClass('back-to-top-appear').addClass("back-to-top-
dissaper");
        setTimeout(dissaper,480);
    } else {
        $('#bck-top').removeClass('back-to-top-dissaper').addClass("back-to-
top-appear").removeAttr("style");
});
function dissaper(){
    $('#bck-top').css("display", 'none');
$("#bck-top").click(function(){
    scroll({
            top: 0,
            left: 100,
            behavior: "smooth",
        });
});
//demo slider
// var slide = document.querySelector(".slide");
// console.log(slide)
// $("#slidetoggle").click(function(){
// let pics = ['img/carousel-1.jpg','img/carousel-2.jpg','img/carousel-
3.jpg'];
// var ijk = 1;
// setInterval(function(){
      slide.src = pics[ijk++];
```

```
if(ijk >= pics.length) ijk = 0;
       console.log("set interval!");
// },5000);
// setInterval(slider, 3000);
// function slider(){
       console.log("radi interval");
          var sib = $('.br-active').siblings();
           $('.br-active').animate({opacity: "0"}).removeClass('br-
active').addClass('br-inactive');
          console.log(sib);
      $('.br-active').fadeToggle().removeClass('br-
active').next().removeClass('br-inactive').addClass('br-active');
//#region Objekti Za Dinamicki Ispis
var FeatureObjs = [
        text: 'Creative Designers',
        number: '01',
        icon: 'fa-user-check'
    },
        text: 'Quality Products',
        number: '02',
        icon: 'fa-check'
    },
        text: 'Free Consultation',
```

```
number: '03',
        icon: 'fa-drafting-compass'
        text: 'Customer Support',
        number: '04',
        icon: 'fa-headphones'
];
var ddlFormObjs = [
        value: "0",
        service: "Select a service *",
        isSelected: true
    },
        value: "2",
        service: "Setups",
        isSelected: false
    },
        value: "3",
        service: "Cable Menagment",
        isSelected: false
    },
        value: "4",
        service: "System Optimization",
        isSelected: false
];
var servicesObj = [
        img: {
            src: 'img/non-template-img/pc-repair.jpg',
            alt: 'pc repair image'
            },
        text:{
            caption: 'PC Repair Services',
            paragraph: 'ByteBlend excels in diagnosing and fixing PC issues
for smooth operation with expert hardware and software solutions.',
            link: 'Reach out now!'
        },
        id: 'Service-1'
    },
        img: {
           src: 'img/non-template-img/gpu.jpg',
```

```
alt: 'gpu'
            },
        text:{
            caption: 'Hardware Sales',
            paragraph: 'Discover elite hardware at ByteBlend, where expertise
and quality converge for all your computing essentials.',
            link: 'Coming Out Soon!'
        },
        id: 'Service-2'
    },
        img: {
            src: 'img/non-template-img/pccase.jpg',
            alt: 'pccase'
            },
        text:{
            caption: 'Custom PC Assembly',
            paragraph: 'ByteBlend crafts high-performance desktops, ensuring
top-notch quality through customized configurations',
            link: 'Reach out now!'
        },
        id: 'Service-3'
    },
        img: {
            src: 'img/non-template-img/software.jpg',
            alt: 'software'
            },
        text:{
            caption: 'Software Installation',
            paragraph: 'We at ByteBlend ensures seamless software setup and
updates, optimizing your system for peak performance.',
            link: 'Reach out now!'
        },
        id: 'Service-4'
    },
        img: {
            src: 'img/non-template-img/systemOpt.jpg',
            alt: 'systemOpt'
            },
        text:{
            caption: 'Software Optimization',
            paragraph: 'ByteBlend enhances system speed and efficiency through
expert tuning and maintenance services.',
            link: 'Reach out now!'
        },
        id: 'Service-5'
```

```
},
        img: {
            src: 'img/non-template-img/network.jpg',
            alt: 'network'
            },
        text:{
            caption: 'Network Solutions',
            paragraph: 'ByteBlend delivers reliable wired and wireless network
setups with troubleshooting and security measures.',
            link: 'Reach out now!'
        },
        id: 'Service-6'
    },
];
var projectsObjs = [
        img: {
            src: 'img/non-template-img/project-1.jpg',
            alt:'First Project'
        },
        caption: 'Programming Setups',
        text: 'We take special care for programming rigs.'
    },
        img: {
            src: 'img/non-template-img/project-2.jpg',
            alt: 'Second Project'
        },
        caption: 'Home setups',
        text: 'We make sure that you enjoy your everyday surfing.'
    },
        img: {
            src: 'img/non-template-img/project-3.jpg',
            alt:'Third Project'
        },
        caption: 'Server cable menagment',
        text: 'We are here to do even the dirty work!'
   },
        img: {
            src: 'img/non-template-img/project-4.jpg',
            alt:'Forth Project'
        },
        caption: 'System Optimization',
        text: 'If your PC is running poorly we are here to fix it.'
```

```
},
        img: {
            src: 'img/non-template-img/project-5.jpg',
            alt:'Fifth Project'
        },
        caption: 'Gaming Setups',
        text: 'Who doesn't like making gaming setups? We sure like it!'
    },
        img: {
            src: 'img/non-template-img/project-6.jpg',
            alt:'Sixth Project'
        caption: 'User Experiance',
        text: 'We care about how you feel. '
];
var teamObjs = [
        img:{
            // src:'img/team-1.jpg',
            src:'img/non-template-img/josh.jpg',
            alt:'Josh'
        },
        link:{
            yt:{ link:
https://www.youtube.com/watch?v=85hQhUMu0_M&ab_channel=10hoursofShitposting'}
            x: 'https://twitter.com',
            ig: 'https://www.instagram.com/'
        },
        name: 'Josh Hutcherson',
        proffesion: 'Actor/Musitian'
    },
        img:{
            src:'img/team-2.jpg',
            // src:'img/non-template-img/srecko.jpg',
            alt: 'Andreja'
        },
        link:{
            yt:{ link:
https://www.youtube.com/watch?v=85hQhUMu0_M&ab_channel=10hoursofShitposting'}
            x: 'https://twitter.com',
```

```
ig: 'https://www.instagram.com/'
        },
        name: 'Andreja Sreckovic',
        proffesion: 'Programmer'
    },
        img:{
            src:'img/team-3.jpg',
            // src:'img/team-3.jpg',
            alt: 'Sanja'
        },
        link:{
            yt:{ link:
 https://www.youtube.com/watch?v=85hQhUMu0_M&ab_channel=10hoursofShitposting'}
            x: 'https://twitter.com',
            ig: 'https://www.instagram.com/'
        },
        name: 'Sanja Pavlovic',
        proffesion: 'Programmer'
        img:{
            src:'img/team-4.jpg',
            // src:'img/non-template-img/misa.jpg',
            alt:'Milos'
        },
        link:{
            yt:{ link:
https://www.youtube.com/watch?v=85hQhUMu0_M&ab_channel=10hoursofShitposting'}
            x: 'https://twitter.com',
            ig: 'https://www.instagram.com/'
        },
        name: 'Milos Milinkovic',
        proffesion: 'Programmer'
];
//#endregion
//#region Dynamic ispis Team member
function makeTeamMember(member){
    return `<div class="col-lg-3 col-md-6 wow fadeInUp" data-wow-delay="0.1s">
    <div class="team-item">
        <div class="overflow-hidden position-relative">
```

```
<img class="img-fluid" src="${member.img.src}"</pre>
alt="${member.img.alt}" />
            <div class="team-social">
                <a class="btn btn-square" href="${member.link.yt.link}"</pre>
target=" blank"><i class="fab fa-youtube"></i></a>
                <a class="btn btn-square" href="${member.link.x}"</pre>
target=" blank"><i class="fab fa-twitter"></i></a>
                <a class="btn btn-square" href="${member.link.ig}"</pre>
target=" blank"><i class="fab fa-instagram"></i></a>
            </div>
        </div>
        <div class="text-center border border-5 border-light border-top-0 p-</pre>
4">
            <h5 class="mb-0">${member.name}</h5>
            <small>${member.proffesion}</small>
        </div>
    </div>
</div>`;
var teamHTML = '';
for(let member of teamObjs){
    teamHTML += makeTeamMember(member)
document.querySelector('#team-holder').innerHTML = teamHTML;
//#endregion
//#region dinamic ispis projects
function makeProject(project){
    return `<div class="col-lg-4 col-md-6 portfolio-item first wow fadeInUp"
data-wow-delay="0.5s">
    <div class="rounded overflow-hidden">
        <div class="position-relative overflow-hidden">
            <img class="img-fluid w-100" src="${project.img.src}"</pre>
alt="${project.img.alt}" />
            <!-- <div class="portfolio-overlay">
                <a class="btn btn-square btn-outline-light mx-1"</pre>
href="img/portfolio-6.jpg" data-lightbox="portfolio"><i class="fa fa-
eye"></i></a>
                <a class="btn btn-square btn-outline-light mx-1" href=""><i</pre>
class="fa fa-link"></i></a>
            </div> -->
        </div>
        <div class="border border-5 border-light border-top-0 p-4">
            ${project.caption}
            <h5 class="lh-base mb-0">${project.text}</h5>
        </div>
```

```
</div>
</div>`;
var projectHold = document.querySelector('#projects-holder');
var projectHTML = '';
for(let project of projectsObjs)
    projectHTML += makeProject(project);
projectHold.innerHTML = projectHTML;
//#endregion
//#region dinamic ispis services
function makeService(service)
    return `<div class="col-md-6 col-lg-4 position-relative" id =</pre>
'${service.id}' data-wow-delay="0.5s">
                <div class="service-item">
                    <div class="overflow-hidden">
                         <img class="img-fluid"src="${service.img.src}"</pre>
alt="${service.img.alt}" /></div><div class="p-4 text-center border border-5</pre>
border-light border-top-0"><h4 class="mb-
3">${service.text.caption}</h4>${service.text.paragraph}
                         <a class="fw-medium text-primary" href="#form-</pre>
hold">${service.text.link}
                         <i class="fa fa-arrow-right ms-2 text-</pre>
primary"></i></a>
                    </div>
                </div>
            </div>
var serviceHTML = ``;
var serviceHolder = document.querySelector("#services-holder");
for(let service of servicesObj){
    serviceHTML += makeService(service);
console.log(serviceHolder);
serviceHolder.innerHTML = serviceHTML;
//#endregion
//#region dinamic ispis Featured
function makeFeature(feature)
```

```
let featureHTML = `<div class="col-md-6 col-lg-3 wow fadeIn" data-wow-</pre>
delay="0.1s"><div class="d-flex align-items-center justify-content-evenly mb-
2"><div class="d-flex align-items-center justify-content-center bg-light"
style="width: 60px; height: 60px;"><i class="fa ${feature.icon} fa-2x text-
primary"></i></div><h1 class="display-1 text-black-50 mb-</pre>
0">${feature.number}</h1></div><h5 class = "text-</pre>
center">${feature.text}</h5></div>`;
    return featureHTML;
var featureEl = document.querySelector("#dinamicFeatures");
if(featureE1)
    for(let feature of FeatureObjs)
       featureEl.innerHTML += makeFeature(feature);
//#endregion
//#region dynamic select ispis
var selectHolder = document.querySelector("#select-holder");
var smallSlct = document.createElement('small');
smallSlct.classList.add('form-text');
smallSlct.classList.add('text-danger');
smallSlct.setAttribute('id','field-service');
function createOption(opt){
    let option = document.createElement('option');
    if(opt.isSelected) option.setAttribute('selected', 'selected');
    option.setAttribute('value', `${opt.value}`);
    option.text = opt.service;
    return option;
var slctEl = document.createElement('select');
slctEl.classList.add('form-select');
slctEl.classList.add('form-height');
slctEl.setAttribute('id','selectForm');
selectHolder.appendChild(slctEl);
let arrayOption = new Array();
for (let opt of ddlFormObjs)
    arrayOption.push(createOption(opt));
```

```
for(let opt of arrayOption){
    slctEl.appendChild(opt);
selectHolder.appendChild(smallSlct);
//#endregion
//#region Ceo kod za Forme - Provera, ispis gresaka, provera za slanje na
server(zaustavlja submit ako nije sve lepo uneto i izbaci greske u suprotnom
podaci se salju na .php).
//Ako je empty printuj error u odgovarajuce small polje
function isEmpty(){
    if(!this.value){
        error("This field is required", `field-${this.id}`)
window.onload = function()
    // postavi focus dogadjaj na svaki element forme (text(ime), email i
mobile(text))
    var elementi = document.getElementsByTagName("input");
    for(let el of elementi){
        if(el.getAttribute("type") == "text" || el.getAttribute("type") ==
"email")
            el.addEventListener("focus", isEmpty);
    const nameRegEx = /^[A-Z][a-z]{1,10}([ ][A-Z][a-z]{3,15}){0,2}$/;
    let name = document.querySelector("#name");
    let errorText = document.querySelector("#field-name");
    //name check of ui/ux
```

```
// name.addEventListener("focus", function(){
      if(!name.value){
              // errorText.classList.remove("invisible")
   // name.addEventListener("focus", isEmpty);
    name.addEventListener("keyup", function()
        if(!name.value)
            danger(name);
            error("This field is required",errorText.id);
        else errorDisable(errorText.id);
       if(nameRegEx.test(name.value))
            success(name);
            errorDisable(errorText.id);
        // if(name.value && !nameRegEx.test(name.value)){
               danger(name);
     });
   name.addEventListener("blur", function(){
        if(!name.value){
            name.classList.remove("border-danger");
            name.classList.remove("border-success");
            errorDisable(errorText.id);
            // allErrors.emailErrors.push("This field is required");
       // else if(!nameRegEx.test(name.value)){
               error("Example: Josh", errorText.id)
              // allErrors.emailErrors.push("Enter a valid email:
username@domen.com");
        if(nameRegEx.test(name.value)){
            success(name);
            //do success code for blur name
```

```
});
const emailRegEx = /^[A-z0-9]{2,30}@(gmail|yahoo)\.(com|rs)$/;
let email = document.querySelector("#email");
let errorTextMail = document.querySelector("#field-email");
// email.addEventListener("focus", function(){
      if(!email.value){
           // errorTextMail.classList.remove("invisible")
           error("This field is required",errorTextMail.id);
email.addEventListener("keyup", function()
   if(!email.value)
        danger(email);
        error("This field is required",errorTextMail.id);
   else errorDisable(errorTextMail.id);
   // if(emailRegEx.test(email.value))
          success(email);
           errorDisable(errorTextMail.id);
   // if(email.value && !emailRegEx.test(email.value)){
           danger(email);
           error("Enter a valid Email Adress",errorTextMail.id);
email.addEventListener("blur", function(){
    if(!email.value){
        email.classList.remove("border-danger");
        email.classList.remove("border-success");
        errorDisable(errorTextMail.id);
        // allErrors.emailErrors.push("This field is required");
    // if(!emailRegEx.test(email.value)){
```

```
// allErrors.emailErrors.push("Please enter a valid name")
    if(emailRegEx.test(email.value)){
        success(email);
        //do success code for blur email
 });
//mobile check
const mobRegex = /^[0-9]{9,10}$/;
let mob = document.querySelector("#mobile");
let errorTextMob = document.querySelector("#field-mobile");
// mob.addEventListener("focus",function(){
      if(!mob.value){
// mob.addEventListener("focus",isEmpty);
mob.addEventListener("keyup", function()
    if(!mob.value)
        danger(mob);
        error("This field is required",errorTextMob.id);
    }else errorDisable(errorTextMob.id);
    if(mobRegex.test(mob.value))
        success(mob);
        errorDisable(errorTextMob.id);
    // if(mob.value && !mobRegex.test(mob.value)){
           danger(mob);
           error("Enter a valid Mobile Number",errorTextMob.id);
 });
mob.addEventListener("blur", function(){
    if(!mob.value){
        mob.classList.remove("border-danger");
        mob.classList.remove("border-success");
```

```
errorDisable(errorTextMob.id);
            // allErrors.mobErrors.push("This field is required");
        // if(!mobRegex.test(mob.value)){
              // danger(mob);
              // allErrors.mobErrors.push("Entar a valid mobile number");
        if(mobRegex.test(mob.value)){
            success(mob);
            errorDisable(errorTextMob.id);
            //do success code
    });
   //TEXTAREA
  var msgElement = document.querySelector("#note");
    console.log(msgElement)
   const sqlInjectionRegex = /^[a-zA-Z0-9\s!@\#$%^&*()?"<>']*$/; //dovoljavam
unos svih karaktera
   const isSafeInput = (value) => {
     const forbiddenPatterns = [ //lista regexa sa peternima za sql injekciju
ukoliko je samo jedan pronadjem vraca se false.
       /\bSELECT\b.*\bFROM\b/i,
       /\bINSERT INTO\b/i,
       /\bUPDATE\b.*\bSET\b/i,
       /\bDELETE FROM\b/i,
       /\bDROP\b/i,
       /\bCREATE\b/i,
       /\bALTER\b/i,
       /\bTRUNCATE\b/i,
       /\bEXEC\b/i,
       /\bMERGE\b/i,
       /\bUNION\b/i,
       /\bJOIN\b/i,
    ];
     if (sqlInjectionRegex.test(value)) {    //proveravam da li je ispravan
regex ako jeste true ako nije false, ako je naleteo na barem jedan pattern
vraca false.
       for (let pattern of forbiddenPatterns) {
        if (pattern.test(value)) {
           return false;
      return true;
```

```
return false;
   };
   msgElement.onblur = () =>
        if(isSafeInput(msgElement.value)) $("#field-textarea").addClass("d-
none");
    //Checking if smt selected from ddl
     var k = 0;
     let select = document.querySelector("#selectForm");
    select.addEventListener("change", function(){
        k = parseInt(select.options[select.selectedIndex].value);
        if(k != 0) {
            errorDisable(errorTextService.id);
            select.classList.remove("border-danger");
            select.classList.remove("border-success");
            success(select)
        else danger(select)
        console.log(k);
     });
     select.addEventListener("blur", function(){
        if(k == 0) {
            select.classList.remove("border-danger");
            select.classList.remove("border-success");
        console.log(k);
     });
        //should i subit or no? Also errors prinhting if not sending
            let form = document.querySelector("#form");
            // let errorTextService = querySelector("#field-service");
            let errorTextService = document.querySelector("#field-service");
```

```
form.addEventListener("submit", validateForm);
        function validateForm(event)
            event.preventDefault();
            if(nameRegEx.test(name.value) && mobRegex.test(mob.value) &&
emailRegEx.test(email.value) && k != 0 && isSafeInput(msgElement.value)){
                form.submit();
            if(!nameRegEx.test(name.value))
                error(`Enter a valid name: "Josh"`,errorText.id);
            if(!emailRegEx.test(email.value))
                error(`Invalid email: "username@gmail.com"`,errorTextMail.id);
            if(!mobRegex.test(mob.value))
                error(`Invalid mobile number: "0641234567"`,errorTextMob.id);
            if(k == 0)
                error(`Please select a service"`,errorTextService.id);
            if (!isSafeInput(msgElement.value)) {
               $('#field-textarea').removeClass('d-none');
       var ckcbx = document.querySelector("#news");
        $("#news").change(function(){
           if(ckcbx.checked)
                $("#subscribed").slideToggle();
           else
                $("#subscribed").slideToggle();
        });
 /#endregion
```

```
//#region Metode Za Rad Sa Formom
function danger(element)
{
    element.classList.remove("border-success");
    element.classList.add("border-danger");
}
function success(element)
{
    element.classList.remove("border-danger");
    element.classList.add("border-success");
}
function error(i,element){
    document.querySelector("#" + element.toString()).innerHTML = i;
    document.querySelector("#" +
element.toString()).classList.remove("invisible");
}
function errorDisable(element){
    document.querySelector("#" +
element.toString()).classList.add("invisible");
}
//#endregion
```