Q1. Create an external table in the default database on data orders which has order id, customer id and order date.

ANS:
```
DROP TABLE IF EXISTS default.orders;
CREATE EXTERNAL TABLE default.orders
(order_id INT, customer_id INT, order_date TIMESTAMP)
ROW FORMAT DELIMITED
FIELDS TERMINATED BY ','
;
```

Q2. Create a Hive or Impala table on data in the training materials 'ratings-2013.txt' . (Hint: Load the data directly on the table)

ANS:

1. ```
   hdfs dfs -put
   /home/training/training_materials/data/base_stations.tsv
   /user/training/hive_tut
   ```
2. ```
   DROP TABLE IF EXISTS default.basestations;
   CREATE EXTERNAL TABLE default.basestations
   (
     station_num INT,
     zipcode string,
     city string,
     state string,
     latitude float,
     longitude float)
   ROW FORMAT DELIMITED
   FIELDS TERMINATED BY '\t'
   LOCATION '/user/training/hive_tut'
   ;
   ```

Q3. Using Sqoop import the customerservicerep table directly in hive metastore.

ANS:

```
sqoop import --connect jdbc:mysql://localhost/loudacre --username
training --password training --table customerservicerep
--target-dir /user/training/hive_tut/customerservicerep
--hive-import
```

Q4. Use Sqoop to import only first_name , last_name , and city from table accounts in AVRO format on HDFS. Create an external Hive/Impala table on it.

ANS:

1. ```
   sqoop import --connect jdbc:mysql://localhost/loudacre
   --username training --password training --table accounts
   --columns "first_name,last_name,city" --as-avrodatafile
   --target-dir /user/training/hive_tut/customers_avro --m 4
   ```

2. ```
   DROP TABLE IF EXISTS default.accounts_avro;
   CREATE EXTERNAL TABLE default.accounts_avro
   STORED AS AVRO
   ```

```
LOCATION '/user/training/hive_tut/accounts_avro'
TBLPROPERTIES
('avro.schema.url'='hdfs:///user/training/hive_tut/schemas/ac
counts.avsc');
```

Q5. Use Visualizations on basestations table in Mysql. Save the results in CSV or XLS format.





Q6. Create a table directly from the metastore.


HUE
Query Editors
Data Browsers
Workflows
File Browser
Job Browser
training
Metastore Manager
SQL
default
Tables (5)
accounts_avro
basestations
customerservicerep
device
orders
Column type
string
Type for this column. Certain advanced types (namely, structs) are not exposed in this interface.
Column name
price
Column name must be single words that start with a letter or a digit.
Column type
string
Type for this column. Certain advanced types (namely, structs) are not exposed in this interface.
Add a column
Configure Partitions
If your data is naturally partitioned (by date, for example), partitions are a way to tell the query server that data for a specific partition value are stored together. The query server establishes a mapping between directories on disk (e.g., /user/hive/warehouse/logs/dt=20100101/) and the data for that day. Partitions are virtual columns; they are not represented in the data itself, but are determined by the data location. The query server implements query optimizations such that queries that are specific to a single partition need not read the data in other partitions.
Add a partition
Back
Create table


SQL
default
Tables (6)
accounts_avro
basestations
customerservicerep
device
orders
products
price (string)
product_id (int)
product_name (string)
Databases > default > products
Table for products
Overview
Columns (3)
Sample
Details
PROPERTIES
Table
training
Mon Aug 03 07:00:55 PDT 2026
text Not compressed
STATS
Location
COLUMNS (3)
Name Type Comment
1 product_id int Add a comment...
2 product_name string Add a comment...
3 price string Add a comment...
View more...
SAMPLE
The table does not contain any data.