

DyNetVis Documentation

Claudio D. G. Linhares

November 2019

Contents

1	GNU General Public License	3
2	GNU Free Documentation License	3
3	Getting Started	4
4	How to open a network	4
4.1	Temporal and Structural layouts	4
4.1.1	Temporal Network File format	4
4.1.2	Random Network generated	5
4.1.3	Time filters	5
4.2	Matrix layout	5
4.2.1	File format	6
4.2.2	Time filters	6
5	Interacting with the layout	7
5.1	Choosing colors for nodes and edges in temporal and structural layouts	7
5.1.1	Colors scales	7
5.1.2	Random colors	7
5.1.3	Metadata	7
5.2	Choosing colors for edges in matrix layout	10
5.3	Changing nodes/edge size and form	11
5.4	Selecting nodes in temporal/structural layouts	11
5.5	Zooming and panning	12
5.6	Animation settings in structural/matrix layouts	12
5.7	Particular layout settings	12
5.7.1	Structural settings	12
5.7.2	Temporal settings	12
5.7.3	Matrix settings	12
5.8	Export Images	13

6	Features	14
6.1	Node ordering/positioning methods	14
6.1.1	Temporal layout	14
6.1.2	Structural layout	15
6.1.3	Matrix layout	16
6.2	Edge sampling methods for temporal layout	16
6.3	Network Properties	17
6.3.1	General Properties	17
6.3.2	Temporal Properties	17
6.4	Dynamic Processes on temporal layout	17
6.4.1	Random Walker process	18
6.4.2	Epidemiology Process	18
7	Thresholds fixed for specific methods	20
7.1	Infomap	20
7.2	Louvain	20
7.3	AR and EOD	20
8	Software Complete License	21
9	Documentation Complete License	33

1 GNU General Public License

Copyright (c) 2019 Bruno Augusto Nassif Travençolo. All Rights Reserved.

DyNetVis is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

DyNetVis is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

This code was developed by members of Lab of Complex Network Visualization at Federal University of Uberlândia, Brazil. The initial developer of the original code is Claudio D. G. Linhares – claudiodgl@gmail.com.

Contributor(s): Jean R. Ponciano – jeanrobertop@gmail.com, Luis E. C. Rocha – luis.rocha@ugent.be, José Gustavo S. Paiva – gustavo@ufu.br, Bruno A. N. Travençolo – travencolo@gmail.com

A copy of the license is included in the section entitled “Software Complete License”.

2 GNU Free Documentation License

Copyright © 2019 Bruno Augusto Nassif Travençolo. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

A copy of the license is included in the section entitled “Documentation Complete License”.

3 Getting Started

The *Dynamic Network Visualization System* (DyNetVis¹) is an interactive system for visualization of dynamics networks. It has been developed since 2014 [Linhares 2016]. The system helps in the analysis of temporal networks and automates the process of building visualization models. It was developed in Java language, aiming the support for different platforms. The system is developed using a graph library called jgraphx [Alder 2010], that provides functionalities for graph visualization and interaction using Java language.

4 How to open a network

To open a network, first you have to select the desired layout, as illustrated in Fig. 1(a). Currently, there are two options available:

4.1 Temporal and Structural layouts

The Structural layout is the node-link diagram representation, commonly used to visualize graphs. The nodes are represented as circles and the edges as straight lines. The temporal information, in this case, can be represented by an animation. This layout can be selected in the first step of Fig. 1(a).

The temporal layout (also known as Massive Sequence View - MSV) is a timeline representation, where the nodes are disposed vertically and the timestamps are positioned horizontally. More details of this representation can be found in the paper [Linhares et al. 2017]. This layout can be selected in the first step of Fig. 1(a).

The system can be used using a temporal network file or generating a random network, as illustrated in Fig. 1(b).

4.1.1 Temporal Network File format

The DyNetVis system requires a specific file format for temporal and structural layouts, as illustrated in Table 1 and described:

- The file extension can be anyone.
- Each line of the file represents an edge in a specific timestamp, separated by an enter.
- The file must contain 3 columns, divided with spaces. The first, second and third columns represent respectively Node 1 ID, Node 2 ID and Time.
- Each cell also must be represented by a positive integer.
- Time column must be sorted using ascending numerical order.

¹<http://www.dynetvis.com>

- Time must start in 0 or 1.
- The order of the Nodes in the file does not impact on the software (e.g., Node 1 ID, Node 2 ID, Time is equal to Node 2 ID, Node 1 ID, Time) as the DyNetVis system only represent undirected graphs.

Table 1: File format example to open temporal networks.

Node 1 ID	Node 2 ID	Time
10	5	0
3	4	0
2	8	1
3	4	1
2	5	2

4.1.2 Random Network generated

To generate random networks must be selected the following model:

- Barabási-Albert model adaptation: the DyNetVis system uses the proposed model in [Barabási and Albert 1999], adding the possibility of having multiple nodes in each timestamp, as proposed by [Pham et al. 2015].

4.1.3 Time filters

The user can manipulate the Time of the file or the random network generated, by choosing the Minimum, Maximum or changing the Resolution (scale of time), as illustrated in Fig. 1(c).

The Resolution procedure rearranges the data in the temporal dimension, grouping connections from subsequent timestamps. Eq. 1 represents the change in the temporal resolution, in which t'_{new} is the new timestamp, t_{ori} is the time stamp on the original resolution, t_s is the first time stamp and δ is the resolution factor, i.e., the scale in which the time will be modified. For instance, if $\delta = 2$, the new resolution will be double the original and the network will have half of the timestamps when compared to the original.

$$t'_{\text{new}} = \left\lfloor \frac{t_{\text{ori}} - t_s}{\delta} \right\rfloor \delta + t_s \quad (1)$$

In the end, the OK button opens the network, as illustrated in Fig. 1(d).

4.2 Matrix layout

The matrix layout, also known as the adjacency matrix, is a square matrix and symmetric. The cells represent edges, and each column and row represents the

nodes in the network [Wu et al. 2008]. The temporal information, in this case, can be represented by an animation. This layout can be selected in the first step of Fig. 1(a).

4.2.1 File format

The same idea from the temporal and structural, as depicted in Section 4.1.1.

4.2.2 Time filters

The same idea from the temporal and structural, as depicted in Section 4.1.3.

In the end, the OK button opens the network, as illustrated in Fig. 1(d).




Figure 1: Open file window.

5 Interacting with the layout

There are some possible interactions in the layouts implemented by DyNetVis, as choosing colors, select nodes, zooming and panning, and animation settings, described as follows.

5.1 Choosing colors for nodes and edges in temporal and structural layouts

5.1.1 Colors scales

The system provides pre-defined linear scales of colors between two colors, as listed in Table 2, or can be chosen a linear color scale by manually selecting two colors. The option “Color” is the color scale for nodes in temporal layout, which represents the degree of the node in each timestamp. The option “Color” for the structural layout represents the accumulated degree of the node in all timestamps.

Table 2: Linear colors scale options in DyNetVis.

Gray Scale
Green to Red
Blue To Red
Rainbow Scale
Blue to Cyan
Blue to Yellow
Green To White Scale
Heated Object Scale
Linear Gray Scale
Locs Scale
Orange To Blue Sky
Blue Sky To Orange

5.1.2 Random colors

The system provides the option of selecting random colors for nodes and edges in the structural and temporal layouts. In temporal layouts, it can be chosen “Random Color”, that represents a single color for each node in each timestamp, or “Random Line” that represent a single color for each note in all timestamps that has connections.

5.1.3 Metadata

There are implemented in DyNetVis system three types of metadata: for Nodes (“Metadata File”), Edges without Time (“Metadata Without Time”) and Edges

With Time (“Metadata File”).

Metadata of nodes

The DyNetVis system requires a specific file format for metadata of Nodes, as illustrated in Table 3 and described:

- The file extension can be anyone.
- Each line of the file represents a node, separated by an enter.
- The file must contain 2 columns, divided with spaces. The first and second columns represent respectively Node identification (node ID) and a single Metadata for that node.
- The node ID cell must be a positive integer, and the Metadata cell must be a string.
- Metadata column must be grouped by type.
- Nodes not associated by any Metadata will be colored as black.
- Metadata only supports 10 different types (each one associated with a different color). More metadata types can be inserted, but they will be associated with black color.
- The order of the types of metadata inserted in the file directly impacts the color chosen. They will be associated with the number order in Fig. 2.

Table 3: File format example for metadata of nodes.

Node ID	Metadata
10	Teacher
5	Teacher
2	Student
1	Student
2	Student
4	Student
8	Manager
3	Manager



Figure 2: Color scale for metadata.

Metadata of edges

The DyNetVis system requires a specific file format for metadata of Edges, as illustrated in Table 4 and described:

- The file extension can be anyone.
- Each line of the file represents an edge, separated by an enter.
- The file must contain 3 columns, divided with spaces. The first, second and third columns represent respectively Node 1 identification (node 1 ID), Node 2 identification (node 2 ID) and a single Metadata for that edge.
- The node ID cells must be positive integers, and the Metadata cell must be a string.
- Metadata column must be grouped by type.
- Nodes not associated by any Metadata will be colored as black.
- Metadata only supports 10 different types (each one associated with a different color). More metadata types can be inserted, but they will be associated with black color.
- The order of the types of metadata inserted in the file directly impacts the color chosen. They will be associated as the order in Fig. 2.

Table 4: File format example for metadata of edges.

Node 1 ID	Node 2 ID	Metadata
10	5	Science
3	4	Science
2	8	Literature
2	5	Sport

Metadata of edges with Time

The DyNetVis system requires a specific file format for metadata of Edges with Time, as illustrated in Table 5 and described:

- The file extension can be anyone.
- Each line of the file represents an edge with time, separated by an enter.
- The file must contain 4 columns, divided with spaces. The first, second, third and fourth columns represent respectively Node 1 identification (node 1 ID), Node 2 identification (node 2 ID), Time of connection between node 1 and node 2, and a single Metadata for that edge.

- The node ID and Time cells must be positive integers, and the Metadata cell must be a string.
- Metadata column must be grouped by type.
- Nodes not associated by any Metadata will be colored as black.
- Metadata only supports 10 different types (each one associated with a different color). More metadata types can be inserted, but they will be associated with black color.
- The order of the types of metadata inserted in the file directly impacts the color chosen. They will be associated as the order in Fig. 2.

Table 5: File format example for metadata of edges with time.

Node1ID	Node2ID	Time	Metadata
10	5	0	Science
3	4	0	Science
2	8	1	Literature
3	4	1	Literature
2	5	2	Sport

5.2 Choosing colors for edges in matrix layout

The options to change node colors in the Matrix layout are:

- None: Default option, where all edges are associated with black color.
- Random: Each edge in the layout is associated with a random color.
- Communities: Each edge will be associated with a color correspondent to a selected community algorithm. An edge to be colored as a single color, both source and destiny nodes of this edge must be associated with the same community. Otherwise, the node will have the border color of the source node, and the fill color of the target node. The community color will follow the color scale in Fig. 2.
- Intra Communities: Each edge will be associated with a color correspondent to a selected community algorithm. An edge to be colored as a single color, both source and destiny nodes of this edge must be associated with the same community. Otherwise, the remaining edges will be associated with black color. The community color will follow the color scale in Fig. 2.
- Only Communities: Each edge will be associated with a color correspondent to a selected community algorithm. An edge to be colored as a single

color, both source and destiny nodes of this edge must be associated with the same community. Otherwise, the remaining edges will be hidden in the layout. The community color will follow the color scale in Fig. 2.

- Metadata File: Each edge will be associated with a color correspondent to the metadata file. The file format is the same as “Metadata of nodes”, with Node ID and Metadata information. The remaining edges will be associated with a light gray color. The metadata color will follow the color scale in Fig. 2.

5.3 Changing nodes/edge size and form

:

In Structural layout, the options for the Node Size are:

- Original: default size for nodes, which can be considered small.
- Degree: the size of nodes are related to the accumulated degree of the node.
- Big: the size of all nodes are changed to “Big”.

In Structural layout, the options for the Edge Stroke are:

- Original: default size for edges, related to the width, which can be considered small.
- Stroke Edges: the width of the edge variate according to the number of connections that the two nodes of that edge have.

In Temporal layout, the options for the Node Size are:

- Small: default size for nodes, which is small.
- Big: the size of all nodes are changed to “Big”.

In Temporal layout, the options for the Node Form are:

- Circular: the form of all nodes in the layout is changed to circular (default).
- Square: the form of all nodes in the layout is changed to a square.

5.4 Selecting nodes in temporal/structural layouts

The system provides ways of selecting elements (nodes/edges/times): dragging a box around a series of elements to select everything within the box, or clicking on the element itself. To select multiple elements that are not in line, you can press Ctrl and click on each element to select all of them. More details on how to select nodes, timestamps, and highlight specific edges can be found

in [Linhares et al. 2019a]. The temporal and structural layouts are coordinated, i.e., if a node is selected in the structural layout the same node is selected in the temporal layout. More details about the coordination can be found in [Linhares et al. 2017].

The temporal layout also provides a “search”, in Find Node, where the node can be searched and centered by the Node ID.

5.5 Zooming and panning

The system also provides scroll bars for all the layouts, the option of zoom in and out (also in the mouse scroll wheel). To enhance the overview of the layout, the ideal button is “Zoom Fit” where the layout is fitted on the screen. “Zoom Default” presents the initial configuration in the system.

5.6 Animation settings in structural/matrix layouts

Structural and Matrix layouts provide animation settings, which illustrate the animation process for both layouts. The animation runs based on the timestamp, demonstrating the nodes/edges of each timestamp. The system also provides an “Aging” label, where the user can choose the transition factor for the animation at each timestamp. The user can also accelerate (Speed), run and stop the animation process.

5.7 Particular layout settings

Each layout has its particular settings, as follows.

5.7.1 Structural settings

Some options are: Show/Hide nodes, edges, edges weight, node ID. The system also provides a depth selection, with an input of the level of the depth selection.

5.7.2 Temporal settings

The options are: Show/Hide nodes, Show node lines. The system can also apply Temporal Activity Map (TAM) [Linhares et al. 2017], with the background colored as blank (TAM White), with the background colored as the first color of the scale (TAM Color) and with the TAM Opacity, where can be applied to any color scale, which highlights nodes higher degree at the timestamp (preferably used with hidden edges).

5.7.3 Matrix settings

The option is to “Show Triangular Matrix”, which highlights edges above the main diagonal, hidden the others.

5.8 Export Images

The system provides an Export Image option for all the layouts available (Fig. 3). The options for the format are provided by the jgraphx library: PNG, JPG and GIF. The “Select Quality” input is related to the resolution of the image. The values vary from 0.1 to infinite, however, the recommended value is 1. Values too high can cause the “Java heap space” error. For large networks (thousand of nodes and edges), in layouts such as Temporal, is recommended values smaller than 1. “Back. Color” is related to the background color of the exported image.




Figure 3: Export Image window.

6 Features

DyNetVis system implements several important and state-of-art features related to temporal networks, as described as follows.

6.1 Node ordering/positioning methods

6.1.1 Temporal layout

Node ordering for Temporal layout:

- Appearance: Nodes are sorted on ascendant order they appear on the network.
- Random: Nodes are sorted randomly.
- Degree: Nodes are sorted in ascendant order by their accumulated degree.
- Recurrent Neighbors: Try to approximate the nodes based on its connections and degree in the central part of the layout, as described by in [Linhares et al. 2017].
- CNO: Community Node Ordering (CNO) is a visual scalable technique that combines network community detection algorithms with node re-ordering strategies. It also provides some community edge filters in the layout, a described in [Linhares et al. 2019a].
- File: Nodes are ordering according to an order described in a file. More details as follows.

CNO details

CNO method requires three main parameters: community detection algorithm, inter-community reordering, and intra-community reordering, as illustrated in Fig. 4.

For the community detection algorithm, DyNetVis provides two algorithms: Louvain [Blondel et al. 2008] and Infomap [Rosvall and Bergstrom 2008]. For the inter-intra reordering, there are two options implemented: Degree and Recurrent Neighbors. The system also provides an option to add blanked spaces between the communities in the temporal layout. As CNO is a hierarchical approach, the level limit can be selected (typing in the input CNO Limit Levels) or selecting the Maximum, which means the detection algorithm will try to split the communities as long as possible. Values too high can make this process take a long time for large networks. As this can be a process that can take too much time, the system provides the options to Save File and select a file address to save this file, or also the option to Open File, using this saved file.




Figure 4: CNO settings window.

File to node ordering details

The DyNetVis system requires a specific file format for open a new node ordering, as illustrated in Table 6 and described:

- The file extension can be anyone.
- Each line of the file represents a node, separated by an enter.
- The file must contain 1 column. The first column represents respectively Node identification (node ID).
- The node ID cells must be positive integers.

6.1.2 Structural layout

The system provides several ways of positioning the nodes in the structural layout. With the exception of the random placement of nodes in the layout (RandomLayout), all the other options are implemented in the jgraphx library [Alder 2010], as follows:

- mxFastOrganicLayout: Nodes are positioned in the layout based on strength algorithms.
- mxCircleLayout: Nodes are positioned in the layout using a circular representation.

Table 6: File format example for file to open a new node ordering in temporal layout.

Node ID
10
5
2
1
2
4
8
3

- `mxCompactTreeLayout`: Nodes are positioned in the layout using a tree structure representation.
- `mxHierarchicalLayout`: Nodes are positioned in the layout using a hierarchical structure representation.

6.1.3 Matrix layout

Node ordering for matrix layout:

- `Appearance`: Nodes are sorted on ascendant order they appear on the network.
- `Random`: Nodes are sorted randomly.
- `Degree`: Nodes are sorted in ascendant order by their accumulated degree.
- `Recurrent Neighbors`: Try to approximate the nodes based on its connections and degree in the central part of the layout, as described by [Linhares et al. 2017].
- `Louvain`: Nodes are sorted in the matrix using the result of the community detection algorithm Louvain [Blondel et al. 2008].
- `Infomap`: Nodes are sorted in the matrix using the result of the community detection algorithm Infomap [Rosvall and Bergstrom 2008].

6.2 Edge sampling methods for temporal layout

- `Random`: Edges are sampling randomly.
- `AR`: Edges are sampling using the accept-reject concept for temporal layout, as described in [Zhao et al. 2018].

- EOD: Edge Overlapping Degree (EOD) uses the kernel density estimation to create an edge overlapping degree and characterize temporal features of node pairs, being able to choose which edges are hindering the analysis [Zhao et al. 2018].

6.3 Network Properties

Network properties have general properties of the network, as some statistical measures for the temporal layout, as illustrated in Fig 5 and described as follows.

Figure 5: Network properties window.

6.3.1 General Properties

The system provides network information, such as the name, resolution, number of nodes, edges, and timestamps.

6.3.2 Temporal Properties

The system also provides some statistical measures specifically for the temporal layout, such as the number of Overlapping Edges, the average and the standard deviation of the edge size, and intersections, all described in detail in [Linhares et al. 2019a].


6.4 Dynamic Processes on temporal layout

The system provides some dynamic processes, such as a random walker and epidemiology [Linhares et al. 2019b], that works exclusively on the temporal

layout, as described as follows.

6.4.1 Random Walker process

The random walker process requires the user to select a specific node in a specific timestamp. Moreover, the probability of the random walker move to another node is defined by the input “probability”, that can be double values between 0 and 1, as illustrated in Fig. 6.




The figure shows a window titled "Random Walker" with a close button (X) in the top right corner. Inside the window, there is a label "probability" followed by a text input field containing the value "0.01". Below the input field is a button labeled "Run Random Walker".

Figure 6: Random Walker window.

6.4.2 Epidemiology Process

The epidemiology process requires the user to select a specific node in a specific timestamp. Moreover, the probability of the epidemiology to spread in the network is defined by the input “probability”, that can be double values between 0 and 1, as illustrated in Fig. 7. The user can also select the defined infection model, with the following options: SIR, SIS, SI, and SIRS. The input “Seed to Random” defines the seed value to the random number and this value must be an integer. The “Recovery Time” is related to the time of a node costs to recover from an infection (only available in some models), with this field only accepting integer values. The “Loss of immunity” input is a probability value of the infected node to lose the immunity, with double values between 0 and 1.



The figure shows a window titled "Epidemiology Processes" with a close button (X) in the top right corner. The window contains several input fields and buttons. On the left, there are labels for "Infection model", "Seed to Random", "Probability", "Recovery time", and "Loss of immunity". To the right of these labels are corresponding input fields: a dropdown menu for "Infection model" showing "SIR", a text input for "Seed to Random" with value "1", a text input for "Probability" with value "0.5", a text input for "Recovery time" with value "10", and a text input for "Loss of immunity" with value "0.5". Below these fields is a checkbox labeled "Change node ordering". At the bottom left, there is a "Color legend:" section with three entries: "Susceptible" (blue text), "Recovered" (yellow text), and "Infected" (red text). At the bottom right, there are two buttons: "Run Epidemiology Processes" and "Highlight Infection".

Figure 7: Epidemiology window.

The system also provides a node ordering based on the epidemiology model,

where the patient zero of the infection will be located in the center of the temporal layout, and the following infected nodes will be located around the first node. After running the epidemiology process, the user can highlight the infection, altering with different visualizations of the same infection. The states susceptible, recovered and infected are represented by the blue, yellow and red color, respectively.

7 Thresholds fixed for specific methods

Some methods used in the DyNetVis system have fixed thresholds, for all the occurrences of these methods in the system, as described below.

7.1 Infomap

For the Infomap method [Rosvall and Bergstrom 2008], the fixed thresholds are:

- Seed: A seed (integer) to the random number generator. (Adopted value: 1)
- Number of attempts: The number of outer-most loops to run before picking the best solution. (Adopted value: 10)

7.2 Louvain

For the Louvain method [Blondel et al. 2008], the fixed thresholds are:

- Seed: A seed (integer) to the random number generator. (Adopted value: 0)
- Resolution parameter: The resolution parameter determines the granularity level at which communities are detected. (Adopted value: 1)
- Number of random starts. (Adopted value: 10)
- Number of iterations per random start. (Adopted value: 10)

7.3 AR and EOD

For the AR and EOD methods [Zhao et al. 2018], the fixed thresholds are:

- Bandwidth σ : Sigma of Gaussian kernel, which controls the smoothing degree of PDFs. (Adopted value: 5)
- Sampling factor F: As F increases, the sample size decreases (i.e., fewer accepted edges). (Adopted value: 2)

8 Software Complete License

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program—to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger

that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

“This License” refers to version 3 of the GNU General Public License.

“Copyright” also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

“The Program” refers to any copyrightable work licensed under this License. Each licensee is addressed as “you”. “Licensees” and “recipients” may be individuals or organizations.

To “modify” a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a “modified version” of the earlier work or a work “based on” the earlier work.

A “covered work” means either the unmodified Program or a work based on the Program.

To “propagate” a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To “convey” a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays “Appropriate Legal Notices” to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The “source code” for a work means the preferred form of the work for making modifications to it. “Object code” means any non-source form of a work.

A “Standard Interface” means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The “System Libraries” of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A “Major Component”, in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The “Corresponding Source” for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work’s System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do

so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- (a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- (b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- (c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they

are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

- (d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an “aggregate” if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation’s users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- (a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- (b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- (c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- (d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding

Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

- (e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A “User Product” is either (1) a “consumer product”, which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, “normally used” refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

“Installation Information” for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

“Additional permissions” are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- (a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- (b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- (c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- (d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- (e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

- (f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered “further restrictions” within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An “entity transaction” is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party’s predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A “contributor” is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor’s “contributor version”.

A contributor’s “essential patent claims” are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, “control” includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor’s essential patent claims, to make, use, sell,

offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a “patent license” is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To “grant” such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. “Knowingly relying” means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient’s use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is “discriminatory” if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others’ Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License “or any later version” applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy’s public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR

IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

9 Documentation Complete License

Preamble

The purpose of this License is to make a manual, textbook, or other functional and useful document “free” in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of “copyleft”, which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The “**Document**”, below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as “**you**”. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A “**Modified Version**” of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A “**Secondary Section**” is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document’s overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject

or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The “**Invariant Sections**” are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The “**Cover Texts**” are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A “**Transparent**” copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not “Transparent” is called “**Opaque**”.

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The “**Title Page**” means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, “Title Page” means the text near the most prominent appearance of the work’s title, preceding the beginning of the body of the text.

The “**publisher**” means any person or entity that distributes copies of the Document to the public.

A section “**Entitled XYZ**” means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses follow-

ing text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as “**Acknowledgements**”, “**Dedications**”, “**Endorsements**”, or “**History**”.) To “**Preserve the Title**” of such a section when you modify the Document means that it remains a section “Entitled XYZ” according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document’s license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent

copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.

- I. Preserve the section Entitled “History”, Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled “History” in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the “History” section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled “Acknowledgements” or “Dedications”, Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled “Endorsements”. Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled “Endorsements” or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version’s license notice. These titles must be distinct from any other section titles.

You may add a section Entitled “Endorsements”, provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement

made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled “History” in the various original documents, forming one section Entitled “History”; likewise combine any sections Entitled “Acknowledgements”, and any sections Entitled “Dedications”. You must delete all sections Entitled “Endorsements”.

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an “aggregate” if the copyright resulting from the compilation is not used to limit the legal rights of the compilation’s users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document’s Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled “Acknowledgements”, “Dedications”, or “History”, the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some

reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <https://www.gnu.org/licenses/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License “or any later version” applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy’s public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

11. RELICENSING

“Massive Multiauthor Collaboration Site” (or “MMC Site”) means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A “Massive Multiauthor Collaboration” (or “MMC”) contained in the site means any set of copyrightable works thus published on the MMC site.

“CC-BY-SA” means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

“Incorporate” means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is “eligible for relicensing” if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

References

- [Alder 2010] Alder, G. (2010). Jgraphxn.
- [Barabási and Albert 1999] Barabási, A.-L. and Albert, R. (1999). Emergence of scaling in random networks. *Science*, 286(5439):509–512.
- [Blondel et al. 2008] Blondel, V. D., Guillaume, J.-L., Lambiotte, R., and Lefebvre, E. (2008). Fast unfolding of communities in large networks. *Journal of Statistical Mechanics: Theory and Experiment*, 2008(10):P10008.
- [Linhares et al. 2019a] Linhares, C. D., Ponciano, J. R., Pereira, F. S., Rocha, L. E., Paiva, J. G. S., and Travençolo, B. A. (2019a). A scalable node ordering strategy based on community structure for enhanced temporal network visualization. *Computers Graphics*, 84:185 – 198.
- [Linhares et al. 2019b] Linhares, C. D., Ponciano, J. R., Rocha, L. E., Paiva, J. G. S., and Travençolo, B. A. (2019b). Visualisation of structure and processes on temporal networks. In Holme, P. and Saramaki, J., editors, *Temporal Network Theory*, chapter 5, pages 86–107. Springer, Springer.
- [Linhares 2016] Linhares, C. D. G. (2016). Techniques of visual analysis to temporal networks. Master’s thesis, Federal University of Uberlândia.
- [Linhares et al. 2017] Linhares, C. D. G., Travençolo, B. A. N., Paiva, J. G. S., and Rocha, L. E. C. (2017). Dynetvis: A system for visualization of dynamic networks. In *Proceedings of the Symposium on Applied Computing*, SAC ’17, pages 187–194.
- [Pham et al. 2015] Pham, T., Sheridan, P., and Shimodaira, H. (2015). Pafit: A statistical method for measuring preferential attachment in temporal complex networks. *PLOS ONE*, 10(9):1–18.
- [Rosvall and Bergstrom 2008] Rosvall, M. and Bergstrom, C. T. (2008). Maps of random walks on complex networks reveal community structure. *Proceedings of the National Academy of Sciences*, 105(4):1118–1123.
- [Wu et al. 2008] Wu, H.-M., Tzeng, S., Chen, C.-h., Härdle, W. K., and Unwin, A. (2008). *Matrix Visualization*, pages 681–708.
- [Zhao et al. 2018] Zhao, Y., She, Y., Chen, W., Lu, Y., Xia, J., Chen, W., Liu, J., and Zhou, F. (2018). Eod edge sampling for visualizing dynamic network via massive sequence view. *IEEE Access*, 6:53006–53018.