

Block- 1 : Framework interview Question

1. What is framework , Explain types of framework
2. Which framework you have used& WHY?
3. Explain framework, with components
4. What is the Role of Automation in YOUR PROJECT
5. What is the advantages of the Framework/ benefits of framework
 1. Reusable componenets like object repo , generic lib , test data
 2. Test development is faster and execution is easier
 3. Maintaince of test data is easier
 4. Code optimization
 5. Modification of xapth is easier , becoz of POM
 6. Cross browser testing is easier
 7. Customize reports
 8. Listener concept is available to take a screenshot
 9. Running test with other credential is easier by changing username/ password
 10. Maven dependencies will take care of get all jars from internet
 11. Jenkins provide remote execution
6. What is POM design pattern , explain POM design pattern rules
7. **How MANY PAGE CLASS you created**
8. **How many modules you worked on?**
9. What is the advantages of POM object repository
 1. Maintenance of xpath is easier
 2. Reusability of webelement
 3. Business libraries will optimize the test development
 4. Avoid duplicate locators
 5. Well organized design technique maintained in Page level
10. Write a Program to store object in POM , & how to access object from POM
11. Write a Program to read the data form Excel
12. What is data driven testing
13. How to achieve data driven testing
Ans : Apache POI

16. Why do you get the data from Excel why not Data Base or other File
Excel is userfriendly

17. How to run same test with multiple test data
@data provider

18. Where do you use Polymorphism in your framework?
Ans : Explain Base class to launch the browser

19. Where do you use Up casting in your framework
Webdriver driver = new FirefoxDriver

20. Where do we use inheritance in selenium framework
Class test extends Base{
}

21. Where do we use Abstraction in selenium framework
Class ListnerImp implemenets ItestListner{
}

22. Where do we use Encapsulation in selenium framework
Ans : POM Classes

23. Where do we use Overriding in selenium framework
Class SampleListner implemenets ItestListner{
 Public void ontestFailure(){
 Take screenshot
 }
}

24. Where do we use OverLoading in selenium framework

```
Class CrteateContact extends baseConfigClass{  
    createConatct(String firstNAme, String lastNAme){  
    }  
    createConatct(String firstNAme, String lastNAme, String addres){  
    }  
}
```

25. Why your framework is hybrid , why not other framework?

Because my project is having many modules which also required test data to test the scenarios

26. What is your role in selenium framework / contribution in framework

1. Few page class we implemented
2. Few business I have created
3. I have implemented Extend Reporting in my framework
4. I have implemented few gereric mtds like waitForPageToLoad, waitForElement
5. Implemetd Report back-Up facilities

27. What your accomplishment

28. With out framework , what is the challenges

29. Difference between @findBy & @findBys , @findAll

```
Class Home{
    @FindBy(xpath="//a[text()='Contact']")
    WebElement contactLink //identify Single Element

    @findBys( {@FindBy(xpath="//a")})

    List<WebElemnets> IstLink; //identify the multiple Elements similar type of element
    type

}
```

30. Difference between @findBy & findElement()

@findBy	findElement
@findBy is annotation available in Selenium used in POM design pattren to store element	is a method available in WebDriver used in Web driver normal test operation used in identify the element based on 8 locator
used in identify the element based on 8 locator executed at the time of object creatrion using pageFactory	excuted at the time RUNTIME

31. What suggestion you give your FrameWork

1. SVN we are using currently , better we would have GIT-HUB
2. Getting data from Excel is slower , we would have used .properties
3. Report backUP was my suggestion
4. Taking screenshot in html Report itself was my suggestion

32. Explain list Selenium Excepcption you faced in Real Time

NoSuchElement
StaleElement excelption
ElementNotVisible
IllegalState Exception
NoSuchWindowException

TimeOut
BrowserNotconnected

TestNG interview Questions

33. What is TestNG , why it is required

Ans : Unit testing framework Tool , used for parallel , grouping , parallel execution , Assertion , HTML mREport

34. With OUT TESTNG , what all the challenges you faced

35. Why TestNG , Why not JUNIT

1. Additional annotation
2. HTML reporting
3. Grouping
4. Parameterziation
5. Support both java , .net
6. Parallel execution

36. What is Annotation, explain all the annotation with real time EG:

```
@beforeClass    // global config like Launch browser
@AfterClass     // close browser
@BeforeMethod   //login
@AfterMETHod    //logout
@test           //actual test script
```

37. What is the use @beforeTest , @afterTest in testing

@BeforTest will be executed , Before executing all the <Classes> available with Test-Runner

RealTime usage : in case of cross browser parallel execution , we do use before test annotation to set the browser

```
<test name="Test">
  <classes>
    <class name="com.crm.contacttest.ContactTest"/>
    <class name="com.crm.contacttest.SearchcontactTest"/>
  </classes>
</test> <!-- Test -->
```

@AfterTest will be executed , after executing all the <Classes> available with Test-Runner

```
package com.crm.genericLib;

import org.testng.annotations.AfterClass;
import org.testng.annotations.AfterTest;
import org.testng.annotations.BeforeClass;
import org.testng.annotations.BeforeTest;
import org.testng.annotations.Parameters;

public class ConfigClass {

    @Parameters("browser")
    @BeforeTest
    public void configBeforeTest(String browserName){
        System.out.println("=====execute before test====="+browserName);
    }

    @BeforeClass
    public void configBeforeClass(){
        System.out.println("====launch browser====");
    }

    @AfterClass
    public void configAdfterClass(){
        System.out.println("====close browser====");
    }

    @AfterTest
    public void configafterTest(){
        System.out.println("=====execute after test=====");
    }

}
```

Testing.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE suite SYSTEM "http://testng.org/testng-1.0.dtd">
<suite name="Suite">
  <test name="firefox">
    <parameter name="browser" value="firefox"/>
    <classes>
      <class name="com.crm.contacttest.ContactTest"/>
    </classes>
  </test> <!-- Test -->

  <test name="chrome">
```

```

        <parameter name="browser" value="chrome"/>
    </classes>
    <class name="com.crm.contacttest.ContactTest"/>
</classes>
</test>

    <test name="ie">
        <parameter name="browser" value="ie"/>
    </classes>
    <class name="com.crm.contacttest.ContactTest"/>
</classes>
</test>
</suite>

```

38. What is the use @beforeSuite , @afterSuite in testing

@beforeSuite will be executed Only once in Entire Suite execution before start

Real Time usage : In Our Project we have used Extent Report tool to customize report , in order to configure custom report we have @beforeSuite annotation

@AfterSuite will be executed Only once in Entire Suite execution completed

Real Time usage : to close connotation of extent report, & get the Execution report backup

package com.crm.genericLib;

```

import java.io.File;
import java.io.IOException;
import java.text.DateFormat;
import java.text.SimpleDateFormat;
import java.util.Calendar;

import org.apache.commons.io.FileUtils;
import org.testng.annotations.AfterClass;
import org.testng.annotations.AfterSuite;
import org.testng.annotations.AfterTest;
import org.testng.annotations.BeforeClass;
import org.testng.annotations.BeforeSuite;
import org.testng.annotations.BeforeTest;
import org.testng.annotations.Parameters;

import com.relevantcodes.extentreports.ExtentReports;
import com.relevantcodes.extentreports.ExtentTest;

public class ConfigClass {

    public ExtentReports extent;
    public ExtentTest logger;

    @BeforeSuite
    public void configbeforeSuite(){

```

```

        extent = new ExtentReports("./test-output/report1.html", true);
        extent.loadConfig(new File("./extent-config.xml"));
    }

    @AfterSuite
    public void configafterSuite() throws IOException{
        DateFormat dateFormat = new SimpleDateFormat("yyyy/MM/dd HH:mm:ss");
        Calendar cal = Calendar.getInstance();
        String currentData = dateFormat.format(cal.getTime());

        File srcfile = new File("./test-output/report1.html");
        File dstfile = new File("./test-output/"+currentData.replace("/", "_").replace(":", "_").replace(" ", "_")+".html");
        FileUtils.copyFile(srcfile, dstfile);
        extent.close();
    }

    // @Parameters("browser")
    // @BeforeTest
    // public void configBeforeTest(String browserName){
    //     System.out.println("=====execute before test===== "+browserName);
    // }
    //

    @BeforeClass
    public void configBeforeClass(){
        System.out.println("====launch browser====");
    }

    @AfterClass
    public void configAdfterClass(){
        System.out.println("====close browser====");
    }

    // @AfterTest
    // public void configafterTest(){
    //     System.out.println("=====execute after test=====");
    // }

}

```

Example test :

```

package com.crm.compaignTest;

import java.io.File;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.testng.annotations.AfterSuite;
import org.testng.annotations.BeforeSuite;
import org.testng.annotations.Test;

```

```

import com.crm.genericLib.ConfigClass;
import com.relevantcodes.extentreports.ExtentReports;
import com.relevantcodes.extentreports.ExtentTest;
import com.relevantcodes.extentreports.LogStatus;

public class ComnpaignTest extends ConfigClass{

    @Test
    public void createCampaignTest(){
        logger=extent.startTest("createCampaignTest");
        //login
        logger.log(LogStatus.INFO, "login to crm application");
        logger.log(LogStatus.INFO, "naviagte to comp Page");
        logger.log(LogStatus.INFO, "verify");
        logger.log(LogStatus.INFO, "logout");
        extent.endTest(logger);
    }

    @Test
    public void modifyCampaignTest(){
        logger=extent.startTest("modifyCampaignTest");
        //login
        logger.log(LogStatus.INFO, "login to crm application");
        logger.log(LogStatus.INFO, "naviagte to comp Page");
        logger.log(LogStatus.INFO, "verify");
        logger.log(LogStatus.INFO, "logout");
        extent.endTest(logger);
    }
}

```

39. Explain the hierarchy of testNG annotation

@beforeSuite

@beforeTest

@beforeClass

@beforeMethod

@test

40. What is batch execution,& how to achieve batch execution

Collection multiple test is called batch , execute multiple through testing.xml

41. Write Syntax of Xml

```

<suite>
  <test>
    <classes>
      <class>

```


42. What is grouping execution,& how to achieve group execution

43. What is parallel execution, & how to achieve parallel execution

44. How to achieve CROSS browser testing using Selenium
@parameter

45. How to disable the testing test scripts
@test(enabled=false)

46. How to execute same test with multiple times
@test(invocation count= 10)

47. What is ASSERTION, & how many assertion you used in real-time selenium testscripts , explain with real time EG
Assert.assertEquals("actcomName", "expComName")
Assert.assertTrue(logoStatus)

48. What is @parameter annotation in testNG , how to send parameter to testNG test

49. How to execute same test with multiple data
@dataProvider

50. What is the @Listner annotation in TestNG

51. Difference between testNG-Listner & webdriver Listner

testNG Lis : ITestListner
WebDriver List : EventFiringWebDriver

52 How to execute only failed test only , when batch execution is Done

After the batch execution "refresh the folder" → than automatically we get testing-falied.xml (inside test-output), just the that xml file

52. How to execute dependent test-Scripts

2 ways

Priority

dependencies

53. When ever we get build which test-scripts , you will execute first
Using grouping concept , we will execute smokeTest first

Scenario based Question

55. What is role of Selenium in your Project
Functional / browser compatible/ OS compatible testing
56. How many modules you are allocated
57. What you do every day in office
58. How many test cases you can write / month
59. How many test case you have written in your last project
60. What processes you followed in your last project?
61. How many build you got in one releases
62. How may releases, u got in last project
63. How many bugs , you found in automation
64. Write a automation code for Login Page for any application
65. When we run 100 test scripts , few testscripts got failed , then what is first approach ?
66. When we run 100 test scripts , All testscripts got failed , then what might be the Issues?

Manager round Interview Question

67. What is your roles & responsibility in your last project
68. When you start Automation
69. What is not automatable:
70. What is the challenges of the Automation
71. What Automation Process follows in your Company
72. What is the Entry & exit criteria of the Automation
73. Why Automation , explain role of Automation in Regression Testing
74. Set of Manual test case is given to You , than what you do very first step

Block -2 : GIT HUB interview Question

75. What is GitHub.
76. What is the Role of Github in Automation

78. What is the advantages of GIT HUB

Block- 3 : Maven Interview Question

79. What is Maven

80. What is Role of Maven FrameWork

81. What is dependencies , how to handle dependencies in framework

82. What of Project Object Model [POM .xml]

83. Explain the maven Plugin you used in your framework

84. How to Execute TEstNG.xml in Maven POM.xml

Block- 4 : Jenkins Interview Question

85. What is Jenkins

86. What is the Role of Jenkins in Framework

87. What is the Advantages of Jenkins

88. How to configure Jenkins

Selenium miscellaneous inetview question

89. Difference between xpath & css-selector

90. Where we have used contractor in selenium

91. How to execute Java-scripts in Selenium , or how to work with browser scroll bar

92. How to handle SSL popup in IE

93. Non automatable test case in your Project

Selenium Normal interview question

//Selenium basic question

96. Explain the Selenium Architecture

97. Difference between Selenium-IDE & Selenium RC , WebDriver

98. Difference between

WebDriver driver = new FirefoxDriver()

FirefoxDriver driver = new FirefoxDriver()

99. Difference between get(), navigate().to()

100. What is API , where it is being used

101. Difference between quit() & close()

102. How to maximixe & minimize the browser

- 103. What is WebDriver "interface" or Class
- 104. What is Super interface for WebDriver
- 105. What is WebElement & explain all the Mtds available in WebElement
- 106. How many locator is available in WebDriver , & which locator is preferred
- 107. How to check whether object is available in GUI
- 108. How to check the text from the UI
- 109. How to capture color , height , width , font –size of the Element
- 110. How to get the Location of the WebElement
- 111. How to check whether object is selected or not ?
- 112. How to check whether object is enabled in GUI
- 113. How to delete All Cookies
- 114. Do we use any constructor in webdriver
- 115. How to compare Image
- 116. How to get the webelement height & width

Question on WebDriver wait statement

- 117. What is Synchronization
- 118. How to handle Synchronization wait available in WebDriver
- 119. Which wait statement will be used to wait till page load
- 120. How to handle dynamic object
- 121. Difference between thread wait , implicitly wait , explicitly wait
- 122. What is fluent wait

Question DropDown & keyboard & mouse operation

- 123. How to handle dropdown
- 124. List out all mtds available in Select class
- 125. How to capture all the value from the dropdown
- 126. How to capture only Selected value from the dropdown
- 127. How to capture only non-selected value from the dropdown
- 128. How to how with multiSelect value from the dropdown
- 129. How to select all the similar value from the dropdown

Ex: we have multiSelect dropdown, like automation testing , manual testing , sql testing , java , we should all the option which contains "testing" word

- 130. How to work with custom select dropdown/ auto suggest dropdown
- 131. How to take mouse over operation on the element
- 132. How to perform keyboard operation
- 133. How to perform "control+c"
- 134. Difference between build() & perform()
- 135. How to perform dragAndDrop Operation
- 136. How to perform rightClick operation

Question on Window Handling

- 137. How to work with new Tab, new Browse-window

- 138. How to work with new Tab, new Browse-window with our GetWindowHandles() mtd
- 139. How to handle Alert popup
- 140. How to work Calendar POP-up
- 141. How to work with advertiseMent popup
- 142. How to File Download PopUP
- 143. How to handle File Upload Pop-up if <input type="file">
- 144. How to Handle File Upload Pop-up if <input> type is not file
- 145. How to Handle Browser Scroll-bar
- 146. How to execute java-script

Question Frame Handle

- 148. How to work with frame-Window
- 149. How to Work with nested Frame
- 150. How to work with multiple frame
- 151. How many ways to work with frame
- 152. How to work frame , when frame does not have id & @name attribute

Question on Multiple Browser

- 153. What is IllegalStateException Exception
- 154. How to work with IE , Chrome browser
- 155. How to write xpath in IE & chrome browser

