


Figure 37.11: An example of an open set in the subspace topology for $\{(x, y, z) \in \mathbb{R}^3 \mid -1 \leq x \leq 1, -1 \leq y \leq 1, -1 \leq z \leq 1\}$. The open set is the corner region $ABCD$ and is obtained by intersection the cube $B_0((1, 1, 1), 1)$.

*Proof.* Left as an exercise. $\square$

**Definition 37.12.** Given $n$ topological spaces $(E_i, \mathcal{O}_i)$, the *product topology on* $E_1 \times \cdots \times E_n$ is the family $\mathcal{P}$ of subsets of $E_1 \times \cdots \times E_n$ defined as follows: if

$$\mathcal{B} = \{U_1 \times \cdots \times U_n \mid U_i \in \mathcal{O}_i,\ 1 \leq i \leq n\},$$

then $\mathcal{P}$ is the family consisting of arbitrary unions of sets in $\mathcal{B}$, including $\emptyset$. See Figure 37.12.

If each $(E_i, d_{E_i})$ is a metric space, there are three natural metrics that can be defined on $E_1 \times \cdots \times E_n$:

$$\begin{aligned}
d_1((x_1, \ldots, x_n), (y_1, \ldots, y_n)) &= d_{E_1}(x_1, y_1) + \cdots + d_{E_n}(x_n, y_n), \\
d_2((x_1, \ldots, x_n), (y_1, \ldots, y_n)) &= \left((d_{E_1}(x_1, y_1))^2 + \cdots + (d_{E_n}(x_n, y_n))^2\right)^{\frac{1}{2}}, \\
d_\infty((x_1, \ldots, x_n), (y_1, \ldots, y_n)) &= \max\{d_{E_1}(x_1, y_1), \ldots, d_{E_n}(x_n, y_n)\}.
\end{aligned}$$