nonnegative real number ||A|| which behaves a lot like the absolute value |x| of a real number x. Then our goal is to find some low-rank matrix A' that minimizes the norm

$$\left\|A - A'\right\|^2,$$

over all matrices A' of rank at most k, for some given  $k \ll \min\{m, n\}$ .

Some advantages of a low-rank approximation are:

- 1. Fewer elements are required to represent A; namely, k(m+n) instead of mn. Thus less storage and fewer operations are needed to reconstruct A.
- 2. Often, the process for obtaining the decomposition exposes the underlying structure of the data. Thus, it may turn out that "most" of the significant data are concentrated along some directions called *principal directions*.

Low-rank decompositions of a set of data have a multitude of applications in engineering, including computer science (especially computer vision), statistics, and machine learning. As we will see later in Chapter 23, the *singular value decomposition* (SVD) provides a very satisfactory solution to the low-rank approximation problem. Still, in many cases, the data sets are so large that another ingredient is needed: *randomization*. However, as a first step, linear algebra often yields a good initial solution.

We will now be more precise as to what kinds of operations are allowed on vectors. In the early 1900, the notion of a *vector space* emerged as a convenient and unifying framework for working with "linear" objects and we will discuss this notion in the next few sections.

## 3.2 Vector Spaces

For every  $n \ge 1$ , let  $\mathbb{R}^n$  be the set of *n*-tuples  $x = (x_1, \dots, x_n)$ . Addition can be extended to  $\mathbb{R}^n$  as follows:

$$(x_1,\ldots,x_n)+(y_1,\ldots,y_n)=(x_1+y_1,\ldots,x_n+y_n).$$

We can also define an operation  $\cdot : \mathbb{R} \times \mathbb{R}^n \to \mathbb{R}^n$  as follows:

$$\lambda \cdot (x_1, \dots, x_n) = (\lambda x_1, \dots, \lambda x_n).$$

The resulting algebraic structure has some interesting properties, those of a vector space.

However, keep in mind that vector spaces are not just algebraic objects; they are also geometric objects.

Vector spaces are defined as follows.