

Lab 1:

dvdrental/postgres@postgres

No limit

E

il

Query

Query History

1 begin;

2 update film set rental_rate = 4.99

3 where film_id = 1;

4

5 commit;

Data Output

Messages

Notifications

COMMIT

Query returned successfully in 32 msec.

dvdrental/postgres@postgres

No limit

E

il

Query

Query History

1 begin;

2 update film set rental_rate = 5.99

3 where film_id = 1

4

5 commit;

Data Output

Messages

Notifications

UPDATE 1

Query returned successfully in 10 secs 517 msec.

Lab 2:

The screenshot displays two side-by-side terminal windows running the pgcli application connected to a PostgreSQL database.

- Left Window:** The title bar reads "dvdrental/postgres@postgres". The query editor shows a multi-line SQL script:


```
begin;
select rental_rate from film
where film_id = 10;

select rental_rate from film
where film_id = 10;

commit;
```

 Below the editor, the "Data Output" tab is active, displaying a single row of results:

	rental_rate numeric(4,2)
1	0.99
- Right Window:** The title bar also reads "dvdrental/postgres@postgres". The query editor shows:


```
begin;
update film set rental_rate = 0.99
where film_id = 10;

commit;
```

 Below the editor, the "Messages" tab is active, showing the output:


```
COMMIT

Query returned successfully in 60 msec.
```

Lab 3:

The screenshot displays two side-by-side instances of the pgAdmin interface, both connected to a database named 'dvdrental/postgres@postgres'.

Left Window:

- Query Tab:** Shows a SQL script:

```
1 begin;
2 update film set rental_rate = 2.99
3 where film_id = 100
4
5
6 update film set rental_rate = 3.99
7 where film_id = 200
```
- Data Output Tab:** Shows the result of the first query:

```
UPDATE 1
```

Query returned successfully in 40 secs 569 msec.

Right Window:

- Query Tab:** Shows a similar SQL script, but with different film IDs:

```
1 begin;
2 update film set rental_rate = 2.99
3 where film_id = 200
4
5
6 update film set rental_rate = 3.99
7 where film_id = 100
```
- Data Output Tab:** Displays a PostgreSQL error message:

```
ERROR: deadlock detected
Process 2283 waits for ShareLock on transaction 970; blocked by
process 2282.
Process 2282 waits for ShareLock on transaction 971; blocked by
process 2283.

SQL state: 40P01
Detail: Process 2283 waits for ShareLock on transaction 970; blocked
by process 2282.
Process 2282 waits for ShareLock on transaction 971; blocked by
process 2283.
Hint: See server log for query details.
Context: while locking tuple (23,17) in relation "film"
```

Lab 4:

dvdrental/postgres@postgres

No limit

Query

Query History

```
1 begin;
2 select *
3 from inventory
4 where inventory_id = 10 for update;
5
6 insert into rental
7 (rental_date, inventory_id, customer_id, staff_id)
8 values
9 (now(), 10, 1, 1)
10 commit;
```

Data Output

Messages

Notifications

SQL

Showing rows: 1 to 1 of 1

	inventory_id [PK] integer	film_id smallint	store_id smallint	last_update timestamp without time zone
1	10	2	2	2006-02-15 10:09:17

dvdrental/postgres@postgres

No limit

Query

Query History

```
1 begin;
2 select * from inventory
3 where inventory_id = 10 for update;
4
5 rollback;
```

Data Output

Messages

Notifications

WARNING: there is already a transaction in progress

dvdrental/postgres@postgres

No limit

Query

Query History

```
1 begin;
2 select *
3 from inventory
4 where inventory_id = 10 for update;
5
6 insert into rental
7 (rental_date, inventory_id, customer_id, staff_id)
8 values
9 (now(), 10, 1, 1)
10 commit;
```

Data Output

Messages

Notifications

ERROR: syntax error at or near "commit"

LINE 5: commit;

^

SQL state: 42601

Character: 97

dvdrental/postgres@postgres

No limit

Query

Query History

```
1 begin;
2 select * from inventory
3 where inventory_id = 10 for update;
4
5 rollback;
```

Data Output

Messages

Notifications

SQL

Showing rows: 1 to 1 of 1

	inventory_id [PK] integer	film_id smallint	store_id smallint	last_update timestamp without time zone
1	10	2	2	2006-02-15 10:09:17