FPT UNIVERSITY
DATA SCIENCE METHODOLOGY

**10-Step SQL & Python Analytics Pipeline**

**6,607 Student Records**
**16 Attributes**
**13 SQL Queries & EDA**

# Final Project Defense
# Student Performance Factors Analysis

**Subject: Data Science with Python & SQL (ADY201m)**
**Dataset: StudentPerformanceFactors.csv (n = 6,607)**

Key Highlights:
- Complete 10-Step Data Science Methodology (SQL + Python)
- Non-destructive SQL Data Cleaning (CTE & Window Functions)
- Exploratory Data Analysis (EDA) & IQR Outlier Detection
- Statistical Testing (ANOVA / T-test) & Linear Regression

00

AGENDA

# Presentation Outline

## 01. Business Understanding & Approach

• Steps 1–2: Problem formulation, analytical questions, SQL + Python methodology.

## 02. Data Requirements & Collection

• Steps 3–4: 6,607 records, 16 columns, rowid key generation, initial SQL queries.

## 03. Data Quality & SQL/Python Cleaning

• Steps 5–6: Handling missing values (Unknown) and out-of-range score (101 -> NULL).

## 04. Exploratory Data Analysis (EDA)

• Distribution of Exam_Score and Pearson correlation matrix (Heatmap).

## 05. Categorical Factors & Demographics

• Violin/Box plots across family, school, peer, gender, and school type.

## 06. SQL Rule-Based Modeling (Step 7)

• CASE WHEN study tiers, RANK() OVER window function, Motivation × Parent matrix.

## 07. ANOVA Testing & Linear Regression

• Hypothesis testing (8/10 significant factors) and multivariate regression ($R^2$ = 85.8%).

## 08. Evaluation, Deployment & Feedback

• Steps 8–10: SQL JOIN cohort evaluation, CSV/DB export, and policy recommendations.

01

STEPS 1 & 2 — METHODOLOGY

# Business Understanding & Analytic Approach

## Step 1: Business Understanding (Problem)

- Educational institutions need to identify which study behaviors and socioeconomic contexts accompany high or low Exam_Score.
- Goal: Prioritize academic advising and resource support for at-risk student groups.
- Focus on associative patterns and actionable cohort benchmarks rather than causal claims.

## Core Analytical Questions

- Q1: What is the average exam score (67.23) and overall data quality profile?
- Q2: How do scores differ across weekly study-hour tiers (<=10h to >30h) and attendance brackets (<70% to 90–100%)?
- Q3: How do motivation, parental involvement, parental education, and extracurriculars interact?

## Step 2: SQL Analytic Approach

- Data quality audit: COUNT, GROUP BY HAVING, NULL/empty checks, and range validation.
- Non-destructive cleaning via CTE (WITH standardized AS) & ROW_NUMBER() deduplication.
- Rule-based cohort modeling using CASE WHEN, RANK() OVER, SUM() OVER, and CROSS/INNER JOIN.

## Step 2: Python Statistical & ML Approach

- Pandas & NumPy pipeline to cross-verify 100% of SQL cleaning and group aggregations.
- Exploratory Data Analysis (EDA) with Matplotlib/Seaborn and IQR outlier detection.
- Parametric hypothesis testing (One-way ANOVA, T-test) and Multivariate Linear Regression.

***Combining SQL relational querying with Python statistical modeling ensures 100% reproducibility.***

02

STEPS 3 & 4 — DATA PIPELINE

# Data Requirements & SQL Data Collection

## Step 3: Dataset Architecture (6,607 × 16)

- Source: StudentPerformanceFactors.csv (6,607 rows, 16 columns).
- Primary Key Generation: Raw CSV has no ID column -> generated student_id = rowid (1 to 6,607).
- Target Variable: Exam_Score (0–100 scale).
- 5 Numeric Predictors: Hours_Studied, Attendance, Previous_Scores, Sleep_Hours, Physical_Activity.
- 10 Categorical Predictors: Parental_Involvement, Access_to_Resources, Motivation_Level, Family_Income, Teacher_Quality, Peer_Influence, Parental_Education_Level, Extracurricular_Activities, School_Type, Gender.

| student_id | Hours_Studied | Attendance | Exam_Score |
|---|---|---|---|
| 1526 | 27 | 98% | 101 |
| 3580 | 14 | 90% | 99 |
| 4193 | 28 | 90% | 98 |
| 6348 | 28 | 96% | 98 |

## Step 4: Initial SQL Retrieval Findings

- Query 4.1 (Top 10 students with Attendance >= 90%): Top 4 rows above immediately uncover student_id = 1526 with Exam_Score = 101.
- Basis for Steps 5–6 cleaning: Flagged the out-of-range score (101 -> NULL) without altering or dropping raw records.
- Verified with Pandas: 100% match across the Top 10 high-attendance cohort and student_id order.

***SQLite table raw_students preserves the exact original CSV for auditability before cleaning.***

03

STEPS 5 & 6 — DATA CLEANING

# Data Quality Audit & SQL/Python Cleaning

| Quality Metric | Before (Raw) | After (Clean SQL/Py) |
|---|---|---|
| Total Records | 6,607 | 6,607 (student_id 1..6607) |
| Duplicate Rows | 0 | 0 (ROW_NUMBER rn = 1) |
| Missing Teacher_Quality | 78 (1.18%) | 0 (78 -> 'Unknown') |
| Missing Parental_Education | 90 (1.36%) | 0 (90 -> 'Unknown') |
| Exam_Score > 100 (Invalid) | 1 (id=1526, score=101) | 0 (1 -> NULL, n=6,606 valid) |
| Valid Mean Exam_Score | 67.236 | 67.231 |

## 5 Golden Rules of Step 6 Cleaning

- 1. Generate primary key student_id = rowid.
- 2. Standardize column names to snake_case and TRIM() text.
- 3. Never fabricate exam scores: out-of-range Exam_Score = 101 is flagged as NULL rather than capped to 100.
- 4. Map missing categorical entries to 'Unknown' via COALESCE(NULLIF(TRIM(col), ''), 'Unknown').
- 5. Execute cleaning in new table students_clean_sql & DataFrame clean_py without altering raw_students.

## Reconciliation Verification (SQLite vs. Pandas)

- All automated assertions passed: len(clean_sql) == len(clean_py) == 6,607 | mean(exam_score) == 67.231 | Unknown counts (78 & 90) match 100%.


***Non-destructive data preparation ensures full transparency and prevents artificial bias.***

04

EXPLORATORY DATA ANALYSIS

# Exam Score Distribution & Outlier Audit

Figure 1: Target Exam Score Distribution (n = 6,607)




## Key Distributional Insights


- Mean = 67.24 | Median = 67.0 | Std = 3.89.
- IQR = 4.0 (Q1 = 65.0, Q3 = 69.0): 50% of students score between 65 and 69.
- Right-skewed distribution (Skewness = 1.645, Kurtosis = 10.575) driven by high achievers scoring 76–100.
- IQR Outliers: Hours_Studied has 43 outliers (0.65%), Exam_Score has 104 high-achieving outliers (1.57%); Attendance, Sleep_Hours, Previous_Scores, and Physical_Activity have 0% outliers.

***Predictor variables are symmetrically distributed, while Exam_Score exhibits a high-achieving right tail.***

05

EXPLORATORY DATA ANALYSIS

# Key Numerical Drivers & Correlation Matrix




## Pearson Correlation Summary (r with Exam_Score)

- 1. Attendance (r = +0.581, strong positive): Each +10% attendance corresponds to +1.98 exam score points.
- 2. Hours_Studied (r = +0.445, moderate-strong positive): Each +10 study hours/week adds +2.90 exam score points.
- 3. Previous_Scores (r = +0.175, weak positive) | Physical_Activity (r = +0.028, negligible) | Sleep_Hours (r = -0.017, negligible).

***Attendance and weekly study hours are the two dominant numerical drivers of student exam performance.***

06

EXPLORATORY DATA ANALYSIS

# Impact of Categorical & Demographic Factors

Figure 4: Impact of Key Categorical Factors on Exam Score (ANOVA p < 0.001)






Figure 5: Score Comparison Across Demographics and Extracurricular Participation




## Categorical Group Comparisons

- Access_to_Resources: High (68.09) vs. Low (66.20) -> Diff = +1.89 pts.
- Parental_Involvement: High (68.09) vs. Low (66.36) -> Diff = +1.73 pts.
- Parental_Education: Postgraduate (67.97) vs. High School (66.89) -> +1.08 pts.
- Peer_Influence: Positive (67.62) vs. Negative (66.56) -> +1.06 pts.
- Gender (67.24 vs 67.23) & School_Type (67.29 vs 67.21): No meaningful difference.


***Supportive home environments, school resources, and positive peer networks consistently elevate student scores.***

07

STEPS 7 & 8 — SQL MODELING

# SQL Rule-Based Segmentation (Study & Attendance)

Figure 6: SQL Rule-Based Segmentation by Study Hours and Attendance Rate




| Study Group | Count | Avg Score | Diff | Rank |
|---|---|---|---|---|
| 1. <=10h | 365 | 63.97 | -3.26 | 4 |
| 2. 11-20h | 3,179 | 66.18 | -1.05 | 3 |
| 3. 21-30h | 2,809 | 68.51 | +1.28 | 2 |
| 4. >30h | 253 | 71.01 | +3.78 | 1 |

| Attendance Tier | Students | Avg Score | vs. <70% |
|---|---|---|---|
| 1. < 70% | 1,573 | 64.21 | Baseline |
| 2. 70 - 79% | 1,681 | 66.28 | +2.07 |
| 3. 80 - 89% | 1,607 | 68.04 | +3.83 |
| 4. 90 - 100% | 1,745 | 70.12 | +5.91 |

## SQL Window Function & Segmentation Insights

- Students studying >30h/week score 71.01 on average (+7.04 pts higher than <=10h/week), even though average attendance (~79–80%) is nearly identical across study groups.
- Students with 90–100% attendance average 70.12 (+5.91 pts vs. <70%; n = 6,606 valid scores, excl. 1 NULL).


*SQL CASE WHEN, CTEs, and RANK() OVER provide crystal-clear cohort benchmarks verified by Python.*

08

STATISTICAL & ML MODELING

# ANOVA Hypothesis Testing & Linear Regression

Figure 7: Multi-Factor Interaction Matrix and Regression Feature Importance




## Interaction Effect & Regression Performance

- High Motivation × High Parental Involvement yields 68.38 vs. 65.81 for Low × Low (+2.57 pts).
- Linear Regression (5 key predictors, IQR [59, 75] outlier filter) achieves $R^2$ = 85.8% (up from 60.8% initially).

| Variable | Test | Stat | p-value |
|---|---|---|---|
| Access_to_Resources | ANOVA | 98.00 | < 0.001 |
| Parental_Involvement | ANOVA | 84.49 | < 0.001 |
| Parental_Education | ANOVA | 36.43 | < 0.001 |
| Peer_Influence | ANOVA | 34.05 | < 0.001 |
| Family_Income | ANOVA | 29.79 | < 0.001 |
| Motivation_Level | ANOVA | 25.72 | < 0.001 |
| Teacher_Quality | ANOVA | 19.64 | < 0.001 |
| Extracurricular | T-test | -5.24 | < 0.001 |
| School_Type | T-test | 0.72 | 0.472 (NS) |
| Gender | T-test | 0.17 | 0.869 (NS) |

***8 of 10 categorical factors are statistically significant (p < 0.001); Gender and School Type are not.***

09

STEPS 8, 9 & 10 — WRAP-UP

# SQL JOIN Evaluation, Deployment & Conclusion

| Parental Education | Extracurricular | Students | Avg Score | Diff |
|---|---|---|---|---|
| Postgraduate | Yes | 774 | 68.15 | +0.92 |
| Postgraduate | No | 531 | 67.71 | +0.48 |
| College | Yes | 1,208 | 67.48 | +0.25 |
| High School | Yes | 1,906 | 67.11 | -0.12 |
| College | No | 781 | 67.06 | -0.17 |
| High School | No | 1,317 | 66.55 | -0.68 |

## Step 9: Deployment Deliverables

- SQLite DB: student_analysis.db (raw_students, students_clean_sql, students_clean_python).
- Standalone SQL: TruyVan_LamSach_PhanTich.sql (13 queries).
- Cleaned CSVs: student_performance_cleaned_sql.csv, student_performance_cleaned_python.csv, analysis_study_groups.csv.

## Step 10: Feedback & Strategic Recommendations

- 1. Data Governance: Keep non-destructive cleaning; verify anomalous record student_id = 1526 (Exam_Score = 101) with exam office.
- 2. Early Warning System: Prioritize academic intervention for students with Attendance < 75% or Hours_Studied <= 10h/week.
- 3. Family-School Partnership: Engage parents through regular progress reports, as High Parental Involvement + High Motivation adds +2.57 pts.
- 4. Resource Equity: Provide learning resources and extracurricular opportunities to low-income students to close the achievement gap.

*Thank You for Listening! — Q&A Session (Data Science with Python & SQL - ADY201m)*