

name: Bùi Hữu Gia Bảo
id: 11247144
class: DS66B

--lab 1

```
CREATE ROLE cashier_role;
```

```
CREATE USER mikey WITH PASSWORD 'mikey123' ;
```

```
CREATE USER john WITH PASSWORD 'john123' ;
```

```
GRANT cashier_role TO mikey ;
```

```
GRANT cashier_role TO john ;
```

```
GRANT SELECT ON film, staff TO cashier_role ;
```

```
GRANT SELECT , INSERT ON payment TO cashier_role ;
```

--lab 2

```
ALTER TABLE payment ENABLE ROW LEVEL SECURITY;
```

```
CREATE POLICY isolate_cashier_payments ON payment  
FOR SELECT
```

```
TO cashier_role
```

```
USING (
```

```
    staff_id = (SELECT staff_id FROM staff WHERE username = current_user)
```

```
);
```

```
SET ROLE mike;
```


```
SELECT COUNT(*) FROM payment;
```

```
RESET ROLE;
```

```
SET ROLE jon;
```

```
SELECT COUNT(*) FROM payment;
```

result from lab 1:



result from lab 2

Query

Query History

18

TO cashier_role

19

USING (

20

staff_id = (SELECT staff_id FROM staff WHERE username = current_user)

21

);

22

23

SET ROLE mike;

24

SELECT COUNT(*) FROM payment;

25

|

26

RESET ROLE;

27

28

SET ROLE jon;

29

SELECT COUNT(*) FROM payment;

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

Showing rows: 1 to 1

🔍

🖨️

Page No: 1

	count	bigint
1	0	

Query

Query History

18

TO cashier_role

19

USING (

20

staff_id = (SELECT staff_id FROM staff WHERE username = current_user)

21

);

22

23

SET ROLE mike;

24

SELECT COUNT(*) FROM payment;

25

26

RESET ROLE;

27

28

SET ROLE jon;

29

SELECT COUNT(*) FROM payment;

Data Output

Messages

Notifications

≡+

📄

▼

📋

▼

🗑️

🗄️

⬇️

📈

SQL

Showing rows: 1 to 1

🔍

🖨️

Page No: 1

	count	bigint
1	0	