Индивидуальный проект 6

Операционные Системы

Пинега Б.А.

Российский университет дружбы народов, Москва, Россия

Информация


Докладчик

- Пинега Белла Александровна
- Студентка НБИбд-02-22
- Российский университет дружбы народов




Размещение двуязычного сайта на Github.


Размещу элементы сайта на 2-х языках



Размещу контент на обоих языках



Сделаю пост по прошедшей неделе:



Пост на тему по выбору (на двух языках):

Lilie Whi do Broakembers shouse kings? / Dovery porposesce substitute builds reaccions to been k still fail you whit success request (Codes a paccious you recovery porposescer substitute "Ammenta fail kingstone" of box A lilie Loll you whit reaccions summers which contains "of box A lilie Loll you whit reaccions which has been a substitute to box a substitute to box a "And this was with a scalety oper-passes to subspice "And this was with a scalety."

* Rate published date: '2023-84-87780:80:802'

* Pate updated

<u>lastmodi_"2023</u>-84-<u>87T80</u>:80:80Z'

* Is this an unpublished draft? draft: false Windows can also be found absolutely free. Despite this, most programmers prefer Linux.

For what qualities choose Linux?

There are several determining factors for which programmers and developers choose Linux as the basis for development and programming. The specific architecture of Linux creates a working environment for programming, while setting it up is much easier here.

In recent years, Docker and WSI. have appeared, which make it much easier to set up an enrirorment for programming, as well as checking the health of programs in Windows. Regardless, it's still easier to do on Linux. Let's say you want to start programming in C/C++. You can install all the necessary tools by running one simple command. By doing this, you will not need to configure anything. On Windows, you have to put in a lot more effort to solve this problem, and then do the work to create the conditions under which the system sees your working to.

It will be much easier for a programmer to install and set up a PHP interpreter on Linux using a packaged distribution. The location of the configuration files in the file system is standardized and you can easily find, and then configure everything like that, oh. On Windows, you will have to download and configure everything manually or use a ready-made combine like XAMPP, which is olds not bad but not so convenient.

Выводы

Я разместила два языка у сайта на Github.