DEVELOPER

- Quick Setup
- API Credentials
- Webhook Integration
- Webhook Events
- API Reference
- API Documentation

API Documentation

Carrybee Developers' API v2.0 — the complete guide to integrating shipments, tracking and webhooks.

- Introduction
- Getting started
- Authentication
- Environments
- Request headers
- Responses & errors
- Conventions
- Location
- Stores
- Orders
- Reverse Pickup
- Exchange
- Webhooks
- Webhook events

Introduction

The Carrybee Delivery API lets merchants create and track shipments, manage stores, handle reverse pickups and exchanges, and receive near real-time status updates via webhooks. All requests are JSON over HTTPS.

This page is a complete reference. For runnable, language-specific code samples use the API Reference, and to get started fast follow the Quick Setup.

Getting started

1. Grab your API credentials (Production + Sandbox).
2. Send the authentication headers with every request.
3. Create a pickup store, then place an order against it.
4. Track the order, or register a webhook to receive updates automatically.
5. Test in Sandbox, then switch to Production credentials to go live.

Authentication

Every endpoint is authenticated with three values issued per business and per environment: `Client-ID`, `Client-Secret` and `Client-Context`. Find them on the API Credentials page. Keep the secret server-side.

Environments

Two isolated environments, each with its own credentials and base URL:

Environment	Base URL
Production	`https://developers.carrybee.com`
Sandbox	`https://sandbox.carrybee.com`

Request headers

Attach these to every request (the `Content-Type` is required for POST/PUT):

```
Client-ID: <your-client-id>
Client-Secret: <your-client-secret>
Client-Context: <your-client-context>
Content-Type: application/json
```

Copy

Responses & errors

Successful responses return JSON for the resource. Errors share a consistent shape:

Standard error

```
{
  "error": true,
  "message": "descriptive error message"
}
```

Copy

Validation error (422)

```
{
  "error": true,
  "message": "Validation error",
  "causes": {
    "field_name": [
      {
        "type": "validation_type",
        "attribute": {}
      }
    ]
  }
}
```

Copy

200	Success
201	Created
202	Accepted (queued / async)
404	Not found
422	Validation error (see causes)
4xx / 5xx	Client / server error

Conventions

Common field values and units used across the API:

delivery_type	1 = Normal, 2 = Express
product_type	1 = Parcel, 2 = Book, 3 = Document
item_weight	grams, 1 – 25,000
item_quantity	1 – 200
collectable_amount	Taka, 0 – 100,000
timestamps	ISO 8601 with timezone

Location

Look up cities, zones and areas for delivery operations.

GET `/api/v2/cities`

Retrieves available cities for delivery operations.

RESPONSE

Copy

```
{
  "error": false,
  "message": "City list fetched successfully",
  "data": {
    "cities": [
      {
        "id": 1,
        "name": "Bagerhat"
      },
      {
        "id": 14,
        "name": "Dhaka"
      }
    ]
  }
}
```

GET `/api/v2/cities/{city_id}/zones`

Fetches zones within a specified city.

PARAMETERS

city_id	integer	required

RESPONSE

Copy

```
{
  "error": false,
  "message": "Zone list fetched successfully",
  "data": {
    "zones": [
      {
        "id": 10,
        "name": "Gulshan",
        "city_id": 1
```

```
    ]
  }
}
```

GET `/api/v2/cities/{city_id}/zones/{zone_id}/areas`

Retrieves areas within a zone.

PARAMETERS

city_id	integer	required
zone_id	integer	required

RESPONSE

Copy

```
{
  "error": false,
  "message": "Area list fetched successfully",
  "data": {
    "areas": [
      {
        "id": 100,
        "name": "Gulshan 1",
        "zone_id": 10
      }
    ]
  }
}
```

GET `/api/v2/area-suggestion`

Searches for areas, zones, or cities by partial text match.

PARAMETERS

search	string	required · minimum 3 characters

RESPONSE

Copy

```
{
  "error": false,
  "message": "Suggested area",
  "data": {
    "items": [
      {
        "city_id": 14,
        "city_name": "Dhaka",
        "zone_id": 151,
        "zone_name": "Uttara sector 6",
        "area_id": 5100,
        "area_name": "Alal Avenue"
      }
    ]
  }
}
```

POST `/api/v2/address-details`

Resolves an address string to city and zone identifiers.

PARAMETERS

query	string	required · minimum 10 characters

RESPONSE

Copy

```
{
  "error": false,
  "message": "Address details",
  "data": {
    "city_id": 14,
```

```
    "zone_id": 286
  }
}
```

Stores

Create and list merchant pickup stores.

POST /api/v2/stores

Creates a new merchant store.

PARAMETERS

name	string	required · 3–30 chars
contact_person_name	string	required · 3–30 chars
contact_person_number	string	required · valid phone
contact_person_secondary_number	string	optional · phone
address	string	required · 3–100 chars
city_id	integer	required
zone_id	integer	required
area_id	integer	required
lat	number	optional
lng	number	optional

RESPONSE 201 CREATED

Copy

```
{
  "error": false,
  "message": "Store created successfully",
  "data": null
}
```

GET /api/v2/stores

Lists all stores for the authenticated merchant.

RESPONSE

Copy

```
{
  "error": false,
  "message": "Store list",
  "data": {
    "stores": [
      {
        "id": "string",
        "name": "string",
        "contact_person_name": "string",
        "contact_person_number": "string",
        "address": "string",
        "city_id": 0,
        "zone_id": 0,
        "area_id": 0,
        "is_active": true,
        "is_approved": true,
        "is_default_pickup_store": true,
        "is_default_return_store": false,
        "pending_count": 0
      }
    ]
  }
}
```

Orders

Create single or bulk shipment orders, track and cancel them.

POST `/api/v2/orders`

Creates a single shipment order. Delivery types: 1=Normal, 2=Express. Product types: 1=Parcel, 2=Book, 3=Document.

PARAMETERS

`store_id`	string	required
`merchant_order_id`	string	optional · < 50 chars
`delivery_type`	integer	required · 1=Normal, 2=Express
`product_type`	integer	required · 1=Parcel, 2=Book, 3=Document
`recipient_phone`	string	required · valid phone
`recipient_secendary_phone`	string	optional · phone
`recipient_name`	string	required · 2–99 chars
`recipient_address`	string	required · 10–200 chars
`city_id`	integer	optional
`zone_id`	integer	optional
`area_id`	integer	optional
`special_instruction`	string	optional · < 255 chars
`product_description`	string	optional · < 255 chars
`item_weight`	integer	required · grams, 1–25000
`item_quantity`	integer	optional · 1–200
`collectable_amount`	integer	optional · Taka, 0–100000
`is_closed_box`	boolean	optional · default false
`is_exchange`	boolean	optional · default false

RESPONSE 201 CREATED

Copy

```
{
  "error": false,
  "message": "Order created successfully",
  "data": {
    "order": {
      "consignment_id": "string",
      "store_id": "string",
      "merchant_order_id": "string",
      "collectable_amount": "string",
      "cod_fee": 15,
      "delivery_fee": "string"
    }
  }
}
```

POST `/api/v2/orders-bulk`

Creates multiple orders in a batch. Webhooks are sent for each result. Validation errors are keyed by position (e.g. "0.city_id").

REQUEST BODY (ARRAY)

Copy

```
[
  {
    "store_id": "string",
    "merchant_order_id": "order-1",
    "delivery_type": 1,
    "product_type": 1,
    "recipient_phone": "01800000000",
    "recipient_name": "Karim",
    "recipient_address": "House 5, Road 3, Banani",
    "city_id": 1,
```

```
    "zone_id": 10,
    "item_weight": 500,
    "collectable_amount": 1500
  }
]
```

RESPONSE 202 ACCEPTED

Copy

```
{
  "error": false,
  "message": "Accepted for processing",
  "data": null
}
```

GET /api/v2/orders/{consignment_id}/details

Retrieves detailed order status and information. Accepts the Carrybee consignment ID or the merchant tracking ID.

PARAMETERS

consignment_id	string	required · minimum 3 chars

RESPONSE

Copy

```
{
  "error": false,
  "message": "Order details",
  "data": {
    "transfer_status": "string",
    "store_id": "string",
    "consignment_id": "string",
    "merchant_order_id": "string",
    "recipient_name": "string",
    "recipient_phone": "string",
    "recipient_secondary_phone": "string",
    "recipient_address": "string",
    "collectable_amount": "string",
    "collected_amount": "string",
    "cod_fee": 15,
    "delivery_fee": "string",
    "attempt": 1,
    "reason": "string",
    "invoice_id": "string",
    "payment_status": "string",
    "updated_at": "2025-07-30T10:11:12+00:00"
  }
}
```

POST /api/v2/orders/{consignment_id}/cancel

Cancels an existing order.

PARAMETERS

consignment_id	string	required
cancellation_reason	string	required · < 200 chars

RESPONSE 202 ACCEPTED

Copy

```
{
  "error": false,
  "message": "Cancellation confirmed",
  "data": null
}
```

Reverse Pickup

Create return shipments — standalone or from an existing delivered order.

POST `/api/v2/orders/reverse-pickup`

Creates a reverse pickup request (return shipment).

PARAMETERS

`store_id`	string	required
`merchant_order_id`	string	optional
`product_type`	integer	required · 1=Parcel, 2=Book, 3=Document
`customer_phone`	string	required · valid phone
`customer_secondary_phone`	string	optional · phone
`customer_name`	string	required · 2–99 chars
`customer_address`	string	required · 10–200 chars
`city_id`	integer	required
`zone_id`	integer	required
`area_id`	integer	optional
`item_weight`	integer	required · grams, 1–25000
`item_quantity`	integer	optional · 1–200
`product_value`	integer	optional · 1–100000
`product_description`	string	optional · < 255 chars
`special_instruction`	string	optional · < 255 chars

RESPONSE 201 CREATED

Copy

```
{
  "error": false,
  "message": "Reverse pickup created",
  "data": {
    "consignment_id": "string",
    "store_id": "string",
    "merchant_order_id": "string",
    "delivery_fee": "string"
  }
}
```

POST `/api/v2/orders/{consignment_id}/reverse-pickup`

Creates a reverse pickup from an existing order. The referenced order must be "delivered" or "partially delivered". Omitted fields fall back to the reference order values.

PARAMETERS

`consignment_id`	string	required
`store_id`	string	optional · optional — defaults to reference order
`merchant_order_id`	string	optional · < 50 chars
`customer_phone`	string	optional · optional — defaults to reference order
`customer_secondary_phone`	string	optional · phone
`customer_name`	string	optional · 2–99 chars
`customer_address`	string	optional · 10–200 chars
`city_id`	integer	optional · optional — defaults to reference order
`zone_id`	integer	optional · optional — defaults to reference order
`area_id`	integer	optional
`item_weight`	integer	optional · grams, 1–25000
`item_quantity`	integer	optional · 1–200
`product_value`	integer	optional · 1–100000
`product_description`	string	optional · < 255 chars
`special_instruction`	string	optional · < 255 chars

RESPONSE 201 CREATED

```
{
  "error": false,
  "message": "Reverse pickup created",
  "data": {
    "consignment_id": "string",
    "store_id": "string",
    "merchant_order_id": "string",
    "delivery_fee": "string"
  }
}
```

Copy

Exchange

Create an exchange order from a delivered shipment.

POST /api/v2/orders/{consignment_id}/exchange

Creates an exchange order from a delivered shipment. The new consignment ID is prefixed with "EX".

PARAMETERS

consignment_id	string	required
merchant_order_id	string	optional · < 50 chars
collectable_amount	integer	optional · Taka, 0–100000
item_quantity	integer	optional · default 1
item_weight	integer	optional · grams, 1–25000
product_description	string	optional · < 255 chars
special_instruction	string	optional · < 255 chars

RESPONSE 201 CREATED

```
{
  "error": false,
  "message": "Exchange order created",
  "data": {
    "order": {
      "consignment_id": "EX1212124433",
      "store_id": "string",
      "merchant_order_id": "string",
      "collectable_amount": "string",
      "cod_fee": 15,
      "delivery_fee": "string"
    }
  }
}
```

Copy

Webhooks

Register a webhook URL to receive a `POST` for every status change instead of polling. Carrybee includes a secret in the `X-CB-Webhook-Integration-Header` header so you can verify requests. Configure it on the Webhook Integration page.

Your endpoint must:

- Be reachable and resolve within 3 redirections.
- Use a valid SSL certificate (for HTTPS) and respond within the timeout.
- Return status code `202` for the integration event.
- Echo back the `X-CB-Webhook-Integration-Header` with the exact secret value.

Webhook events

Events you can subscribe to, with the payload your endpoint receives:

Order Created `order.created`

Copy

```
{
    "event": "order.created",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00",
    "collectable_amount": 1500,
    "cod_fee": 15,
    "delivery_fee": 83.46
}
```

Order Create Failed `order.create-failed`

Copy

```
{
    "event": "order.create-failed",
    "store_id": "a1b2c3d4",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00",
    "position": 1,
    "reason": "This field contains failing reason(s)",
    "causes": {
        "recipient_phone": [
            {
                "type": "required"
            }
        ],
        "recipient_secondary_phone": [
            {
                "type": "phone"
            }
        ]
    }
}
```

Order Updated `order.updated`

Copy

```
{
    "event": "order.updated",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00",
    "collectable_amount": 1500,
    "cod_fee": 15,
    "delivery_fee": 83.46
}
```

Pickup Requested `order.pickup-requested`

Copy

```
{
    "event": "order.pickup-requested",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

Assigned For Pickup `order.assigned-for-pickup`

Copy

```
{
    "event": "order.assigned-for-pickup",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
```

```
  "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

Picked `order.picked`

Copy

```
{
    "event": "order.picked",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

Pickup Failed `order.pickup-failed`

Copy

```
{
    "event": "order.pickup-failed",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

Pickup Cancelled `order.pickup-cancelled`

Copy

```
{
    "event": "order.pickup-cancelled",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

At The Sorting Hub `order.at-the-sorting-hub`

Copy

```
{
    "event": "order.at-the-sorting-hub",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

On The Way To Central Warehouse `order.on-the-way-to-central-warehouse`

Copy

```
{
    "event": "order.on-the-way-to-central-warehouse",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

At Central Warehouse `order.at-central-warehouse`

Copy

```
{
    "event": "order.at-central-warehouse",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

In Transit `order.in-transit`

```
{
    "event": "order.in-transit",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

Received At Last Mile Hub `order.received-at-last-mile-hub`

```
{
    "event": "order.received-at-last-mile-hub",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

Assigned For Delivery `order.assigned-for-delivery`

```
{
    "event": "order.assigned-for-delivery",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00",
    "attempt": 1,
    "agent_name": "Rahim Uddin",
    "agent_phone": "01700000000"
}
```

Delivery On Hold `order.delivery-on-hold`

```
{
    "event": "order.delivery-on-hold",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00",
    "attempt": 1,
    "reason": "This field may or may not contain data",
    "remarks": "This field may or may not contain data"
}
```

Delivered `order.delivered`

```
{
    "event": "order.delivered",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00",
    "collected_amount": 60,
    "attempt": 1,
    "remarks": "This field may or may not contain data"
}
```

Partial Delivery `order.partial-delivery`

```
{
```

```
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00",
    "collected_amount": 60,
    "attempt": 1,
    "reason": "This field may or may not contain data",
    "remarks": "This field may or may not contain data"
}
```


Delivery Failed `order.delivery-failed`

Copy


```
{
    "event": "order.delivery-failed",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00",
    "attempt": 1,
    "reason": "This field may or may not contain data",
    "remarks": "This field may or may not contain data"
}
```


Returned `order.returned`

Copy


```
{
    "event": "order.returned",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00",
    "reason": "This field may or may not contain data",
    "remarks": "This field may or may not contain data"
}
```


Paid Return `order.paid-return`

Copy


```
{
    "event": "order.paid-return",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00",
    "collected_amount": 60,
    "attempt": 1,
    "reason": "This field may or may not contain data",
    "remarks": "This field may or may not contain data"
}
```


Exchange `order.exchange`

Copy


```
{
    "event": "order.exchange",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00",
    "collected_amount": 60,
    "reason": "This field may or may not contain data",
    "remarks": "This field may or may not contain data"
}
```


Paid `order.paid`

Copy

```
    "event": "order.paid",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "invoice_id": "IX212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

Returned At Sorting `order.returned-at-sorting`

Copy

```
{
    "event": "order.returned-at-sorting",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

Returned In Transit `order.returned-in-transit`

Copy

```
{
    "event": "order.returned-in-transit",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```

Returned To Merchant `order.returned-to-merchant`

Copy

```
{
    "event": "order.returned-to-merchant",
    "store_id": "a1b2c3d4",
    "consignment_id": "FX1212124433",
    "merchant_order_id": "order-1234",
    "timestamptz": "2025-07-30T10:11:12+00:00"
}
```