


COMP 4446 / 5046

Lecture 2: Foundation of NLP Systems


Jonathan K. Kummerfeld

Semester 1, 2025




THE UNIVERSITY OF SYDNEY

Machine Learning



[The pile gets soaked with data and starts to get mushy over time, so it's technically recurrent.]

Source: <https://xkcd.com/1838/>



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

Assignment 1

Due: Tuesday of week 3 (11:59pm)

Collaboration rules:

- Individual
- You may discuss the questions with others in the class, but you should write the code yourself
- Do not share the assignment questions online or with people outside the course
- Automatic plagiarism detection will be run on all submissions
- If you use AI assistance, document what you ask and get back and include it in a text file that you submit with your answers.



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

Marks

Now visible on Canvas on the “Marks Portal” page.

If something seems incorrect, submit this form (link also on the Assessments information page in Canvas):





Core Components

The Baseline

Word Vectors


Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Core Components of NLP Systems



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

NLP systems have five key components

Data

Examples of the language phenomena we want our system to handle

Model

A function that maps (input, output) pairs to scores

Inference Method


A way to make a prediction for an example given a Model

Metric

A function that gives a score to the output produced by a Model given some Data

Learning Method

A way to update a Model given Data a Metric and an Inference Method



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

We'll use sentiment analysis as a running example

This movie was great! Would watch again

+


The movie was gross and overwrought, but I liked it

+

This movie was not really very enjoyable

-

Example from Bo Pang, Lillian Lee, Shivakumar Vaithyanathan (2002),
via Greg Durrett's Lecture Slides for CS378 at UT Austin



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Here are these core components for **rule based** methods

Data

Not strictly necessary,
but rules are hard to
write without examples

Model

A set of rules

*If the review contains
“good” return positive*

Inference
Method

Code to run the rules


```
for rule in rules:  
    if rule(input):  
        return true
```

Metric

0 if the prediction matches
the true answer, 1 otherwise

Learning
Method

People edit the rules, or
use a rule finding algorithm



Core Components

The Baseline
Word Vectors
Evaluation
Workshop Preview



menti.com 7927 6661

Here are these core components for **linear models**

Data

A set of examples with their true labels

Model

A set of features and weights

Inference Method

A range of methods

Metric

A range of methods

Learning Method

A range of methods

2


This movie was great! Would watch again +
The movie was gross and overwrought, but I liked it +
This movie was not really very enjoyable -

"liked": +1.2,
"gross": -1.4,
"gross AND liked": +0.3, ...

prediction = sign[sum of features in the review]

1 if correct else 0

if prediction is wrong:
for each feature used:
feature += sign of answer



Core Components

The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

3
Here are these core components for **neural networks**

Data

A set of examples with their true labels

This movie was great! Would watch again

+

The movie was gross and overwrought, but I liked it

+

This movie was not really very enjoyable

-

Model

A set of weights and structure of the neural network

more next week


Inference Method


Metric

A range of methods

Learning Method

A range of methods





Core Components

The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

What can data look like?

Data

Model

Inference
Method

Metric

Learning
Method

(input, output)

Input - Various sized pieces of text

Output

A set of labels

Structured


Free text

Example

(sentence, sentiment)

(transcript, reply-to links)

(document, summary)



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

How much data do we need?

Data

Model

Inference
Method

Metric


Learning
Method

Sentiment:
12,000 sentences

Sentence Structure:
40,000 sentences

Translation:
60 million words from each of 21 languages

Language modelling:
1 million - 30 trillion+ words



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

What does a model look like in code?

Data

Model

Inference
Method


Metric

Learning
Method

Receive input

```
def model(text, label):  
    ...  
    do stuff  
    ...  
    ...  
    return score
```

Return output



Core Components

The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

What does a model look like in maths?

Data

Model

Inference
Method

Metric


Learning
Method


$$\text{score}_1 = \mathbf{a}_1 x + \mathbf{k}_1$$

$$\text{score}_2 = \mathbf{a}_2 x + \mathbf{k}_2$$

Scores with
label 1


Scores with
label 2





Core Components

The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

What does a model look like in maths?

Data

Model


Inference
Method

Metric

Learning
Method

$$\text{score}_1 = \mathbf{a}_1 x_1 + \mathbf{b}_1 x_2 + \mathbf{k}_1$$

$$\text{score}_2 = \mathbf{a}_2 x_1 + \mathbf{b}_2 x_2 + \mathbf{k}_2$$





Core Components

The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

What does a model look like in maths?

Data

Model

Inference
Method

Metric


Learning
Method


$$\text{score}_1 = \mathbf{a}_1 x_1 + \mathbf{b}_1 x_2 + k_1$$

$$\text{score}_2 = \mathbf{a}_2 x_1 + \mathbf{b}_2 x_2 + k_2$$

Scores with
label 2

Scores with
label 1





Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

What does inference look like?

Data

Model

Inference
Method

Metric

Learning
Method


Simple approach:

for each possible output:
calculate score
If score is better than best so far
update best

What if there are lots of possible outputs?

Translation:
all possible sentences

Answer span retrieval:
 n^2



Core Components

The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

What are some algorithms for inference?

Data

Model

Inference
Method

Metric



Learning
Method


Greedy Search ①

A* Search ②

Dynamic Programming ③

Best(word₁)
Best(word₂ given word₁)
...





Core Components

The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

What are some algorithms for inference?

Data

Model

Inference
Method

Metric

Learning
Method



Greedy Search


A* Search

Dynamic Programming

Best(word₁)
Best(word₂ given word₁)

...





Core Components

The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

What are some metrics?

Data

Model

Inference
Method

Metric

Learning
Method

y True label

x Input

$f(x)$ Function output

$p(y_i)$ Probability of specific output

0-1 Loss

penalize

Hinge Loss

wrong
predict

Cross-Entropy Loss

$\begin{cases} 0 & \text{if correct} \\ 1 & \text{otherwise} \end{cases}$


$\max(0, 1 - y * f(x))$

$-\log(p(y))$

$= - \sum_{i \in \text{classes}} y_i \log(p(y_i))$

Squared Error

$(y - f(x))^2$



Core Components


The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

What is the intuition for learning?

- Data
- Model
- Inference Method
- Metric
- Learning Method





Core Components

The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

What is the intuition for learning?

Data

Model

Inference
Method

Metric

Learning
Method


$$\text{score}_1 = \mathbf{a}_1 x_1 + \mathbf{b}_1 x_2 + \dots$$

How many examples at once?

1, a few, all

How much should **a**, **b**, etc change?

+/-1, vary based on error, vary based on previous updates



Core Components

The Baseline

Word Vectors


Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

The Baseline: Supervised, Greedy, and Linear



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

NLP systems have five key components

Data

Examples of the language phenomena we want our system to handle

Model

A function that maps (input, output) pairs to scores

Inference Method


A way to make a prediction for an example given a Model

Metric

A function that gives a score to the output produced by a Model given some Data

Learning Method

A way to update a Model given Data a Metric and an Inference Method



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Examples of classification problems

Data

Spam email detection

Spam / Normal

Authorship attribution

Hamilton / Madison / Jay / Other

Legal responsiveness


Responsive / Not

Sentiment

Positive / Negative

Demographic prediction
e.g., Gender, Age, Location, ...

Ethical
concerns?



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Input is a document and output is a label

Data


Input



Output

- Option 1
- Option 2
- Option 3
- Option 4

Various terms: option,
label, class, category, ...



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Tokenisation

Data 資料問題

Simplest - split on whitespace

That's pretty good in English!

However...


並非所有語言都有空格

(Not all languages have spaces)

Der Abfallwirtschaftsinspektor der Universität

(The university waste management inspector)

Data



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

Supervised learning means we use labeled data

Data





Core Components

The Baseline

Word Vectors

Evaluation


Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

Supervised learning means we use labeled data

Data





Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

NLP systems have five key components

Data

Examples of the language phenomena we want our system to handle



Model

A function that maps (input, output) pairs to scores

Inference Method


A way to make a prediction for an example given a Model

Metric

A function that gives a score to the output produced by a Model given some Data

Learning Method

A way to update a Model given Data a Metric and an Inference Method




Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

Bag of Words (BoW) representation

Model



	biscuit	10	0
	brownie	5	0
	cake	50	0
	chocolate	143	1
	flan	2	0
	mousse	3	0
	muffin	14	0
	tart	27	0
	the	1,152	2,483



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Let's estimate storage costs for different methods

Model

1-Hot Vector

100,000 words in vocabulary

64 bit integer counts

1,000 documents


763 mb!

Assume each document is one sentence, ~25 words.
At most 25 counts are non-zero!

[0, 0, 0, 1, 0, 0, 0 ... 1 ... 2 ...]

Dictionary

Python: ~2 mb



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



BoW does not account for word senses


I have money at the **bank**. *n.*

I climbed out of the river on to the **bank**.

I will **bank** that check later today.

v.

[menti.com 7927 6661](https://menti.com/79276661)



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

Unknown words are ignored in the bag

Model

Test data includes:

That will be \$1989.22 please



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Unknown words are ignored in the bag


Model

Test data includes:

That will be \$1989.22 please



Unknown word / token isn't counted



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

What do we do with common words like ‘the’?

Model


“Stopwords”

Information Retrieval

- remove/ignore them (in early work)

NLP

- makes very little difference generally
- very important sometimes (e.g. authorship attribution)



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


Creative ‘words’ - features

We can put anything in the bag!

Bigrams:

“This chocolate is absolutely delicious”

This_chocolate
chocolate_is
is_absolutely
absolutely_delicious



Creative ‘words’ - features

Model

We can put anything in the bag!

What to do about negation?

didn't like this movie , but I


Modify words (here, adding “NOT_” up until the
next punctuation symbol):

didn't NOT_like NOT_this NOT_movie , but I

I didn't not like this movie

Example from Bo Pang, Lillian Lee, Shivakumar Vaithyanathan (2002),
via Dan Jurafsky's Lecture Slides at Stanford

不 可以 通过
加上 Not 不等于
反意.



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Creative ‘words’ - features


Model

We can put anything in the bag!

Lexicons

e.g., list of city names, list of employee names

```
if word is in city_name_list:  
    put "city_name_present" in the bag
```



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


We combine our counts with weights to get a score

Model

Counts: [2, 0, 0, ...]

Weights: [0.2, 1.833, 0.005, ...]





Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

We often include a bias weight, to favour one label


Model

Counts: [2, 0, 0, ...]

Weights: [0.2, 1.833, 0.005, ...]

$$\text{score} = \sum_{f \in \text{features}} \text{count}_f * \text{weight}_f$$





Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

We often include a bias weight, to favour one label


Model

Counts: [2, 0, 0, ..., 1]



Weights: [0.2, 1.833, 0.005, ...]

$$\text{score} = \sum_{f \in \text{features}} \text{count}_f * \text{weight}_f$$



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


We often include a bias weight, to favour one label

Counts: [2, 0, 0, ..., 1]

Weights: [0.2, 1.833, 0.005, ..., 0.03]

$$\text{score} = \sum_{f \in \text{features}} \text{count}_f \cdot \text{weight}_f$$

We'll discuss where these come from when we get to the Learning Method



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

NLP systems have five key components


Data

Examples of the language phenomena we want our system to handle



Model

A function that maps (input, output) pairs to scores



Inference Method


A way to make a prediction for an example given a Model

Metric

A function that gives a score to the output produced by a Model given some Data

Learning Method

A way to update a Model given Data a Metric and an Inference Method



Core Components

The Baseline

Word Vectors

Evaluation


Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

For binary classification, we can check the sign

Inference
Method





Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


For more classes, use several sets of weights

Model

Counts: [2, 0, ...]



Weights: [0.2, 1.833, ...] score = $\sum_{f \in \text{features}} \text{count}_f * \text{weight}_f$



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

For more classes, use several sets of weights

Model


Counts: [2, 0, ...]

Model just give
Score

Weights_A: [0.2, 1.833, ...] score_A = $\sum_{f \in \text{features}} \text{count}_f * \text{weight}_{fA}$

Weights_B: [1.2, -0.4, ...] score_B = $\sum_{f \in \text{features}} \text{count}_f * \text{weight}_{fB}$

Weights_C: [0.01, 3.7, ...] score_C = $\sum_{f \in \text{features}} \text{count}_f * \text{weight}_{fC}$



Core Components

The Baseline

Word Vectors

Evaluation


Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

For multiple classes, we can compare them all

Inference
Method





Core Components

The Baseline

Word Vectors

Evaluation


Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

For a small number of classes, we can test them all

Inference
Method





Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

For a small number of classes, we can test them all

Inference
Method

```
best = (-infinity, None)
for label in labels:
    score = model(data, label)
    If score > best[0]:
        best = (score, label)

return best[1]
```



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

We can express these in vector form

Inference
Method

X
Model

$$\text{label}(\text{doc}) = \underset{l \in \text{labels}}{\operatorname{argmax}}$$



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



menti.com 7927 6661

We can express these in vector form

Inference Method

Model


$$\text{label(doc)} = \underset{l \in \text{labels}}{\operatorname{argmax}} \text{features(doc)} \cdot \text{weights}_l$$

$$\text{label(doc)} = \text{max-index} (\text{features(doc)} \cdot \text{weights})$$

$$= \text{max-index} \left(\begin{array}{cccccc} \text{Blue} & \text{Blue} & \text{Blue} & \text{White} & \text{White} & \text{White} \end{array} \cdot \begin{array}{cccccc} \text{Red} & \text{Blue} & \text{Blue} & \text{Red} & \text{Blue} & \text{Blue} \end{array} \right)$$

Blue = Positive (darker is bigger)

Red = Negative (darker is smaller)




$$= \text{max-index} \left(\begin{array}{ccc} \text{White} & \text{Light Blue} & \text{Dark Blue} \end{array} \right)$$

= 3



choose the biggest score one
inference



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

We can express these in vector form

Inference
Method


Model

$$\text{label}(\text{doc}) = \underset{l \in \text{labels}}{\operatorname{argmax}} \text{ features}(\text{doc}) \cdot \text{weights}_l$$

$$\text{label}(\text{doc}) = \operatorname{max-index} (\text{features}(\text{doc}) \cdot \text{weights})$$


$$= \operatorname{max-index} \left(\begin{smallmatrix} \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \\ \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \\ \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \\ \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \\ \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \end{smallmatrix} \cdot \begin{smallmatrix} \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \\ \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \\ \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \\ \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \\ \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \end{smallmatrix} \right)$$

Use a sparse vector!



$$= \operatorname{max-index} \left(\begin{smallmatrix} \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \\ \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \\ \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \\ \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \\ \text{---} & \text{---} & \text{---} & \text{---} & \text{---} \end{smallmatrix} \right)$$

$$= 3$$



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

NLP systems have five key components


Data

Examples of the language phenomena we want our system to handle




Model

A function that maps (input, output) pairs to scores



Inference Method

A way to make a prediction for an example given a Model




Metric

A function that gives a score to the output produced by a Model given some Data

Learning Method

A way to update a Model given Data a Metric and an Inference Method




Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview




The metric and learning method are closely related

Metric

0-1 Loss

$$\begin{cases} 0 & \text{if correct} \\ 1 & \text{otherwise} \end{cases}$$

[menti.com 7927 6661](https://menti.com/79276661)



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

NLP systems have five key components


Data

Examples of the language phenomena we want our system to handle




Model

A function that maps (input, output) pairs to scores



Inference Method

A way to make a prediction for an example given a Model




Metric

A function that gives a score to the output produced by a Model given some Data



Learning Method

A way to update a Model given Data a Metric and an Inference Method



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


How do we choose these weights?

Two general approaches:

(1) Carefully define a probabilistic model and estimate it,
e.g., for Multinomial Naive Bayes:

$$\text{weight}_{f,c} = \frac{\text{count}(f \text{ in docs with class } c)}{\text{count(all features in docs with class } c)}$$

(2) Start with random values, iteratively improve,
e.g., Perceptron



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview





[menti.com 7927 6661](https://menti.com/79276661)

How do we choose these weights?

Learning
Method

$y = \text{Loss}$, how bad our
errors are





Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

One simple approach is the Perceptron

Get the features using our Data representation


Get the best label according to our Model

If it's right, do nothing

If it's wrong, update our Model by:

Adding 1 to the weights for the true label


Subtracting 1 from the weights for the predicted label




Averaged Perceptron

Learning
Method

$y =$ How good these weights
are (lower is better)






Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




Many variations!

y = How good these weights
are (lower is better)



[menti.com 7927 6661](https://menti.com/79276661)



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

NLP systems have five key components


Data

Examples of the language phenomena we want our system to handle



Model

A function that maps (input, output) pairs to scores



Inference Method

A way to make a prediction for an example given a Model



Metric

A function that gives a score to the output produced by a Model given some Data





Learning Method

A way to update a Model given Data a Metric and an Inference Method



3 minute Break - stretch and visit Menti

menti.com
7927 6661



Sustainable

[Though 100 years is longer than a lot of our resources.]

Source: <https://xkcd.com/1007/>



Core Components

The Baseline

Word Vectors


Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Word Vectors





Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Last lecture we described the word2vec algorithm





Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)


We can use those word vectors in the baseline approach

$$\text{scores(doc)} = \text{features(doc)} \cdot \text{weights}$$

Blue = Positive
(darker is more positive)

Red = Negative
(darker is more negative)







Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

We can use those word vectors in the baseline approach







Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

We can use those word vectors in the baseline approach


Document
Representation




Blue = Positive
(darker is more positive)

Red = Negative
(darker is more negative)

Task specific mapping
from document
representation to scores





Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

We can use those word vectors in the baseline approach


Document
Representation



Blue = Positive
(darker is more positive)

Red = Negative
(darker is more negative)

Task specific mapping
from document
representation to scores




Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

We can use those word vectors in the baseline approach

Document
Representation



Task specific mapping
from document
representation to scores



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Let's consider the task of predicting how cool a word is

Cool

Bamboozle

Suave

Bungalow

Dirigible

Not cool

The

Building


Copacetic

Pogo


Task: Given a word, predict which list it should go in.

Does it contain a 'v', 'w', or 'z'?

Is it one of the 100 most frequent words?



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

Let's consider the task of predicting how cool a word is

Does it contain a
'v', 'w', or 'z'?

Is it one of the 100
most frequent words?

Black = True
White = False




= □

Blue = Positive
(darker is more positive)

This word representation is:
- Sparse, values are 0 or 1,
most are 0
- Human defined, we wrote
little rules for each one

Red = Negative
(darker is more negative)



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Let's consider the task of predicting how cool a word is

Word Representation

$$= \begin{array}{ccccccc} \textcolor{brown}{\square} & \square & \textcolor{darkblue}{\square} & \square & \textcolor{blue}{\square} & \square & \textcolor{brown}{\square} \end{array}$$



Use vectors
from Word2Vec


$$= \textcolor{brown}{\square}$$



negative

Blue = Positive
(darker is more positive)

Red = Negative
(darker is more negative)





Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

We can also now explain learning in word2vec







Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

We can also now explain learning in word2vec





COMP 4446 / 5046
Lecture 2, 2025

Core Components

The Baseline

Word Vectors


Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Evaluation



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


We group test cases together to calculate metrics



Spam





Not spam







We group test cases together to calculate metrics




- Spam and predicted Spam
- ▲ Not spam and predicted Not spam
- Spam, predicted Not spam
- △ Not spam, predicted Spam



We group test cases together to calculate metrics



- Spam and predicted Spam
- ▲ Not spam and predicted Not spam
- Spam, predicted Not spam
- △ Not spam, predicted Spam




Core Components

The Baseline

Word Vectors


Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

We group test cases together to calculate metrics



- Spam and predicted Spam
- ▲ Not spam and predicted Not spam
- Spam, predicted Not spam
- △ Not spam, predicted Spam



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)


We group test cases together to calculate metrics

	Answer: Spam	Answer: Not Spam
Guess: Spam		
Guess: Not Spam		

- Spam and predicted Spam
- Not spam and predicted Not spam
- Spam, predicted Not spam
- Not spam, predicted Spam



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

We group test cases together to calculate metrics

	Answer: Spam	Answer: Not Spam
Guess: Spam	4 True Positives	
Guess: Not Spam		

- Spam and predicted Spam
- Not spam and predicted Not spam
- Spam, predicted Not spam
- Not spam, predicted Spam



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

We group test cases together to calculate metrics

	Answer: Spam	Answer: Not Spam
Guess: Spam	4 True Positives	3 False Positives
Guess: Not Spam	 	

- Spam and predicted Spam
- Not spam and predicted Not spam
- Spam, predicted Not spam
- Not spam, predicted Spam




Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)


We group test cases together to calculate metrics

	Answer: Spam	Answer: Not Spam
Guess: Spam	4 True Positives	3 False Positives
Guess: Not Spam	6 False Negatives	

- Spam and predicted Spam
- ▲ Not spam and predicted Not spam
- Spam, predicted Not spam
- △ Not spam, predicted Spam



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)


We group test cases together to calculate metrics

	Answer: Spam	Answer: Not Spam
Guess: Spam	4 True Positives	3 False Positives
Guess: Not Spam	6 False Negatives	7 True Negatives

- Spam and predicted Spam
- ▲ Not spam and predicted Not spam
- Spam, predicted Not spam
- △ Not spam, predicted Spam




Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




Accuracy is what proportion of cases got the right label

	Answer: Positive	Answer: Negative
Guess: Positive	TP 	FP 
Guess: Negative	FN 	TN 

$$\text{Accuracy} = \frac{\text{Correctly labeled cases}}{\text{All test cases}}$$




Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Accuracy is what proportion of cases got the right label


	Answer: Positive	Answer: Negative
Guess: Positive	TP 	FP 
Guess: Negative	FN 	TN 

$$\begin{aligned} \text{Accuracy} &= \frac{\text{Correctly labeled cases}}{\text{All test cases}} \\ &= \frac{\text{TP} + \text{TN}}{\text{TP} + \text{TN} + \text{FP} + \text{FN}} \end{aligned}$$

Quiz?




Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



Accuracy is what proportion of cases got the right label

	Answer: Positive	Answer: Negative
Guess: Positive	TP ● ● ●	FP △ △ △
Guess: Negative	FN ○ ○ ○ ○ ○ ○	TN ▲ ▲ ▲ ▲ ▲ ▲ ▲ ▲

$$\begin{aligned} \text{Accuracy} &= \frac{\text{Correctly labeled cases}}{\text{All test cases}} \\ &= \frac{\text{TP} + \text{TN}}{\text{TP} + \text{TN} + \text{FP} + \text{FN}} \\ &= \frac{4 + 7}{4 + 3 + 6 + 7} \end{aligned}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

Accuracy is what proportion of cases got the right label

	Answer: Positive	Answer: Negative
Guess: Positive	TP 	FP 
Guess: Negative	FN 	TN 

$$\begin{aligned} \text{Accuracy} &= \frac{\text{Correctly labeled cases}}{\text{All test cases}} \\ &= \frac{\text{TP} + \text{TN}}{\text{TP} + \text{TN} + \text{FP} + \text{FN}} \\ &= \frac{4 + 7}{4 + 3 + 6 + 7} \\ &= \frac{11}{20} \\ &= 0.55 \end{aligned}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Precision is what proportion of cases guessed as positive were actually positive

	Answer: Positive	Answer: Negative
Guess: Positive	TP 	FP 
Guess: Negative	FN 	TN 

$$\text{Precision} = \frac{\text{Cases guessed as positive that are positive}}{\text{Cases guessed as positive}}$$




Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)


Precision is what proportion of cases guessed as positive were actually positive

	Answer: Positive	Answer: Negative
Guess: Positive	TP FN 	FP TN
Guess: Negative		

$$\text{Precision} = \frac{\text{Cases guessed as positive that are positive}}{\text{Cases guessed as positive}}$$
$$= \frac{\text{TP}}{\text{TP} + \text{FP}}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



Precision is what proportion of cases guessed as positive were actually positive

	Answer: Positive	Answer: Negative
Guess: Positive	TP 	FP 
Guess: Negative	FN 	TN 

$$\text{Precision} = \frac{\text{Cases guessed as positive that are positive}}{\text{Cases guessed as positive}}$$
$$= \frac{\text{TP}}{\text{TP} + \text{FP}}$$
$$= \frac{4}{4 + 3}$$




Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


Precision is what proportion of cases guessed as positive were actually positive

	Answer: Positive	Answer: Negative
Guess: Positive	TP 	FP 
Guess: Negative	FN 	TN 

$$\begin{aligned}\text{Precision} &= \frac{\text{Cases guessed as positive that are positive}}{\text{Cases guessed as positive}} \\ &= \frac{\text{TP}}{\text{TP} + \text{FP}} \\ &= \frac{4}{4 + 3} \\ &= \frac{4}{7} \\ &= 0.57\end{aligned}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


Recall is what proportion of cases
that should be positive were
guessed as positive

	Answer: Positive	Answer: Negative
Guess: Positive	TP 	FP 
Guess: Negative	FN 	TN 

$$\text{Recall} = \frac{\text{Cases guessed as positive that are positive}}{\text{Cases that are positive}}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)


Recall is what proportion of cases that should be positive were guessed as positive

	Answer: Positive	Answer: Negative
Guess: Positive	TP 	FP 
Guess: Negative	FN 	TN 

$$\text{Recall} = \frac{\text{Cases guessed as positive that are positive}}{\text{Cases that are positive}}$$
$$= \frac{\text{TP}}{\text{TP} + \text{FN}}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Recall is what proportion of cases that should be positive were guessed as positive


	Answer: Positive	Answer: Negative
Guess: Positive	TP 	FP 
Guess: Negative	FN 	TN 

$$\text{Recall} = \frac{\text{Cases guessed as positive that are positive}}{\text{Cases that are positive}}$$

$$\begin{aligned} &= \frac{\text{TP}}{\text{TP} + \text{FN}} \\ &= \frac{4}{4 + 6} \end{aligned}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Recall is what proportion of cases that should be positive were guessed as positive

	Answer: Positive	Answer: Negative
Guess: Positive	TP 	FP 
Guess: Negative	FN 	TN 

$$\text{Recall} = \frac{\text{Cases guessed as positive that are positive}}{\text{Cases that are positive}}$$

$$\begin{aligned} &= \frac{\text{TP}}{\text{TP} + \text{FN}} \\ &= \frac{4}{4 + 6} \\ &= \frac{4}{10} \\ &= 0.40 \end{aligned}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


F-Score is the harmonic mean of Precision and Recall

$$\text{F-Score} = \frac{2}{\frac{1}{P} + \frac{1}{R}}$$

mean

mean

	Answer: Positive	Answer: Negative
Guess: Positive	TP ● ● ●	FP △ △ △
Guess: Negative	FN ○ ○ ○ ○ ○ ○	TN ▲ ▲ ▲ ▲ ▲ ▲ ▲ ▲



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




F-Score is the harmonic mean of Precision and Recall


$$\begin{aligned}\text{F-Score} &= \frac{2}{\frac{1}{P} + \frac{1}{R}} \\ &= \frac{2PR}{P + R}\end{aligned}$$

	Answer: Positive	Answer: Negative
Guess: Positive	TP 	FP
Guess: Negative	FN 	TN

[menti.com 7927 6661](https://menti.com/79276661)



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)


F-Score is the harmonic mean of Precision and Recall

	Answer: Positive	Answer: Negative
Guess: Positive	TP 	FP 
Guess: Negative	FN 	TN 

$$\begin{aligned}\text{F-Score} &= \frac{2}{\frac{1}{P} + \frac{1}{R}} \\ &= \frac{2PR}{P + R} \\ &= \frac{2TP}{2TP + FP + FN}\end{aligned}$$




Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




F-Score is the harmonic mean of Precision and Recall

	Answer: Positive	Answer: Negative
Guess: Positive	TP FP 	
Guess: Negative	FN TN 	

$$\begin{aligned} \text{F-Score} &= \frac{2}{\frac{1}{P} + \frac{1}{R}} \\ &= \frac{2PR}{P + R} \\ &= \frac{2TP}{2TP + FP + FN} \\ &= \frac{2 * 0.4 * 0.57}{0.4 + 0.57} = 0.47 \\ &= \frac{2 * 4}{2 * 4 + 3 + 6} = \frac{8}{17} = 0.47 \end{aligned}$$




Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



Generalising to more than one class

		True Answer	
		Yes	No
Guess	Yes	TP 	FP
	No	FN 	TN

[menti.com 7927 6661](https://menti.com/79276661)



Core Components

The Baseline

Word Vectors

Evaluation


Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Generalising to more than one class

		True Answer	
		Yes	No
Guess	Yes	TP	FP
	No	FN	TN




Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




Generalising to more than one class

		True Answer				
		A	B	C	...	None
Guess	A	TP				FP
	B		TP			FP
	C			TP		FP
	...				TP	FP
	None	FN	FN	FN	FN	TN

[menti.com 7927 6661](https://menti.com/79276661)




Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




Generalising to more than one class

		True Answer			
		A	B	C	...
Guess	A	TP			
	B		TP		
	C			TP	
	...				TP

[menti.com 7927 6661](https://menti.com/79276661)



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




menti.com 7927 6661

Generalising to more than one class

		True Answer			
		A	B	C	...
Guess	A	TP			
	B		TP		
	C			TP	
	...				TP

$$\text{Accuracy} = \frac{\text{Correctly labeled cases}}{\text{All test cases}}$$
$$= \frac{\text{TP} + \text{TN}}{\text{All test cases}}$$




Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



Generalising to more than one class

		True Answer			
		A	B	C	...
Guess	A	TP			
	B		TP		
	C			TP	
	...				TP

[menti.com 7927 6661](https://menti.com/79276661)



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




menti.com 7927 6661

Let's define P and R for one class

		True Answer			
		A	B	C	...
Guess	A	TP			
	B		TP _B		
	C			TP	
	...				TP

$$\text{Precision} = \frac{\text{Cases gussed as positive that are positive}}{\text{Cases guessed as positive}}$$
$$= \frac{\text{TP}}{\text{TP} + \text{FP}}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




menti.com 7927 6661


Let's define P and R for one class

		True Answer			
		A	B	C	...
Guess	A	TP			
	B		TP _B		
	C			TP	
	...				TP

$$\text{Precision for B} = \frac{\text{Cases gussed as B that are B}}{\text{Cases guessed as B}}$$
$$= \frac{TP_B}{TP_B + FP_B}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




menti.com 7927 6661

Let's define P and R for one class

		True Answer			
		A	B	C	...
Guess	A	TP			
	B	FP _B	TP _B	FP _B	FP _B
	C			TP	
	...				TP

$$\text{Precision for B} = \frac{\text{Cases gussed as B that are B}}{\text{Cases guessed as B}}$$
$$= \frac{TP_B}{TP_B + FP_B}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




menti.com 7927 6661

Let's define P and R for one class

		True Answer			
		A	B	C	...
Guess	A	TP			
	B	FP _B	TP _B	FP _B	FP _B
	C			TP	
	...				TP

$$\text{Recall for B} = \frac{\text{Cases gussed as B that are B}}{\text{Cases that are B}}$$
$$= \frac{TP_B}{TP_B + FN_B}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




menti.com 7927 6661

Let's define P and R for one class

		True Answer			
		A	B	C	...
Guess	A	TP	FN _B		
	B	FP _B	TP _B	FP _B	FP _B
	C		FN _B	TP	
	...		FN _B		TP

Recall for B = $\frac{\text{Cases gussed as B that are B}}{\text{Cases that are B}}$

$$= \frac{TP_B}{TP_B + FN_B}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

Let's define P and R for one class


		True Answer			
		A	B	C	...
Guess	A	TP	FN _B		
	B	FP _B	TP _B	FP _B	FP _B
	C		FN _B	TP	
	...		FN _B		TP

$$\text{Recall for C} = \frac{\text{Cases guessed as C that are C}}{\text{Cases that are C}}$$

$$= \frac{TP_C}{TP_C + FN_C}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




menti.com 7927 6661

Let's define P and R for one class

		True Answer			
		A	B	C	...
Guess	A	TP	FN _B	FN _C	
	B	FP _B	TP _B	FN _C	FP _B
	C	FP _C	FP _C	TP	FP _C
	...		FN _B	FN _C	TP

Recall for C = $\frac{\text{Cases gussed as C that are C}}{\text{Cases that are C}}$

$$= \frac{TP_C}{TP_C + FN_C}$$



How do we combine these scores together?

$$\text{Precision for A} = \frac{\text{TP}_A}{\text{TP}_A + \text{FP}_A}$$

$$\text{Precision for B} = \frac{\text{TP}_B}{\text{TP}_B + \text{FP}_B}$$

$$\text{Precision for C} = \frac{\text{TP}_C}{\text{TP}_C + \text{FP}_C}$$

$$\text{Recall for A} = \frac{\text{TP}_A}{\text{TP}_A + \text{FN}_A}$$


$$\text{Recall for B} = \frac{\text{TP}_B}{\text{TP}_B + \text{FN}_B}$$

$$\text{Recall for C} = \frac{\text{TP}_C}{\text{TP}_C + \text{FN}_C}$$

...

$$\text{Precision}_{\text{micro}} = \frac{\text{TP}_A + \text{TP}_B + \text{TP}_C + \dots}{\text{TP}_A + \text{FP}_A + \text{TP}_B + \text{FP}_B + \text{TP}_C + \text{FP}_C + \dots}$$

$$\text{Recall}_{\text{micro}} = \frac{\text{TP}_A + \text{TP}_B + \text{TP}_C + \dots}{\text{TP}_A + \text{FN}_A + \text{TP}_B + \text{FN}_B + \text{TP}_C + \text{FN}_C + \dots}$$



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


How do we combine these scores together?

$$\text{Precision}_{\text{macro}} = \frac{\frac{\text{TP}_A}{\text{TP}_A + \text{FP}_A} + \frac{\text{TP}_B}{\text{TP}_B + \text{FP}_B} + \frac{\text{TP}_C}{\text{TP}_C + \text{FP}_C} + \dots}{\text{Number of classes}}$$


$$\text{Recall}_{\text{macro}} = \frac{\frac{\text{TP}_A}{\text{TP}_A + \text{FN}_A} + \frac{\text{TP}_B}{\text{TP}_B + \text{FN}_B} + \frac{\text{TP}_C}{\text{TP}_C + \text{FN}_C} + \dots}{\text{Number of classes}}$$

$$\text{Precision}_{\text{micro}} = \frac{\text{TP}_A + \text{TP}_B + \text{TP}_C + \dots}{\text{TP}_A + \text{FP}_A + \text{TP}_B + \text{FP}_B + \text{TP}_C + \text{FP}_C + \dots}$$

$$\text{Recall}_{\text{micro}} = \frac{\text{TP}_A + \text{TP}_B + \text{TP}_C + \dots}{\text{TP}_A + \text{FN}_A + \text{TP}_B + \text{FN}_B + \text{TP}_C + \text{FN}_C + \dots}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


How do we combine these scores together?

$$\text{Precision}_{\text{macro}} = \frac{\sum_{l \in \text{labels}} \frac{\text{TP}_l}{\text{TP}_l + \text{FP}_l}}{\text{Number of classes}} = \frac{\sum_{l \in \text{labels}} \text{Precision}_l}{\text{Number of classes}}$$

$$\text{Recall}_{\text{macro}} = \frac{\sum_{l \in \text{labels}} \frac{\text{TP}_l}{\text{TP}_l + \text{FN}_l}}{\text{Number of classes}} = \frac{\sum_{l \in \text{labels}} \text{Recall}_l}{\text{Number of classes}}$$

$$\text{Precision}_{\text{micro}} = \frac{\text{TP}_A + \text{TP}_B + \text{TP}_C + \dots}{\text{TP}_A + \text{FP}_A + \text{TP}_B + \text{FP}_B + \text{TP}_C + \text{FP}_C + \dots}$$

$$\text{Recall}_{\text{micro}} = \frac{\text{TP}_A + \text{TP}_B + \text{TP}_C + \dots}{\text{TP}_A + \text{FN}_A + \text{TP}_B + \text{FN}_B + \text{TP}_C + \text{FN}_C + \dots}$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

How do we combine these scores together?

$$\text{Precision}_{\text{macro}} = \frac{\sum_{l \in \text{labels}} \frac{\text{TP}_l}{\text{TP}_l + \text{FP}_l}}{\text{Number of classes}} = \frac{\sum_{l \in \text{labels}} \text{Precision}_l}{\text{Number of classes}}$$

$$\text{Recall}_{\text{macro}} = \frac{\sum_{l \in \text{labels}} \frac{\text{TP}_l}{\text{TP}_l + \text{FN}_l}}{\text{Number of classes}} = \frac{\sum_{l \in \text{labels}} \text{Recall}_l}{\text{Number of classes}}$$

$$\text{Precision}_{\text{micro}} = \frac{\sum_{l \in \text{labels}} \text{TP}_l}{\sum_{l \in \text{labels}} \text{TP}_l + \text{FP}_l}$$

$$\text{Recall}_{\text{micro}} = \frac{\sum_{l \in \text{labels}} \text{TP}_l}{\sum_{l \in \text{labels}} \text{TP}_l + \text{FN}_l}$$



How do we combine these scores together?

Less common

$$\text{Precision}_{\text{macro}} = \frac{\sum_{l \in \text{labels}} \frac{\text{TP}_l}{\text{TP}_l + \text{FP}_l}}{\text{Number of classes}} = \frac{\sum_{l \in \text{labels}} \text{Precision}_l}{\text{Number of classes}}$$

2者的平均？



$$\text{Recall}_{\text{macro}} = \frac{\sum_{l \in \text{labels}} \frac{\text{TP}_l}{\text{TP}_l + \text{FN}_l}}{\text{Number of classes}} = \frac{\sum_{l \in \text{labels}} \text{Recall}_l}{\text{Number of classes}}$$

More common

$$\text{Precision}_{\text{micro}} = \frac{\sum_{l \in \text{labels}} \text{TP}_l}{\sum_{l \in \text{labels}} \text{TP}_l + \text{FP}_l}$$

badly on
1 label

$$\text{Recall}_{\text{micro}} = \frac{\sum_{l \in \text{labels}} \text{TP}_l}{\sum_{l \in \text{labels}} \text{TP}_l + \text{FN}_l}$$



A multi-class example

		True Answer		
		Urgent Email	Normal Email	Spam
Guess	Urgent Email	8	10	1
	Normal Email	5	60	50
	Spam	3	30	200

$$R = \frac{8}{8 + 5 + 3} \quad R = \frac{60}{10 + 60 + 30} \quad R = \frac{200}{1 + 50 + 200}$$

$$P_{\text{micro}} = \frac{8 + 60 + 200}{(8 + 10 + 1) + (5 + 60 + 50) + (3 + 30 + 200)} = 0.73$$

$$R_{\text{micro}} = \frac{8 + 60 + 200}{(8 + 5 + 3) + (10 + 60 + 30) + (1 + 50 + 200)} = 0.73$$

P_{macro} ≠ R_{macro}

$$P = \frac{8}{8 + 10 + 1}$$

$$P = \frac{60}{5 + 60 + 50}$$



$$P = \frac{200}{3 + 30 + 200}$$



These are always equal when there is no 'None' class.

Lecture Slides at Stanford

for micro



Which metric do you care about most?

对每个 task 都不同

Spam Detection

False-Positives (miss a real message) are worse than

False-Negatives (have some more spam to delete)


Providing Document in Court

False-Negative (leaving out a document you are meant

to share) is worse than False-Positive (sharing documents that are irrelevant)

If you flip the task then what matters flips

e.g., 'spam detection' could be 'relevant detection', now recall matters more than precision



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

Sometimes we can adjust tradeoffs

ROC: Receiver operating characteristic curve


True Positive Rate

$$\left(\frac{TP}{TP + FN} \right)$$



False Positive Rate

$$\left(\frac{TP}{FP + FN} \right)$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

Sometimes we can adjust tradeoffs

ROC: Receiver operating characteristic curve


True Positive Rate

$$\left(\frac{TP}{TP + FN} \right)$$



False Positive Rate

$$\left(\frac{TP}{FP + FN} \right)$$



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


Sometimes we can adjust tradeoffs

ROC: Receiver operating characteristic curve

True Positive Rate


$$\left(\frac{TP}{TP + FN} \right)$$

被正确分类



$$\left(\frac{TP}{FP + FN} \right)$$

错误分类



Core Components

The Baseline

Word Vectors

Evaluation

Workshop Preview




[menti.com 7927 6661](https://menti.com/79276661)

Sometimes we can adjust tradeoffs

PRC: Precision Recall Curve


$$\text{Precision} \left(\frac{\text{TP}}{\text{TP} + \text{FP}} \right)$$





$$\text{Recall} \left(\frac{\text{TP}}{\text{TP} + \text{FN}} \right)$$

3 minute Break - stretch and visit Menti

menti.com
7927 6661



Significant



[“So, uh, we did the green study again and got no link. It was probably a— “RESEARCH CONFLICTED ON GREEN JELLY BEAN ACNE LINK; MORE STUDY RECOMMENDED!”]

Source: <https://xkcd.com/882/>



COMP 4446 / 5046
Lecture 2, 2025

Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Workshop Preview



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)


Pre-Workshop:

In Workshop:

Develop a classifier
to detect deception
in Diplomacy

The screenshot shows a Jupyter Notebook interface titled "Workshop 2 Pre-Work". The notebook is titled "workshop2.ipynb" and is set to Python. The content of the notebook discusses text classification with Scikit-Learn, mentioning the goal of exploring text classification, how to do it on a collection of text documents on different topics, and the activities involved: reading data, extracting feature vectors, training a linear model, and finding a good configuration for the classifier. It also notes that the activities are adapted from a scikit-learn tutorial. A message encourages users to download and run the notebook elsewhere if they have scikit-learn installed. The final cell shows the command to load the 20 newsgroups dataset.





Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



[menti.com 7927 6661](https://menti.com/79276661)

Muddy Card

Bad examples (still got credit in week 1, not so generous in future):

everything....

Real good lecture


maybe the room is so hot

Good examples:


How does dimensionality reduction work in practice?

not sure about time to compare between sparse vector and map

The mechanics of TFIDF is unclear



Core Components
The Baseline
Word Vectors
Evaluation
Workshop Preview



menti.com 7927 6661

Muddy Card

Open now, closes at 7:05pm

[https://saipll.shinyapps.io/
student-interface/](https://saipll.shinyapps.io/student-interface/)



If you do not wish to participate in the study, use
the Ed form instead

Go to Ed → Lessons → Muddy Cards Lecture 2