COMP 4446 / 5046 Lecture 11: Training – Reinforcement Learning

Jonathan K. Kummerfeld

Semester 1, 2025

THE UNIVERSITY OF SYDNEY

menti.com 6247 3259

Turing Test

[Hit Turing right in the test-ees.]

Source: https://xkcd.com/329/

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Assignment 4

Due tomorrow night!

Generation and Prompting made optional

Make sure to press ‘submit’



COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Instruction Tuning

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

The problem - LM objective isn't always what we want

PROMPT *Explain the moon landing to a 6 year old in a few sentences.*

COMPLETION GPT-3

```
Explain the theory of gravity to a 6 year old.

Explain the theory of relativity to a 6 year old in a few sentences.

Explain the big bang theory to a 6 year old.

Explain evolution to a 6 year old.
```

https://openai.com/index/instruction-following/

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

General fine-tuning?



COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

General fine-tuning?

Δ Guess vs. Answer

A textbook on …

This book is …

LLM

Book summary:

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

General idea - train on instruction pairs

Input:
"The movie's acting could've been better, but the visuals and directing were top-notch."

Label:
+

Input:
"Review: The movie's acting could've been better, but the visuals and directing were top-notch.
Out of positive, negative, or neutral, this review is"

Output:
"Positive"

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

FLAN-T5

Fine tuning for training



fine tuning for test

Chung, et al. (2022)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

The problem - LM objective isn't always what we want

PROMPT *Explain the moon landing to a 6 year old in a few sentences.*

COMPLETION

GPT-3

```
Explain the theory of gravity to a 6 year old.

Explain the theory of relativity to a 6 year old in a few sentences.

Explain the big bang theory to a 6 year old.

Explain evolution to a 6 year old.
```

InstructGPT

```
People went to the moon, and they took pictures of what they saw, and
sent them back to the earth so we could all see them.
```

https://openai.com/index/instruction-following/

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Datasets - Training

more different task help model be more general



InstructGPT



FLAN

Super Natural Instructions

Wang et al. (2022)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Improvements vary by model size

Params	Model	Norm. avg.
80M	T5-Small	-9.2
	Flan-T5-Small	-3.1 (+6.1)
250M	T5-Base	-5.1
	Flan-T5-Base	6.5 (+11.6)
780M	T5-Large	-5.0
	Flan-T5-Large	13.8 (+18.8)
3B	T5-XL	-4.1
	Flan-T5-XL	19.1 (+23.2)
11B	T5-XXL	-2.9
	Flan-T5-XXL	23.7 (+26.6)

Params	Model	Norm. avg.
8B	PaLM	6.4
	Flan-PaLM	21.9 (+15.5)
62B	PaLM	28.4
	Flan-PaLM	38.8 (+10.4)
540B	PaLM	49.1
	Flan-PaLM	58.4 (+9.3)
62B	cont-PaLM	38.1
	Flan-cont-PaLM	46.7 (+8.6)
540B	U-PaLM	50.2
	Flan-U-PaLM	59.1 (+8.9)

no clear pattern bigger model is better

Chung et al. (2022)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Synthetic data using LLMs

"You are asked to come up with a set of 20 diverse task instructions. These task instructions will be given to a GPT model and we will evaluate the GPT model for completing the instructions.

Here are the requirements:
…

List of 20 tasks:"

Mixed results in follow-up work



https://github.com/tatsu-lab/stanford_alpaca

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Are tens of thousands of tasks needed?

Training data:

Stack Exchange (STEM)	200
Stack Exchange (Other)	200
wikiHow	200
Pushshift r/WritingPrompts	150
Natural Instructions	50
Paper Authors (Group A)	200

Results



LIMA = Less is More for Alignment

Zhou, et al (2023)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

How much data is needed?





Data quality

perplexity



instruction fine tuning is important

Zhou, et al (2023)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

What about tasks that don't have a clear single answer?

not one is better than another







COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Is token-level prediction the right metric?



COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Is token-level prediction the right metric?

Prompt: How tasty is chocolate?

Chocolate	is	very	delicious	[Reference]
Chocolate	is	somewhat	delicious	[Output A]
Chocolate	is	very	expensive	[Output B]

Similar scores!

token level comparison

But they are indeed different

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Is the data good?

$

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Recap

Instruction Tuning: A form of fine-tuning where the data is examples of a range of different tasks. The goal is to shape LLM outputs to actually do the task.

Task Choice: High quality data matters a lot here. A small number of high quality tasks can do better than a large number of noisy ones.

Remaining issues:

- Token level prediction doesn't measure task success well
- Some tasks don't have a single best answer.

menti.com
6247 3259

Linguists



THERE'S A MYTH THAT LINGUISTS ARE PEDANTS WHO LOVE CORRECTING PEOPLE, BUT THEY'RE ACTUALLY JUST ENTHUSIASTIC ABOUT UNDERSTANDING LANGUAGE IN ALL ITS INFINITE VARIETIES, WHICH IS MUCH WORSE.

["Do you feel like the answer depends on whether you're currently in the hole, versus when you refer to the events later after you get out? Assuming you get out."]

Source: https://xkcd.com/2390/

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Preference Optimisation

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Learn from preferences

A > B ?

Easier task for people than give a score out of 10

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

RLHF Objective

Captures preferences

maximise expected reward

without making too big a change

Try to put high probability on high reward outputs

Avoid drift / overfitting

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

RLHF Method

Steps

1 - Instruction tuning
2 - Make a reward model
3 - Train with the reward model

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

1 - Instruction tuning



OpenAI

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

2 - Make a reward model

put a reward predictor on top of small LLM

Reward predictor

Small LLM



OpenAI

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

3 - Train with the reward model

Note - slightly different from normal RL, which involves interacting with an environment



OpenAI

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Does it work?



Ouyang et al. (2022)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Does it work?



Ouyang et al. (2022)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Does it work?



difference is not important

prompt is helpful

We have now covered the complete picture for ChatGPT!

Ouyang et al. (2022)

supervised fine tuning

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Where does the data come from?

OpenAI:

- Plain: We simply ask the labelers to come up with an arbitrary task, while ensuring the tasks had sufficient diversity.
- Few-shot: We ask the labelers to come up with an instruction, and multiple query/response pairs for that instruction.
- • User-based: We had **a number of use-cases stated in waitlist applications to the OpenAI API**. We asked labelers to come up with prompts corresponding to these use cases.

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

How much data?

Llama 2:

Dataset	Num. of Comparisons	Avg. # Turns per Dialogue	Avg. # Tokens per Example
Anthropic Helpful	122,387	3.0	251.5
Anthropic Harmless	43,966	3.0	152.5
OpenAI Summarize	176,625	1.0	371.1
OpenAI WebGPT	13,333	1.0	237.2
StackExchange	1,038,480	1.0	440.2
Stanford SHP	74,882	1.0	338.3
Synthetic GPT-J	33,139	1.0	123.3
Meta (Safety & Helpfulness)	1,418,091	3.9	798.5
Total	2,919,326	1.6	595.7

Touvron et al (2023)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Can we simplify the process?





Avoids training a reward model, which may be unreliable

people does not mark very well

Rafailov, et al (2023)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Who are the humans?

The Washington Post
Democracy Dies in Darkness

Behind the AI boom, an army of overseas workers in 'digital sweatshops'

By Rebecca Tan and Regine Cabato
August 28, 2023 at 2:00 a.m. EDT

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Does it satisfy the goal of alignment?

To make our models safer, more helpful, and more aligned, we use an existing technique called reinforcement learning from human feedback (RLHF). On prompts submitted by our customers to the API,[A] our labelers provide demonstrations of the desired model behavior, and rank several outputs from our models. We then use this data to fine-tune GPT-3.

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Alignment may be brittle



Lee, et al (2024)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Alignment may be brittle

$$\underbrace{\mathtt{MLP}^{\ell}(\mathbf{x}^{\ell})} = \sigma\left(W_K^{\ell}\underbrace{\mathbf{x}^{\ell}}\right) W_V^{\ell}$$



Lee, et al (2024)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Alignment may be brittle

GPT2	$\mathbf{v}^{3}_{1018}$	kg, percent, spread, total, yards, pounds, hours
	$\mathbf{v}^{8}_{1900}$	which, whose, Which, whom, where, who, wherein
	$\mathbf{v}^{11}_{2601}$	drinks, coffee, tea, soda, burgers, bar, sushi
WIKILM	$\mathbf{v}^{1}_{1}$	Her, She, Their, her, she, They, their, they, His
	$\mathbf{v}^{6}_{3025}$	largely, rapidly, effectively, previously, normally
	$\mathbf{v}^{13}_{3516}$	policymakers, geneticists, ancestries, Ohioans

Lee, et al (2024)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Alignment may be brittle

GPT2	$\mathbf{v}^{3}_{1018}$	Measurement	semantic
	$\mathbf{v}^{8}_{1900}$	WH-relativizers	syntactic
	$\mathbf{v}^{11}_{2601}$	Food and drinks	semantic
WIKILM	$\mathbf{v}^{1}_{1}$	Pronouns	syntactic
	$\mathbf{v}^{6}_{3025}$	Adverbs	syntactic
	$\mathbf{v}^{13}_{3516}$	Groups of people	semantic

Lee, et al (2024)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Alignment may be brittle

Using toxic examples, we found vectors associated vectors:

VECTOR	TOP TOKENS
W_{Toxic}	Swear words
$\text{MLP.}\mathbf{v}^{19}_{770}$	
$\text{MLP.}\mathbf{v}^{12}_{771}$	delusional, hypocritical, arrogant, nonsense
$\text{MLP.}\mathbf{v}^{18}_{2669}$	degener, whining, idiots, stupid, smug
$\text{MLP.}\mathbf{v}^{13}_{668}$	losers, filthy, disgr, Other obscene thous
$\text{MLP.}\mathbf{v}^{16}_{255}$	disgrace, shameful, coward, unacceptable
$\text{MLP.}\mathbf{v}^{12}_{882}$	Swear words hilar, stupidity Other obscene
$\text{MLP.}\mathbf{v}^{19}_{1438}$	Sexual words
$\text{SVD.U}_{\text{Toxic}}[0]$	
$\text{SVD.U}_{\text{Toxic}}[1]$	
$\text{SVD.U}_{\text{Toxic}}[2]$	

Lee, et al (2024)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Alignment may be brittle



Lee, et al (2024)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Alignment may be brittle

Prompts	GPT2 Top-k	Post-Intervention Top-k
"Like I care, I didn't give a"	s***, f***, d***, crap	Thought, suggestion, serious, convincing
"So I'm starting to think she's full of"	s***, crap, it, bulls***	It, serious, trust, energy, supernatural, secrets, mysterious
"Holy"	s***, crap, cow, f***	Cow, grail, smokes, ghost, trinity

Lee, et al (2024)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Alignment may be brittle

Try using DPO to reduce toxicity



Lee, et al (2024)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Alignment may be brittle

Try using DPO to reduce toxicity

But these toxic vectors remain!



Why? Because this is the minimal change that satisfies the objective function

Lee, et al (2024)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Recap

Preference Optimisation: General idea is to learn from people's preferences (which is better, A or B?).

Reinforcement Learning Approach: Use preferences to learn a reward model, ie., a model that identifies the underlying scoring function people are using. Then train our model using methods from reinforcement learning.

Direct Approach: Use the preferences directly, backpropagating through the model to increase the score for the preferred option and decrease the score for the other one.

Issues:

- Ethical questions about how we create the datasets
- The changes are somewhat brittle

menti.com
6247 3259

Meteorologist



[Hi, I'm your new meteorologist and a former software developer. Hey, when we say 12pm, does that mean the hour from 12pm to 1pm, or the hour centered on 12pm? Or is it a snapshot at 12:00 exactly? Because our 24-hour forecast has midnight at both ends, and I'm worried we have an off-by-one error.]

Source: https://xkcd.com/1985/

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Tools

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Optimising Prompts

Can we automatically find good prompts for our task?

Problem: Prompts are not differentiable

Solution 1: Make the prompt a vector



Lester, et al (2021)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Optimising Prompts

Can we automatically find good prompts for our task?

Problem: Prompts are not differentiable

Solution 2: Use RL (Reinforce learning) deal with thing not differentiable

ID	Template [to negative | to positive]	Content	Style	Fluency	$J(C, S, F)$	$GM(C, S, F)$	BLEU
Null Prompt							
1	"{input}" "	37.4 (0.1)	94.8 (0.1)	**97.6 (0.1)**	33.6 (0.1)	70.2 (0.1)	6.6 (0.1)
Manual Prompt							
1	Here is some text: "{input}". Here is a rewrite of the text, which is more [negative | positive]: "	72.1 (0.1)	94.8 (0.3)	91.6 (0.1)	62.3 (0.2)	**85.6 (0.1)**	23.9 (0.1)
2	Change the following sentence from [positive | negative] sentiment to [negative | positive] sentiment but keep its semantics. "{input}" "	60.4 (0.1)	91.9 (0.2)	94.0 (0.1)	50.5 (0.1)	80.5 (0.1)	17.4 (0.1)

Deng, et al (2022)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Optimising Prompts

Can we automatically find good prompts for our task?

Problem: Prompts are not differentiable

Solution 2: Use RL

ID	Template [to negative | to positive]	Content	Style	Fluency	$J(C, S, F)$	$GM(C, S, F)$	BLEU
RLPROMPT *(Ours)*							
1	[Fixed (– contrasts (– contrasts | Dutch English excellent Correct (>] "{input}" "	71.5 (0.1)	96.6 (0.2)	90.1 (0.2)	**62.8 (0.9)**	85.4 (0.1)	23.5 (0.1)
2	[Fixed RemovedChanged Prevent outcomes | Parameters Comparison)=(Compare either] "{input}" "	71.0 (0.1)	91.9 (0.3)	89.3 (0.2)	58.9 (1.1)	83.5 (0.1)	23.7 (0.1)
3	[Affect differed judgments (– analysis | Difference experiences (– contrasting experience] "{input}" "	**73.8 (0.1)**	94.0 (0.2)	89.2 (0.2)	62.6 (1.1)	85.2 (0.1)	**25.6 (0.1)**

Deng, et al (2022)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Optimising Prompts

Can we automatically find good prompts for our task?

Problem: Prompts are not differentiable

Solution 3: Build systems where prompts are one part

More on this next week!

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

LangChain (initial idea) - Sequence of LLM calls to achieve a goal

Product

What is a good name for a company that makes [product]?

Company name

Write a catchphrase for the following company: [company name]

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

ChainForge - Running experiments with variations



Arawjo, et al (2024)

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Workshop Preview

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Experience with annotation tools

Label Studio

GUI with all sorts of special features.

SLATE

Write by professor

Terminal-based tool, with a limited feature set.

Workshop Pre-Work: Do the ‘Setup’ step in all slides.

COMP 4446 / 5046
Lecture 11, 2025

Instruction Tuning

Preference Optimisation

Tools

Workshop Preview

menti.com 6247 3259

Muddy Card

Open shortly, closes at 7:05pm

https://saipll.shinyapps.io/student-interface/

If you do not wish to participate in the study, use the Ed form instead

Go to Ed → Lessons → Muddy Cards Lecture 11