



Lexpure®

*Drink Pure,
be Sure*

A PRODUCT BY : LEXCRU®

PUMP



THE **BEST WATER PUMP**
AWARDED BY
WATER DIGEST 2015- 2016



ECO - 75/100 GPD



SILVER - 75/100/150GPD



CLASSIC-75/100/150/300 GPD



ELITE-75/100/150 GPD

- I 24 VDC / 36 VDC / 48 VDC
- I Maximum Electric Current : 0.60A to 2A
- I Outlet Water Pressure : 80PSI to 200PSI
- I 50 GPD / 75 GPD / 100 GPD / 150 GPD / 300 GPD / 400 GPD



INLINE FILTER



ECO

MAXIMUM FLOW	1.00	GPM
MAXIMUM PRESSURE	125	PSI
MAXIMUM TEMPERATURE	100°	F
SERVICE LIFE	1800	GAL



SUPER

MAXIMUM FLOW	1.00	GPM
MAXIMUM PRESSURE	125	PSI
MAXIMUM TEMPERATURE	100°	F
SERVICE LIFE	2000	GAL



SILVER

MAXIMUM FLOW	1.00	GPM
MAXIMUM PRESSURE	125	PSI
MAXIMUM TEMPERATURE	100°	F
SERVICE LIFE	2200	GAL

100%
COCONUTCARBON



INLINE FILTER



CLASSIC

MAXIMUM FLOW	1.00	GPM
MAXIMUM PRESSURE	125	PSI
MAXIMUM TEMPERATURE	100°	F
SERVICE LIFE	2500	GAL



with mineral additive

ELITE

MAXIMUM FLOW	1.00	GPM
MAXIMUM PRESSURE	125	PSI
MAXIMUM TEMPERATURE	100°	F
SERVICE LIFE	2800	GAL

100%
COCONUT CARBON



LEXPURE
AA FILTER

LEXPURE
POWER
B12
ADDITIVE

MINERAL
CARTRIDGE

MINI POST
CARBON

AAA FILTER

UF
MEMBRANE

MINERAL
CARTRIDGE

ANTIOXIDANT
ALKALINE WATER

ANTISCALANT
CARTRIDGE

MEMBRANE

SILVER

AVAILABLE FOR : 80 / 100/ 300 GPD



SILVER SERIES DOMESTIC MEMBRANE

MODEL	Stable Rejection Rate (%)	Average Permeate Flow GPD (m³/d)	Testing Condition			
			Testing Pressure psi (Mpa)	Testing Concentration (ppm)	Temperature (°C)	FR (cc)
LM-4-1812-80	97	80(0.3)	50(0.4)	500, NaCl	25	450
LM-5-2012-100	97	100(0.38)	75(0.55)	500, NaCl	25	550
LM-6-3012-300	97	300(1.15)	100(0.7)	500, NaCl	25	800

SUPER

AVAILABLE FOR : 75/ 80 / 300 GPD



SUPER SERIES DOMESTIC MEMBRANE

MODEL	Stable Rejection Rate (%)	Average Permeate Flow GPD (m³/d)	Testing Condition			
			Testing Pressure psi (Mpa)	Testing Concentration (ppm)	Temperature (°C)	FR (cc)
LM-1-1812-75	96	75(0.28)	50(0.4)	500, NaCl	25	400
LM-2-1812-80	96	80(0.3)	50(0.4)	500, NaCl	25	450
LM-3-3012-300	96	300(1.15)	100(0.7)	500, N3Cl	25	800



CONCEALED MEMBRANE FILTER

HOUSING



SPUN FILTER



WOUND FILTER



GAC/CTO FILTER





UV BARREL



RO TUBING

ACCESSORIES



OUR NETWORK



A PRODUCT BY : **LEXCRU®**



LEXCRU WATER TECH PVT. LTD.

B-17, Gujarat Estate, Hotel Orange Inn, Sanand - Sarkhej Road, Ahmedabad, Gujarat, INDIA.

+91 9624007888 | email : sales@lexcru.com | web : www.lexcru.com

