

Traceability Matrix

REMEMBER GORDON! – Rulebook $\rightleftharpoons$ Implementation Mapping

Generated from `docs/traceability.toml`

Overview

Implemented	Descriptive	Implicit	Out-of-scope
86	33	2	3

Total mappings: 124 · Total impl sites: 261

Table of Contents

Overview	2
§1 – Introduction	7
§1 – Introduction	7
§1.1 – General Comments	7
§1.2 – Game Scale	7
§2 – Game Components	8
§2 – Game Components	8
§2.1 – The Game Maps	8
§2.2 – Play Aids	8
§2.3 – The Units	8
§2.4 – Game Parts Inventory	9
§2.31 – Dervish weapon types	9
§2.32 – Anglo-Egyptian weapon types	10
§3 – Getting Started	12
§3 – Getting Started	12
§4 – Turn Sequence	13
§4 – Turn Sequence	13
§5 – Movement Phase	15
§5 – Movement Phase (general)	15
§5.1 – General Rules	15
§5.2 – Movement Restrictions	15
§5.3 – Constructing the Zariba	15
§5.4 – Zones of Control	16
§5.5 – Stacking	16
§5.11 – Movement allowances printed on units	16
§5.12 – Move up to allowance, hex by hex (cumulative MP cap)	18
§5.13 – No MP accumulation between turns	18
§5.21 – Friendlies transport via gunboat	19
§5.22 – Land units may never enter a Nile River hex	20
§5.23 – Walled city entry restrictions	20
§5.24 – Gunboat upstream/downstream movement	21
§5.25 – Dervish forts may not move	22
§5.26 – Units stop on entering enemy ZOC	23
§5.41 – All units except AE leaders exert ZOC	23
§5.42 – No MP cost to enter/leave enemy ZOC	24
§5.43 – Units stop when entering enemy ZOC	24
§5.44 – ZOC limitations (walls, khor, fort, Nile, Zariba)	25
§5.51 – Stacking limit (4 units + leaders, gunboats isolated)	26
§5.52 – Different Dervish tribes may not stack together	27
§5.53 – Leader stacking with command colour only	28
§5.54 – Anglo-Egyptian Brigade Integrity	28
§6 – Fire Combat Phase	30
§6 – Fire Combat Phase	30
§6.1 – General Rules	30
§6.2 – How To Have Fire Combat	30
§6.3 – Line of Sight Table	30
§6.4 – Fire Combat Sequence	32
§6.5 – Special Unit Capabilities	33
§6.6 – Special Artillery Capabilities	33
§6.7 – Defensive Fire	33
§6.8 – Offensive Fire	33
§6.11 – Fire combat factor printed on units	34
§6.12 – Fire combat is always voluntary	34
§6.13 – Fire factor is unitary (may not be divided)	34
§6.14 – Players may combine fire factors into one attack	34
§6.15 – May divide a stack to fire at different hexes	35
§6.16 – Halving fire strength rounds down, minimum 1	35
§6.21 – First check LOS before firing	36
§6.22 – Consult Range Effects Table	36
§6.23 – Terrain defensive modifier	37

§6.24 – Anglo-Egyptian direct fire accuracy bonus and brigade integrity	38
§6.41 – Direct Fire Subphase	39
§6.42 – Maxim Second Fire and Howitzer Fire Subphase	39
§6.51 – Leader Units	39
§6.52 – Anglo-Egyptian Friendlies Brigade	40
§6.53 – Royal Engineers demolition	40
§6.54 – Forts	41
§6.61 – Only artillery may fire at gunboats; 3+ to sink	42
§6.62 – Only artillery may fire at forts; 2+ to destroy	43
§6.63 – Only artillery may breach wall hexsides; 2+ required	43
§6.64 – Howitzer fire	44
§6.81 – Moving player may fire with all capable units	45
§6.82 – Advance after combat (offensive fire)	45
§7 – Melee Phase	47
§7 – Melee Phase (chapter)	47
§7.1 – Melee strength printed on counter	47
§7.2 – Melee adjacent only, not across wall hexsides	47
§7.3 – Simultaneous melee combat	48
§7.4 – Who may melee attack / defend	48
§7.5 – Cavalry/camel retreat before melee	49
§7.6 – Advance after melee	50
§7.7 – Melee modifiers	51
§8 – Night Game Turns	53
§8 – Night Game Turns	53
§8.1 – Night effects	53
§8.2 – Dervish Desertion Roll	54
§9 – The Scenarios	56
§9 – The Scenarios	56
§9.1 – The Campaign Game	56
§9.2 – The Historical Scenario	56
§9.3 – Bonus Game: Fall of Khartoum	56
§9.11 – Set Up (Campaign)	56
§9.12 – Scenario Length (Campaign)	56
§9.13 – Special Rules (Campaign)	57
§9.14 – Victory Conditions (Campaign)	57
§9.21 – Set Up (Historical)	59
§9.22 – Scenario Length (Historical)	59
§9.23 – Special Rule: The Zariba	59
§9.24 – Victory Conditions (Historical)	60
§9.31 – Bonus game map	60
§9.32 – Set Up (Bonus)	61
§9.33 – Scenario Length (Bonus)	61
§9.34 – Special Rules (Bonus)	61
§9.35 – Victory Conditions (Bonus)	61
§9.111 – Dervish set up (Campaign)	62
§9.112 – Dervish reinforcements (Campaign)	63
§9.113 – Anglo-Egyptian reinforcements (Campaign)	64
§9.211 – Anglo-Egyptian set up first, moves second (Historical)	64
§9.212 – Dervish set up (Historical) – deployment zones and leader-to-hex mapping	65
§9.231 – Thorn hedge hexsides	65
§9.232 – Trench hexsides	66
§9.233 – Zariba entry/exit costs	66
§9.321 – British set up (Bonus)	67
§9.322 – Dervish enters turn one (Bonus)	68
§9.341 – Turn 1 is always a night turn (Bonus)	68
§9.342 – All hexes are playable, including half hexes (Bonus)	69
§9.343 – Both players use the Dervish Range Effects Table (Bonus)	69
§9.344 – Dervish controls the North Fort (Bonus)	70
§9.345 – Gunboat White Nile <-> Blue Nile crossing (Bonus)	70
§9.346 – GORDON immobile, eliminated only at the Palace (Bonus)	70
§10 – Optional Rules	72
§10 – Optional Rules	72
§10.1 – River Mines	72

§10.2 – River Chain	72
§10.11 – Secretly record mine hexes	72
§10.12 – Mine resolution	73
§10.13 – Mines consumed after both rolled for	73
§10.14 – Dervish gunboats pass safely	74
§10.21 – Secretly record chain hexes	74
§10.22 – Gunboat stops on chained hex	75
§10.23 – Sinking the chain	75
§11 – Historical Notes	76
§11 – Historical Notes	76
Credits	77
§Credits – Credits	77
Combat Results Table (shared reference)	78
§CRT – Combat Results Table (shared by §6.22 fire and §7.7 melee)	78
Reference – Charts and Tables	79
§Reference – Charts and Tables	79
Appendix: Symbol Index	80

■ 1/3 implemented

§1 – Introduction

§1 – Introduction

descriptive
manual page unknown

Introduction

§1.1 – General Comments

implemented
manual page 1

General Comments

“REMEMBER GORDON!” — THE BATTLE OF OMDURMAN is a simulation of the final battle in Great Britain’s two-year campaign to reassert her presence in the Sudan (1896–1898). Fought September 2nd, 1898, Omdurman finally broke the back of the fanatical Dervish rebellion and gained Britain a million square miles of desolate territory and two million impoverished subjects. With two players, one assumes the role of Herbert Kitchener, Sirdar (CIC) of the Anglo-Egyptian army; the other player becomes the Khalifa, Abdullah the Taiasha, absolute ruler of the Dervishes. The game is also suited for multi-player participation, with each player assuming command of one or more Dervish tribes or Anglo-Egyptian brigades.

While “REMEMBER GORDON!” — THE BATTLE OF OMDURMAN is not, strictly speaking, a beginner’s game, the mechanics of play should be familiar to players of modest experience. It is suggested that the bonus game, FALL OF KHARTOUM, and the historical scenario be played first to familiarize players with the game system prior (see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/unit_profiles.rs:194 GH:omdurman-rules/src/unit_profiles.rs:194	command_owns_unit	<pre>192 /// treat *nobody-claims-it* units as the faction's communal pool, so `false` 193 /// here means "any member of the faction may act on this unit". 194 pub fn command_owns_unit(scope: &omdurman_types::CommandScope, identity: &UnitIdentity) -> bool { 195 match scope { 196 omdurman_types::CommandScope::Army => false,</pre>

Covered by tests: [omdurman-rules::src::unit_profiles::command_owns_unit_follows_tribes_and_brigades](#)
[omdurman-net::src::lib::start_game_commands_round_trip](#)
[omdurman-net::src::lib::legacy_start_game_without_commands_still_loads](#)
[omdurman-net::src::lib::brigade_scope_display_and_membership](#)
[omdurman-app::src::tests::replayed_start_game_stages_commands_and_resets_ready](#)

§1.2 – Game Scale

descriptive
manual page unknown

Game Scale

Each hexagon of the mapsheet represents approximately 400–440 yards of real terrain and each day turn is the equivalent of two hours of real time. Each counter of infantry and cavalry represents between 400 and 700 men, and each of the gunboats present at the battle has its own counter. The upper echelon of command is represented by individual leader counters for the Anglo-Egyptian force; and leaders plus their retinues for the Dervish army.

§2 – Game Components

§2 – Game Components

descriptive

manual page unknown

Game Components

§2.1 – The Game Maps

descriptive

manual page unknown

The Game Maps

The Omdurman battle map represents approximately 100 square miles of real territory and includes the area north of Omdurman in which the historical battle took place as well as the dominant terrain features that influenced the course of the battle. Note that the mapsheet also contains the Turn Record Track, Turn Sequence, and Terrain Effects Chart at the top; and the Combat Tables and Howitzer Fire Scattergram in the lower right corner. The large letters “A”, “D”, “Y”, etc. are set-up hexes for the historical scenario only (9.2) and should be ignored in the campaign game. Similarly, the hexsides of the Zariba exist only in the historical scenario and should be considered clear terrain in the campaign game. Note, however, that the Anglo-Egyptian player may “construct” the Zariba in the campaign game if desired (see 5.3). All full hexes of the Omdurman game map are playable, including the seven hexes of the Howitzer Fire Scattergram.

The mini-map for the bonus game, FALL OF KHARTOUM, represents that city as it appeared in 1885. The portion (see manual for full text)

See also: §5.3, §9.2

§2.2 – Play Aids

descriptive

manual page unknown

Play Aids

Certain charts and tables are needed to play the game. The Terrain Effects Chart lists all terrain found on the mapsheet and the effect of each type on movement and combat. The Combat Tables describe the range effects on various weapon types and includes the Combat Results Table. Also note the Line of Sight Table on the back of this rulebook. It tells players when certain terrain types block line of sight, thus preventing direct fire attacks on enemy units. Players should become familiar with these various charts and tables prior to the beginning of play.

(see manual for full text)

§2.3 – The Units

implemented

manual page unknown

The Units

File	Symbol	Code Snippet
------	--------	--------------

omdurman-types/src/ lib.rs:1059 GH:omdurman-types/src/ lib.rs:1059	BrigadeId	<pre> 1057 /// same field for uniform handling. 1058 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Hash, Debug)] 1059 pub struct BrigadeId { 1060 pub number: u8, 1061 pub nationality: BrigadeNationality,</pre>
omdurman-rules/src/ unit.rs:491 GH:omdurman-rules/src/ unit.rs:491	UnitProfile	<pre> 489 /// print no melee value). 490 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 491 pub struct UnitProfile { 492 pub kind: UnitKind, 493 pub identity: UnitIdentity,</pre>
omdurman-rules/src/ lib.rs:14 GH:omdurman-rules/src/lib.rs:14	BrigadeId	<pre> 12 13 use omdurman_types::{ 14 BrigadeId, BrigadeNationality, DayNight, DervishTribe, HexCoord, Player, UnitKind, 15 }; 16 </pre>
omdurman-types/src/ lib.rs:693 GH:omdurman-types/src/lib.rs:693	SpriteAnnotation	<pre> 691 /// as an optional overlay over the compiled `sprite_data` fallback. 692 #[derive(Serialize, Deserialize, Clone, Debug, PartialEq)] 693 pub struct SpriteAnnotation { 694 pub color: SpriteColor, 695 pub faction: Option<Faction>,</pre>

Covered by tests: `omdurman-rules::src::unit_profiles::british_army_row_zero_specials_classify_by_counter`
`omdurman-rules::src::unit_profiles::egyptian_army_row_zero_specials_classify_by_counter`
`omdurman-rules::src::unit_profiles::tribe_stats_come_from_annotation`
`omdurman-rules::src::unit_profiles::section_owner_dervish_sections`
`omdurman-rules::src::unit_profiles::section_owner_green_sections_are_dervish`

§2.4 – Game Parts Inventory

out-of-scope

manual page unknown

Game Parts Inventory

Your complete copy of “REMEMBER GORDON!” — THE BATTLE OF OMDURMAN includes:

- One 22 × 28 Battle of Omdurman mapsheet
- One 8½ × 11 bonus game: FALL OF KHARTOUM mapsheet
- One Rules Booklet
- One die-cut Unit Counter Sheet
- One Campaign Game Order of Appearance Card
- One ten-sided die
- One game box

§2.31 – Dervish weapon types

implemented

manual page unknown

Dervish artillery, gunboats, and forts fire on the “artillery” line of the Dervish Range Effects Table; Jehadia and Danagla units fire on the “rifles” line as does the Isa Zachneih unit. All other Dervish units (including leaders) are armed with spears and swords.

File	Symbol	Code Snippet
------	--------	--------------

omdurman-rules/src/unit.rs:167 GH:omdurman-rules/src/unit.rs:167	WeaponClass	<pre> 165 Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Hash, Debug, strum::Display, 166)] 167 pub enum WeaponClass { 168 /// Dervish spears and swords -- no ranged fire at all. 169 Melee,</pre>
omdurman-rules/src/unit_profiles.rs:578 GH:omdurman-rules/src/unit_profiles.rs:578	dervish_tribe	<pre> 576 /// Resolve a Dervish tribal foot counter (§2.31): Jehadia, Danagla and 577 /// Isa Zachneih fire on the rifles line; every other tribe is spear-armed. 578 pub fn dervish_tribe(tribe: DervishTribe) -> Option<Classification> { 579 // §2.31: "Jehadia and Danagla units fire on the 'rifles' line as does the 580 // Isa Zachneih unit. All other Dervish units (including leaders) are armed</pre>
omdurman-rules/src/unit_profiles.rs:344 GH:omdurman-rules/src/unit_profiles.rs:344	khalifa_abdullah	<pre> 342 /// battle (§9.322). All three are interchangeable, so they share the 343 /// `DervishArtillery` identity. 344 pub fn khalifa_abdullah(col: u32, row: u32) -> Option<Classification> { 345 let artillery = { 346 Some(Classification {</pre>

Covered by tests: `omdurman-rules::src::unit_profiles::dervish_weapon_class_follows_the_rifles_line`

§2.32 – Anglo-Egyptian weapon types

implemented

manual page unknown

All Anglo-Egyptian units (except gunboats, Maxims, artillery, and leaders) are armed with rifles. Maxims fire on the “Maxims” line of the Anglo-Egyptian Range Effects Table, and artillery and old gunboats fire on the “Artillery” line. New type (named) gunboats may fire on the “Howitzer”, “Artillery”, and “Maxims” lines of the Range Effects Table. (See 6.52 for the fire capabilities of the “Friendlies”).

****Sample Dervish Units**** (printed on counters): combat unit (Combat / Melee / Movement values, plus Tribe identifier); Leader (e.g. OSMAN DIGNA); Camel unit (e.g. Danagla, 4-6-12); Fort.

****Sample Anglo-Egyptian Units**** (printed on counters): Cavalry (e.g. 21 Lancers); Artillery (e.g. 32 Battery); Old Gunboat (e.g. LORD KITCHENER, 0-0-15); New Gunboat — named (e.g. Sultan, with artillery and howitzer factor, plus movement downstream / movement upstream values); Maxim Guns (fire twice per turn); Infantry (Fire Combat Factor / Melee / Movement, plus Battalion ID and Brigade ID — e.g. “2B” = 2nd British Brigade, “3E” = 3rd Egyptian Brigade).

(see manual for full text)

See also: §6.52

File	Symbol	Code Snippet
omdurman-rules/src/unit.rs:119 GH:omdurman-rules/src/unit.rs:119	GunboatId	<pre> 117 /// fire; "old" gunboats do not (rulebook §2.32). 118 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 119 pub enum GunboatId { 120 /// One of the five new-type named gunboats with howitzer capability. 121 Named(NamedGunboat),</pre>
omdurman-rules/src/unit.rs:138 GH:omdurman-rules/src/unit.rs:138	NamedGunboat	<pre> 136 /// The five named gunboats with howitzer capability (rulebook §6.64, §2.32). 137 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 138 pub enum NamedGunboat { 139 Sultan, 140 Melik,</pre>

omdurman-rules/src/unit.rs:151 GH:omdurman-rules/src/unit.rs:151	OldGunboat	<pre>149 /// in the Maxim Second Fire and Howitzer subphase (\$6.42). 150 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 151 pub enum OldGunboat { 152 LordKitchener, 153 Tamai,</pre>
omdurman-rules/src/unit.rs:151 GH:omdurman-rules/src/unit.rs:151	GunboatId::Old	<pre>149 /// in the Maxim Second Fire and Howitzer subphase (\$6.42). 150 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 151 pub enum OldGunboat { 152 LordKitchener, 153 Tamai,</pre>
omdurman-rules/src/unit.rs:125 GH:omdurman-rules/src/unit.rs:125	GunboatId::Dervish-Gunboat	<pre>123 Old(OldGunboat), 124 /// A Dervish gunboat (\$9.111, \$10.14). 125 DervishGunboat(u8), 126 } 127 </pre>

Covered

by

tests:

omdurman-rules::src::effects::tests::old_gunboat_lacks_howitzer

omdurman-rules::src::effects::tests::old_gunboat_rejected_from_howitzer_subphase

0/1 implemented

| §3 – Getting Started

§3 – Getting Started

out-of-scope

manual page unknown

Getting Started

Spread out the mapsheet on a table. It should lie flat if you backfold it against the scored lines. The Dervish player should sit next to the west edge of the map and the Anglo-Egyptian player opposite him on the east edge. Read through the rules once, looking over the various charts as they are referred to in the various sections. Next, select a scenario and punch out only those unit counters needed to play. Later on, the rest of the unit counters should be punched out, sorted and stored by unit type.

(see manual for full text)

■ 1/1 implemented

§4 – Turn Sequence

§4 – Turn Sequence

implemented

manual page unknown

Turn Sequence

“REMEMBER GORDON!” — THE BATTLE OF OMDURMAN is played in “Game Turns”, each of which has two “Player Turns”. The player moving first will vary according to the scenario being played. In the Campaign Game, for example, the Anglo-Egyptian player moves first.

A) Anglo-Egyptian Player Turn:

1. Anglo-Egyptian Movement Phase
2. Fire Combat Phase a. Dervish Defensive Fire b. Anglo-Egyptian Offensive Fire
 1. Direct Fire Subphase
 2. Maxim Second Fire and Howitzer Fire Subphase

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/scalars.rs:191 GH:omdurman-rules/src/scalars.rs:191	GameTurnIndex	<pre>189 /// One-based Game Turn index (1, 2, ... up to the 190 scenario length) (rulebook §4). 191 #[derive(Serialize, Deserialize, Clone, Copy, 192 PartialEq, Eq, PartialOrd, Ord, Hash, Debug)] 193 pub struct GameTurnIndex(pub(crate) u8); 194 195 impl GameTurnIndex {</pre>
omdurman-rules/src/turn.rs:16 GH:omdurman-rules/src/turn.rs:16	Phase	<pre>14 /// etc. 15 #[derive(Serialize, Deserialize, Clone, Copy, 16 PartialEq, Eq, Hash, Debug, Default)] 17 pub enum Phase { 18 /// Pre-game deployment (§9.2/§9.3/§10): fixed 19 /// units are placed, each side 20 /// deploys its order of battle within its legal 21 /// zone, and river</pre>
omdurman-rules/src/effects/state.rs:21 GH:omdurman-rules/src/effects/state.rs:21	GameState	<pre>19 /// All mutable state of a game in progress (rulebook 20 §4). 21 #[derive(Serialize, Deserialize, Clone, Debug)] 22 pub struct GameState { 23 pub scenario: Scenario, 24 pub current_turn: GameTurnIndex,</pre>
omdurman-rules/src/effects/state.rs:178 GH:omdurman-rules/src/effects/state.rs:178	GameState::new	<pre>176 impl GameState { 177 /// Create a fresh game state for a given scenario 178 /// (rulebook §4). 179 pub fn new(scenario: Scenario) -> Self { 180 let first = scenario_turn(scenario, 181 GameTurnIndex::new(1)); 182 // First player to *move* per scenario: 183 Campaign -- Anglo-Egyptian moves</pre>
omdurman-rules/src/effects/effect.rs:17 GH:omdurman-rules/src/effects/effect.rs:17	AdvancePhase	<pre>15 /// At end-of-turn, disrupted units recover and 16 /// per-turn tracking is 17 /// cleared. 18 AdvancePhase, 19 // -- Movement 20 -----</pre>
omdurman-rules/src/effects/dispatch.rs:192 GH:omdurman-	advance_phase	<pre>190 191 /// Advance the game state to the next phase (rulebook 192 §4).</pre>

rules/src/effects/ dispatch.rs:192		<pre>192 pub fn advance_phase(state: &mut GameState) -> Result<(), RuleError> { 193 let old_phase = state.phase; 194 #[cfg(not(feature = "kani"))]</pre>
omdurman- rules/src/effects/ dispatch.rs:306 GH:omdurman- rules/src/effects/ dispatch.rs:306	end_player_turn	<pre>304 305 /// End the current player's turn: recover disrupted units, switch active player, advance turn index (rulebook §4). 306 pub fn end_player_turn(state: &mut GameState) { 307 #[cfg(not(feature = "kani"))] 308 debug!({</pre>
omdurman- rules/src/ scalars.rs:184 GH:omdurman- rules/src/ scalars.rs:184	GameTurnIn- dex::value	<pre>182 Self(value) 183 } 184 pub fn value(self) -> i32 { 185 self.0 186 }</pre>
omdurman- rules/src/effects/ state.rs:170 GH:omdurman- rules/src/effects/ state.rs:170	PendingMelee	<pre>168 /// resolution after the reaction window is deterministic and host-ordered (rulebook §7.5). 169 #[derive(Serialize, Deserialize, Clone, Debug)] 170 pub struct PendingMelee { 171 pub attack: MeleeAttack, 172 pub attacker_roll: DieRoll,</pre>

Covered by tests: omdurman-rules::src::effects::tests::both_ready_auto_advances_out_of_setup
omdurman-rules::src::effects::tests::fire_combat_wrong_phase_rejected omdurman-rules::src::effects::tests::new_game_starts_in_setup
omdurman-rules::src::turn_track::scenario_turn_dispatches_correctly
omdurman-rules::src::effects::tests::turn_advances_through_phases
omdurman-rules::src::unit_profiles::game_turn_marker_cell_returns_none
omdurman-rules::src::effects::tests::declared_melee_blocks_phase_advance

18/23 implemented

§5 – Movement Phase

§5 – Movement Phase (general)

descriptive

manual page unknown

Movement Phase

§5.1 – General Rules

descriptive

manual page unknown

General Rules

§5.2 – Movement Restrictions

descriptive

manual page unknown

Movement Restrictions

§5.3 – Constructing the Zariba

implemented

manual page unknown

Constructing the Zariba

The Zariba trench and thorn hedge hexsides are built and in place in the historical scenario only. These hexsides are considered clear terrain in the campaign game. The Anglo-Egyptian player may, however, find it useful to construct this defensive position during the campaign game. The Zariba hexsides may only be built in their position as displayed on the mapsheet. Construction procedure is as follows: any Anglo-Egyptian infantry unit that begins and ends the Anglo-Egyptian player turn adjacent to (and on the Nile side of) Zariba hexsides has constructed all Zariba hexsides to which he is adjacent. The constructing unit may neither fire offensively nor melee attack during the turn of construction. Use a blank counter to denote units constructing Zariba hexsides. See 9.23 for defensive benefits and movement restrictions of Zariba hexsides.

(see manual for full text)

See also: §9.23

File	Symbol	Code Snippet
omdurman-rules/src/unit.rs:525 GH:omdurman-rules/src/unit.rs:525	constructing_zariba	<pre>523 /// Set while the unit is building Zariba hexsides -- -- neither offensive 524 /// fire nor melee allowed that turn (§5.3). 525 pub constructing_zariba: bool, 526 /// Set when the Royal Engineers are committed to a demolition this turn 527 /// (§6.53) -- neither offensive fire nor melee allowed that turn.</pre>
omdurman-rules/src/effects/effect.rs:170 GH:omdurman-	ConstructZariba	<pre>168 169 /// Begin constructing a Zariba hexside (rulebook §5.3). 170 ConstructZariba {</pre>

rules/src/effects/ effect.rs:170		<pre> 171 unit_ids: Vec<UnitId>, 172 hexside: HexsideRef,</pre>
omdurman-rules/src/effects/dispatch.rs:49 GH:omdurman-rules/src/effects/dispatch.rs:49	apply_construct_zariba	<pre> 47 GameEffect::RecoverUnit { unit_id } => apply_recover_unit(state, *unit_id), 48 GameEffect::ConstructZariba { unit_ids, hexside } => { 49 apply_construct_zariba(state, unit_ids, *hexside) 50 } 51 GameEffect::Demolition { unit_id, target } => apply_demolition(state, *unit_id, *target),</pre>

Covered by tests: [omdurman-rules::src::effects::tests::construct_zariba_marks_builders_and_records_hexside](#)
[omdurman-rules::src::effects::tests::zariba_builders_may_not_fire_offensively_or_melee_until_turn_end](#)
[omdurman-rules::src::effects::tests::zariba_construction_is_a_campaign_movement_phase_action](#)
[omdurman-rules::src::effects::tests::world_lens_composes_breaches_and_constructed_zariba](#)

§5.4 – Zones of Control

[descriptive](#)

manual page unknown

Zones of Control

§5.5 – Stacking

[descriptive](#)

manual page unknown

Stacking

§5.11 – Movement allowances printed on units

[implemented](#)

manual page unknown

The movement allowances of the various unit types are printed directly on the units (see 2.3). A unit may move up to this printed movement allowance, paying varying costs for different terrain types (see the Terrain Effects Chart).

See also: §2.3

File	Symbol	Code Snippet
omdurman-rules/src/scalars.rs:63 GH:omdurman-rules/src/scalars.rs:63	MovementAllowance	<pre> 61 /// is a named variant. 62 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug)] 63 pub enum MovementAllowance { 64 /// Immobile (forts, wrecked gunboats). 65 Immobile = 0,</pre>
omdurman-rules/src/unit.rs:502 GH:omdurman-rules/src/unit.rs:502	UnitMovement	<pre> 500 /// Movement allowance -- uniform for land units, split for gunboats (rulebook §5.11, §5.24, §5.25). 501 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 502 pub enum UnitMovement { 503 Land(MovementAllowance), 504 Gunboat(GunboatMovement),</pre>
omdurman-rules/src/scalars.rs:105 GH:omdurman-	MovementPoints	<pre> 103 Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Hash, Debug, Default, 104)] 105 pub struct MovementPoints(pub(crate) i16);</pre>

rules/src/ scalars.rs:105		106 107 <code>impl std::fmt::Display for MovementPoints {</code>
omdurman- rules/src/terrain_chart.rs:21 GH:omdurman- rules/src/ terrain_chart.rs:21	terrain_effects_chart	19 <code>///</code> 20 <code>/// Source: printed Terrain Effects Chart on the</code> <code>mapsheet.</code> 21 <code>pub fn terrain_effects_chart(terrain: Terrain) -></code> <code>TerrainEntry {</code> 22 <code> match terrain {</code> 23 <code> Terrain::Clear { .. } => TerrainEntry {</code>
omdurman- rules/src/terrain_chart.rs:77 GH:omdurman- rules/src/ terrain_chart.rs:77	movement_cost	75 <code>/// Convenience: get the movement cost for a terrain</code> <code>type (rulebook §5.11, Terrain Effects Chart).</code> 76 <code>/// Returns `None` for impassable terrain (Nile).</code> 77 <code>pub fn movement_cost(terrain: Terrain) -></code> <code>Option<MovementAllowance> {</code> 78 <code> terrain_effects_chart(terrain).movement_cost</code> 79 <code>}</code>
omdurman- rules/src/terrain_chart.rs:87 GH:omdurman- rules/src/ terrain_chart.rs:87	movement_cost_with_ro	85 <code>/// movement overlay only -- combat/LOS use the</code> <code>underlying terrain ("Per</code> 86 <code>/// other terrain in hex"). The Nile stays impassable</code> <code>to land units.</code> 87 <code>pub fn movement_cost_with_road(terrain: Terrain,</code> <code>along_road: bool) -> Option<MovementAllowance> {</code> 88 <code> if along_road && !terrain.is_nile() {</code> 89 <code> Some(MovementAllowance::One)</code>
omdurman- types/src/ lib.rs:512 GH:omdurman- types/src/lib.rs:512	Terrain::has_road	510 511 <code>/// Whether this hex has any road touching it.</code> 512 <code>pub fn has_road(self) -> bool {</code> 513 <code> !matches!(self.road(), Road::None)</code> 514 <code>}</code>
omdurman- types/src/ lib.rs:449 GH:omdurman- types/src/lib.rs:449	Terrain::passable_by_land	447 448 <code>/// Whether this terrain may be entered by land</code> <code>units (rulebook §5.11).</code> 449 <code>pub fn passable_by_land(self) -> bool {</code> 450 <code> !self.is_nile()</code> 451 <code>}</code>
omdurman- types/src/ lib.rs:517 GH:omdurman- types/src/lib.rs:517	Terrain::is_crossroad	515 516 <code>/// Whether roads converge at this hex's centre.</code> 517 <code>pub fn is_crossroad(self) -> bool {</code> 518 <code> matches!(self.road(), Road::Crossroad)</code> 519 <code>}</code>
omdurman- rules/src/ board.rs:341 GH:omdurman- rules/src/ board.rs:341	BoardInfo::roads	339 <code>tiles: tiles.into_iter().collect(),</code> 340 <code>hexsides: Vec::new(),</code> 341 <code>roads: Vec::new(),</code> 342 <code>excluded: BTreeSet::new(),</code> 343 <code>overlay: default_overlay(),</code>

Proven by: `omdurman-rules::src::terrain_chart::movement_column_matches_the_printed_chart`
`omdurman-types::src::lib::terrain_road_state_round_trips`

Covered by tests: `omdurman-rules::src::effects::tests::road_rate_applies_only_along_the_road`
`omdurman-rules::src::effects::tests::crossing_a_hexside_costs_the_chart_surcharge`
`omdurman-rules::src::terrain_chart::step_cost_adds_the_crossed_hexside`
`omdurman-rules::src::terrain_chart::engine_matches_the_transcribed_terrain_effects_chart`
`omdurman-rules::src::effects::tests::extreme_coordinates_are_rejected_without_panicking`
`omdurman-rules::src::effects::tests::move_cost_is_engine_computed_and_caller_cost_ignored`
`omdurman-rules::src::effects::tests::move_path_must_be_contiguous_and_end_at_destination`
`omdurman-rules::src::terrain_chart::clear_terrain_no_bonus`
`omdurman-rules::src::terrain_chart::nile_is_impassable` `omdurman-rules::src::terrain_chart::rough_movement_and_defense`
`omdurman-rules::src::terrain_chart::swamp_movement_and_defense`
`omdurman-rules::src::terrain_chart::hilltop_movement_and_defense`
`omdurman-rules::src::terrain_chart::huts_movement_and_defense`
`omdurman-rules::src::terrain_chart::movement_cost_convenience_matches_chart`

omdurman-rules::src::terrain_chart::movement_cost_with_road_always_one
 omdurman-rules::src::effects::tests::land_unit_may_not_enter_nile
 omdurman-rules::src::terrain_chart::movement_cost_without_road_matches_terrain
 omdurman-rules::src::effects::tests::movement_cost_for_uses_terrain
 omdurman-rules::src::effects::tests::movement_cost_for_road_costs_one
 omdurman-rules::src::terrain_chart::road_gives_crossroad omdurman-rules::src::terrain_chart::terrain_movement_costs_in_bounds
 omdurman-rules::src::terrain_chart::terrain_chart_road_always_costs_one
 omdurman-rules::src::terrain_chart::trees_cost_one_and_give_no_defense

§5.12 – Move up to allowance, hex by hex (cumulative MP cap)

implemented

manual page unknown

A player may move as many or as few of his units as desired during each movement phase, limited only by the units' movement allowance, the terrain costs paid in moving from hex to hex, and enemy zones of control (see 5.4).

See also: §5.4

File	Symbol	Code Snippet
omdurman-rules/src/effects/state/movement.rs:25 GH:omdurman-rules/src/effects/state/movement.rs:25	can_move_unit	<pre> 23 /// Returns the same `RuleError` the `MoveUnit` effect would on rejection. 24 /// Lets the UI gate input without mutating or duplicating the rules. 25 pub fn can_move_unit(&self, unit_id: UnitId, cost: MovementPoints) -> Result<(), RuleError> { 26 let unit = self.unit_or_err(unit_id)?; 27 self.movement_preconditions(unit)?; </pre>
omdurman-rules/src/effects/state.rs:389 GH:omdurman-rules/src/effects/state.rs:389	mp_spent	<pre> 387 388 /// Movement points `unit_id` has already spent this turn (§5.11/§5.12). 389 pub fn mp_spent(&self, unit_id: UnitId) -> i16 { 390 391 self.mp_spent_this_turn.get(&unit_id).copied().unwrap_or(0) </pre>

Covered by tests: omdurman-rules::src::effects::tests::cumulative_move_cost_may_not_exceed_allowance
 omdurman-rules::src::effects::tests::wrong_faction_move_is_rejected
 omdurman-rules::src::effects::tests::wrong_faction_gunboat_move_is_rejected

§5.13 – No MP accumulation between turns

implemented

manual page unknown

A unit may never accumulate movement points from turn to turn, nor may a unit transfer unused movement points to other units. A unit's unused movement points in any given turn are considered lost.

File	Symbol	Code Snippet
omdurman-rules/src/effects/dispatch.rs:306 GH:omdurman-rules/src/effects/dispatch.rs:306	end_player_turn	<pre> 304 305 /// End the current player's turn: recover disrupted units, switch active player, advance turn index (rulebook §4). 306 pub fn end_player_turn(state: &mut GameState) { 307 #[cfg(not(feature = "kani"))] 308 debug! { </pre>

Covered by tests: omdurman-rules::src::effects::tests::recover_unit_is_the_owners_end_of_turn_only
 omdurman-rules::src::effects::tests::unused_movement_points_do_not_carry_over

§5.21 – Friendlies transport via gunboat

implemented

manual page unknown

In general, naval transport missions are not allowed, i.e. gunboats may not carry any land units. The sole exception is that the Anglo-Egyptian player may transport the surviving units of the “Friendlies” brigade from the east bank of the Nile to the west bank after, and only after, the Dervish east bank unit (Isa Zachneih) has been eliminated. The transport is accomplished in the following sequence: a) on any turn that a “Friendlies” unit and any Anglo-Egyptian gunboat start their turn adjacent, that unit may load onto (i.e. stack with) the gunboat; b) during the Anglo-Egyptian player’s next turn the gunboat may move to any Nile hex adjacent to a west bank hex (up to the gunboat’s movement allowance); c) on the Anglo-Egyptian player’s third turn the “Friendlies” unit may disembark and move normally, paying the normal terrain cost for the first hex entered. The gunboat may also move normally that turn.

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/unit.rs:317 GH:omdurman-rules/src/unit.rs:317	is_friendlylies	<pre>315 /// "Friendlies" units obey several special rules 316 (\$5.21, \$5.23, \$6.52, 317 /// \$9.14 victory conditions). 318 pub fn is_friendlylies(&self) -> bool { 319 matches!(320 self,</pre>
omdurman-rules/src/effects/state/movement.rs:492 GH:omdurman-rules/src/effects/state/movement.rs:492	friendlylies_transport_off	<pre>490 /// regardless of selection. Pairs with 491 [`GameEffect::FriendlyliesTransport`] 492 /// so the UI can offer exactly the action the 493 engine would accept. 494 pub fn friendlylies_transport_offer(&self, selected: 495 Option<UnitId>) -> Option<FriendlyliesAction> { 496 match self.friendlylies_transport { 497 None => {</pre>
omdurman-rules/src/unit.rs:522 GH:omdurman-rules/src/unit.rs:522	loaded_on	<pre>520 pub disrupted: bool, 521 /// `Some(gunboat)` after a "Friendlies" unit loads 522 onto a gunboat (§5.21). 523 pub loaded_on: Option<UnitId>, 524 /// Set while the unit is building Zariba hexsides 525 -- neither offensive 526 /// fire nor melee allowed that turn (§5.3).</pre>
omdurman-rules/src/effects/effect.rs:197 GH:omdurman-rules/src/effects/effect.rs:197	FriendlyliesTransport	<pre>195 196 /// Load/disembark the "Friendlies" brigade via 197 gunboat (rulebook §5.21). 198 FriendlyliesTransport(crate::FriendlyliesAction), 199 // -- Optional rules 200 -----</pre>
omdurman-rules/src/effects/river.rs:12 GH:omdurman-rules/src/effects/river.rs:12	apply_friendlylies_transpo	<pre>10 /// unit is freed (a disembarking `MoveUnit` should 11 follow, costed by 12 terrain). 13 pub fn apply_friendlylies_transport(14 state: &mut GameState, 15 action: FriendlyliesAction,</pre>
omdurman-rules/src/transport.rs:20 GH:omdurman-rules/src/transport.rs:20	FriendlyliesAction	<pre>18 /// tracks each unit-gunboat pair independently. 19 #[derive(Serialize, Deserialize, Clone, Copy, 20 PartialEq, Eq, Debug)] 21 pub enum FriendlyliesAction { 22 /// Turn N (the load turn): unit and gunboat 23 started adjacent; unit 24 /// loads onto (stacks with) the gunboat.</pre>
omdurman-rules/src/	TransportState	<pre>38 /// third turn. 39 #[derive(Serialize, Deserialize, Clone, Copy,</pre>

transport.rs:40 GH:omdurman-rules/src/transport.rs:40		PartialEq, Eq, Debug)) 40 pub enum TransportState { 41 /// Turn N (the load turn): unit and gunboat started adjacent; unit 42 /// loads onto (stacks with) the gunboat.
--	--	--

Covered by tests: [omdurman-rules::src::effects::tests::a_mined_gunboat_scores_and_takes_its_friendlies_down](#)
[omdurman-rules::src::effects::tests::friendlies_transport_offer_load_requires_prerequisites](#)
[omdurman-rules::src::effects::tests::friendlies_transport_offer_follows_state_machine](#)

§5.22 – Land units may never enter a Nile River hex

implemented

manual page unknown

With the exception of 5.21, land units may never enter a Nile River hex. Only gunboats may enter and move along Nile River hexes.

See also: §5.21

File	Symbol	Code Snippet
omdurman-rules/src/effects/state/movement.rs:43 GH:omdurman-rules/src/effects/state/movement.rs:43	can_move_unit_to	41 42 43 44 45
omdurman-rules/src/effects/state/setup.rs:215 GH:omdurman-rules/src/effects/state/setup.rs:215	in_deployment_zone	213 214 215 216 217

Covered by tests: [omdurman-rules::src::effects::tests::campaign_deployment_is_boat_land_exclusive](#)
[omdurman-rules::src::effects::tests::fok_ae_gunboat_deploys_only_on_nile](#)
[omdurman-rules::src::effects::tests::fok_ae_land_unit_rejected_on_nile](#)
[omdurman-rules::src::effects::tests::deploy_via_real_sprite_resolution_matches_engine](#)
[omdurman-rules::src::effects::tests::fok_dervish_land_unit_rejected_on_nile](#)
[omdurman-rules::src::effects::tests::retreat_before_melee_may_not_land_on_nile](#)

§5.23 – Walled city entry restrictions

implemented

manual page unknown

Only certain units may enter the walled portion of Omdurman. For the Dervish player these are the Khalifa unit, the three Dervish artillery units, and the Taiasha units (the Khalifa's bodyguard). Any Anglo-Egyptian units that can get to the walled city may enter it (except gunboats and "Friendlies"). Units entering and/or exiting the walled city may only do so through a gate or breach hexside.

File	Symbol	Code Snippet
omdurman-types/src/lib.rs:159	HexsideRef	157 158 159

GH:omdurman-types/src/lib.rs:159		<pre> 160 pub a: HexCoord, 161 pub b: HexCoord,</pre>
omdurman-types/src/lib.rs:194 GH:omdurman-types/src/lib.rs:194	HexsideKind	<pre> 192 strum::EnumIter, 193 }} 194 pub enum HexsideKind { 195 /// City wall (Khartoum, walled city of Omdurman). Blocks LOS, blocks 196 /// movement except across gates/breaches (§5.23), blocks ZOC into the city</pre>
omdurman-types/src/lib.rs:272 GH:omdurman-types/src/lib.rs:272	blocks_movement	<pre> 270 /// `omdurman-rules`. The trench *end* variants are therefore intentionally 271 /// not blocking. 272 pub fn blocks_movement(self) -> bool { 273 matches!(274 self,</pre>
omdurman-rules/src/unit.rs:343 GH:omdurman-rules/src/unit.rs:343	may_enter_walled_city	<pre> 341 /// Taiasha bodyguard may enter. Anglo-Egyptian: any unit that can reach the 342 /// walled city *except* gunboats and "Friendlies". 343 pub fn may_enter_walled_city(&self) -> bool { 344 match self { 345 // §5.23 Dervish: Khalifa, artillery, Taiasha.</pre>
omdurman-rules/src/board.rs:249 GH:omdurman-rules/src/board.rs:249	is_walled_city	<pre> 247 /// are its seeds). The set is derived once from the board data, replacing 248 /// the older "at least two of six hexsides are Wall/Gate/Breach" heuristic. 249 pub fn is_walled_city(&self, hex: HexCoord) -> bool { 250 // Membership in the precomputed enclosed area (see `walled_city`). 251 // Palace/Tomb hexes are always part of it (they are the seeds).</pre>
omdurman-rules/src/effects/error.rs:101 GH:omdurman-rules/src/effects/error.rs:101	WalledCityEntry	<pre> 99 100 #[error("unit {0} is not eligible to enter the walled city of Omdurman at {1} (§5.23)")] 101 WalledCityEntry(UnitId, HexCoord), 102 103 #[error("movement cost {cost} exceeds allowance {allowance}")]</pre>

Proven

by:

`omdurman-types::src::lib::hexside_ref_is_order_independent` `omdurman-types::src::lib::hexside_blocking_classifiers_are_exact`

Covered

by

tests:

`omdurman-rules::src::effects::tests::a_wall_blocks_every_step_not_just_the_endpoints`
`omdurman-rules::src::effects::tests::can_move_rejects_wall_hexside` `omdurman-rules::src::effects::tests::can_move_allows_gate_hexside`
`omdurman-rules::src::effects::tests::walled_city_entry_allows_khalifa`
`omdurman-rules::src::effects::tests::walled_city_entry_rejects_unauthorized_dervish`
`omdurman-rules::src::effects::tests::walled_city_entry_rejects_ae_gunboat`
`omdurman-rules::src::effects::tests::walled_city_entry_not_enforced_for_fok`
`omdurman-rules::src::board_data::campaign_walled_city_is_enclosed_by_walls`
`omdurman-rules::src::effects::tests::breach_is_an_opening_for_los_and_effective_kinds`

§5.24 – Gunboat upstream/downstream movement

implemented

manual page unknown

Note that gunboats have two movement allowances separated by a slash, e.g. 10/16. The smaller number is the movement allowance when moving upstream, i.e. against the current (the direction of the current is indicated by arrows in the Nile). The larger number is the movement allowance when moving downstream, i.e. with the current. Gunboats may combine movement in both directions, but if they move even one hex upstream, their upstream movement allowance is their maximum movement allowance for that turn, and may not be exceeded.

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/unit.rs:243 GH:omdurman-rules/src/unit.rs:243	GunboatMovement	<pre>241 /// the turn. 242 #[derive(Serialize, Deserialize, Clone, Copy, 243 pub struct GunboatMovement { 244 pub upstream: MovementAllowance, 245 pub downstream: MovementAllowance,</pre>
omdurman-types/src/lib.rs:983 GH:omdurman-types/src/lib.rs:983	is_boat	<pre>981 982 /// Gunboats use the split upstream/downstream movement allowance (§5.24). 983 pub fn is_boat(self) -> bool { 984 matches!(self, UnitKind::Gunboat { .. }) 985 }</pre>

Proven by: [omdurman-types::src::lib::unit_kind_fire_and_movement_capability_law_is_exact](#)
[omdurman-types::src::lib::hex_direction_from_index_is_total_mod_six](#)
[omdurman-types::src::lib::nile_flow_rotation_composes_and_never_leaves_the_nile](#)

Covered by tests: [omdurman-rules::src::unit_profiles::boat_annotation_yields_split_gunboat_movement](#)
[omdurman-rules::src::effects::tests::gunboat_upstream_cap_is_sticky_across_moves](#)
[omdurman-app::src::picker::movement::gunboat_cap_gate_mirrors_the_engine](#)
[omdurman-app::src::picker::movement::remaining_mp_respects_the_sticky_upstream_cap](#)

§5.25 – Dervish forts may not move

implemented

manual page unknown

Dervish forts may not move in any way once placed.

File	Symbol	Code Snippet
omdurman-rules/src/unit.rs:506 GH:omdurman-rules/src/unit.rs:506	Immobile	<pre>504 Gunboat(GunboatMovement), 505 /// Forts may not move once placed (§5.25). 506 Immobile, 507 } 508 </pre>
omdurman-types/src/lib.rs:940 GH:omdurman-types/src/lib.rs:940	UnitKind::Fort	<pre>938 /// Permanent emplacement (§6.54): fire (artillery) / melee (defensive). 939 /// May not move once placed (§5.25). 940 Fort { fire: i32, melee: i32 }, 941 /// Dervish leader (§6.51): fire / melee / movement. May melee attack (§7.4). 942 DervishLeader {</pre>
omdurman-rules/src/unit.rs:506 GH:omdurman-rules/src/unit.rs:506	UnitMovement::Immobile	<pre>504 Gunboat(GunboatMovement), 505 /// Forts may not move once placed (§5.25). 506 Immobile, 507 } 508 </pre>

Covered by tests: [omdurman-rules::src::effects::tests::forts_are_never_advance_eligible](#)
[omdurman-rules::src::effects::tests::immobile_fort_rejects_move_unit](#)

§5.26 – Units stop on entering enemy ZOC

implemented

manual page unknown

Units must stop their movement immediately upon entering an enemy zone of control (see 5.4).

See also: §5.4

File	Symbol	Code Snippet
omdurman-rules/src/effects/state/movement.rs:43 GH:omdurman-rules/src/effects/state/movement.rs:43	can_move_unit_to	<pre>41 /// 42 /// Stacking (§5.51) is checked when the move is applied, not here. 43 pub fn can_move_unit_to(44 &self, 45 unit_id: UnitId,</pre>
omdurman-rules/src/effects/state/stacking.rs:218 GH:omdurman-rules/src/effects/state/stacking.rs:218	hex_in_enemy_zoc	<pre>216 /// does not extend into or out of a Nile hex. With no board loaded these 217 /// reduce to the plain adjacency rule. 218 pub fn hex_in_enemy_zoc(219 &self, 220 hex: HexCoord,</pre>

Covered by tests: [omdurman-rules::src::effects::tests::unit_entering_enemy_zoc_may_move_no_further_that_turn](#)
[omdurman-rules::src::effects::tests::zoc_transit_check_uses_the_actual_path](#)

§5.41 – All units except AE leaders exert ZOC

implemented

manual page unknown

All units except Anglo-Egyptian leaders exert a zone of control (hereafter called a ZOC) into their six adjacent hexes (exception: Gunboats exert a ZOC only against enemy gunboats). Disrupted units have no ZOC.

File	Symbol	Code Snippet
omdurman-rules/src/effects/state/stacking.rs:110 GH:omdurman-rules/src/effects/state/stacking.rs:110	unit_projects_zoc_rule	<pre>108 /// * A fort projects ZOC out of its hex even when unoccupied (§5.44), 109 /// modelled by the fort unit projecting normally. 110 pub fn unit_projects_zoc_rule(111 unit: &UnitPlacement, 112 mover_player: Player,</pre>
omdurman-rules/src/unit.rs:561 GH:omdurman-rules/src/unit.rs:561	ZocReason	<pre>559 /// Used by the engine when answering "is this hex in an enemy ZOC?". 560 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 561 pub enum ZocReason { 562 /// Normal ZOC: any non-disrupted unit other than an Anglo-Egyptian 563 /// leader (§5.41) projects ZOC into each of its six adjacent hexes.</pre>
omdurman-rules/src/effects/state/stacking.rs:200 GH:omdurman-rules/src/effects/state/stacking.rs:200	unit_projects_zoc	<pre>198 /// §5.44) need the game map, which the engine does not hold; the app layers 199 /// those on top. This is the position/kind/ disruption core of the rule. 200 pub fn unit_projects_zoc(</pre>

fects/state/ stacking.rs:200		201 &self, 202 unit: &UnitPlacement,
omdurman-rules/src/ef-fects/state/stacking.rs:289 GH:omdurman-rules/src/ef-fects/state/stacking.rs:289	zoc_hexes	287 /// ZOC covers a given hex; this function returns *which* hexes a 288 /// specific unit covers. 289 pub fn zoc_hexes(290 &self, 291 unit: &UnitPlacement,

Proven by: [omdurman-rules::src::effects::unit_projects_zoc_matches_manual_clauses](#)
[omdurman-types::src::lib::player_opponent_is_a_fixed_point_free_involution](#)

Covered by tests: [omdurman-rules::src::effects::tests::zoc_hexes_empty_for_anglo_egyptian_leader](#)
[omdurman-rules::src::effects::tests::zoc_hexes_normal_unit_projects_six_adjacent_minus_exclusions](#)
[omdurman-rules::src::effects::tests::zoc_hexes_empty_for_disrupted_unit](#)
[omdurman-rules::src::effects::tests::zoc_hexes_matches_hex_in_enemy_zoc](#) [omdurman-rules::src::effects::tests::zoc_hexes_excludes_nile](#)
[omdurman-rules::src::effects::tests::zoc_hexes_excludes_khor](#)

§5.42 – No MP cost to enter/leave enemy ZOC

implemented

manual page unknown

There is no movement point cost to enter or leave an enemy ZOC.

File	Symbol	Code Snippet
omdurman-rules/src/ef-fects/state/movement.rs:437 GH:omdurman-rules/src/ef-fects/state/movement.rs:437	movement_cost_for	435 /// 436 /// §5.42: entering or leaving an enemy ZOC adds no MP cost. 437 pub fn movement_cost_for(438 &self, 439 unit: &UnitPlacement,

Covered by tests: [omdurman-rules::src::effects::tests::entering_enemy_zoc_costs_no_extra_mp](#)

§5.43 – Units stop when entering enemy ZOC

implemented

manual page unknown

All units must stop when they enter an enemy ZOC and may move no further that turn. In their next movement phase they may withdraw or, if desired, move directly into another enemy ZOC.

File	Symbol	Code Snippet
omdurman-rules/src/ef-fects/state/movement.rs:43 GH:omdurman-rules/src/ef-fects/state/movement.rs:43	can_move_unit_to	41 /// 42 /// Stacking (§5.51) is checked when the move is applied, not here. 43 pub fn can_move_unit_to(44 &self, 45 unit_id: UnitId,
omdurman-rules/src/ef-fects/state/	hex_in_enemy_zoc	216 /// does not extend into or out of a Nile hex. With no board loaded these 217 /// reduce to the plain adjacency rule.

stacking.rs:218 GH:omdurman- rules/src/ef- fects/state/ stacking.rs:218		218 pub fn hex_in_enemy_zoc(219 &self, 220 hex: HexCoord,
---	--	--

Covered by tests: `omdurman-rules::src::effects::tests::unit_entering_enemy_zoc_may_move_no_further_that_turn`

§5.44 – ZOC limitations (walls, khor, fort, Nile, Zariba)

implemented

manual page unknown

ZOCs do not extend into or out of a Nile River hex (exception: Gunboats, see 5.41). ZOCs do not extend across a khor, into a fort, or into a hex inside the walled city across a wall hexside. ZOCs do extend out of a fort (even if unoccupied), and from a walled city hex into an adjacent non-walled-city hex across a wall hexside. ZOCs also extend out of (but not into) a walled city hex across a gate hexside. ZOCs extend both ways across a breach hexside. ZOCs also extend out of, but not into, a hut or building hex. In the historical scenario ZOCs extend out of, but not into, the Zariba across a Zariba hexside (also in the campaign game if the Zariba is constructed).

(see manual for full text)

See also: §5.41

File	Symbol	Code Snippet
omdurman- rules/src/ unit.rs:561 GH:omdurman- rules/src/ unit.rs:561	ZocReason	559 /// Used by the engine when answering "is this hex in an enemy ZOC?". 560 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 561 pub enum ZocReason { 562 /// Normal ZOC: any non-disrupted unit other than an Anglo-Egyptian 563 /// leader (§5.41) projects ZOC into each of its six adjacent hexes.
omdurman- types/src/ lib.rs:199 GH:omdurman- types/src/lib.rs:199	Wall	197 /// (§5.44), blocks melee (§7.2), blocks advance- after-combat (§6.82). 198 #[default] 199 Wall, 200 /// Gate hexside in a wall. ZOC extends *out of* the walled city through 201 /// gates but not into it (§5.44). Melee may be made through a gate (§7.2).
omdurman- types/src/ lib.rs:208 GH:omdurman- types/src/lib.rs:208	Khor	206 /// Khor -- gully/wadi. ZOCs do not extend across (§5.44); advance after 207 /// combat may not cross (§6.82). 208 Khor, 209 /// Crest line. Blocks LOS unless the firer is on the higher side 210 /// (§6.3 note 7).
omdurman- rules/src/ unit.rs:574 GH:omdurman- rules/src/ unit.rs:574	ZocReason::Zariba	572 /// Zariba hexside ZOC behaviour in the historical scenario / when the 573 /// Zariba is constructed (§5.44). 574 Zariba, 575 } 576
omdurman- rules/src/ef- fects/state/	unit_projects_zoc	198 /// §5.44) need the game map, which the engine does not hold; the app layers 199 /// those on top. This is the position/kind/

stacking.rs:200 GH:omdurman-rules/src/effects/state/stacking.rs:200		disruption core of the rule. 200 pub fn unit_projects_zoc(201 &self, 202 unit: &UnitPlacement,
omdurman-types/src/lib.rs:289 GH:omdurman-types/src/lib.rs:289	HexsideKind::blocks_zoc	287 /// cannot express; those are left to the caller. This predicate captures the 288 /// symmetric "does not extend across" cases. 289 pub fn blocks_zoc(self) -> bool { 290 matches!(291 self,
omdurman-rules/src/effects/state/stacking.rs:218 GH:omdurman-rules/src/effects/state/stacking.rs:218	hex_in_enemy_zoc	216 /// does not extend into or out of a Nile hex. With no board loaded these 217 /// reduce to the plain adjacency rule. 218 pub fn hex_in_enemy_zoc(219 &self, 220 hex: HexCoord,
omdurman-rules/src/effects/state/stacking.rs:242 GH:omdurman-rules/src/effects/state/stacking.rs:242	zoc_extends	240 /// only outward ("out of, but not into, a walled city hex"), across a 241 /// breach both ways. 242 pub fn zoc_extends(&self, unit: &UnitPlacement, into: HexCoord) -> bool { 243 use omdurman_types::HexsideKind; 244 let from = unit.position;

Proven by: omdurman-rules::src::effects::unit_projects_zoc_matches_manual_clauses
omdurman-types::src::lib::hexside_blocking_classifiers_are_exact

Covered by tests: omdurman-rules::src::effects::tests::zoc_extends_out_of_but_not_into_buildings_and_forts
omdurman-rules::src::effects::tests::zoc_crosses_walls_and_gates_only_outward
omdurman-rules::src::effects::tests::zoc_hexes_excludes_nile omdurman-rules::src::effects::tests::zoc_hexes_excludes_khor
omdurman-rules::src::effects::tests::zoc_hexes_normal_unit_projects_six_adjacent_minus_exclusions

§5.51 – Stacking limit (4 units + leaders, gunboats isolated)

implemented

manual page unknown

No more than four units may occupy a hex, with the exception of leaders and gunboats. All leader units are free stacking, i.e. they may stack in addition to the four-unit-per-hex stacking limitation. Gunboats may not stack with any other unit (Exception: 5.21). Players may move through friendly units at no additional cost in movement points. The stacking limitation applies only at the end of the movement phase and during combat.

See also: §5.21

File	Symbol	Code Snippet
omdurman-rules/src/unit.rs:586 GH:omdurman-rules/src/unit.rs:586	OverLimit	584 /// (§6.51: a Dervish unit occupying his hex eliminates him). 585 #[error("hex stack exceeds the four-unit limit [§5.51]")] 586 OverLimit, 587 /// "Gunboats may not stack with any other unit" (§5.51, exception §5.21). 588 #[error("gunboats may not stack with non-gunboat units [§5.51]")]
omdurman-rules/src/unit.rs:589 GH:omdurman-	GunboatStack	587 /// "Gunboats may not stack with any other unit" (§5.51, exception §5.21). 588 #[error("gunboats may not stack with non-gunboat units [§5.51]")]

rules/src/ unit.rs:589		<pre> 589 GunboatStack, 590 /// "Units of different Dervish tribes may not stack together" (§5.52). 591 /// The Dervish artillery (§9.322's three guns) is not a tribe but is not </pre>
omdurman- rules/src/ unit.rs:599 GH:omdurman- rules/src/ unit.rs:599	EnemyCohabitation	<pre> 597 /// lone Anglo-Egyptian leader is exempt (§6.51). 598 #[error("enemy units may not share a hex; melee, not movement, engages them [§5.51, §7.1]")] 599 EnemyCohabitation, 600 /// "If Dervish leaders elect to stack, they may only stack with units of 601 /// their command (i.e. colour)" (§5.53). </pre>
omdurman- rules/src/ef- fects/state/ stacking.rs:151 GH:omdurman- rules/src/ef- fects/state/ stacking.rs:151	check_stacking	<pre> 149 /// Dervish artillery is its own group) may not stack together. 150 /// * §5.53 -- a Dervish leader may stack only with units of its command. 151 pub fn check_stacking(152 &self, 153 mover: &UnitPlacement, </pre>
omdurman- rules/src/ef- fects/state/ stacking.rs:21 GH:omdurman- rules/src/effects/ state/stacking.rs:21	stacking_rule	<pre> 19 /// artillery as its own group) may not share a hex. 20 /// * §5.53: a Dervish leader stacks only with units of its command. 21 pub fn stacking_rule(occupants: &[&UnitPlacement]) -> Result<(), crate::StackingError> { 22 use crate::StackingError; 23 </pre>

Proven by:

- [omdurman-rules::src::effects::stacking_rule_cohabitation_is_exact](#)
- [omdurman-rules::src::effects::stacking_rule_is_symmetric](#)
- [omdurman-rules::src::effects::stacking_rule_leaders_are_free_stacking](#)
- [omdurman-rules::src::effects::stacking_rule_limit_is_four_counted_units](#)
- [omdurman-rules::src::effects::stacking_rule_gunboat_never_shares](#)

Covered by tests:

- [omdurman-rules::src::effects::tests::stacking_over_limit_rejected](#)
- [omdurman-rules::src::effects::tests::mid_move_stacking_allows_pass_through](#)
- [omdurman-rules::src::effects::tests::mid_move_stacking_rejects_over_limit_destination](#)
- [omdurman-rules::src::effects::tests::validate_stacking_invariants_clean_state](#)
- [omdurman-rules::src::effects::tests::validate_stacking_invariants_catches_stacking_violation](#)
- [omdurman-rules::src::effects::tests::validate_stacking_invariants_allows_leaders_stacking](#)
- [omdurman-rules::src::effects::tests::deploy_rejects_enemy_cohabitation_during_setup](#)
- [omdurman-rules::src::effects::tests::validate_stacking_invariants_catches_enemy_cohabitation](#)
- [omdurman-rules::src::effects::tests::ae_garrison_stacks_freely_under_gordon](#)
- [omdurman-rules::src::effects::tests::melee_mandatory_advance_leaders_are_free_stacking](#)

§5.52 – Different Dervish tribes may not stack together

implemented

manual page unknown

The units of different Dervish tribes may not stack together, even if they are the same color (e.g. although both are green, Mulazmin and Jehadia units may not stack with each other).

File	Symbol	Code Snippet
omdurman- rules/src/ unit.rs:595 GH:omdurman- rules/src/ unit.rs:595	DervishTribeMix	<pre> 593 /// [<code>UnitIdentity::dervish_stacking_group`</code>]). 594 #[error("Dervish units of different tribes may not stack [§5.52]")] 595 DervishTribeMix, 596 /// A unit may never share a hex with enemy units (§5.51, §7.1); only the 597 /// lone Anglo-Egyptian leader is exempt (§6.51). </pre>

omdurman-rules/src/unit.rs:395 GH:omdurman-rules/src/unit.rs:395	dervish_stacking_group	<pre> 393 /// `None` for every unit the §5.52 law does not constrain: Dervish 394 /// leaders, forts and gunboats, and all Anglo- Egyptian units. 395 pub fn dervish_stacking_group(&self) -> Option<DervishStackingGroup> { 396 match self { 397 UnitIdentity::DervishTribal { tribe } => Some(DervishStackingGroup::Tribe(*tribe)), </pre>
---	-------------------------------	--

Proven by: [omdurman-rules::src::effects::stacking_rule_group_purity_is_exact](#)

Covered by tests:

- [omdurman-rules::src::unit_profiles::green_sections_are_mulazmin_tribal_units](#)
- [omdurman-rules::src::effects::tests::deploy_rejects_dervish_tribe_mix](#)
- [omdurman-rules::src::effects::tests::deploy_rejects_hadendowa_on_dervish_gun](#)
- [omdurman-rules::src::effects::tests::dervish_guns_stack_with_guns_and_their_leader](#)
- [omdurman-rules::src::effects::tests::validate_stacking_invariants_clean_state](#)

§5.53 – Leader stacking with command colour only

implemented

manual page unknown

Leader units are not required to stack. If Dervish leaders elect to stack, however, they may only stack with units of their command (i.e. color). For example, Sheik El Din may only stack with Mulazmins or Jehadias.

****5.54) Anglo-Egyptian Brigade Integrity:**** All British, Sudanese, and Egyptian infantry units have their brigade designation printed in the upper right corner (e.g. “2B” = 2nd British Brigade; “3E” = 3rd Egyptian Brigade, etc.). In any combat phase in which all four infantry battalions belonging to any Anglo-Egyptian infantry brigade are stacked in the same hex they are said to have brigade integrity. Stacks having brigade integrity receive a +1 modifier to their fire combat die roll provided they all fire at the same enemy occupied hex. This modifier is in addition to the normal +1 bonus given to all Anglo-Egyptian direct fire attacks (see 6.24).

(see manual for full text)

See also: §5.54, §6.24

File	Symbol	Code Snippet
omdurman-rules/src/unit.rs:603 GH:omdurman-rules/src/unit.rs:603	DervishLeaderCommandMismatch	<pre> 601 /// their command (i.e. colour)" (§5.53). 602 #[error("Dervish leader may only stack with units of their own command [§5.53]")] 603 DervishLeaderCommandMismatch, 604 } 605 </pre>

Covered by tests:

- [omdurman-rules::src::effects::tests::dervish_leader_stacks_only_with_command_colour](#)
- [omdurman-rules::src::unit_profiles::command_owns_unit_follows_tribes_and_brigades](#)

§5.54 – Anglo-Egyptian Brigade Integrity

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/unit.rs:609 GH:omdurman-rules/src/unit.rs:609	BrigadeIntegrity	<pre> 607 /// stack contains all four battalions of a single Anglo-Egyptian brigade. 608 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 609 pub enum BrigadeIntegrity { </pre>

		<pre> 610 None, 611 Integrated(BrigadeId), </pre>
omdurman-rules/src/unit.rs:459 GH:omdurman-rules/src/unit.rs:459	brigade_integrity	<pre> 457 /// Only a full stack of four battalions qualifies. 458 /// stack and fire, but they receive no brigade- 459 pub fn brigade_integrity(identities: &[UnitIdentity]) - 460 > BrigadeIntegrity { 461 let Some(brigade) = identities.first().and_then(i 462 i.brigade()) else { 463 return BrigadeIntegrity::None; </pre>
omdurman-rules/src/unit.rs:609 GH:omdurman-rules/src/unit.rs:609	FireModifier::BrigadeIntegrity	<pre> 607 /// stack contains all four battalions of a single 608 Anglo-Egyptian brigade. 609 #[derive(Serialize, Deserialize, Clone, Copy, 610 PartialEq, Eq, Debug)] 611 pub enum BrigadeIntegrity { 612 None, 613 Integrated(BrigadeId), </pre>
omdurman-rules/src/unit.rs:20 GH:omdurman-rules/src/unit.rs:20	BattalionOrdinal	<pre> 18 /// brigade integrity requires all four stacked in 19 one hex (\$5.54). 20 #[derive(Serialize, Deserialize, Clone, Copy, 21 PartialEq, Eq, Hash, Debug, strum::Display)] 22 pub enum BattalionOrdinal { 23 First = 1, 24 Second = 2, </pre>
omdurman-types/src/lib.rs:1059 GH:omdurman-types/src/lib.rs:1059	BrigadeId	<pre> 1057 /// same field for uniform handling. 1058 #[derive(Serialize, Deserialize, Clone, Copy, 1059 PartialEq, Eq, PartialOrd, Ord, Hash, Debug)] 1060 pub struct BrigadeId { 1061 pub number: u8, 1062 pub nationality: BrigadeNationality, </pre>

Proven by: [omdurman-rules::src::verification::brigade_integrity_requires_all_four_distinct_battalions_of_one_brigade](#)

Covered by tests:

- [omdurman-rules::src::unit_profiles::brigade_designation_ignored_for_non_infantry](#)
- [omdurman-rules::src::unit_profiles::printed_brigade_designation_overrides_column](#)
- [omdurman-rules::src::unit_profiles::section_owner_anglo_egyptian_sections](#)
- [omdurman-rules::src::tests::brigade_integrity_four_battalions_returns_integrated](#)
- [omdurman-rules::src::unit_profiles::ae_infantry_fourth_battalion_from_col_3](#)
- [omdurman-rules::src::tests::brigade_integrity_empty_slice](#)
- [omdurman-rules::src::tests::brigade_integrity_friendly_returns_none](#)
- [omdurman-rules::src::tests::brigade_integrity_three_battalions_returns_none](#)
- [omdurman-rules::src::tests::unit_identity_brigade_and_battalion_accessors](#)
- [omdurman-rules::src::unit_profiles::ae_infantry_brigade_number_three_from_col_7](#)
- [omdurman-rules::src::tests::brigade_integrity_non_infantry_returns_none](#)
- [omdurman-rules::src::tests::brigade_integrity_mixed_brigades_returns_none](#)
- [omdurman-rules::src::unit_profiles::ae_infantry_third_battalion_from_col_2](#)
- [omdurman-rules::src::effects::tests::brigade_integrity_modifier_is_engine_derived](#)

23/31 implemented

§6 – Fire Combat Phase

§6 – Fire Combat Phase

descriptive

manual page unknown

Fire Combat Phase

§6.1 – General Rules

descriptive

manual page unknown

General Rules

§6.2 – How To Have Fire Combat

descriptive

manual page unknown

How To Have Fire Combat

§6.3 – Line of Sight Table

implemented

manual page unknown

Line of Sight Table

This table is located on the back of this rulebook and should be self-explanatory. Locate the terrain type the firing unit is in and cross-index it with the terrain type the target unit is in. Terrain types in the intersecting box block line of sight, with exceptions as footnoted. Also study the “Special LOS Notes” given and remember that (with the exception of howitzer fire — see 6.64) you can’t fire at anything you can’t see!

See also: §6.64

File	Symbol	Code Snippet
omdurman-rules/src/los_table.rs:57 GH:omdurman-rules/src/los_table.rs:57	LosLevel	<pre>55 serde::Serialize, serde::Deserialize, Clone, Copy, 56 PartialEq, Eq, PartialOrd, Ord, Hash, Debug, 57)] 58 pub enum LosLevel { 59 Ground, 59 Rough,</pre>
omdurman-rules/src/los_table.rs:81 GH:omdurman-rules/src/los_table.rs:81	LosFeature	<pre>79 /// authored RON spellings. 80 #[derive(serde::Serialize, serde::Deserialize, Clone, 81 Copy, PartialEq, Eq, Hash, Debug)] 82 pub enum LosFeature { 83 /// A hex containing units (gunboats/forts excluded 83 Units,</pre>
omdurman-rules/src/los_table.rs:103 GH:omdurman-rules/src/los_table.rs:103	LosCondition	<pre>101 /// A positional condition from the LOS table Detail 102 footnotes. 103 #[derive(serde::Serialize, serde::Deserialize, Clone, 104 Copy, PartialEq, Eq, Hash, Debug)] 105 pub enum LosCondition { 106 /// (1) Blocks only if the ray passes through more</pre>

		than two such features. 105 MoreThanTwo,
omdurman-rules/src/los_table.rs:183 GH:omdurman-rules/src/los_table.rs:183	los_level	181 /// 182 /// For all other units, the level is derived from the terrain at `hex`. 183 pub fn los_level_for_unit(184 kind: UnitKind, 185 hex: HexCoord,
omdurman-rules/src/los_table.rs:183 GH:omdurman-rules/src/los_table.rs:183	los_level_for_unit	181 /// 182 /// For all other units, the level is derived from the terrain at `hex`. 183 pub fn los_level_for_unit(184 kind: UnitKind, 185 hex: HexCoord,
omdurman-rules/src/los_table.rs:223 GH:omdurman-rules/src/los_table.rs:223	blocking_rules	221 /// always blocks. Indexing is in-bounds by construction (both enums have 222 /// exactly three variants). 223 pub fn blocking_rules(firer: LosLevel, target: LosLevel) -> &'static [BlockingRule] { 224 crate::tables_data::LOS_CELLS[firer.index()][target.index()] 225 }
omdurman-rules/src/los_table.rs:558 GH:omdurman-rules/src/los_table.rs:558	has_los	556 /// board-only tools). 557 #[allow(clippy::too_many_arguments)] 558 pub fn has_los(559 board: &crate::board::BoardInfo, 560 from: HexCoord,
omdurman-types/src/lib.rs:237 GH:omdurman-types/src/lib.rs:237	HexsideKind::blocks_los	235 /// (LOS table conditions 2-4, 7) and note (e) are handled by the engine 236 /// in `omdurman_rules::los_table`, not by this predicate. 237 pub fn blocks_los(self) -> bool { 238 matches!(self, HexsideKind::Wall HexsideKind::Crest) 239 }
omdurman-types/src/lib.rs:237 GH:omdurman-types/src/lib.rs:237	Terrain::blocks_los	235 /// (LOS table conditions 2-4, 7) and note (e) are handled by the engine 236 /// in `omdurman_rules::los_table`, not by this predicate. 237 pub fn blocks_los(self) -> bool { 238 matches!(self, HexsideKind::Wall HexsideKind::Crest) 239 }
omdurman-types/src/lib.rs:466 GH:omdurman-types/src/lib.rs:466	Terrain::is_los_trees	464 /// (§6.3 note 1). Retained for compatibility; the full LOS engine 465 /// checks `Terrain::Trees` directly. 466 pub fn is_los_trees(self) -> bool { 467 matches!(self, Terrain::Trees { .. }) 468 }

Proven

by: [omdurman-types::src::lib::line_between_forms_a_connected_ray](#) [omdurman-types::src::lib::hexside_blocking_classifiers_are_exact](#)
[omdurman-rules::src::los_table::los_level_depends_only_on_the_ground](#)
[omdurman-rules::src::los_table::los_level_overrides_hold_for_gunboats_and_forts](#)
[omdurman-rules::src::los_table::blocking_grid_is_total_and_walls_block_ground_firers](#)

Covered by tests: [omdurman-rules::src::los_table::los_level_mapping](#) [omdurman-rules::src::los_table::blocking_rules_all_cells_covered](#)
[omdurman-rules::src::los_table::has_los_empty_board_is_clear](#) [omdurman-rules::src::los_table::has_los_adjacent_clear](#)
[omdurman-rules::src::los_table::has_los_howitzzer_bypasses](#)
[omdurman-rules::src::los_table::has_los_wall_hexside_blocks_ground_to_ground](#)
[omdurman-rules::src::los_table::has_los_gate_hexside_passes](#) [omdurman-rules::src::los_table::has_los_breach_hexside_passes](#)
[omdurman-rules::src::effects::tests::breach_is_an_opening_for_los_and_effective_kinds](#)
[omdurman-rules::src::los_table::has_los_rough_intervening_blocks_ground_to_ground](#)

```

omdurman-rules::src::los_table::has_los_two_tree_hexes_pass_ground_to_ground
omdurman-rules::src::los_table::has_los_three_tree_hexes_block_ground_to_ground
omdurman-rules::src::los_table::has_los_two_hut_hexes_pass_ground_to_ground
omdurman-rules::src::los_table::has_los_three_hut_hexes_block_ground_to_ground
omdurman-rules::src::los_table::has_los_hilltop_to_hilltop_clear_no_units
omdurman-rules::src::los_table::has_los_hilltop_to_hilltop_blocked_by_hilltop_unit
omdurman-rules::src::los_table::has_los_hilltop_to_hilltop_not_blocked_by_ground_unit
omdurman-rules::src::los_table::has_los_rough_to_rough_unit_at_lower_level_passes
omdurman-rules::src::los_table::has_los_rough_to_rough_unit_at_same_level_blocks
omdurman-rules::src::los_table::has_los_rough_to_rough_hilltop_blocks
omdurman-rules::src::los_table::has_los_ground_to_hilltop_intervening_hilltop_blocks
omdurman-rules::src::los_table::has_los_building_blocks_like_huts_ground_to_ground
omdurman-rules::src::los_table::has_los_two_building_hexes_pass_ground_to_ground
omdurman-rules::src::los_table::los_level_for_unit_gunboat_is_rough
omdurman-rules::src::los_table::los_level_for_unit_fort_is_ground
omdurman-rules::src::los_table::los_level_for_unit_walled_city_adj_wall_is_rough
omdurman-rules::src::los_table::gunboat_firer_uses_rough_row_not_ground
omdurman-rules::src::los_table::los_reflexive_all_terrains
omdurman-rules::src::los_table::los_reflexive_hilltop
omdurman-rules::src::los_table::los_symmetric_ground_to_ground_no_units
omdurman-rules::src::los_table::los_howitzer_always_has_los
omdurman-rules::src::los_table::los_howitzer_same_hex
omdurman-rules::src::los_table::los_blocking_rules_match_reference_table
omdurman-rules::src::los_table::los_ground_to_ground_features_block_as_expected

```

§6.4 – Fire Combat Sequence

implemented

manual page unknown

Fire Combat Sequence

The sequence of fire combat resolution is the same for both defensive and offensive fire combat. During the Dervish player turn the Anglo-Egyptian player executes 6.41 AND 6.42 as defensive fire, after which the Dervish player executes 6.41 as offensive fire. During the Anglo-Egyptian player turn the Dervish player executes 6.41 as defensive fire, after which the Anglo-Egyptian player executes 6.41 AND 6.42 as offensive fire.

****6.41) Direct Fire Subphase (Dervish and Anglo-Egyptian players):**** The firing player must first allocate all of his fire attacks, combining his units' direct fire combat factors in any manner he wishes. After all fire has been allocated, the firing player then resolves his attacks in any order he wishes.

****6.42) Maxim Second Fire and Howitzer Fire Subphase (Anglo-Egyptian player only):**** Anglo-Egyptian named gunboats may now fire their artillery factor as howitzer fire (see 6.64) and all Maxim guns may fire a second time. Once

(see manual for full text)

See also: §6.41, §6.42, §6.64

File	Symbol	Code Snippet
omdurman-rules/src/turn.rs:44 GH:omdurman-rules/src/turn.rs:44	FireSubPhase	<pre> 42 43 #[derive(Serialize, Deserialize, Clone, Copy, 44 PartialEq, Eq, Hash, Debug)] 45 pub enum FireSubPhase { 46 /// Direct fire (§6.41). Both sides participate in this sub-phase. 47 DirectFire, </pre>
omdurman-rules/src/effects/effect.rs:73 GH:omdurman-rules/src/effects/effect.rs:73	FireCombat	<pre> 71 /// - Firers marked as fired; target hex marked as fired-at. 72 /// - Victory points awarded for eliminations. 73 FireCombat { attack: FireAttack, roll: DieRoll }, 74 75 /// Resolve a howitzer bombardment (two rolls: CRT + impact scatter) </pre>

Covered by tests: [omdurman-rules::src::effects::tests::turn_advances_through_phases](#)

§6.5 – Special Unit Capabilities

descriptive
manual page unknown

Special Unit Capabilities

****6.51) Leader Units:**** Dervish leader units have a fire factor, a melee factor, and a movement factor. They may thus attack, melee, and be eliminated like any other combat unit. Their special benefit is that they stack free.

Anglo-Egyptian leaders have a movement factor only. They are eliminated if a) they are alone in a hex when a Dervish unit occupies or passes through that hex, or b) if all of the combat units a leader is stacked with are eliminated in fire combat or melee. The special function of Anglo-Egyptian leaders is that at least one must survive to occupy the Mahdi’s tomb hex if it is to be taken from the Dervish player (see 9.14).

****6.52) Anglo-Egyptian “Friendlies” Brigade:**** These units represent native volunteers in the Anglo-Egyptian army. They fire rifles on the Dervish Range Effects Table and melee with the Dervish melee modifier. They may not enter the walled city of Omdurman (see 5.23). They may be transferred to the west bank (see 5.21).

(see manual for full text)

See also: §5.21, §5.23, §5.44, §6.51, §6.52, §6.53, §6.54, §6.62, §6.63, §7.6, §9.14

§6.6 – Special Artillery Capabilities

descriptive
manual page unknown

Special Artillery Capabilities

§6.7 – Defensive Fire

implemented
manual page unknown

Defensive Fire

In Defensive Fire phase, all of the non-moving player’s units may fire at any of the moving player’s units in range, within the limitations imposed by the rules of combat (see 6.1 to 6.6). There is no advance after combat as a result of defensive fires.

See also: §6.1, §6.6

File	Symbol	Code Snippet
omdurman-rules/src/effects/state/melee.rs:141 GH:omdurman-rules/src/effects/state/melee.rs:141	can_advance_after_comb	139 // player's unit, not artillery, adjacent to `to`, and `to` now empty. 140 // Wall/khor hexside restrictions are not enforced (no hexside map data). 141 pub fn can_advance_after_combat(&self, unit_id: UnitId, to: HexCoord) -> Result<(), RuleError> { 142 let unit = self.unit_or_err(unit_id)?; 143 // §6.7: there is no advance after combat as a result of defensive fire.

Covered by tests: omdurman-rules::src::effects::tests::no_advance_after_defensive_fire
omdurman-rules::src::effects::tests::defensive_fire_opens_no_advance_window

§6.8 – Offensive Fire

descriptive
manual page unknown

Offensive Fire

§6.11 – Fire combat factor printed on units

implemented

manual page unknown

The fire combat factor of the various unit types is printed directly on the units and is a numerical expression of the unit's fire strength.

File	Symbol	Code Snippet
omdurman-rules/src/scalars.rs:18 GH:omdurman-rules/src/scalars.rs:18	FireFactor	<pre>16 // Every possible value from the annotated counter 17 set is a named variant. 18 #[derive(Serialize, Deserialize, Clone, Copy, 19 PartialEq, Eq, Hash, Debug, strum::Display)] 20 pub enum FireFactor { One = 1, Three = 3,</pre>

Covered by tests: [omdurman-rules::src::tests::fire_factor_sum_to_row](#)

§6.12 – Fire combat is always voluntary

implicit

manual page unknown

Fire combat is always voluntary. A unit is never required to fire at enemy units merely because they are in range or adjacent.

§6.13 – Fire factor is unitary (may not be divided)

implemented

manual page unknown

If a unit elects to fire, its fire combat factor at an enemy unit, that fire combat factor is unitary. A unit's fire combat factor may not be divided up to fire at enemy units on different hexes.

File	Symbol	Code Snippet
omdurman-rules/src/effects/fire.rs:561 GH:omdurman-rules/src/effects/fire.rs:561	build_fire_attack_from	<pre>559 // derived exactly as in [`build_fire_attack`]. 560 Returns `None` for an empty, 561 duplicated, or not-fully-legal list. 562 pub fn build_fire_attack_from(563 gs: &GameState, 564 firer_hex: HexCoord,</pre>

Covered by tests: [omdurman-rules::src::effects::tests::fire_rejects_duplicate_firers_and_a_foreign_firing_player](#)
[omdurman-rules::src::effects::tests::single_unit_fires_alone_from_a_stack](#)

§6.14 – Players may combine fire factors into one attack

implemented

manual page unknown

Players may combine fire during fire combat phase, i.e. they may fire at an enemy-occupied hex with as many friendly units as may legally do so, combining all of their fire combat factors into one attack. Note that in any given fire combat phase, however, a combat unit may only fire once and may only be fired at once (exceptions: Maxim guns and gunboats — see 6.4).

See also: §6.4

File	Symbol	Code Snippet
omdurman-rules/src/scalars.rs:32 GH:omdurman-rules/src/scalars.rs:32	sum_to_row	<pre> 30 impl FireFactor { 31 /// Sum multiple fire factors and return the corresponding Combat Results Table row (rulebook §6.11). 32 pub fn sum_to_row<'a>(factors: impl IntoIterator<Item = &'a FireFactor>) -> FireFactorRow { 33 let total: u16 = factors.into_iter().map(f f.value()).sum(); 34 crate::combat_results_table::FireFactorRow::from_total(total) </pre>
omdurman-rules/src/effects/state/fire.rs:49 GH:omdurman-rules/src/effects/state/fire.rs:49	GameS- tate::can_fire_at	<pre> 47 /// modifier in the [<code>FireAttack</code>] and is responsible for the LOS gate. 48 /// (Howitzer fire ignores LOS entirely -- §6.64.) 49 pub fn can_fire_at(50 &self, 51 firer: UnitId, </pre>

Covered by tests: [omdurman-rules::src::effects::tests::dead_units_are_pruned_from_every_tracker](#)
[omdurman-rules::src::effects::tests::unit_may_only_be_fired_at_once_per_phase](#)
[omdurman-rules::src::effects::tests::gunboat_and_maxim_may_be_fired_at_repeatedly](#)
[omdurman-rules::src::effects::tests::rejected_fire_attack_does_not_mark_firers_as_fired](#)
[omdurman-rules::src::effects::tests::single_unit_fires_alone_from_a_stack](#)
[omdurman-rules::src::effects::tests::infantry_may_fire_only_once_per_subphase](#)
[omdurman-rules::src::effects::tests::maxim_may_fire_twice_per_turn](#)
[omdurman-rules::src::effects::tests::fire_from_two_hexes_combines_into_one_attack](#)

§6.15 – May divide a stack to fire at different hexes

implemented

manual page unknown

Players may also divide a stack of units in order to fire at different enemy-occupied hexes. Anglo-Egyptian infantry units having brigade integrity, however, do not receive their +1 direct fire modifier unless they all fire at the same enemy-occupied hex (see 5.54).

See also: §5.54

File	Symbol	Code Snippet
omdurman-rules/src/effects/fire.rs:561 GH:omdurman-rules/src/effects/fire.rs:561	build_fire_attack_from	<pre> 559 /// derived exactly as in [<code>build_fire_attack</code>]. Returns <code>None</code> for an empty, 560 /// duplicated, or not-fully-legal list. 561 pub fn build_fire_attack_from(562 gs: &GameState, 563 firer_hex: HexCoord, </pre>

Covered by tests: [omdurman-rules::src::effects::tests::stack_may_split_its_fire_across_hexes](#)

§6.16 – Halving fire strength rounds down, minimum 1

implemented

manual page unknown

When halving fire combat strength, always round down each individual unit. For example, an Egyptian brigade of four battalions, each having a printed strength of 9 fire factors, will fire a total of 16 factors when halved. However, a unit's firing strength is never reduced below one by halving.

File	Symbol	Code Snippet
omdurman-rules/src/	RangeBand	<pre> 208 /// multiplied at a given distance (§6.22). 209 #[derive(Serialize, Deserialize, Clone, Copy, </pre>

unit.rs:210 GH:omdurman- rules/src/ unit.rs:210		PartialEq, Eq, Debug)) 210 pub enum RangeBand { 211 Tripled, 212 Doubled,
--	--	--

Proven by: [omdurman-rules::src::verification::range_band_halved_is_max_of_one_and_floor_half](#)
[omdurman-rules::src::verification::range_band_apply_is_monotone_in_raw](#)
[omdurman-rules::src::verification::disrupt_half_is_rounded_up](#)

Covered by tests: [omdurman-rules::src::tests::halving_rounds_down_and_never_below_one](#)

§6.21 – First check LOS before firing

implemented

manual page unknown

When combat units wish to fire at enemy units, first check the Line of Sight Table to be sure the firing unit can see the target hex (exception: howitzer fire, see 6.64).

See also: §6.64

File	Symbol	Code Snippet
omdurman-rules/src/los_table.rs:223 GH:omdurman-rules/src/los_table.rs:223	blocking_rules	221 /// always blocks. Indexing is in-bounds by construction (both enums have 222 /// exactly three variants). 223 pub fn blocking_rules(firer: LosLevel, target: LosLevel) -> &'static [BlockingRule] { 224 crate::tables_data::LOS_CELLS[firer.index() [target.index()]] 225 }
omdurman-rules/src/los_table.rs:558 GH:omdurman-rules/src/los_table.rs:558	has_los	556 /// board-only tools). 557 #[allow(clippy::too_many_arguments)] 558 pub fn has_los(559 board: &crate::board::BoardInfo, 560 from: HexCoord,

Covered by tests: [omdurman-rules::src::effects::tests::can_fire_at_rejects_blocked_los](#) [omdurman-rules::src::effects::tests::can_fire_at_allows_clear_los](#)

§6.22 – Consult Range Effects Table

implemented

manual page unknown

Next consult the Range Effects Table to see if the firing unit's fire combat factor is tripled, doubled, normal, halved, or if the target hex is out of range. Add up the total number of fire combat factors firing at the enemy-occupied hex.

File	Symbol	Code Snippet
omdurman-rules/src/range_effects.rs:34 GH:omdurman-rules/src/range_effects.rs:34	ae_range_effects	32 /// Look up the range band for an Anglo-Egyptian weapon (\$6.22, \$6.24). 33 /// Distances > 10 are out of range for all weapons. 34 pub fn ae_range_effects(weapon: WeaponClass, distance: HexDistance) -> RangeBand { 35 band_at(faction_rows(true), weapon, distance) 36 }
omdurman-rules/src/range_effects.rs:40 GH:omdurman-	dervish_range_effects	38 /// Look up the range band for a Dervish weapon (\$6.22). 39 /// Distances > 10 are out of range for all weapons. 40 pub fn dervish_range_effects(weapon: WeaponClass,

rules/src/ range_effects.rs:40		<pre> distance: HexDistance) -> RangeBand { 41 band_at(faction_rows(false), weapon, distance) 42 } </pre>
omdurman- rules/src/ unit.rs:210 GH:omdurman- rules/src/ unit.rs:210	RangeBand	<pre> 208 /// multiplied at a given distance (§6.22). 209 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 210 pub enum RangeBand { 211 Tripled, 212 Doubled, </pre>
omdurman- rules/src/ scalars.rs:126 GH:omdurman- rules/src/ scalars.rs:126	HexDistance	<pre> 124 /// (rulebook §6.22, §7.5). 125 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Hash, Debug)] 126 pub struct HexDistance(pub(crate) u16); 127 128 impl HexDistance { </pre>

Proven by: [omdurman-types::src::lib::adjacency_iff_distance_one](#)
[omdurman-rules::src::verification::fire_factor_row_from_total_matches_printed_bands](#)
[omdurman-rules::src::verification::range_band_multiplier_arithmetic_is_exact](#)
[omdurman-rules::src::range_effects::range_effects_are_out_of_range_outside_the_printed_ten_hex_distance_window](#)
[omdurman-rules::src::range_effects::max_day_range_is_the_last_in_range_hex](#)
[omdurman-rules::src::effects::fire::range_band_for_routes_to_the_right_faction_table](#)

Covered by tests: [omdurman-rules::src::effects::tests::numbered_result_eliminate_without_disrupting_survivors](#)
[omdurman-rules::src::range_effects::ae_rifles_doubled_at_range_1](#) [omdurman-rules::src::range_effects::ae_rifles_halved_at_range_4](#)
[omdurman-rules::src::range_effects::ae_howitzer_range](#) [omdurman-rules::src::range_effects::dervish_rifles_shorter_range](#)
[omdurman-rules::src::range_effects::melee_only_range_1](#) [omdurman-rules::src::range_effects::ae_range_effects_artillery_full](#)
[omdurman-rules::src::range_effects::ae_range_effects_maxims_match_rifles](#)
[omdurman-rules::src::range_effects::ae_range_effects_distance_over_10](#)
[omdurman-rules::src::range_effects::ae_range_effects_howitzer_halved_4_to_10](#)
[omdurman-rules::src::range_effects::dervish_range_effects_rifles](#) [omdurman-rules::src::range_effects::dervish_range_effects_artillery](#)
[omdurman-rules::src::range_effects::dervish_range_effects_maxims_and_howitzer](#)
[omdurman-rules::src::range_effects::dervish_range_effects_melee](#)
[omdurman-rules::src::range_effects::dervish_range_effects_distance_over_10](#)
[omdurman-rules::src::effects::tests::fire_combat_eliminate_target](#) [omdurman-rules::src::range_effects::max_day_range_all_combos](#)
[omdurman-rules::src::range_effects::range_effects_every_cell_ae_artillery](#)
[omdurman-rules::src::range_effects::range_effects_every_cell_ae_howitzer](#)
[omdurman-rules::src::range_effects::range_effects_every_cell_ae_maxims](#)
[omdurman-rules::src::range_effects::range_effects_every_cell_ae_rifles](#)
[omdurman-rules::src::range_effects::range_effects_every_cell_dervish_artillery](#)
[omdurman-rules::src::range_effects::range_effects_every_cell_dervish_maxims_howitzer](#)
[omdurman-rules::src::range_effects::range_effects_every_cell_dervish_rifles](#)
[omdurman-rules::src::range_effects::range_effects_every_cell_dervish_spears](#)
[omdurman-rules::src::effects::tests::can_fire_at_gates_phase_range_and_player](#)
[omdurman-rules::src::effects::tests::mixed_attack_bands_per_firer](#)
[omdurman-rules::src::range_effects::ae_range_effects_monotone_non_increasing](#)
[omdurman-rules::src::range_effects::ae_howitzer_has_minimum_range](#)
[omdurman-rules::src::range_effects::dervish_range_effects_monotone_non_increasing](#)
[omdurman-rules::src::range_effects::range_effects_first_range_max_effect_last_range_oor](#)

§6.23 – Terrain defensive modifier

implemented

manual page unknown

Next check the Terrain Effects Chart to see if the enemy-occupied hex fired upon contains any terrain which gives the enemy units in that hex a defensive benefit. If so, apply this negative modifier to the roll of the ten-sided die and cross-index your net die roll on the Combat Results Table with the number of combat factors firing.

File	Symbol	Code Snippet
------	--------	--------------

omdurman-rules/src/terrain_chart.rs:59 GH:omdurman-rules/src/terrain_chart.rs:59	defense_modifier	<pre> 57 58 /// Convenience: get the defense modifier for a terrain type (rulebook §6.23, Terrain Effects Chart). 59 pub fn defense_modifier(terrain: Terrain) -> i16 { 60 terrain_effects_chart(terrain).defense_modifier 61 } </pre>
omdurman-rules/src/combat.rs:26 GH:omdurman-rules/src/combat.rs:26	FireModifier::Terrain	<pre> 24 /// Negative modifier from the Terrain Effects Chart applied to the 25 /// defender's hex (§6.23). 26 Terrain(i16), 27 /// -2 thorn-hedge defensive modifier (§9.231). 28 ZaribaThornHedge, </pre>

Proven by: [omdurman-rules::src::verification::fire_modifier_keeps_roll_legal](#)
[omdurman-rules::src::terrain_chart::defence_column_never_helps_the_attacker](#)

Covered by tests:

- [omdurman-rules::src::terrain_chart::engine_matches_the_transcribed_terrain_effects_chart](#)
- [omdurman-rules::src::effects::tests::fire_across_a_crest_or_wall_is_penalised](#)
- [omdurman-rules::src::terrain_chart::clear_terrain_no_bonus](#)
- [omdurman-rules::src::terrain_chart::building_gives_minus_3](#)
- [omdurman-rules::src::terrain_chart::trees_cost_one_and_give_no_defense](#)
- [omdurman-rules::src::terrain_chart::rough_movement_and_defense](#)
- [omdurman-rules::src::terrain_chart::swamp_movement_and_defense](#)
- [omdurman-rules::src::terrain_chart::hilltop_movement_and_defense](#)
- [omdurman-rules::src::terrain_chart::huts_movement_and_defense](#)
- [omdurman-rules::src::terrain_chart::defense_modifier_convenience_matches_chart](#)
- [omdurman-rules::src::terrain_chart::terrain_movement_costs_in_bounds](#)
- [omdurman-rules::src::terrain_chart::terrain_defense_modifier_non_positive](#)

§6.24 – Anglo-Egyptian direct fire accuracy bonus and brigade integrity

implemented

manual page unknown

All Anglo-Egyptian direct fire attacks receive a +1 modifier to their die roll as an accuracy bonus. In addition, any stack of Anglo-Egyptian infantry having brigade integrity (see 5.54) receives a +1 modifier to their die roll if all four fire at the same enemy-occupied hex. These modifiers are cumulative.

See also: §5.54

File	Symbol	Code Snippet
omdurman-rules/src/combat.rs:20 GH:omdurman-rules/src/combat.rs:20	AngloEgyptianDirectFire	<pre> 18 pub enum FireModifier { 19 /// +1 to all Anglo-Egyptian *direct* fire (§6.24). 20 AngloEgyptianDirectFire, 21 /// +1 brigade integrity, applied only if all four battalions fire at 22 /// the same enemy-occupied hex (§5.54, §6.24). </pre>
omdurman-rules/src/unit.rs:609 GH:omdurman-rules/src/unit.rs:609	BrigadeIntegrity	<pre> 607 /// stack contains all four battalions of a single Anglo-Egyptian brigade. 608 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 609 pub enum BrigadeIntegrity { 610 None, 611 Integrated(BrigadeId), </pre>
omdurman-rules/src/combat.rs:36 GH:omdurman-rules/src/combat.rs:36	FireModifier::die_modifier	<pre> 34 impl FireModifier { 35 /// Return the numeric die-roll modifier for this bonus/penalty (rulebook §6.24, §5.54, §6.23, §9.231, §9.232). 36 pub fn die_modifier(self) -> i16 { 37 match self { 38 FireModifier::AngloEgyptianDirectFire FireModifier::BrigadeIntegrity => 1, </pre>

Proven by: [omdurman-rules::src::verification::die_roll_apply_modifier_is_total](#)

Covered by tests: `omdurman-rules::src::effects::tests::brigade_integrity_modifier_is_engine_derived`
`omdurman-rules::src::effects::tests::fire_modifiers_are_engine_derived_and_mismatches_rejected`

§6.41 – Direct Fire Subphase

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/turn.rs:46 GH:omdurman-rules/src/turn.rs:46	DirectFire	<pre>44 pub enum FireSubPhase { 45 /// Direct fire (§6.41). Both sides participate in this sub-phase. 46 DirectFire, 47 /// Anglo-Egyptian only: Maxim second fire + named- gunboat howitzer fire (§6.42). 48 MaximSecondAndHowitzer,</pre>

Covered by tests: `omdurman-rules::src::effects::tests::fire_rejects_duplicate_firers_and_a_foreign_firing_player`
`omdurman-rules::src::effects::tests::disrupted_unit_cannot_fire` `omdurman-rules::src::effects::tests::fire_combat_elimimates_target`

§6.42 – Maxim Second Fire and Howitzer Fire Subphase

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/turn.rs:48 GH:omdurman-rules/src/turn.rs:48	MaximSecondAndHowitzer	<pre>46 DirectFire, 47 /// Anglo-Egyptian only: Maxim second fire + named- gunboat howitzer fire (§6.42). 48 MaximSecondAndHowitzer, 49 } 50 </pre>
omdurman-types/src/lib.rs:1001 GH:omdurman-types/src/lib.rs:1001	fires_twice	<pre>999 /// Maxim guns fire twice per turn -- once in the Direct Fire Subphase and 1000 /// again in the Maxim Second Fire Subphase (rulebook §6.42). 1001 pub fn fires_twice(self) -> bool { 1002 matches!(self, UnitKind::Maxim { .. }) 1003 }</pre>

Proven by: `omdurman-types::src::lib::unit_kind_fire_and_movement_capability_law_is_exact`

Covered by tests: `omdurman-rules::src::effects::tests::fall_of_khartoum_has_no_maxim_howitzer_subphase`
`omdurman-rules::src::howitzer_scatter::howitzer_on_target_7_to_10`
`omdurman-rules::src::howitzer_scatter::howitzer_scatters_below_7`
`omdurman-rules::src::effects::tests::advance_window_bridges_fire_subphase_and_closes_at_melee`
`omdurman-rules::src::effects::tests::fired_at_tracker_resets_at_maxim_subphase`
`omdurman-rules::src::effects::tests::maxim_may_fire_twice_per_turn`
`omdurman-rules::src::effects::tests::maxim_that_skipped_direct_may_fire_once_in_second_subphase`

§6.51 – Leader Units

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/unit.rs:108 GH:omdurman-	BritishLeader	<pre>106 /// to claim the Mahdi's Tomb (§9.14). 107 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 108 pub enum BritishLeader {</pre>

rules/src/ unit.rs:108		109 Kitchener, 110 Gatacre,
omdurman- types/src/ lib.rs:948 GH:omdurman- types/src/lib.rs:948	BritishLeader	946 }, 947 /// Anglo-Egyptian leader (\$6.51): movement only. 948 BritishLeader { movement: i32 }, 949 /// Wall-breach marker placed by artillery fire (\$6.63). Not a combat unit. 950 Breach,
omdurman- types/src/ lib.rs:989 GH:omdurman- types/src/lib.rs:989	has_combat_factors	987 /// British leaders print a movement factor only (\$6.51); other kinds carry 988 /// fire and/or melee factors. Markers carry no stats. 989 pub fn has_combat_factors(self) -> bool { 990 !matches!(991 self,

Proven by: omdurman-types::src::lib::unit_kind_fire_and_movement_capability_low_is_exact

Covered by tests: omdurman-rules::src::unit_profiles::zero_factor_is_none_not_zero
omdurman-rules::src::unit_profiles::kitchener_block_resolves_leaders_friendlys_camel_and_sudanese
omdurman-rules::src::unit_profiles::dervish_leader_sections_resolve_leader_and_retinue_per_cell
omdurman-rules::src::effects::tests::deploy_rejects_enemy_cohabitation_during_setup
omdurman-rules::src::effects::tests::dervish_move_through_lone_ae_leader_hex_eliminate_the_leader
omdurman-rules::src::effects::tests::dervish_move_onto_lone_ae_leader_hex_eliminate_the_leader
omdurman-rules::src::effects::tests::ae_leader_with_combat_unit_is_not_overrun_by_dervish_move
omdurman-rules::src::effects::tests::ae_leader_eliminated_with_last_combat_unit_in_fire_combat
omdurman-rules::src::effects::tests::a_lone_gordon_makes_no_melee_roll
omdurman-rules::src::effects::tests::melee_advance_overruns_a_lone_ae_leader

§6.52 – Anglo-Egyptian Friendlys Brigade

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman- rules/src/ unit.rs:317 GH:omdurman- rules/src/ unit.rs:317	is_friendlys	315 /// "Friendlys" units obey several special rules (\$5.21, \$5.23, \$6.52, 316 /// \$9.14 victory conditions). 317 pub fn is_friendlys(&self) -> bool { 318 matches!(319 self,
omdurman- types/src/ lib.rs:1031 GH:omdurman- types/src/ lib.rs:1031	Friendlys	1029 /// Native volunteer brigade -- the Shaggyeh (\$6.52). Do not receive 1030 /// brigade integrity (\$5.54 enumerates only British/Egyptian/Sudanese). 1031 Friendlys, 1032 } 1033 }

Proven by: omdurman-rules::src::effects::fire::range_table_player_for_routes_friendlys_and_fok_to_the_dervish_table

Covered by tests: omdurman-rules::src::unit_profiles::friendlys_counters_score_by_bank_not_as_leaders
omdurman-rules::src::effects::tests::friendlys_validate_and_resolve_on_dervish_table

§6.53 – Royal Engineers demolition

implemented

manual page unknown

File	Symbol	Code Snippet
------	--------	--------------

omdurman-rules/src/unit.rs:288 GH:omdurman-rules/src/unit.rs:288	RoyalEngineers	<pre> 286 /// The Royal Engineers (§6.53) -- a *specific* unit, not a class, so we 287 /// model it explicitly. 288 RoyalEngineers, 289 } 290 </pre>
omdurman-rules/src/unit.rs:528 GH:omdurman-rules/src/unit.rs:528	demolishing	<pre> 526 /// Set when the Royal Engineers are committed to a demolition this turn 527 /// (§6.53) -- neither offensive fire nor melee allowed that turn. 528 pub demolishing: bool, 529 /// Set when a gunboat has lost its engines to a river mine (§10.12, roll 530 /// 5-7): it may no longer move under power and instead drifts two hexes per </pre>
omdurman-rules/src/effects/effect.rs:176 GH:omdurman-rules/src/effects/effect.rs:176	Demolition	<pre> 174 175 /// Royal Engineers demolition (rulebook §6.53). 176 Demolition { 177 unit_id: UnitId, 178 target: DemolitionTarget, </pre>
omdurman-rules/src/effects/setup.rs:37 GH:omdurman-rules/src/effects/setup.rs:37	apply_demolition	<pre> 35 /// resolution happens at end of turn via [`apply_resolve_demolition`], which 36 /// checks the engineer is still adjacent and undisrupted. 37 pub fn apply_demolition(38 state: &mut GameState, 39 unit_id: UnitId, </pre>
omdurman-rules/src/combat.rs:150 GH:omdurman-rules/src/combat.rs:150	DemolitionTarget	<pre> 148 /// disrupted or driven off. 149 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 150 pub enum DemolitionTarget { 151 Fort(UnitId), 152 WallHexside(HexsideRef), </pre>
omdurman-rules/src/effects/state/engineering.rs:39 GH:omdurman-rules/src/effects/state/engineering.rs:39	demolition_targets	<pre> 37 /// the rules would accept. Empty when the unit doesn't exist or has no 38 /// adjacent target. 39 pub fn demolition_targets(&self, unit_id: UnitId) - > Vec<DemolitionTarget> { 40 let Ok(unit) = self.unit_or_err(unit_id) else { 41 return Vec::new(); </pre>

Covered by tests: [omdurman-rules::src::effects::tests::demolition_requires_engineers_an_adjacent_target_and_a_pending_commit](#)
[omdurman-rules::src::effects::tests::demolition_cancelled_when_engineer_disrupted](#)
[omdurman-rules::src::effects::tests::demolition_cancelled_when_engineer_moved_away](#)
[omdurman-rules::src::effects::tests::demolition_targets_finds_adjacent_fort_and_wall](#)

§6.54 – Forts

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/unit.rs:561 GH:omdurman-rules/src/unit.rs:561	ZocReason	<pre> 559 /// Used by the engine when answering "is this hex in an enemy ZOC?". 560 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 561 pub enum ZocReason { 562 /// Normal ZOC: any non-disrupted unit other than an Anglo-Egyptian 563 /// leader (§5.41) projects ZOC into each of its six adjacent hexes. </pre>

omdurman-rules/src/unit.rs:568 GH:omdurman-rules/src/unit.rs:568	Fort	<pre> 566 GunboatVsGunboat, 567 /// Forts project ZOC out of, but not into, an empty fort (\$5.44, \$6.54). 568 Fort, 569 /// Walled-city ZOC: extends out through walls and gates but not in, 570 /// across a breach in both directions (\$5.44). </pre>
omdurman-rules/src/unit.rs:516 GH:omdurman-rules/src/unit.rs:516	UnitState	<pre> 514 /// rather than one big enum. 515 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, Default)] 516 pub struct UnitState { 517 /// Reference table: "Disrupted units: no ZOC; may not move; may not fire 518 /// offensively or defensively; may not melee; are turned face up at the </pre>
omdurman-rules/src/combat.rs:65 GH:omdurman-rules/src/combat.rs:65	FireAttack	<pre> 63 /// modifiers (rulebook §6). 64 #[derive(Serialize, Deserialize, Clone, Debug, PartialEq, Eq)] 65 pub struct FireAttack { 66 pub firing_player: Player, 67 pub phase: Phase, </pre>
omdurman-rules/src/combat.rs:80 GH:omdurman-rules/src/combat.rs:80	FireAttack::net_modifier	<pre> 78 impl FireAttack { 79 /// Sum of all fire modifiers applied to this attack (rulebook §6.24). 80 pub fn net_modifier(&self) -> i16 { 81 // Saturating fold rather than `sum()`: the modifier list is unbounded 82 // and arrives over the network, so a plain sum can overflow `i16`. </pre>

Covered by tests: [omdurman-rules::src::effects::tests::printed_fok_forts_are_british_forts](#)
[omdurman-rules::src::board_data::fok_forts_are_not_walled_in](#)
[omdurman-rules::src::effects::tests::retreat_before_melee_may_not_land_on_enemy_fort](#)

§6.61 – Only artillery may fire at gunboats; 3+ to sink

implemented

manual page unknown

Only artillery may fire at gunboats. A result of 3 or more on the combat results table is required to sink a gunboat. Any other result is a miss.

File	Symbol	Code Snippet
omdurman-rules/src/unit.rs:167 GH:omdurman-rules/src/unit.rs:167	WeaponClass	<pre> 165 Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Hash, Debug, strum::Display, 166)] 167 pub enum WeaponClass { 168 /// Dervish spears and swords -- no ranged fire at all. 169 Melee, </pre>
omdurman-rules/src/effects/state/fire.rs:49 GH:omdurman-rules/src/effects/state/fire.rs:49	GameState::can_fire_at	<pre> 47 /// modifier in the [`FireAttack`] and is responsible for the LOS gate. 48 /// (Howitzer fire ignores LOS entirely -- §6.64.) 49 pub fn can_fire_at(50 &self, 51 firer: UnitId, </pre>

Covered by tests: [omdurman-rules::src::effects::tests::a_gunboat_sunk_by_artillery_scores_victory_points](#)
[omdurman-rules::src::effects::tests::rifles_may_not_sink_a_gunboat](#)
[omdurman-rules::src::effects::tests::artillery_sinks_gunboat_only_on_three_plus](#)

§6.62 – Only artillery may fire at forts; 2+ to destroy

implemented

manual page unknown

Only artillery may fire at forts. A result of 2 or more on the combat results table is required to eliminate a fort. Any other result is a miss. If the fort contains any enemy units at the instant it is destroyed, one unit is eliminated with the fort.

File	Symbol	Code Snippet
omdurman-rules/src/unit.rs:167 GH:omdurman-rules/src/unit.rs:167	WeaponClass	<pre>165 Serialize, Deserialize, Clone, Copy, PartialEq, Eq, 166)] 167 pub enum WeaponClass { 168 /// Dervish spears and swords -- no ranged fire at all. 169 Melee,</pre>
omdurman-rules/src/effects/state/fire.rs:49 GH:omdurman-rules/src/effects/state/fire.rs:49	GameState::can_fire_at	<pre>47 /// modifier in the [`FireAttack`] and is responsible for the LOS gate. 48 /// (Howitzer fire ignores LOS entirely -- §6.64.) 49 pub fn can_fire_at(50 &self, 51 firer: UnitId,</pre>

Covered by tests: [omdurman-rules::src::effects::tests::a_destroyed_fort_takes_one_occupant_with_it_and_scores_it](#)
[omdurman-rules::src::effects::tests::artillery_destroys_fort_on_two_or_better_only](#)
[omdurman-rules::src::effects::tests::destroyed_fort_takes_one_occupant_with_it](#)

§6.63 – Only artillery may breach wall hexsides; 2+ required

implemented

manual page unknown

Only artillery may fire to breach a wall hexside of Khartoum or the walled city of Omdurman. A result of 2 or more on the combat results table is required to breach a wall. Any other result is a miss. The effect of the breach is to negate the wall hexside for line of sight purposes. Place a “BREACH” marker in an adjacent hex so that the arrow points to the breached hexside. If any enemy units are adjacent to the wall hexside at the instant it is breached, one enemy unit is eliminated.

****6.64) Howitzer fire:**** Five units in the game have howitzer fire capability. These are the five named British gunboats. They may fire their artillery factor as direct fire during the Direct Fire Subphase (see 4 and 6.41) and may then fire the same artillery factor as howitzer fire during the Maxim Second Fire and Howitzer Subphase (see 4 and 6.42). Exception: no howitzer fire is allowed during night game turns. To fire howitzer fire, select any target hex between 4 and 10 hexes from the firing gunboat (ignoring the Line of Sight Table) and roll the ten-sided die twice. The first die roll is the Combat Results Table die roll and the second roll is the impact hex die roll. Refer to the Howitzer Fire Subphase on the manual for the impact hex. The designated target hex is hit on a roll of 7-10. Once a howitzer

(see manual for full text)

See also: §6.41, §6.42, §6.64

File	Symbol	Code Snippet
omdurman-types/src/lib.rs:205 GH:omdurman-types/src/lib.rs:205	Breach	<pre>203 /// Breach in a wall (artillery/§6.63 or Royal Engineers/§6.53). ZOC both 204 /// ways; LOS no longer blocked across the hexside. 205 Breach, 206 /// Khor -- gully/wadi. ZOCs do not extend across (§5.44); advance after 207 /// combat may not cross (§6.82).</pre>
omdurman-rules/src/effects/effect.rs:282 GH:omdurman-	ArtilleryBreachWall	<pre>280 /// pre-rolled d10 used for the CRT lookup; range/ LOS are re-derived by the 281 /// engine from the firers and `target`. 282 ArtilleryBreachWall {</pre>

rules/src/effects/ effect.rs:282		283 firers: Vec<UnitId>, 284 target: HexsideRef,
omdurman- rules/src/effects/ fire.rs:840 GH:omdurman- rules/src/effects/ fire.rs:840	apply_artillery_breach_v	838 /// artillery's CRT roll -- the rulebook specifies the 839 same "2+ required" 840 /// threshold for both trigger styles. 841 pub fn apply_artillery_breach_wall(842 state: &mut GameState, firers: &[UnitId],
omdurman- rules/src/effects/ state/fire.rs:250 GH:omdurman- rules/src/effects/ state/fire.rs:250	can_fire_at_wall	248 /// range band and resolving the CRT -- this method only validates one 249 /// firer at a time. 250 pub fn can_fire_at_wall(251 &self, 252 firer: UnitId,

Covered by tests: [omdurman-rules::src::effects::tests::breach_casualty_stands_at_the_wall](#)
[omdurman-rules::src::unit_profiles::breach_marker_cell_returns_none](#)
[omdurman-rules::src::effects::tests::artillery_breaches_wall_only_on_crt_two_or_better](#)
[omdurman-rules::src::effects::tests::wall_breach_eliminate_one_adjacent_enemy_unit](#)
[omdurman-rules::src::effects::tests::breach_is_an_opening_for_los_and_effective_kinds](#)

§6.64 – Howitzer fire

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman- rules/src/howitzer_scatter.rs:8 GH:omdurman- rules/src/howitzer_scatter.rs:8	ScatterHexDirection	6 /// the diagram away from the firing player. 7 #[derive(serde::Serialize, serde::Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug)] 8 pub enum ScatterHexDirection { 9 UpperLeft, 10 UpperRight,
omdurman- rules/src/howitzer_scatter.rs:38 GH:omdurman- rules/src/howitzer_scatter.rs:38	howitzer_scatter	36 /// onto a hex-grid offset oriented away from the firer (see 37 /// `GameState::howitzer_impact_hex`). 38 pub fn howitzer_scatter(impact_roll: DieRoll) -> ScatterHexDirection { 39 crate::tables_data::SCATTERGRAM[(impact_roll.value() - 1) as usize] 40 }
omdurman- rules/src/ unit.rs:119 GH:omdurman- rules/src/ unit.rs:119	GunboatId	117 /// fire; "old" gunboats do not (rulebook §2.32). 118 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 119 pub enum GunboatId { 120 /// One of the five new-type named gunboats with howitzer capability. 121 Named(NamedGunboat),
omdurman- rules/src/effects/ effect.rs:89 GH:omdurman- rules/src/effects/ effect.rs:89	HowitzerFire	87 /// - CRT result applied to units at impact hex (not the original target). 88 /// - Firers marked as fired. 89 HowitzerFire { 90 attack: FireAttack, 91 combat_results_table_roll: DieRoll,
omdurman- rules/src/effects/ fire.rs:18 GH:omdurman- rules/src/effects/ fire.rs:18	apply_howitzer_fire	16 /// Validate and apply a howitzer fire attack (scatter path) (rulebook §6.64). 17 pub fn apply_howitzer_fire(18 state: &mut GameState, 19 attack: &FireAttack,

omdurman-rules/src/effects/state/fire.rs:49 GH:omdurman-rules/src/effects/state/fire.rs:49	can_fire_at	<pre> 47 /// modifier in the [<code>FireAttack</code>] and is responsible for the LOS gate. 48 /// (Howitzer fire ignores LOS entirely -- §6.64.) 49 pub fn can_fire_at(50 &self, 51 firer: UnitId,</pre>
---	--------------------	---

Proven

by: [omdurman-rules::src::effects::opposite_is_an_involution](#) [omdurman-rules::src::effects::step_toward_lands_on_an_adjacent_hex](#)
[omdurman-rules::src::howitzer_scatter::scatter_is_center_exactly_for_rolls_7_to_10](#)

Covered

by

tests:

[omdurman-rules::src::howitzer_scatter::howitzer_on_target_7_to_10](#)
[omdurman-rules::src::howitzer_scatter::howitzer_scatters_below_7](#)
[omdurman-rules::src::howitzer_scatter::howitzer_each_miss_gets_its_printed_hex](#)
[omdurman-rules::src::unit_profiles::named_and_old_gunboats_resolve](#)
[omdurman-rules::src::effects::tests::named_gunboat_has_howitzer](#)
[omdurman-rules::src::effects::tests::a_scattered_howitzer_shell_hits_a_friendly_occupied_hex](#)
[omdurman-rules::src::effects::tests::a_rejected_howitzer_shot_leaves_no_impact_record](#)
[omdurman-rules::src::effects::tests::named_gunboat_may_fire_howitzer_in_second_subphase](#)
[omdurman-rules::src::effects::tests::named_gunboat_direct_fire_uses_artillery_weapon](#)
[omdurman-rules::src::effects::tests::named_gunboat_no_howitzer_at_night](#)
[omdurman-rules::src::effects::tests::dervish_gunboat_lacks_howitzer](#)

§6.81 – Moving player may fire with all capable units

implicit

manual page unknown

During Offensive Fire phase, the moving player may fire with all of his units capable of firing, up to their maximum range, within the limitations imposed by the rules of combat.

§6.82 – Advance after combat (offensive fire)

implemented

manual page unknown

If an enemy-occupied hex is vacated as a result of offensive fire, friendly units may advance after combat into the vacated hex. To be eligible to advance, the friendly units must have participated in the attack and must have been adjacent to the vacated hex. Note that artillery may not advance, nor may units advance across a wall hexside (except at a gate or breach). Units may never advance after combat across a khor.

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:163 GH:omdurman-rules/src/effects/effect.rs:163	AdvanceAfterCombat	<pre> 161 /// <code>**Postconditions:**</code> Unit position moved to <code>`to`</code>; <code>`vacated_by_combat`</code> 162 /// entry consumed. 163 AdvanceAfterCombat { unit_id: UnitId, to: HexCoord }, 164 165 // -- Unit state changes -----</pre>
omdurman-rules/src/effects/dispatch.rs:45 GH:omdurman-rules/src/effects/dispatch.rs:45	apply_advance_after_combat	<pre> 43 } 44 GameEffect::AdvanceAfterCombat { unit_id, to } => { 45 apply_advance_after_combat(state, *unit_id, *to) 46 } 47 GameEffect::RecoverUnit { unit_id } => apply_recover_unit(state, *unit_id),</pre>
omdurman-types/src/lib.rs:255	blocks_advance_after_combat	<pre> 253 254 /// Whether advance-after-combat may <code>*not*</code> cross this side (§6.82, §7.6).</pre>

GH:omdurman-types/src/lib.rs:255		255 pub fn blocks_advance_after_combat(self) -> bool { 256 matches!(257 self,
omdurman-rules/src/effects/state/melee.rs:141 GH:omdurman-rules/src/effects/state/melee.rs:141	can_advance_after_combat	139 /// player's unit, not artillery, adjacent to `to`, and `to` now empty. 140 /// Wall/khor hexside restrictions are not enforced (no hexside map data). 141 pub fn can_advance_after_combat(&self, unit_id: UnitId, to: HexCoord) -> Result<(), RuleError> { 142 let unit = self.unit_or_err(unit_id)?; 143 // §6.7: there is no advance after combat as a result of defensive fire.

Proven by: omdurman-rules::src::effects::advance_phase_is_atomic omdurman-types::src::lib::hexside_blocking_classifiers_are_exact

Covered by tests: omdurman-rules::src::effects::tests::can_advance_after_combat_rejects_wall_hexside
omdurman-rules::src::effects::tests::can_advance_after_combat_rejects_khor_hexside
omdurman-rules::src::effects::tests::advance_requires_combat_vacated_hex
omdurman-rules::src::effects::tests::advance_requires_participation
omdurman-rules::src::effects::tests::rejected_advance_phase_keeps_vacated_windows

7/8 implemented

§7 – Melee Phase

§7 – Melee Phase (chapter)

descriptive

manual page unknown

Melee Phase

§7.1 – Melee strength printed on counter

implemented

manual page unknown

The melee strength of all units is printed on the counter. Note that gunboats have no melee strength. Gunboats may neither melee attack nor be melee attacked.

File	Symbol	Code Snippet
omdurman-rules/src/scalars.rs:42 GH:omdurman-rules/src/scalars.rs:42	MeleeFactor	<pre>40 // Every possible value from the annotated counter set is a named variant. 41 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 42 pub enum MeleeFactor { 43 One = 1, 44 Three = 3,</pre>
omdurman-rules/src/scalars.rs:53 GH:omdurman-rules/src/scalars.rs:53	MeleeFactor::sum	<pre>51 impl MeleeFactor { 52 // Sum multiple melee factors (rulebook §7.1). 53 pub fn sum<'a>(factors: impl IntoIterator<Item = &'a MeleeFactor>) -> u16 { 54 factors.into_iter().map(f f.value()).sum() 55 }</pre>
omdurman-types/src/lib.rs:972 GH:omdurman-types/src/lib.rs:972	may_be_melee_attacked	<pre>970 971 // Gunboats neither attack nor are attacked in melee (§7.1). 972 pub fn may_be_melee_attacked(self) -> bool { 973 !matches!(self, UnitKind::Gunboat { .. }) 974 }</pre>

Proven by: [omdurman-types::src::lib::unit_kind_melee_capability_law_is_exact](#)

Covered by tests: [omdurman-rules::src::effects::tests::melee_rejects_duplicate_attackers_and_partial_defenders](#)
[omdurman-rules::src::effects::tests::single_shot_melee_is_validated_like_a_declaration](#)
[omdurman-rules::src::effects::tests::a_path_may_not_pass_through_an_enemy_hex](#)
[omdurman-rules::src::tests::melee_factor_values_and_sum](#) [omdurman-rules::src::tests::unit_kind_melee_capability](#)

§7.2 – Melee adjacent only, not across wall hexsides

implemented

manual page unknown

Melee simulates the hand-to-hand fighting of the period. Units may melee attack adjacent enemy units only. Units may not melee attack across a wall hexside, but may melee attack through a gate or breach hexside.

File	Symbol	Code Snippet
omdurman-types/src/lib.rs:244	blocks_melee	<pre>242 // Effects Chart, Khor: "May not melee across". Gates and breaches are 243 // passable to melee.</pre>

GH:omdurman-types/src/lib.rs:244		<pre> 244 pub fn blocks_melee(self) -> bool { 245 matches!(246 self, </pre>
omdurman-rules/src/effects/state/melee.rs:13 GH:omdurman-rules/src/effects/state/melee.rs:13	can_melee	<pre> 11 /// that may be melee-attacked (gunboats may not -- 12 /// thorn-hedge hexside blocks the attack (§7.2). 13 pub fn can_melee(&self, attacker: UnitId, 14 defender_hex: HexCoord) -> Result<(), RuleError> { 15 let unit = self.unit_or_err(attacker)?; </pre>

Proven by: `omdurman-types::src::lib::hexside_blocking_classifiers_are_exact`

Covered by tests: `omdurman-rules::src::effects::tests::can_melee_gates_phase_adjacency_and_kind`
`omdurman-rules::src::effects::tests::can_melee_rejects_wall_hexside`
`omdurman-rules::src::effects::tests::can_melee_rejects_thorn_hedge_hexside`
`omdurman-rules::src::effects::tests::can_melee_allows_gate_hexside`

§7.3 – Simultaneous melee combat

implemented

manual page unknown

Melee combat is considered simultaneous, so that units eliminated by melee attacks still get a melee combat die roll.

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:112 GH:omdurman-rules/src/effects/effect.rs:112	MeleeCombat	<pre> 110 /// - Winner may advance into vacated hex (§7.6). 111 /// - Victory points awarded for eliminations. 112 MeleeCombat { 113 attack: MeleeAttack, 114 attacker_roll: DieRoll, </pre>
omdurman-rules/src/effects/melee.rs:6 GH:omdurman-rules/src/effects/melee.rs:6	apply_melee_combat	<pre> 4 /// Validated exactly like a declaration 5 ([`validate_melee_attack`]), then 6 /// resolved at once (no §7.5 reaction window). 7 pub fn apply_melee_combat(8 state: &mut GameState, 9 attack: &MeleeAttack, </pre>

Covered by tests: `omdurman-rules::src::effects::tests::melee_resolves_simultaneously`

§7.4 – Who may melee attack / defend

implemented

manual page unknown

Only infantry, cavalry, camel units, and Dervish leaders may melee attack. All units (except gunboats — see 7.1) may melee defend.

See also: §7.1

File	Symbol	Code Snippet
omdurman-types/src/lib.rs:961 GH:omdurman-types/src/lib.rs:961	may_melee_attack	<pre> 959 /// Rulebook §7.4 -- only infantry, cavalry, camel 960 and Dervish leaders may 961 /// melee *attack*. All others (except gunboats) 962 may melee *defend* (§7.1). 963 pub fn may_melee_attack(self) -> bool { 964 matches!(965 self, </pre>

omdurman-types/src/lib.rs:898 GH:omdurman-types/src/lib.rs:898	UnitKind	<pre> 896 /// `Some(UnitKind::Marker)` or `None`. 897 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 898 pub enum UnitKind { 899 /// Foot infantry (§2.3): fire / melee / movement. 900 Infantry { </pre>
omdurman-types/src/lib.rs:738 GH:omdurman-types/src/lib.rs:738	DervishTribe	<pre> 736 strum::EnumIter, 737 })] 738 pub enum DervishTribe { 739 Baggara, 740 Jaalin, </pre>
omdurman-rules/src/effects/state/melee.rs:13 GH:omdurman-rules/src/effects/state/melee.rs:13	can_melee	<pre> 11 /// that may be melee-attacked (gunboats may not -- §7.1), and no wall or 12 /// thorn-hedge hexside blocks the attack (§7.2). 13 pub fn can_melee(&self, attacker: UnitId, defender_hex: HexCoord) -> Result<(), RuleError> { 14 let unit = self.unit_or_err(attacker)?; 15 </pre>

Proven by: [omdurman-types::src::lib::unit_kind_melee_capability Law is exact](#)

Covered by tests: [omdurman-rules::src::effects::tests::can_melee Gates phase adjacency and kind](#)

§7.5 – Cavalry/camel retreat before melee

implemented

manual page unknown

Cavalry and camel units may retreat two hexes from an infantry melee attack. Note, however, that only one retreat per unit per turn is permitted. Thus, if their retreat places them adjacent to enemy units whose melee attacks have not yet been resolved, those enemy units may elect to attack the retreating unit(s).

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:149 GH:omdurman-rules/src/effects/effect.rs:149	RetreatBeforeMelee	<pre> 147 /// 148 /// **Postconditions:** Unit position moved to `to`. 149 RetreatBeforeMelee { unit_id: UnitId, to: HexCoord }, 150 151 /// An attacking unit advances into a hex vacated by combat (rulebook §6.82 </pre>
omdurman-rules/src/effects/dispatch.rs:42 GH:omdurman-rules/src/effects/dispatch.rs:42	apply_retreat_before_melee	<pre> 40 GameEffect::ResolveMelee => apply_resolve_melee(state), 41 GameEffect::RetreatBeforeMelee { unit_id, to } => { 42 apply_retreat_before_melee(state, *unit_id, *to) 43 } 44 GameEffect::AdvanceAfterCombat { unit_id, to } => { </pre>
omdurman-types/src/lib.rs:978 GH:omdurman-types/src/lib.rs:978	may_retreat_before_melee	<pre> 976 /// Cavalry and camel units may retreat two hexes from an infantry melee 977 /// attack (§7.5). 978 pub fn may_retreat_before_melee(self) -> bool { 979 matches!(self, UnitKind::Cavalry { .. } UnitKind::Camel { .. }) 980 } </pre>
omdurman-rules/src/scalars.rs:126 GH:omdurman-	HexDistance	<pre> 124 /// (rulebook §6.22, §7.5). 125 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Hash, Debug)] 126 pub struct HexDistance(pub(crate) u16); </pre>

rules/src/ scalars.rs:126		<pre> 127 128 impl HexDistance { </pre>
omdurman-rules/src/effects/state/melee.rs:72 GH:omdurman-rules/src/effects/state/melee.rs:72	can_retreat_before_melee	<pre> 70 /// two hexes away and empty. (Does not verify the 71 attacker is infantry -- 72 /// the caller offers the retreat only in response 73 to one.) 74 pub fn can_retreat_before_melee(&self, unit_id: UnitId, to: HexCoord) -> Result<(), RuleError> { 75 let unit = self.unit_or_err(unit_id)?; 76 if !matches!(self.phase, Phase::Melee) { </pre>

Proven by: [omdurman-rules::src::effects::resolve_melee_is_atomic](#) [omdurman-rules::src::effects::advance_phase_is_atomic](#)
[omdurman-types::src::lib::unit_kind_melee_capability_law_is_exact](#)

Covered by tests: [omdurman-rules::src::effects::tests::retreat_before_melee_only_cavalry_two_hexes](#)
[omdurman-rules::src::effects::tests::retreat_opens_window_only_when_hex_emptyies](#)
[omdurman-rules::src::effects::tests::rejected_resolve_melee_keeps_the_declaration](#)

§7.6 – Advance after melee

implemented

manual page unknown

If a melee attack eliminates all of the defenders in an adjacent hex, the Dervish player **MUST** advance into the vacated hex. To be eligible to advance, the Dervish units must have been adjacent to the vacated hex and participated in the melee attack that eliminated the defenders. All surviving eligible Dervish units **MUST** advance, up to the stacking limit. The Anglo-Egyptian player may advance if desired. Note that only attacking units may advance.

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:163 GH:omdurman-rules/src/effects/effect.rs:163	AdvanceAfterCombat	<pre> 161 /// **Postconditions:** Unit position moved to 162 `to`; `vacated_by_combat` 163 /// entry consumed. 164 AdvanceAfterCombat { unit_id: UnitId, to: HexCoord }, 165 // -- Unit state changes ----- </pre>
omdurman-rules/src/effects/dispatch.rs:45 GH:omdurman-rules/src/effects/dispatch.rs:45	apply_advance_after_combat	<pre> 43 } 44 GameEffect::AdvanceAfterCombat { unit_id, to } => { 45 apply_advance_after_combat(state, *unit_id, *to) 46 } 47 GameEffect::RecoverUnit { unit_id } => apply_recover_unit(state, *unit_id), </pre>
omdurman-rules/src/effects/state/melee.rs:141 GH:omdurman-rules/src/effects/state/melee.rs:141	can_advance_after_combat	<pre> 139 /// player's unit, not artillery, adjacent to `to`, 140 and `to` now empty. 141 /// Wall/khor hexside restrictions are not enforced 142 (no hexside map data). 143 pub fn can_advance_after_combat(&self, unit_id: UnitId, to: HexCoord) -> Result<(), RuleError> { 144 let unit = self.unit_or_err(unit_id)?; 145 // §6.7: there is no advance after combat as a 146 result of defensive fire. </pre>
omdurman-rules/src/effects/melee.rs:6 GH:omdurman-rules/src/effects/melee.rs:6	apply_melee_combat	<pre> 4 /// Validated exactly like a declaration 5 ([`validate_melee_attack`]), then 6 /// resolved at once (no §7.5 reaction window). 7 pub fn apply_melee_combat(8 state: &mut GameState, 9 attack: &MeleeAttack, </pre>

Proven by: [omdurman-rules::src::effects::advance_phase_is_atomic](#)

Covered by tests: [omdurman-rules::src::effects::tests::advancing_consumes_the_units_eligibility](#)
[omdurman-rules::src::effects::tests::dervish_advance_after_melee_is_mandatory](#)
[omdurman-rules::src::effects::tests::rejected_advance_phase_keeps_vacated_windows](#)
[omdurman-rules::src::effects::tests::melee_mandatory_advance_leaders_are_free_stacking](#)
[omdurman-rules::src::effects::tests::a_lone_gordon_makes_no_melee_roll](#)
[omdurman-rules::src::effects::tests::melee_advance_overruns_a_lone_ae_leader](#)

§7.7 – Melee modifiers

implemented

manual page unknown

To resolve melee, both the attacker and the defender roll on the Combat Results Table and apply the applicable melee modifier to their die roll. The Dervish player receives a +2 melee modifier, the Anglo-Egyptian player receives a +1 melee modifier. No terrain modifiers are applied to melee combat (Exception: Zariba hexsides in the historical scenario and the campaign game, if constructed — see 9.23). Melee losses must be taken from meleeing units first!

See also: §9.23

File	Symbol	Code Snippet
omdurman-rules/src/combat.rs:108 GH:omdurman-rules/src/combat.rs:108	MeleeModifier	<pre> 106 107 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 108 pub enum MeleeModifier { 109 /// +2 to all Dervish melee rolls (§7.7). 110 DervishStandard,</pre>
omdurman-rules/src/effects/melee.rs:418 GH:omdurman-rules/src/effects/melee.rs:418	mandatory_melee_modifier	<pre> 416 /// `(attacker_modifiers, defender_modifiers)`; the engine applies exactly 417 /// these at resolution and rejects a declared attack whose lists differ. 418 pub fn mandatory_melee_modifiers(419 state: &GameState, 420 attack: &MeleeAttack,</pre>
omdurman-rules/src/combat.rs:131 GH:omdurman-rules/src/combat.rs:131	MeleeAttack	<pre> 129 /// A melee attack: simultaneous, both sides roll on the Combat Results Table (§7.3, §7.7). 130 #[derive(Serialize, Deserialize, Clone, Debug, PartialEq, Eq)] 131 pub struct MeleeAttack { 132 pub attacker_player: Player, 133 pub attacker_hex: HexCoord,</pre>
omdurman-rules/src/combat.rs:112 GH:omdurman-rules/src/combat.rs:112	MeleeModifier::Anglo-EgyptianStandard	<pre> 110 DervishStandard, 111 /// +1 to all Anglo-Egyptian melee rolls (§7.7). 112 AngloEgyptianStandard, 113 /// Inverted to -2 when Dervish units melee-attack across a trench into 114 /// an entrenched defender (§9.232).</pre>
omdurman-rules/src/combat.rs:115 GH:omdurman-rules/src/combat.rs:115	MeleeModifier::DervishVsDefender	<pre> 113 /// Inverted to -2 when Dervish units melee-attack across a trench into 114 /// an entrenched defender (§9.232). 115 DervishVsTrenchedDefender, 116 } 117 </pre>
omdurman-rules/src/combat.rs:110 GH:omdurman-rules/src/combat.rs:110	MeleeModifier::DervishStandard	<pre> 108 pub enum MeleeModifier { 109 /// +2 to all Dervish melee rolls (§7.7). 110 DervishStandard, 111 /// +1 to all Anglo-Egyptian melee rolls (§7.7). 112 AngloEgyptianStandard,</pre>

Proven by: [omdurman-rules::src::verification::melee_modifier_keeps_roll_legal](#)

Covered by tests: `omdurman-rules::src::effects::tests::melee_resolves_simultaneously`
`omdurman-rules::src::effects::tests::melee_modifiers_are_engine_derived_and_mismatches_rejected`

 2/3 implemented

§8 – Night Game Turns

§8 – Night Game Turns

descriptive

manual page unknown

Night Game Turns

§8.1 – Night effects

implemented

manual page unknown

The effects of night game turns are: a) all Anglo-Egyptian movement allowances are halved (round down), b) there is no Anglo-Egyptian howitzer fire, and c) all fire ranges are halved for both sides (round down, but range 1 stays range 1). Range effects on fire combat are the same as during day game turns. For example, an Anglo-Egyptian infantry unit firing at night will be doubled at range 1, normal at range 2, and may not fire at range 3 or greater.

****8.2) Dervish Desertion Roll:**** Once each campaign game, during the first night turn of the game, the Dervish player rolls one die to see how many of his units desert. The roll is made during the movement phase and the number of deserting Dervish units is equal to 1½ times the roll of one die. The Dervish player may choose which units desert by merely removing them from the mapsheet. The KHALIFA unit, gunboats, artillery units, and forts are the only Dervish units that may not be chosen. No victory points are awarded to the Anglo-Egyptian player for deserting Dervishes.

(see manual for full text)

See also: §8.2

File	Symbol	Code Snippet
omdurman-rules/src/scalars.rs:88 GH:omdurman-rules/src/scalars.rs:88	MovementAllowance::halve	<pre>86 impl MovementAllowance { 87 /// Night movement allowance = halved (round down) (rulebook §8.1, §5.11). 88 pub fn halve(self) -> Self { 89 let v = self.value() / 2; 90 MovementAllowance::try_from(v).expect("halved value always a named variant")</pre>
omdurman-types/src/lib.rs:805 GH:omdurman-types/src/lib.rs:805	DayNight	<pre>803 /// (rulebook §8.1). 804 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 805 pub enum DayNight { 806 Day, 807 Night,</pre>
omdurman-rules/src/range_effects.rs:71 GH:omdurman-rules/src/range_effects.rs:71	night_max_range	<pre>69 70 /// The halved maximum range at night (§8.1): round down, minimum 1. 71 pub fn night_max_range(weapon: WeaponClass, ae: bool) - > u8 { 72 let day = max_day_range(weapon, ae); 73 if day <= 1 { 1 } else { day / 2 }</pre>
omdurman-rules/src/scalars.rs:208 GH:omdurman-rules/src/scalars.rs:208	effective_movement_at_night	<pre>206 /// Apply night-turn movement halving for Anglo- Egyptian units (§8.1): all 207 /// Anglo-Egyptian movement allowances are halved (round down). 208 pub fn effective_movement_at_night(209 allowance: MovementAllowance, 210 player: Player,</pre>
omdurman-rules/src/effects/	NoHowitzerAtNight	<pre>110 // §6.64: no howitzer fire at night. 111 if kind == FireKind::Howitzer && self.day_night</pre>

state/fire.rs:112 GH:omdurman-rules/src/effects/state/fire.rs:112		<pre> == DayNight::Night { 112 return Err(RuleError::NoHowitzerAtNight); 113 } 114 </pre>
--	--	---

Proven by: [omdurman-rules::src::verification::movement_allowance_halve_never_panics](#)
[omdurman-rules::src::verification::night_halving_is_ac_only_and_day_neutral](#)
[omdurman-rules::src::range_effects::night_cap_is_halved_day_max_floored_at_one](#)
[omdurman-rules::src::range_effects::night_range_effects_gates_the_day_band_by_the_cap](#)
[omdurman-rules::src::effects::fire::night_capped_distance_is_some_exactly_within_the_night_max](#)

Covered by tests: [omdurman-rules::src::range_effects::night_max_ranges](#) [omdurman-rules::src::range_effects::night_max_ranges_remaining](#)
[omdurman-rules::src::range_effects::ae_rifle_at_night_matches_rulebook_example](#)
[omdurman-rules::src::range_effects::max_day_range_all_combos](#)
[omdurman-rules::src::effects::tests::night_movement_overlay_allowance_halved](#)
[omdurman-rules::src::effects::tests::named_gunboat_no_howitzer_at_night](#)

§8.2 – Dervish Desertion Roll

[implemented](#)

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:191 GH:omdurman-rules/src/effects/effect.rs:191	DervishDesertion	<pre> 189 /// the effect. The Khalifa, gunboats, artillery, 190 and forts may not be 191 /// chosen. 192 DervishDesertion { 193 roll: DieRoll, 194 deserters: Vec<UnitId>, </pre>
omdurman-rules/src/unit.rs:366 GH:omdurman-rules/src/unit.rs:366	is_desertion_exempt	<pre> 364 /// Non-Dervish identities are trivially not 365 eligible to desert and so are 366 /// reported as exempt too. 367 pub fn is_desertion_exempt(&self) -> bool { 368 match self { 369 UnitIdentity::DervishLeader(DervishLeader::KhalifaAbdullah) </pre>
omdurman-rules/src/turn_track.rs:63 GH:omdurman-rules/src/turn_track.rs:63	DervishDesertion	<pre> 61 None, 62 /// Dervish desertion roll (§8.2) -- occurs on the 63 first night turn. 64 DervishDesertion, 65 /// Dervish reinforcements are available. 66 DervishReinforcements, </pre>
omdurman-rules/src/turn_track.rs:63 GH:omdurman-rules/src/turn_track.rs:63	DervishDesertion	<pre> 61 None, 62 /// Dervish desertion roll (§8.2) -- occurs on the 63 first night turn. 64 DervishDesertion, 65 /// Dervish reinforcements are available. 66 DervishReinforcements, </pre>
omdurman-rules/src/turn_track.rs:60 GH:omdurman-rules/src/turn_track.rs:60	TurnEvent	<pre> 58 /// Special events that occur on specific turns 59 (rulebook §8.2, §9.112, §9.113). 60 #[derive(Serialize, Deserialize, Clone, Copy, 61 PartialEq, Eq, Debug)] 62 pub enum TurnEvent { 63 None, 64 /// Dervish desertion roll (§8.2) -- occurs on the 65 first night turn. </pre>

Proven by: [omdurman-rules::src::effects::desertion_count_is_one_and_a_half_times_the_roll](#)
[omdurman-rules::src::turn_track::desertion_event_is_unique_to_the_first_night_turn](#)

Covered by tests: [omdurman-rules::src::effects::tests::desertion_rejects_a_unit_listed_twice](#)
[omdurman-rules::src::effects::tests::desertion_count_is_floor_one_and_a_half](#)

omdurman-rules::src::turn_track::desertion_on_first_night
omdurman-rules::src::effects::tests::desertion_roll_required_before_first_night_movement_ends
omdurman-rules::src::effects::tests::desertion_removes_chosen_count_and_respects_exemptions

 23/33 implemented

§9 – The Scenarios

§9 – The Scenarios

descriptive

manual page unknown

The Scenarios

§9.1 – The Campaign Game

descriptive

manual page unknown

The Campaign Game

§9.2 – The Historical Scenario

descriptive

manual page unknown

The Historical Scenario

Players should note that the historical scenario is an exercise in futility for the Dervish player. It is, however, an interesting demonstration of the absolute imbecility of the Khalifa’s generalship and vividly shows the superiority of entrenched firepower over traditional tribal arms in the colonial period.

§9.3 – Bonus Game: Fall of Khartoum

descriptive

manual page unknown

Bonus Game: FALL OF KHARTOUM

§9.11 – Set Up (Campaign)

descriptive

manual page unknown

Set Up

§9.12 – Scenario Length (Campaign)

implemented

manual page unknown

Scenario Length

6:00 am, Sept. 1 through 8:00 am, Sept. 3, 22 Game Turns.

File	Symbol	Code Snippet
omdurman-rules/src/turn_track.rs:11 GH:omdurman-	GameTime	<pre>9 /// starts at one of these twelve times. 10 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 11 pub enum GameTime {</pre>

rules/src/ turn_track.rs:11		12 SixAM, 13 EightAM,
omdurman- rules/src/ turn_track.rs:47 GH:omdurman- rules/src/ turn_track.rs:47	TurnEntry	45 /// A single entry on the Turn Record Track (rulebook \$9.12, \$9.22). 46 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 47 pub struct TurnEntry { 48 /// 1-based turn number. 49 pub turn: u8,
omdurman- rules/src/ turn_track.rs:95 GH:omdurman- rules/src/ turn_track.rs:95	CAMPAIGN_TURN_TRACK	93 /// is turn 9, which carries the once-per-game Dervish Desertion Roll (§8.2) -- 94 /// the printed track prints "Dervish Desertion Roll / NIGHT" on that cell. 95 pub const CAMPAIGN_TURN_TRACK: [TurnEntry; 22] = [96 // Row 1, left->right: Sept 1, 6 am -> 8 pm, then the first NIGHT. 97 entry(1, SixAM, Day, TurnEvent::None),
omdurman- rules/src/turn_track.rs:242 GH:omdurman- rules/src/ turn_track.rs:242	TurnLabel	240 /// printed cell; `Blank` is for unused positions in the 9x3 grid. 241 #[derive(Serialize, Deserialize, Debug, Clone, Copy, PartialEq, Eq)] 242 pub enum TurnLabel { 243 Blank, 244 /// "SEPT. 1\n6:00 am" -- day header plus time (turn 1).

Proven by: omdurman-rules::src::turn_track::scenario_turn_indexing_is_exact_for_every_scenario
omdurman-rules::src::turn_track::turn_labels_agree_with_the_rule_bearing_track

Covered
by tests: omdurman-rules::src::turn_track::campaign_track_22_turns omdurman-rules::src::turn_track::desertion_on_first_night
omdurman-rules::src::turn_track::campaign_track_label_and_day_night_agree
omdurman-rules::src::turn_track::game_time_display_all_variants omdurman-rules::src::turn_track::turn_label_display
omdurman-rules::src::turn_track::turn_label_out_of_range_is_none
omdurman-rules::src::effects::tests::game_over_after_campaign_turns

§9.13 – Special Rules (Campaign)

descriptive
manual page unknown

- Special Rules
- None.

§9.14 – Victory Conditions (Campaign)

implemented
manual page unknown

Victory Conditions

The Mahdi’s Tomb in Omdurman was not only the tallest structure in the entire Sudan in 1898, it was also a Dervish holy shrine. Its loss or destruction would be a severe blow to the Mahdist cause. It is accordingly assigned 25 victory points which are awarded to the player who controls it at the conclusion of play. The Dervish player controls it at the start of play. As a tactical note, the Anglo-Egyptian player will find a decisive victory almost impossible unless he takes the Mahdi’s Tomb from the Dervish player. To take the Tomb hex, it must be occupied by one British leader plus any one non-“Friendlies” Anglo-Egyptian combat unit (both undisrupted) at the conclusion of play.

Additional victory points are awarded as follows:

****Dervish Player receives:****

- 10 pts: each British leader eliminated

(see manual for full text)

See also: §5.21

File	Symbol	Code Snippet
omdurman-rules/src/victory.rs:16 GH:omdurman-rules/src/victory.rs:16	VpSource	<pre>14 /// the manual and the engine. 15 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 16 pub enum VpSource { 17 // ----- Anglo-Egyptian player receives: 18 /// 25 pts -- the Mahdi's Tomb taken from the Dervish: held at the</pre>
omdurman-rules/src/victory.rs:48 GH:omdurman-rules/src/victory.rs:48	VpSource::points	<pre>46 impl VpSource { 47 /// VP awarded to `who_scores()` (rulebook §9.14). 48 pub fn points(self) -> VictoryPoints { 49 match self { 50 VpSource::MahdisTombTaken VpSource::MahdisTombHeld => VictoryPoints::new(25),</pre>
omdurman-rules/src/victory.rs:63 GH:omdurman-rules/src/victory.rs:63	VpSource::who_scores	<pre>61 62 /// Which player receives these victory points (rulebook §9.14). 63 pub fn who_scores(self) -> Player { 64 match self { 65 VpSource::MahdisTombTaken</pre>
omdurman-rules/src/victory.rs:100 GH:omdurman-rules/src/victory.rs:100	VictoryLedger	<pre>98 /// Cumulative victory ledger for one scenario (rulebook §9.14). 99 #[derive(Serialize, Deserialize, Clone, Debug, Default)] 100 pub struct VictoryLedger { 101 pub events: Vec<VpEvent>, 102 }</pre>
omdurman-rules/src/victory.rs:106 GH:omdurman-rules/src/victory.rs:106	VpEvent	<pre>104 /// A single victory-point scoring event (rulebook §9.14). 105 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 106 pub struct VpEvent { 107 pub turn: GameTurnIndex, 108 pub source: VpSource,</pre>
omdurman-rules/src/victory.rs:113 GH:omdurman-rules/src/victory.rs:113	VictoryLedger::total_for	<pre>111 impl VictoryLedger { 112 /// Total victory points earned by a given player (rulebook §9.14). 113 pub fn total_for(&self, player: Player) -> VictoryPoints { 114 VictoryPoints(115 self.events</pre>
omdurman-rules/src/victory.rs:125 GH:omdurman-rules/src/victory.rs:125	VictoryLedger::superiority	<pre>123 /// Net superiority: positive = Anglo-Egyptian ahead, negative = Dervish ahead 124 /// (rulebook §9.14). 125 pub fn superiority(&self) -> VictoryPoints { 126 VictoryPoints(127 self.total_for(Player::AngloEgyptian).value() - self.total_for(Player::Dervish).value(),</pre>
omdurman-rules/src/victory.rs:151 GH:omdurman-rules/src/victory.rs:151	CampaignVictoryLevel	<pre>149 /// Campaign-game victory levels (§9.14). 150 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 151 pub enum CampaignVictoryLevel { 152 Draw, 153 Marginal(Player),</pre>
omdurman-rules/src/victory.rs:160 GH:omdurman-rules/src/victory.rs:160	CampaignVictoryLevel::from	<pre>158 impl CampaignVictoryLevel { 159 /// Assign a level from the net superiority (§9.14). 160 pub fn from_superiority(s: VictoryPoints) -> Self { 161 let net = s.0; 162 // Positive -> Anglo-Egyptian thresholds: 15/30/50</pre>

omdurman-rules/src/effects/victory.rs:75 GH:omdurman-rules/src/effects/victory.rs:75	score_elimination	<pre>73 /// elimination under `cause`. The owner is derived 74 /// so unlike the historical signature there is no 75 /// caller-supplied player. 76 pub fn score_elimination(state: &mut GameState, 77 unit_id: UnitId, cause: ElimCause) { 78 if let Some(unit) = state.find_unit(unit_id) { 79 let identity = unit.profile.identity;</pre>
omdurman-rules/src/scalars.rs:178 GH:omdurman-rules/src/scalars.rs:178	VictoryPoints	<pre>176 /// (rulebook §9.14). 177 #[derive(Serialize, Deserialize, Clone, Copy, 178 PartialEq, Eq, PartialOrd, Ord, Debug, Default)] 179 pub struct VictoryPoints(pub(crate) i32); 180 impl VictoryPoints {</pre>

Proven by: [omdurman-rules::src::verification::campaign_victory_levels_match_manual_superiority_table](#)
[omdurman-rules::src::verification::vp_source_points_and_scorer_match_the_printed_schedule](#)
[omdurman-rules::src::effects::victory::vp_source_for_routes_every_elimination_to_the_printed_source](#)
[omdurman-rules::src::effects::victory::score_elimination_records_exactly_what_it_scores](#)

Covered by tests: [omdurman-rules::src::effects::tests::a_destroyed_fort_takes_one_occupant_with_it_and_scores_it](#)
[omdurman-rules::src::effects::tests::a_mined_gunboat_scores_and_takes_its_friendlys_down](#)
[omdurman-rules::src::effects::tests::a_gunboat_sunk_by_artillery_scores_victory_points](#)
[omdurman-rules::src::effects::tests::friendlys_bank_scores_by_side](#)
[omdurman-rules::src::effects::tests::mahdis_tomb_stays_dervish_without_a_leader](#)
[omdurman-rules::src::effects::tests::mahdis_tomb_scores_for_anglo_egyptian_when_taken](#)
[omdurman-rules::src::effects::tests::campaign_end_scores_an_untaken_tomb_for_the_dervish](#)
[omdurman-rules::src::tests::vp_source_attributes](#)

§9.21 – Set Up (Historical)

[descriptive](#)
manual page unknown

Set Up

§9.22 – Scenario Length (Historical)

[implemented](#)
manual page unknown

Scenario Length
6:00 am, September 2 through 12:00 noon, September 2. Four game turns.

File	Symbol	Code Snippet
omdurman-rules/src/turn_track.rs:132 GH:omdurman-rules/src/turn_track.rs:132	HISTORICAL_TURN	<pre>130 131 /// Historical scenario track (§9.22 -- 4 turns, Sept 2 132 6:00 am -> 12:00 pm). 133 pub const HISTORICAL_TURN_TRACK: [TurnEntry; 4] = [134 TurnEntry { 135 turn: 1,</pre>

Proven by: [omdurman-rules::src::turn_track::scenario_turn_indexing_is_exact_for_every_scenario](#)

Covered by tests: [omdurman-rules::src::turn_track::historical_turn_all_four_turns](#)

§9.23 – Special Rule: The Zariba

[descriptive](#)
manual page unknown

Special Rule: “The Zariba”

9.231) Thorn hedge hexsides: −2 to die roll on all Dervish fire attacks; may not melee across in either direction; may not advance after combat across in either direction.

9.232) Trench hexsides: −4 to die roll on all Dervish fire attacks vs. entrenched units only; −2 (instead of +2) melee modifier to Dervish units melee attacking an entrenched unit; entrenched units may be fired “over” in both directions (i.e. they do not block line of sight); units are considered “entrenched” if they are directly adjacent to (and on the Nile River side of) a trench hexside.

(see manual for full text)

See also: §9.231, §9.232

§9.24 – Victory Conditions (Historical)

implemented

manual page unknown

Victory Conditions

Victory Levels are based solely on eliminating enemy units while conserving your own force as much as possible.

| Victory Level | Anglo-Egyptian Player (Dervish units eliminated) | Dervish Player (Anglo-Egyptian units eliminated)
| |—|—|—| | 5 — DECISIVE | 100+ | 30+ | | 4 — STRATEGIC | 60–99 | 15–29 | | 3 — TACTICAL | 45–59 | 10–14 | | 2 — MARGINAL | 30–44 | 5–9 | | 1 — DRAW | 0–29 | 0–4 |

The lower value victory level is then subtracted from the higher level to determine a player’s net victory. For example, if the Anglo-Egyptian player eliminates 104 Dervish units (decisive victory) but loses 18 units doing it (Dervish Strategic), the Anglo-Egyptian player only nets out with a draw (decisive worth 5 minus strategic worth 4 = 1, draw).

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/victory.rs:190 GH:omdurman-rules/src/victory.rs:190	HistoricalVictoryLevel	<pre>188 /// draw"). 189 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Debug)] 190 pub enum HistoricalVictoryLevel { 191 Draw = 1, 192 Marginal = 2,</pre>

Proven by: [omdurman-rules::src::verification::historical_victory_ladders_match_manual_bands](#)

Covered by tests: [omdurman-rules::src::tests::historical_victory_level_for_dervish](#)
[omdurman-rules::src::tests::historical_victory_level_for_anglo_egyptian](#)

§9.31 – Bonus game map

implemented

manual page unknown

Only the small FALL OF KHARTOUM scenario map is used for this game.

File	Symbol	Code Snippet
omdurman-rules/src/board_data.rs:37 GH:omdurman-	fall_of_khartoum_map	<pre>35 36 /// The Fall-of-Khartoum board (§9.3). 37 pub fn fall_of_khartoum_map_data() -> MapData {</pre>

rules/src/ board_data.rs:37		<pre>38 FOK.get_or_init(parse(FOK_RON)).clone() 39 }</pre>
--------------------------------	--	---

Covered by tests: `omdurman-app::src::tests::scenario_maps_to_board` `omdurman-app::src::tests::start_game_scenario_selects_board`

§9.32 – Set Up (Bonus)

`descriptive`
manual page unknown

Set Up

§9.33 – Scenario Length (Bonus)

`implemented`
manual page unknown

Scenario Length

Variable, see victory conditions (9.35). Rarely lasts five turns.

See also: §9.35

File	Symbol	Code Snippet
omdurman-rules/src/turn_track.rs:172 GH:omdurman-rules/src/turn_track.rs:172	FALL_OF_KHARTOUM	<pre>170 /// (the rulebook fixes none); only `day_night` is 171 rule-bearing (night halves 172 /// Anglo-Egyptian movement and ranges and bars 173 howitzer fire, §8.1). 174 pub const FALL_OF_KHARTOUM_TURN_TRACK: [TurnEntry; 8] = 175 [176 TurnEntry { 177 turn: 1,</pre>

Proven by: `omdurman-rules::src::turn_track::scenario_turn_indexing_is_exact_for_every_scenario` `omdurman-rules::src::turn_track::fall_of_khartoum_night_window_is_turns_one_and_two`

Covered by tests: `omdurman-rules::src::turn_track::fall_of_khartoum_turn_one_is_night` `omdurman-rules::src::turn_track::fall_of_khartoum_turns_3_to_8_are_day`

§9.34 – Special Rules (Bonus)

`descriptive`
manual page unknown

Special Rules

§9.35 – Victory Conditions (Bonus)

`implemented`
manual page unknown

Victory Conditions

Victory is determined by how many turns it takes the Dervish player to eliminate the GORDON leader unit and how many Dervish units are eliminated:

- Dervish decisive: eliminate GORDON turn four or sooner.
- Dervish tactical: eliminate GORDON turn five.

- Dervish marginal: eliminate GORDON turn six.
- British marginal: GORDON survives end of turn six.
- British tactical: GORDON survives end of turn seven.

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/victory.rs:308 GH:omdurman-rules/src/victory.rs:308	FoKVictoryLevel::resolve	<pre> 306 /// rulebook: GORDON dies turn 5 (tactical) with 24 Dervish losses (-2 307 /// levels) nets a British marginal. 308 pub fn resolve(gordon_died_turn: Option<u8>, scenario_end_turn: u8, dervish_lost: i16) -> Self { 309 let base = Self::base(gordon_died_turn, scenario_end_turn); 310 let base_idx = Self::LADDER </pre>

Proven by: [omdurman-rules::src::verification::fok_victory_ladder_penalties_shift_monotonically](#)

Covered by tests: [omdurman-rules::src::effects::tests::gordon_dying_in_melee_ends_fall_of_khartoum](#)
[omdurman-rules::src::tests::fok_victory_level_worked_example](#) [omdurman-rules::src::tests::fok_victory_level_gordon_died_early](#)
[omdurman-rules::src::tests::fok_victory_level_late_gordon_death](#) [omdurman-rules::src::tests::fok_victory_level_gordon_survived](#)
[omdurman-rules::src::newspaper::fok_headlines_never_contradict_gordons_fate](#)

§9.111 – Dervish set up (Campaign)

implemented

manual page unknown

Dervish player sets up first, moves second.

- Isa Zachneih infantry unit: anywhere on the east bank, in or south of El Debeba.
- KHALIFA ABDULLAH: in the walled city of Omdurman, in either palace hex.
- 3 artillery units, and all Taiasha units: anywhere in the walled city of Omdurman.
- 17 forts: anywhere on the mapsheet south of the Khor Shambat on the west bank, and/or south of all Halfaya hut hexes on the east bank and Nile River islands.
- 2 gunboats: any south edge Nile River hexes.

****9.112) Dervish reinforcements:**** all reinforcements enter on the west edge of the mapsheet, south of the Khor Shambat. Each unit pays the terrain cost of the hex through which it enters, no matter how many units enter through

(see manual for full text)

See also: §9.112

File	Symbol	Code Snippet
omdurman-rules/src/effects/state/setup.rs:105 GH:omdurman-rules/src/effects/state/setup.rs:105	setup_complete	<pre> 103 /// currently shares the same "both sides deployed" gate; when a scenario 104 /// needs a different minimum, branch on `self.scenario` here. 105 pub fn setup_complete(&self) -> Result<(), RuleError> { 106 let has = player { 107 self.units </pre>

Covered by tests: [omdurman-rules::src::effects::tests::setup_is_sequential_first_side_then_second](#)
[omdurman-app::src::scenario_setup::campaign_has_no_fixed_placements](#)
[omdurman-rules::src::unit_profiles::hadendowa_first_cell_is_isa_zachneih](#)
[omdurman-rules::src::effects::tests::campaign_deployment_is_boat_land_exclusive](#)
[omdurman-rules::src::effects::tests::campaign_setup_rejects_non_initial_force](#)

§9.112 – Dervish reinforcements (Campaign)

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:183 GH:omdurman-rules/src/effects/effect.rs:183	PlaceReinforcements	<pre>181 // -- Reinforcement / placement ----- 182 /// Place reinforcements onto the map (rulebook \$9.112, \$9.113). 183 PlaceReinforcements(Vec<UnitPlacement>), 184 185 // -- Scenario-specific -----</pre>
omdurman-rules/src/effects/dispatch.rs:53 GH:omdurman-rules/src/effects/dispatch.rs:53	apply_place_reinforceme	<pre>51 GameEffect::Demolition { unit_id, target } => apply_demolition(state, *unit_id, *target), 52 GameEffect::PlaceReinforcements(placements) => { 53 apply_place_reinforcements(state, placements) 54 } 55 GameEffect::DervishDesertion { roll, deserters } => {</pre>
omdurman-rules/src/reinforcements.rs:69 GH:omdurman-rules/src/reinforcements.rs:69	dervish_campaign_sched	<pre>67 /// All reinforcements enter on the west edge, south of the Khor Shambat. 68 /// Each unit pays terrain cost of the hex it enters through. 69 pub fn dervish_campaign_schedule() -> ReinforcementSchedule { 70 ReinforcementSchedule { 71 player: Player::Dervish,</pre>
omdurman-types/src/lib.rs:538 GH:omdurman-types/src/lib.rs:538	Location	<pre>536 /// Named map landmarks (rulebook mapsheet, \$9.111, \$9.113, \$9.212 scenarios). 537 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug, strum::Display)] 538 pub enum Location { 539 FortMakran, 540 NorthFort,</pre>
omdurman-types/src/lib.rs:618 GH:omdurman-types/src/lib.rs:618	SetupLetter	<pre>616 /// Each letter marks a specific hex where a Dervish leader is placed. 617 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug, strum::Display)] 618 pub enum SetupLetter { 619 Y, 620 K,</pre>
omdurman-types/src/lib.rs:761 GH:omdurman-types/src/lib.rs:761	Faction	<pre>759 /// `Some(BrigadeId::friendlies)`'. 760 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 761 pub enum Faction { 762 Dervish { 763 tribe: DervishTribe,</pre>

Proven by: [omdurman-rules::src::reinforcements::wave_for_turn_answers_exactly_on_the_printed_schedule](#)

Covered by tests:

- [omdurman-app::src::tests::place_unit_translates_by_phase](#)
- [omdurman-rules::src::reinforcements::dervish_schedule_has_three_waves](#)
- [omdurman-rules::src::reinforcements::dervish_wave_one_has_baggaara_and_three_leaders](#)
- [omdurman-rules::src::reinforcements::dervish_wave_two_has_hadendowa](#)
- [omdurman-rules::src::reinforcements::dervish_wave_three_is_all_remaining](#)
- [omdurman-rules::src::reinforcements::wave_for_turn_returns_correct_wave](#)
- [omdurman-rules::src::effects::tests::campaign_reinforcements_gate_by_wave](#)
- [omdurman-rules::src::effects::tests::campaign_setup_rejects_non_initial_force](#)

§9.113 – Anglo-Egyptian reinforcements (Campaign)

implemented

manual page unknown

The Anglo-Egyptian player moves first. There are no Anglo-Egyptian units on the mapsheet at start. The GORDON unit is not used in this scenario.

- The leader units KITCHENER, GATACRE, and HUNTER may enter anytime during the first four game turns and do not count against the 12 units per turn limit. All three leaders must be in play by the end of turn four!
- All gunboats enter through any north edge Nile River hex, paying one movement point for the first hex entered. The “Friendlies” brigade enters through the Abu Alim hut hex on the east bank, paying eight movement points per unit. All other Anglo-Egyptian units enter through the west bank “ANGLO-EGYPTIAN ENTRANCE AREA”, each unit paying one movement point to enter the mapsheet.
- Turn 1) Any three gunboats; “Friendlies” brigade; Egyptian Cavalry; Horse Artillery; and two infantry brigades

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/reinforcements.rs:126 GH:omdurman-rules/src/reinforcements.rs:126	anglo_egyptian_campaig	<pre>124 /// - "Friendlies" enter via Abu Alim hut on the east 125 /// - All other AE units enter via the Anglo-Egyptian Entrance Area (1 MP). 126 pub fn anglo_egyptian_campaign_schedule() -> ReinforcementSchedule { 127 let free_leaders = vec![128 CampaignLeader::British(BritishLeader::Kitchener),</pre>

Proven by: [omdurman-rules::src::reinforcements::wave_for_turn_answers_exactly_on_the_printed_schedule](#)

Covered by tests: [omdurman-rules::src::reinforcements::anglo_egyptian_schedule_has_four_waves](#)
[omdurman-rules::src::reinforcements::anglo_egyptian_leaders_available_each_wave](#)
[omdurman-rules::src::reinforcements::anglo_egyptian_turn_four_is_all_remaining](#)
[omdurman-rules::src::effects::tests::campaign_reinforcement_cap_and_double_entry](#)
[omdurman-rules::src::effects::tests::campaign_gunboats_quota_three_per_turn](#)
[omdurman-rules::src::effects::tests::reinforcement_rejected_onto_enemy_occupied_hex](#)
[omdurman-rules::src::effects::tests::campaign_setup_rejects_non_initial_force](#)

§9.211 – Anglo-Egyptian set up first, moves second (Historical)

implemented

manual page unknown

The Anglo-Egyptian player sets up first, and moves second:

- Not in play: GORDON leader unit, “Friendlies” brigade.
- Gunboats start in any Nile River hexes adjacent to the Zariba.
- Camel Corps, Egyptian Cavalry, and Horse Artillery start in the village of Kerreri hut hexes.
- All remaining Anglo-Egyptian units set up in the 13 hexes of the Zariba.

File	Symbol	Code Snippet
omdurman-rules/src/effects/dispatch.rs:462 GH:omdurman-rules/src/effects/dispatch.rs:462	first_player	<pre>460 461 /// The player who moves first in a scenario (§4, §9.113, §9.212, §9.322). 462 pub fn first_player(scenario: Scenario) -> Player { 463 match scenario { 464 Scenario::Campaign => Player::AngloEgyptian,</pre>

Covered by tests: omdurman-rules::src::effects::tests::setup_is_sequential_first_side_then_second
omdurman-rules::src::effects::tests::historical_setup_rejects_not_in_play_units

§9.212 – Dervish set up (Historical) – deployment zones and leader-to-hex mapping

implemented

manual page unknown

The Dervish player sets up second, and moves first.

- Not in play: Isa Zachneih, gunboats, and forts.
- All Dervish units must be set up out of the line of sight of all Anglo-Egyptian units.
- Dervish leaders start on the lettered hexes:
 - A: Ali Wad Helu
 - D: Sheik El Din
 - Y: Yakub
 - K: Khalifa Abdullah
 - S: Sherif
 - O: Osman Digna

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/effects/state/setup.rs:215 GH:omdurman-rules/src/effects/state/setup.rs:215	in_deployment_zone	<pre>213 /// plan / UI rather than this hex predicate. Documented, not silently 214 /// dropped. 215 pub fn in_deployment_zone(&self, player: Player, hex: HexCoord, is_boat: bool) -> bool { 216 // No board attached -> permissive (unit tests, unbound session). 217 if self.board.terrain.is_empty() {</pre>
omdurman-rules/src/unit.rs:78 GH:omdurman-rules/src/unit.rs:78	DervishLeader::setup_letter	<pre>76 /// (§9.212): A→Ali Wad Helu, D→Sheik El Din, Y→Yakub, K→Khalifa Abdullah, 77 /// S→Sherif, O→Osman Digna. Inverse of [`dervish_leader_for_setup_letter`]. 78 pub fn setup_letter(self) -> SetupLetter { 79 match self { 80 DervishLeader::AliWadHelu => SetupLetter::A,</pre>
omdurman-rules/src/unit.rs:94 GH:omdurman-rules/src/unit.rs:94	dervish_leader_for_setup_letter	<pre>92 /// inherent impl here, so the mapping is a free function -- the bijective 93 /// inverse of [`DervishLeader::setup_letter`]. 94 pub fn dervish_leader_for_setup_letter(letter: SetupLetter) -> DervishLeader { 95 match letter { 96 SetupLetter::A => DervishLeader::AliWadHelu,</pre>

Covered by tests: omdurman-rules::src::effects::tests::deploy_rejected_outside_zone
omdurman-rules::src::unit_profiles::embedded_leaders_resolve_from_their_host_section
omdurman-app::src::scenario_setup::historical_places_all_six_leaders_when_anchors_present
omdurman-app::src::scenario_setup::missing_anchor_is_reported_not_dropped_silently
omdurman-rules::src::effects::tests::setup_letter_dervish_leader_roundtrip
omdurman-rules::src::effects::tests::setup_letter_to_dervish_leader_known_values
omdurman-rules::src::effects::tests::historical_setup_rejects_not_in_play_units

§9.231 – Thorn hedge hexsides

implemented

manual page unknown

File	Symbol	Code Snippet
------	--------	--------------

omdurman-rules/src/combat.rs:28 GH:omdurman-rules/src/combat.rs:28	ZaribaThornHedge	<pre> 26 Terrain(i16), 27 /// -2 thorn-hedge defensive modifier (§9.231). 28 ZaribaThornHedge, 29 /// -4 trench defensive modifier (§9.232). Only applies vs. "entrenched" 30 /// units (those Nile-side of the trench hexside).</pre>
omdurman-types/src/lib.rs:213 GH:omdurman-types/src/lib.rs:213	ZaribaThornHedge	<pre> 211 Crest, 212 /// Historical-scenario thorn-hedge segment of the Zariba (§9.231). 213 ZaribaThornHedge, 214 /// Historical-scenario trench segment of the Zariba (§9.232). 215 ZaribaTrench,</pre>
omdurman-rules/src/effects/state.rs:318 GH:omdurman-rules/src/effects/state.rs:318	has_zariba_thorn_hedge	<pre> 316 /// *effective* hexsides, so constructed (§5.3) and authored hedges both 317 /// count. 318 pub fn has_zariba_thorn_hedge(&self, hex: HexCoord) -> bool { 319 for n in hex.neighbors() { 320 if self.hexside_effective_is(hex, n, k k == HexsideKind::ZaribaThornHedge) {</pre>

Covered by tests: [omdurman-rules::src::effects::tests::zariba_fire_penalties_apply_to_dervish_fire_only](#)

§9.232 – Trench hexsides

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/combat.rs:31 GH:omdurman-rules/src/combat.rs:31	ZaribaTrenchEntrenched	<pre> 29 /// -4 trench defensive modifier (§9.232). Only applies vs. "entrenched" 30 /// units (those Nile-side of the trench hexside). 31 ZaribaTrenchEntrenched, 32 } 33 </pre>
omdurman-types/src/lib.rs:215 GH:omdurman-types/src/lib.rs:215	ZaribaTrench	<pre> 213 ZaribaThornHedge, 214 /// Historical-scenario trench segment of the Zariba (§9.232). 215 ZaribaTrench, 216 /// One of the two end hexsides of a Zariba trench segment that connect to 217 /// the Nile River (§9.233). Units may only enter/ leave the Zariba via</pre>

Proven by: [omdurman-rules::src::verification::melee_modifier_keeps_roll_legal](#)

Covered by tests: [omdurman-rules::src::effects::tests::trench_entrenched_units_take_trench_modifiers](#)

§9.233 – Zariba entry/exit costs

implemented

manual page unknown

Units may only enter and/or leave the Zariba via the two end hexsides that connect to the Nile River, paying +2 movement points to cross (Exception: advance after combat across an entrenched hexside).

File	Symbol	Code Snippet
omdurman-types/src/lib.rs:272	blocks_movement	<pre> 270 /// `omdurman-rules`). The trench *end* variants are therefore intentionally 271 /// not blocking.</pre>

GH:omdurman-types/src/lib.rs:272		<pre> 272 pub fn blocks_movement(self) -> bool { 273 matches!(274 self, </pre>
omdurman-rules/src/effects/state.rs:331 GH:omdurman-rules/src/effects/state.rs:331	zariba_entry_surcharge	<pre> 329 /// +2 movement points to cross"). Trench ends are authored FoK geography 330 /// (players cannot construct them), so this reads the authored board. 331 pub fn zariba_entry_surcharge(&self, from: HexCoord, to: HexCoord) -> i16 { 332 match self.board.hexside_between(from, to) { 333 Some(k) if k.is_zariba_trench_end() => 2, </pre>
omdurman-rules/src/effects/state/movement.rs:437 GH:omdurman-rules/src/effects/state/movement.rs:437	movement_cost_for	<pre> 435 /// 436 /// §5.42: entering or leaving an enemy ZOC adds no MP cost. 437 pub fn movement_cost_for(438 &self, 439 unit: &UnitPlacement, </pre>
omdurman-rules/src/effects/movement.rs:33 GH:omdurman-rules/src/effects/movement.rs:33	apply_move_unit	<pre> 31 /// engine from the board (§5.11/§5.24): the caller- supplied `cost` is ignored 32 /// (it survives in the effect only for wire compatibility). 33 pub fn apply_move_unit(34 state: &mut GameState, 35 unit_id: UnitId, </pre>

Proven by: [omdurman-types::src::lib::zariba_trench_ends_differ_only_in_the_entry_rule](#)

Covered by tests: [omdurman-rules::src::effects::tests::zariba_end_hexside_costs_extra_mp](#)
[omdurman-rules::src::effects::tests::zariba_thorn_hedge_blocks_movement](#)
[omdurman-app::src::picker::movement::trench_end_crossing_costs_two_extra_mp](#)

§9.321 – British set up (Bonus)

implemented

manual page unknown

The British player sets up first, moves second:

- General GORDON leader unit in the palace.
- Two old style (unnamed) gunboats in any Nile River hexes.
- Set up in any building or hut hexes of Khartoum, Forts Makran and/or Buri, and/or adjacent to any wall hex:
 - one Egyptian Battalion artillery unit
 - two British infantry units (represents Caucasian troops)
 - three Egyptian infantry units (represents Cairo “Bazouks”)
 - four Sudan infantry units (represents Sudanese blacks)
 - four “Friendlies” units (represents the Shaggyeh)

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/scenario_setup.rs:42 GH:omdurman-rules/src/scenario_setup.rs:42	FALL_OF_KHARTOUM	<pre> 40 /// North Fort uses a campaign HadendowaForts counter (one of the spare fort 41 /// sprites). 42 pub const FALL_OF_KHARTOUM_SETUP: &[FixedPlacement] = &[43 FixedPlacement { 44 section: SectionName::BritishBoats, </pre>

Covered by tests:

- omdurman-rules::src::effects::tests::printed_fok_forts_are_british_forts
- omdurman-rules::src::effects::tests::fall_of_khartoum_has_no_maxim_howitzzer_subphase
- omdurman-rules::src::effects::tests::confirm_ready_rejected_below_scenario_target
- omdurman-rules::src::effects::tests::remove_deployed_unit_happy_path
- omdurman-app::src::scenario_setup::fall_of_khartoum_places_gordon_in_the_palace
- omdurman-app::src::scenario_setup::fall_of_khartoum_reports_missing_palace
- omdurman-app::src::scenario_setup::fall_of_khartoum_fort_landmarks_sit_at_the_correct_hexes
- omdurman-rules::src::effects::tests::fok_ae_gunboat_deploys_only_on_nile
- omdurman-rules::src::effects::tests::fok_ae_land_unit_rejected_on_nile
- omdurman-rules::src::effects::tests::fok_setup_complete_requires_full_oob
- omdurman-rules::src::effects::tests::deploy_via_real_sprite_resolution_matches_engine
- omdurman-rules::src::effects::tests::british_boats_named_vs_old_gunboat_detection
- omdurman-rules::src::effects::tests::fok_order_of_battle_british
- omdurman-rules::src::effects::tests::fok_order_of_battle_dervish
- omdurman-rules::src::effects::tests::fok_caps_bind_across_counter_variants

§9.322 – Dervish enters turn one (Bonus)

implemented

manual page unknown

Dervish player moves first: enters turn one through any hexes on the south or east edge of the map.

- 32 Mulazmin units (represents combined forces of Wad El Nejumi, Abu Girgeh, and Sheik El Obeid)
- 2 Hadendowa; 6 Kehena; 5 Degheim (represents Mahdi's combined west bank forces)
- 3 Dervish artillery units.

File	Symbol	Code Snippet
omdurman-rules/src/unit_profiles.rs:392 GH:omdurman-rules/src/unit_profiles.rs:392	ali_wad_helu	<pre> 390 /// §9.2/§9.3) unplaceable -- the FoK order-of-battle table 391 /// (`fok_cap_group`) is keyed by identity. 392 pub fn ali_wad_helu(col: u32, row: u32) -> Option<Classification> { 393 match (col, row) { 394 (0, 0) => dervish_leader(DervishLeader::AliWadHelu), </pre>
omdurman-types/src/lib.rs:862 GH:omdurman-types/src/lib.rs:862	sections_for_picker	<pre> 860 /// counter of those two forces and leave the §9.322 entry force -- and 861 /// with it the setup Ready gate (§9.2/§9.3) -- unplaceable. 862 pub fn sections_for_picker(self) -> Option<&'static [SectionName]> { 863 match self { 864 Scenario::Campaign Scenario::Historical => None, </pre>

Covered by tests:

- omdurman-rules::src::effects::tests::deployment_requires_the_canonical_counter
- omdurman-rules::src::effects::tests::fok_reinforcements_need_the_owners_movement_phase_and_unique_ids
- omdurman-rules::src::unit_profiles::ali_wad_helu_block_resolves_leader_and_degelim_tribes
- omdurman-rules::tests::fok_setup_flow::degheim_counters_resolve_to_the_degheim_tribe
- omdurman-rules::src::effects::tests::fok_setup_complete_requires_full_oob
- omdurman-rules::src::effects::tests::fok_dervish_land_unit_rejected_on_nile
- omdurman-types::src::lib::fok_picker_allowlist_has_dervish_entry_force_blocks
- omdurman-rules::src::effects::tests::fok_order_of_battle_dervish
- omdurman-rules::src::effects::tests::fok_dervish_east_edge_on_diamond_board

§9.341 – Turn 1 is always a night turn (Bonus)

implemented

manual page unknown

Turn 1 is always a night turn (see 8.1).

See also: §8.1

File	Symbol	Code Snippet
omdurman-rules/src/turn_track.rs:172 GH:omdurman-rules/src/turn_track.rs:172	FALL_OF_KHARTOUM	<pre>170 /// (the rulebook fixes none); only `day_night` is 171 rule-bearing (night halves 172 howitzer fire, §8.1). 173 pub const FALL_OF_KHARTOUM_TURN_TRACK: [TurnEntry; 8] = 174 [175 TurnEntry { 176 turn: 1,</pre>

Proven by: [omdurman-rules::src::turn_track::scenario_turn_indexing_is_exact_for_every_scenario](#)
[omdurman-rules::src::turn_track::fall_of_khartoum_night_window_is_turns_one_and_two](#)

Covered by tests: [omdurman-rules::src::turn_track::fall_of_khartoum_turn_one_is_night](#)

§9.342 – All hexes are playable, including half hexes (Bonus)

implemented

manual page unknown

All hexes are playable, including hexes showing up half or less.

File	Symbol	Code Snippet
omdurman-rules/src/board_data.rs:37 GH:omdurman-rules/src/board_data.rs:37	fall_of_khartoum_map	<pre>35 36 /// The Fall-of-Khartoum board (§9.3). 37 pub fn fall_of_khartoum_map_data() -> MapData { 38 FOK.get_or_init(parse(FOK_RON)).clone() 39 }</pre>

Covered by tests: [omdurman-rules::src::effects::tests::fall_of_khartoum_board_excludes_no_hexes](#)

§9.343 – Both players use the Dervish Range Effects Table (Bonus)

implemented

manual page unknown

Both players must use the Dervish Range Effects Table.

File	Symbol	Code Snippet
omdurman-rules/src/effects/fire.rs:78 GH:omdurman-rules/src/effects/fire.rs:78	range_band_for	<pre>76 /// in FALL OF KHARTOUM *both* players use the Dervish 77 Range Effects Table 78 /// (§9.343). 79 pub fn range_band_for(80 scenario: Scenario, 81 player: Player,</pre>

Proven by: [omdurman-rules::src::effects::fire::range_band_for_routes_to_the_right_faction_table](#)
[omdurman-rules::src::effects::fire::range_table_player_for_routes_friendlyes_and_fok_to_the_dervish_table](#)

Covered by tests: [omdurman-rules::src::effects::tests::fok_both_players_use_dervish_range_table](#)

§9.344 – Dervish controls the North Fort (Bonus)

implemented

manual page unknown

The Dervish player controls the “North Fort” and may fire its guns.

File	Symbol	Code Snippet
omdurman-rules/src/scenario_setup.rs:42 GH:omdurman-rules/src/scenario_setup.rs:42	FALL_OF_KHARTOUM	<pre>40 /// North Fort uses a campaign HadendowaForts counter (one of the spare fort 41 /// sprites). 42 pub const FALL_OF_KHARTOUM_SETUP: &[FixedPlacement] = 43 FixedPlacement { 44 section: SectionName::BritishBoats,</pre>
omdurman-rules/src/effects/state.rs:425 GH:omdurman-rules/src/effects/state.rs:425	hex_has_enemy_fort	<pre>423 /// positions (§9.321), while the North Fort is the Dervish one (§9.344, 424 /// represented by its fort counter). 425 pub fn hex_has_enemy_fort(&self, hex: HexCoord, mover: Player) -> bool { 426 self.printed_fort_owner(hex) 427 .is_some_and(owner owner != mover)</pre>

Covered by tests: [omdurman-app::src::scenario_setup::fall_of_khartoum_places_gordon_in_the_palace](#)
[omdurman-app::src::scenario_setup::fall_of_khartoum_fort_landmarks_sit_at_the_correct_hexes](#)
[omdurman-app::src::scenario_setup::placement_done_gate_matches_by_identity_not_allocated_id](#)
[omdurman-rules::src::effects::tests::fok_order_of_battle_dervish](#)
[omdurman-types::src::lib::fok_picker_allowlist_has_dervish_entry_force_blocks](#)

§9.345 – Gunboat White Nile <-> Blue Nile crossing (Bonus)

implemented

manual page unknown

The British gunboats may move from the White Nile to the Blue Nile and vice-versa at an off-board movement cost of six “upstream” movement points.

File	Symbol	Code Snippet
omdurman-rules/src/effects/state.rs:404 GH:omdurman-rules/src/effects/state.rs:404	is_nile_mouth_crossing	<pre>402 /// must be named on the board, else this is `false` and the move falls 403 /// through to the ordinary contiguous-Nile rules. 404 pub fn is_nile_mouth_crossing(&self, from: HexCoord, to: HexCoord) -> bool { 405 let white = self 406 .board</pre>
omdurman-types/src/lib.rs:554 GH:omdurman-types/src/lib.rs:554	Location::WhiteNileMouth	<pre>552 /// The off-board mouth of the White Nile branch (FALL OF KHARTOUM §9.345) -- 553 /// a British gunboat may cross to the Blue Nile mouth for 6 upstream MP. 554 WhiteNileMouth, 555 /// The off-board mouth of the Blue Nile branch (FALL OF KHARTOUM §9.345). 556 BlueNileMouth,</pre>

Covered by tests: [omdurman-rules::src::effects::tests::fok_gunboat_crosses_between_nile_mouths](#)

§9.346 – GORDON immobile, eliminated only at the Palace (Bonus)

implemented

manual page unknown

The GORDON leader unit starts in the palace and may not move during the scenario. He may only be eliminated by a Dervish unit passing through or occupying the palace hex (as normal movement or as advance after combat).

File	Symbol	Code Snippet
omdurman-rules/src/effects/dispatch.rs:603 GH:omdurman-rules/src/effects/dispatch.rs:603	check_gordon_palace	<pre> 601 /// (overrun in passing, §6.51). A no-op outside FoK or while he lives 602 /// unthreatened. 603 pub fn check_gordon_palace(state: &mut GameState) { 604 if state.scenario != Scenario::FallOfKhartoum { 605 return; </pre>
omdurman-rules/src/unit.rs:332 GH:omdurman-rules/src/unit.rs:332	UnitIdentity::is_gordon	<pre> 330 /// Whether this is the GORDON leader unit (§9.32, §9.346) -- the immobile 331 /// palace defender whose elimination ends FALL OF KHARTOUM (§9.35). 332 pub fn is_gordon(&self) -> bool { 333 matches!(334 self, </pre>

Covered by tests:

- omdurman-rules::src::effects::tests::breach_casualty_stands_at_the_wall
- omdurman-rules::src::unit_profiles::gordon_is_an_immobile_british_leader
- omdurman-rules::src::effects::tests::gordon_survives_means_no_elimination
- omdurman-rules::src::effects::tests::gordon_dying_in_melee_ends_fall_of_khartoum
- omdurman-rules::src::effects::tests::fire_never_kills_gordon
- omdurman-rules::src::effects::tests::a_lone_gordon_makes_no_melee_roll
- omdurman-app::src::scenario_setup::fall_of_khartoum_places_gordon_in_the_palace

7/10 implemented

§10 – Optional Rules

§10 – Optional Rules

descriptive

manual page unknown

Optional Rules (Campaign game only)

It is suggested that the most intriguing employment of the following two options is to permit the Dervish player to have either one or the other, but the Anglo-Egyptian player doesn't know which one until he stumbles onto it. Players are advised that the employment of both optionals in the same game is not recommended.

§10.1 – River Mines

descriptive

manual page unknown

River Mines

The Khalifa twice tried (unsuccessfully) to submerge a powerful mine in the Nile to sink or damage British gunboats. This option assumes that both attempts were successful.

§10.2 – River Chain

descriptive

manual page unknown

River Chain

The Khalifa also tried (also unsuccessfully) to string a heavy chain across the Nile to stop or slow down the British gunboats. This option assumes the chain was emplaced.

§10.11 – Secretly record mine hexes

implemented

manual page unknown

Prior to the commencement of play the Dervish player secretly records two Nile River hexes to be mined (the mines may not both be placed in the same hex). These hexes must be south of the E–W hexrow in which the Khor Shambat empties into the Nile.

File	Symbol	Code Snippet
omdurman-rules/src/effects/setup.rs:350 GH:omdurman-rules/src/effects/setup.rs:350	apply_place_mine	<pre>348 /// Lay a river mine during setup (§10.11). Validated by 349 /// [<code>GameState::can_place_mine`</code>]. 350 pub fn apply_place_mine(state: &mut GameState, hex: HexCoord) -> Result<(), RuleError> { 351 state.can_place_mine(hex)?; 352 state.mines.push(MinePlacement {</pre>
omdurman-rules/src/effects/state.rs:212 GH:omdurman-rules/src/effects/state.rs:212	GameState::mines	<pre>210 211 friendlies_transport: None, 212 optional_rules: Vec::new(), 213 mines: Vec::new(), 214 chain: None, 215 board: Arc::new(BoardInfo::default()),</pre>
omdurman-rules/src/	OptionalRule	<pre>56 /// two should be in play (rulebook §10). 57 #[derive(Serialize, Deserialize, Clone, Copy,</pre>

turn.rs:58 GH:omdurman-rules/src/turn.rs:58	<pre>PartialEq, Eq, Debug)] 58 pub enum OptionalRule { 59 RiverMines, 60 RiverChain,</pre>
--	--

Covered by tests: [omdurman-rules::src::effects::tests::mine_and_chain_limits_enforced_in_setup](#)
[omdurman-rules::src::effects::tests::mines_and_chain_require_their_optional_rule](#)

§10.12 – Mine resolution

implemented

manual page unknown

When a British gunboat enters a mined hex, the Dervish player must order it to stop as it has struck a mine. The Dervish player then resolves the effect of the mine’s blast by rolling the ten-sided die:

- 1–4: No effect
- 5–7: Gunboat damaged, lost use of its engines and must drift two hexes per turn (with the current) for the rest of the game. No effect on guns or Maxims unless they drift out of range.
- 8–10: Gunboat sunk!

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:201 GH:omdurman-rules/src/effects/effect.rs:201	RiverMine	<pre>199 // -- Optional rules ----- 200 /// River mine resolution (rulebook §10.12). 201 RiverMine { 202 gunboat_id: UnitId, 203 hex: HexCoord,</pre>
omdurman-rules/src/effects/river.rs:128 GH:omdurman-rules/src/effects/river.rs:128	apply_river_mine	<pre>126 127 /// Apply a river-mine resolution (rulebook §10.12). 128 pub fn apply_river_mine(129 state: &mut GameState, 130 gunboat_id: UnitId,</pre>
omdurman-rules/src/transport.rs:63 GH:omdurman-rules/src/transport.rs:63	MineResult	<pre>61 /// British gunboat enters a mined hex. 62 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 63 pub enum MineResult { 64 /// Roll 1-4: no effect. 65 NoEffect,</pre>

Proven by: [omdurman-rules::src::verification::mine_result_bands_match_the_printed_rule](#)
[omdurman-rules::src::effects::river::river_mine_triggers_even_on_a_harmless_roll](#)
[omdurman-rules::src::effects::river::river_mine_engine_loss_arms_the_drift_flag](#)
[omdurman-rules::src::effects::river::river_mine_sinking_removes_the_gunboat](#)

Covered by tests: [omdurman-rules::src::effects::tests::a_mined_gunboat_scores_and_takes_its_friendlies_down](#)
[omdurman-rules::src::effects::tests::mine_fires_once_and_spare_dervish](#)

§10.13 – Mines consumed after both rolled for

implemented

manual page unknown

After both mines have been rolled for, no more are available.

File	Symbol	Code Snippet
------	--------	--------------

omdurman-rules/src/effects/river.rs:128 GH:omdurman-rules/src/effects/river.rs:128	apply_river_mine	<pre> 126 127 /// Apply a river-mine resolution (rulebook §10.12). 128 pub fn apply_river_mine(129 state: &mut GameState, 130 gunboat_id: UnitId, </pre>
---	-------------------------	---

Proven by: [omdurman-rules::src::effects::river::river_mine_triggers_even_on_a_harmless_roll](#)
[omdurman-rules::src::effects::river::a_triggered_mine_never_fires_again](#)

Covered by tests: [omdurman-rules::src::effects::tests::mine_fires_once_and_spares_dervish](#)

§10.14 – Dervish gunboats pass safely

implemented

manual page unknown

The Dervish player’s gunboats may pass through the mined hexes with no ill effect (he knows where the mines are).

File	Symbol	Code Snippet
omdurman-rules/src/effects/river.rs:128 GH:omdurman-rules/src/effects/river.rs:128	apply_river_mine	<pre> 126 127 /// Apply a river-mine resolution (rulebook §10.12). 128 pub fn apply_river_mine(129 state: &mut GameState, 130 gunboat_id: UnitId, </pre>

Proven by: [omdurman-rules::src::effects::river::dervish_gunboats_pass_mined_hexes_unharmed](#)

Covered by tests: [omdurman-rules::src::effects::tests::mine_fires_once_and_spares_dervish](#)

§10.21 – Secretly record chain hexes

implemented

manual page unknown

Prior to the commencement of play the Dervish player secretly records a line of river hexes (not exceeding four hexes long) across which the chain is strung. The hexes must be south of the E–W hexrow in which the Khor Shambat empties into the Nile.

File	Symbol	Code Snippet
omdurman-rules/src/effects/state/setup.rs:526 GH:omdurman-rules/src/effects/state/setup.rs:526	can_place_chain	<pre> 524 /// Read-only check of a river-chain placement in 525 setup (§10.21): Setup phase 526 /// and at most [<code>MAX_CHAIN_HEXES</code>] hexes. 527 pub fn can_place_chain(&self, hexes: &[HexCoord]) - 528 > Result<(), RuleError> { 529 self.require_setup_phase()?; 530 self.require_setup_turn(Player::Dervish)?; </pre>
omdurman-rules/src/effects/state/setup.rs:361 GH:omdurman-rules/src/effects/state/setup.rs:361	apply_place_chain	<pre> 359 /// Lay (or replace) the river chain during setup 360 (§10.21). Validated by 361 /// [<code>can_place_chain</code>]. 362 pub fn apply_place_chain(state: &mut GameState, hexes: 363 &[HexCoord]) -> Result<(), RuleError> { 364 state.can_place_chain(hexes)?; 365 state.chain = Some(ChainPlacement { </pre>
omdurman-rules/src/effects/state/setup.rs:91 GH:omdurman-	MAX_CHAIN_HEXES	<pre> 89 90 /// Maximum contiguous Nile hexes the river chain may 91 span (§10.21). 92 pub const MAX_CHAIN_HEXES: usize = 4; </pre>

rules/src/effects/ state/setup.rs:91		92 93 <code>impl GameState {</code>
---	--	--

Covered by tests: `omdurman-rules::src::effects::tests::mine_and_chain_limits_enforced_in_setup`
`omdurman-rules::src::effects::tests::mines_and_chain_require_their_optional_rule`

§10.22 – Gunboat stops on chained hex

implemented

manual page unknown

When a British gunboat enters a “chained” river hex it must stop and may move no further that turn.

File	Symbol	Code Snippet
omdurman-rules/src/effects/state/movement.rs:468 GH:omdurman-rules/src/effects/state/movement.rs:468	<code>can_move_gunboat</code>	<pre>466 // The engine computes the cost (one MP per hex, a flat 6 for the §9.345 467 // mouth crossing); a larger caller `cost` must also fit. 468 pub fn can_move_gunboat(&self, 469 unit_id: UnitId,</pre>

Covered by tests: `omdurman-rules::src::effects::tests::chain_stops_gunboat_until_sunk`

§10.23 – Sinking the chain

implemented

manual page unknown

No gunboats (British or Dervish) may cross the chain until it has been sunk by the British player. He may sink the chain by a) having an infantry or cavalry unit spend one complete turn on either riverbank adjacent to a “chained” river hex, or b) firing at the chain with artillery and achieving a 3 or more on the Combat Results Table.

File	Symbol	Code Snippet
omdurman-rules/src/effects/river.rs:173 GH:omdurman-rules/src/effects/river.rs:173	<code>apply_sink_chain</code>	<pre>171 // Sink the river chain (rulebook §10.23). Marks the placed chain cleared so it 172 // no longer stops gunboats (§10.22). 173 pub fn apply_sink_chain(state: &mut GameState) -> Result<(), RuleError> { 174 match state.chain.as_mut() { 175 Some(chain) if !chain.sunk => {</pre>

Covered by tests: `omdurman-rules::src::effects::tests::chain_stops_gunboat_until_sunk`

0/1 implemented

§11 – Historical Notes

§11 – Historical Notes

descriptive

manual page unknown

Historical Notes

In 1881 Mohammed Ahmed Ibn Al-Sayid Abdullah, the son of an obscure carpenter in the hinterlands of the Sudan, proclaimed himself the “Mahdi” — the Messiah of the Islamic faith. His timing was propitious indeed. Since the early 1820’s a corrupt Egypt, with the Sultan of Turkey’s blessing, had incessantly raped the Sudan, taking ivory and flooding the slave markets with some half million captured Sudanese blacks. By 1880, nearly 40,000 Egyptian troops occupied outposts scattered throughout the Sudan, enforcing Egypt’s hold on this lucrative ivory and slave trade and squeezing the native population dry through vicious and corrupt tax officials. All was controlled from Khartoum via the office of Governor General of the Sudan. The title had been held by a succession of individuals, including General Charles Gordon, whose appointment was an attempt to reinstate some rudimentary justice in the Sudan after France and Britain assumed joint political control of a bankrupt Egypt.

By 1881, however, Gordon’s term had expired and a new Governor General, again corrupt and incompetent,
(see manual for full text)

See also: §9.1, §9.2, §9.3

0/1 implemented

Credits

§Credits – Credits

descriptive

manual page unknown

 1/1 implemented

Combat Results Table (shared reference)

§CRT – Combat Results Table (shared by §6.22 fire and §7.7 melee)

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/combat_results_table.rs:10 GH:omdurman-rules/src/combat_results_table.rs:10	FireFactorRow	<pre>8 serde::Serialize, serde::Deserialize, Clone, Copy, 9 PartialEq, Eq, PartialOrd, Ord, Hash, Debug, 10 } 11 pub enum FireFactorRow { 12 /// 1-5 factors 13 Row01to05,</pre>
omdurman-rules/src/combat_results_table.rs:46 GH:omdurman-rules/src/combat_results_table.rs:46	from_total	<pre>44 /// Determine which row a given total fire factor 45 falls into (rulebook §6.22). 46 pub fn from_total(total: u16) -> Self { 47 match total { 48 0..=5 => FireFactorRow::Row01to05,</pre>
omdurman-rules/src/combat_results_table.rs:88 GH:omdurman-rules/src/combat_results_table.rs:88	combat_results_table	<pre>86 /// D = `Disrupt` (1/2 of target units, round up) 87 /// 1...5 = `Eliminate(n)` (that many units removed) 88 pub fn combat_results_table(row: FireFactorRow, roll: 89 DieRoll) -> CombatResult { 90 crate::tables_data::CRT[row.index()][roll.value() 91 - 1] as usize]</pre>
omdurman-rules/src/combat.rs:97 GH:omdurman-rules/src/combat.rs:97	CombatResult	<pre>95 /// * `--` -- no effect 96 #[derive(Serialize, Deserialize, Clone, Copy, 97 PartialEq, Eq, Debug)] 98 pub enum CombatResult { 99 NoEffect, 100 Disrupt,</pre>

Proven by: [omdurman-rules::src::verification::disrupt_half_is_rounded_up](#)
[omdurman-rules::src::combat_results_table::crt_eliminate_count_stays_within_printed_bounds](#)
[omdurman-rules::src::combat_results_table::crt_is_monotone_in_the_die_roll_for_every_row](#)

Covered by tests: [omdurman-rules::src::combat_results_table::ae_combat_results_table_lowest_is_no_effect](#)
[omdurman-rules::src::combat_results_table::ae_combat_results_table_highest_is_eliminate_5](#)
[omdurman-rules::src::combat_results_table::ae_combat_results_table_progresses_with_roll](#)
[omdurman-rules::src::combat_results_table::ae_combat_results_table_progresses_with_factor](#)
[omdurman-rules::src::combat_results_table::fire_factor_row_boundaries](#)
[omdurman-rules::src::combat_results_table::fire_factor_row_remaining_boundaries](#)
[omdurman-rules::src::combat_results_table::fire_factor_row_index_sequential](#)
[omdurman-rules::src::combat_results_table::crt_all_rows_monotone_non_decreasing](#)
[omdurman-rules::src::combat_results_table::crt_cross_row_monotone_for_each_roll](#)
[omdurman-rules::src::combat_results_table::crt_lowest_row_is_worst_highest_row_is_best](#)
[omdurman-rules::src::combat_results_table::crt_eliminate_never_exceeds_5](#)
[omdurman-rules::src::combat_results_table::crt_every_cell_matches_the_table](#)

0/1 implemented

| Reference – Charts and Tables

§Reference – Charts and Tables

out-of-scope

manual page unknown

Appendix: Symbol Index

Symbol	Sections
AdvanceAfterCombat	§6.82, §7.6
AdvancePhase	§4
AngloEgyptianDirectFire	§6.24
AngloEgyptianStandard	§7.7
ArtilleryBreachWall	§6.63
BattalionOrdinal	§5.54
Breach	§6.63
BrigadeId	§2.3, §5.54
BrigadeIntegrity	§5.54, §6.24
BritishLeader	§6.51
CAMPAIGN_TURN_TRACK	§9.12
CampaignVictoryLevel	§9.14
CombatResult	§CRT
ConstructZariba	§5.3
DayNight	§8.1
Demolition	§6.53
DemolitionTarget	§6.53
DervishDesertion	§8.2
DervishGunboat	§2.32
DervishLeaderCommandMismatch	§5.53
DervishStandard	§7.7
DervishTribe	§7.4
DervishTribeMix	§5.52
DervishVsTrenchedDefender	§7.7
DirectFire	§6.41
EnemyCohabitation	§5.51
FALL_OF_KHARTOUM_SETUP	§9.321, §9.344
FALL_OF_KHARTOUM_TURN_TRACK	§9.341
Faction	§9.112
FireAttack	§6.54
FireCombat	§6.4
FireFactor	§6.11
FireFactorRow	§CRT
FireSubPhase	§6.4
Fort	§5.25, §6.54
Friendlies	§6.52
FriendliesAction	§5.21
FriendliesTransport	§5.21
GameState	§4
GameTime	§9.12

GameTurnIndex	§4
GunboatId	§2.32, §6.64
GunboatMovement	§5.24
GunboatStack	§5.51
HISTORICAL_TURN_TRACK	§9.22
HexDistance	§6.22, §7.5
HexsideKind	§5.23
HexsideRef	§5.23
HistoricalVictoryLevel	§9.24
HowitzerFire	§6.64
Immobile	§5.25
Khor	§5.44
Location	§9.112
LosCondition	§6.3
LosFeature	§6.3
LosLevel	§6.3
MAX_CHAIN_HEXES	§10.21
MaximSecondAndHowitzer	§6.42
MeleeAttack	§7.7
MeleeCombat	§7.3
MeleeFactor	§7.1
MeleeModifier	§7.7
MineResult	§10.12
MovementAllowance	§5.11
MovementPoints	§5.11
NamedGunboat	§2.32
NoHowitzerAtNight	§8.1
Old	§2.32
OldGunboat	§2.32
OptionalRule	§10.11
OverLimit	§5.51
PendingMelee	§4
Phase	§4
PlaceReinforcements	§9.112
RangeBand	§6.16, §6.22
RetreatBeforeMelee	§7.5
RiverMine	§10.12
RoyalEngineers	§6.53
ScatterHexDirection	§6.64
SetupLetter	§9.112
SpriteAnnotation	§2.3
Terrain	§6.23
TransportState	§5.21
TurnEntry	§9.12

TurnEvent	§8.2
TurnLabel	§9.12
UnitKind	§7.4
UnitMovement	§5.11
UnitProfile	§2.3
UnitState	§6.54
VictoryLedger	§9.14
VictoryPoints	§9.14
VpEvent	§9.14
VpSource	§9.14
Wall	§5.44
WalledCityEntry	§5.23
WeaponClass	§2.31, §6.61, §6.62
WhiteNileMouth	§9.345
Zariba	§5.44
ZaribaThornHedge	§9.231
ZaribaTrench	§9.232
ZaribaTrenchEntrenched	§9.232
ZocReason	§5.41, §5.44, §6.54
advance_phase	§4
ae_range_effects	§6.22
ali_wad_helu	§9.322
anglo_egyptian_campaign_schedule	§9.113
apply_advance_after_combat	§6.82, §7.6
apply_artillery_breach_wall	§6.63
apply_construct_zariba	§5.3
apply_demolition	§6.53
apply_friendlylies_transport	§5.21
apply_howitzer_fire	§6.64
apply_melee_combat	§7.3, §7.6
apply_move_unit	§9.233
apply_place_chain	§10.21
apply_place_mine	§10.11
apply_place_reinforcements	§9.112
apply_retreat_before_melee	§7.5
apply_river_mine	§10.12, §10.13, §10.14
apply_sink_chain	§10.23
blocking_rules	§6.21, §6.3
blocks_advance_after_combat	§6.82
blocks_los	§6.3
blocks_melee	§7.2
blocks_movement	§5.23, §9.233
blocks_zoc	§5.44
brigade_integrity	§5.54

build_fire_attack_from	§6.13, §6.15
can_advance_after_combat	§6.7, §6.82, §7.6
can_fire_at	§6.14, §6.61, §6.62, §6.64
can_fire_at_wall	§6.63
can_melee	§7.2, §7.4
can_move_gunboat	§10.22
can_move_unit	§5.12
can_move_unit_to	§5.22, §5.26, §5.43
can_place_chain	§10.21
can_retreat_before_melee	§7.5
check_gordon_palace	§9.346
check_stacking	§5.51
combat_results_table	§CRT
command_owns_unit	§1.1
constructing_zariba	§5.3
defense_modifier	§6.23
demolishing	§6.53
demolition_targets	§6.53
dervish_campaign_schedule	§9.112
dervish_leader_for_setup_letter	§9.212
dervish_range_effects	§6.22
dervish_stacking_group	§5.52
dervish_tribe	§2.31
die_modifier	§6.24
effective_movement_at_night	§8.1
end_player_turn	§4, §5.13
fall_of_khartoum_map_data	§9.31, §9.342
fires_twice	§6.42
first_player	§9.211
friendlies_transport_offer	§5.21
from_superiority	§9.14
from_total	§CRT
halve	§8.1
has_combat_factors	§6.51
has_los	§6.21, §6.3
has_road	§5.11
has_zariba_thorn_hedge	§9.231
hex_has_enemy_fort	§9.344
hex_in_enemy_zoc	§5.26, §5.43, §5.44
howitzer_scatter	§6.64
in_deployment_zone	§5.22, §9.212
is_boat	§5.24
is_crossroad	§5.11
is_desertion_exempt	§8.2

is_friendlylies	§5.21, §6.52
is_gordon	§9.346
is_los_trees	§6.3
is_nile_mouth_crossing	§9.345
is_walled_city	§5.23
khalifa_abdullah	§2.31
loaded_on	§5.21
los_level	§6.3
los_level_for_unit	§6.3
mandatory_melee_modifiers	§7.7
may_be_melee_attacked	§7.1
may_enter_walled_city	§5.23
may_melee_attack	§7.4
may_retreat_before_melee	§7.5
mines	§10.11
movement_cost	§5.11
movement_cost_for	§5.42, §9.233
movement_cost_with_road	§5.11
mp_spent	§5.12
net_modifier	§6.54
new	§4
night_max_range	§8.1
passable_by_land	§5.11
points	§9.14
range_band_for	§9.343
resolve	§9.35
roads	§5.11
score_elimination	§9.14
sections_for_picker	§9.322
setup_complete	§9.111
setup_letter	§9.212
stacking_rule	§5.51
sum	§7.1
sum_to_row	§6.14
superiority	§9.14
terrain_effects_chart	§5.11
total_for	§9.14
unit_projects_zoc	§5.41, §5.44
unit_projects_zoc_rule	§5.41
value	§4
who_scores	§9.14
zariba_entry_surcharge	§9.233
zoc_extends	§5.44
zoc_hexes	§5.41