

Traceability Matrix

REMEMBER GORDON! – Rulebook $\rightleftharpoons$ Implementation Mapping

Generated from `docs/traceability.toml`

Overview

Implemented	Descriptive	Implicit	Out-of-scope
86	33	2	3

Total mappings: 124 · Total impl sites: 260

Table of Contents

Overview	2
§1 – Introduction	7
§1 – Introduction	7
§1.1 – General Comments	7
§1.2 – Game Scale	7
§2 – Game Components	8
§2 – Game Components	8
§2.1 – The Game Maps	8
§2.2 – Play Aids	8
§2.3 – The Units	8
§2.4 – Game Parts Inventory	9
§2.31 – Dervish weapon types	9
§2.32 – Anglo-Egyptian weapon types	10
§3 – Getting Started	12
§3 – Getting Started	12
§4 – Turn Sequence	13
§4 – Turn Sequence	13
§5 – Movement Phase	15
§5 – Movement Phase (general)	15
§5.1 – General Rules	15
§5.2 – Movement Restrictions	15
§5.3 – Constructing the Zariba	15
§5.4 – Zones of Control	16
§5.5 – Stacking	16
§5.11 – Movement allowances printed on units	16
§5.12 – Move up to allowance, hex by hex (cumulative MP cap)	18
§5.13 – No MP accumulation between turns	18
§5.21 – Friendlies transport via gunboat	18
§5.22 – Land units may never enter a Nile River hex	20
§5.23 – Walled city entry restrictions	20
§5.24 – Gunboat upstream/downstream movement	21
§5.25 – Dervish forts may not move	22
§5.26 – Units stop on entering enemy ZOC	22
§5.41 – All units except AE leaders exert ZOC	23
§5.42 – No MP cost to enter/leave enemy ZOC	24
§5.43 – Units stop when entering enemy ZOC	24
§5.44 – ZOC limitations (walls, khor, fort, Nile, Zariba)	24
§5.51 – Stacking limit (4 units + leaders, gunboats isolated)	25
§5.52 – Different Dervish tribes may not stack together	27
§5.53 – Leader stacking with command colour only	27
§5.54 – Anglo-Egyptian Brigade Integrity	28
§6 – Fire Combat Phase	29
§6 – Fire Combat Phase	29
§6.1 – General Rules	29
§6.2 – How To Have Fire Combat	29
§6.3 – Line of Sight Table	29
§6.4 – Fire Combat Sequence	31
§6.5 – Special Unit Capabilities	32
§6.6 – Special Artillery Capabilities	32
§6.7 – Defensive Fire	32
§6.8 – Offensive Fire	32
§6.11 – Fire combat factor printed on units	33
§6.12 – Fire combat is always voluntary	33
§6.13 – Fire factor is unitary (may not be divided)	33
§6.14 – Players may combine fire factors into one attack	33
§6.15 – May divide a stack to fire at different hexes	34
§6.16 – Halving fire strength rounds down, minimum 1	34
§6.21 – First check LOS before firing	35
§6.22 – Consult Range Effects Table	35
§6.23 – Terrain defensive modifier	36

§6.24 – Anglo-Egyptian direct fire accuracy bonus and brigade integrity	37
§6.41 – Direct Fire Subphase	38
§6.42 – Maxim Second Fire and Howitzer Fire Subphase	38
§6.51 – Leader Units	38
§6.52 – Anglo-Egyptian Friendlies Brigade	39
§6.53 – Royal Engineers demolition	39
§6.54 – Forts	40
§6.61 – Only artillery may fire at gunboats; 3+ to sink	41
§6.62 – Only artillery may fire at forts; 2+ to destroy	41
§6.63 – Only artillery may breach wall hexsides; 2+ required	42
§6.64 – Howitzer fire	43
§6.81 – Moving player may fire with all capable units	44
§6.82 – Advance after combat (offensive fire)	44
§7 – Melee Phase	46
§7 – Melee Phase (chapter)	46
§7.1 – Melee strength printed on counter	46
§7.2 – Melee adjacent only, not across wall hexsides	46
§7.3 – Simultaneous melee combat	47
§7.4 – Who may melee attack / defend	47
§7.5 – Cavalry/camel retreat before melee	48
§7.6 – Advance after melee	49
§7.7 – Melee modifiers	50
§8 – Night Game Turns	51
§8 – Night Game Turns	51
§8.1 – Night effects	51
§8.2 – Dervish Desertion Roll	52
§9 – The Scenarios	54
§9 – The Scenarios	54
§9.1 – The Campaign Game	54
§9.2 – The Historical Scenario	54
§9.3 – Bonus Game: Fall of Khartoum	54
§9.11 – Set Up (Campaign)	54
§9.12 – Scenario Length (Campaign)	54
§9.13 – Special Rules (Campaign)	55
§9.14 – Victory Conditions (Campaign)	55
§9.21 – Set Up (Historical)	57
§9.22 – Scenario Length (Historical)	57
§9.23 – Special Rule: The Zariba	57
§9.24 – Victory Conditions (Historical)	58
§9.31 – Bonus game map	58
§9.32 – Set Up (Bonus)	59
§9.33 – Scenario Length (Bonus)	59
§9.34 – Special Rules (Bonus)	59
§9.35 – Victory Conditions (Bonus)	59
§9.111 – Dervish set up (Campaign)	60
§9.112 – Dervish reinforcements (Campaign)	60
§9.113 – Anglo-Egyptian reinforcements (Campaign)	61
§9.211 – Anglo-Egyptian set up first, moves second (Historical)	62
§9.212 – Dervish set up (Historical) – deployment zones and leader-to-hex mapping	62
§9.231 – Thorn hedge hexsides	63
§9.232 – Trench hexsides	64
§9.233 – Zariba entry/exit costs	64
§9.321 – British set up (Bonus)	65
§9.322 – Dervish enters turn one (Bonus)	66
§9.341 – Turn 1 is always a night turn (Bonus)	66
§9.342 – All hexes are playable, including half hexes (Bonus)	67
§9.343 – Both players use the Dervish Range Effects Table (Bonus)	67
§9.344 – Dervish controls the North Fort (Bonus)	67
§9.345 – Gunboat White Nile <-> Blue Nile crossing (Bonus)	68
§9.346 – GORDON immobile, eliminated only at the Palace (Bonus)	68
§10 – Optional Rules	70
§10 – Optional Rules	70
§10.1 – River Mines	70

§10.2 – River Chain	70
§10.11 – Secretly record mine hexes	70
§10.12 – Mine resolution	71
§10.13 – Mines consumed after both rolled for	71
§10.14 – Dervish gunboats pass safely	72
§10.21 – Secretly record chain hexes	72
§10.22 – Gunboat stops on chained hex	73
§10.23 – Sinking the chain	73
§11 – Historical Notes	74
§11 – Historical Notes	74
Credits	75
§Credits – Credits	75
Combat Results Table (shared reference)	76
§CRT – Combat Results Table (shared by §6.22 fire and §7.7 melee)	76
Reference – Charts and Tables	77
§Reference – Charts and Tables	77
Appendix: Symbol Index	78

 1/3 implemented

§1 – Introduction

§1 – Introduction

descriptive
manual page unknown

Introduction

§1.1 – General Comments

implemented
manual page 1

General Comments

“REMEMBER GORDON!” — THE BATTLE OF OMDURMAN is a simulation of the final battle in Great Britain’s two-year campaign to reassert her presence in the Sudan (1896–1898). Fought September 2nd, 1898, Omdurman finally broke the back of the fanatical Dervish rebellion and gained Britain a million square miles of desolate territory and two million impoverished subjects. With two players, one assumes the role of Herbert Kitchener, Sirdar (CIC) of the Anglo-Egyptian army; the other player becomes the Khalifa, Abdullah the Taiasha, absolute ruler of the Dervishes. The game is also suited for multi-player participation, with each player assuming command of one or more Dervish tribes or Anglo-Egyptian brigades.

While “REMEMBER GORDON!” — THE BATTLE OF OMDURMAN is not, strictly speaking, a beginner’s game, the mechanics of play should be familiar to players of modest experience. It is suggested that the bonus game, FALL OF KHARTOUM, and the historical scenario be played first to familiarize players with the game system prior

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/unit_profiles.rs:194 GH:omdurman-rules/src/unit_profiles.rs:194	command_owns_unit	<pre>192 /// treat *nobody-claims-it* units as the faction's communal pool, so `false` 193 /// here means "any member of the faction may act on this unit". 194 pub fn command_owns_unit(scope: &omdurman_types::CommandScope, identity: &UnitIdentity) -> bool { 195 match scope { 196 omdurman_types::CommandScope::Army => false,</pre>

Covered by tests:

- [omdurman-rules::src::unit_profiles::command_owns_unit_follows_tribes_and_brigades](#)
- [omdurman-net::src::lib::start_game_commands_round_trip](#)
- [omdurman-net::src::lib::legacy_start_game_without_commands_still_loads](#)
- [omdurman-net::src::lib::brigade_scope_display_and_membership](#)
- [omdurman-app::src::tests::replayed_start_game_stages_commands_and_resets_ready](#)

§1.2 – Game Scale

descriptive
manual page unknown

Game Scale

Each hexagon of the mapsheet represents approximately 400–440 yards of real terrain and each day turn is the equivalent of two hours of real time. Each counter of infantry and cavalry represents between 400 and 700 men, and each of the gunboats present at the battle has its own counter. The upper echelon of command is represented by individual leader counters for the Anglo-Egyptian force; and leaders plus their retinues for the Dervish army.

§2 – Game Components

§2 – Game Components

descriptive

manual page unknown

Game Components

§2.1 – The Game Maps

descriptive

manual page unknown

The Game Maps

The Omdurman battle map represents approximately 100 square miles of real territory and includes the area north of Omdurman in which the historical battle took place as well as the dominant terrain features that influenced the course of the battle. Note that the mapsheet also contains the Turn Record Track, Turn Sequence, and Terrain Effects Chart at the top; and the Combat Tables and Howitzer Fire Scattergram in the lower right corner. The large letters “A”, “D”, “Y”, etc. are set-up hexes for the historical scenario only (9.2) and should be ignored in the campaign game. Similarly, the hexsides of the Zariba exist only in the historical scenario and should be considered clear terrain in the campaign game. Note, however, that the Anglo-Egyptian player may “construct” the Zariba in the campaign game if desired (see 5.3). All full hexes of the Omdurman game map are playable, including the seven hexes of the Howitzer Fire Scattergram.

The mini-map for the bonus game, FALL OF KHARTOUM, represents that city as it appeared in 1885. The portion (see manual for full text)

See also: §5.3, §9.2

§2.2 – Play Aids

descriptive

manual page unknown

Play Aids

Certain charts and tables are needed to play the game. The Terrain Effects Chart lists all terrain found on the mapsheet and the effect of each type on movement and combat. The Combat Tables describe the range effects on various weapon types and includes the Combat Results Table. Also note the Line of Sight Table on the back of this rulebook. It tells players when certain terrain types block line of sight, thus preventing direct fire attacks on enemy units. Players should become familiar with these various charts and tables prior to the beginning of play.

(see manual for full text)

§2.3 – The Units

implemented

manual page unknown

The Units

File	Symbol	Code Snippet
------	--------	--------------

omdurman-types/src/ lib.rs:1043 GH:omdurman-types/src/ lib.rs:1043	BrigadeId	<pre> 1041 /// same field for uniform handling. 1042 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Hash, Debug)] 1043 pub struct BrigadeId { 1044 pub number: u8, 1045 pub nationality: BrigadeNationality, </pre>
omdurman-rules/src/ lib.rs:803 GH:omdurman-rules/src/lib.rs:803	UnitProfile	<pre> 801 /// print no melee value). 802 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 803 pub struct UnitProfile { 804 pub kind: UnitKind, 805 pub identity: UnitIdentity, </pre>
omdurman-rules/src/ lib.rs:16 GH:omdurman-rules/src/lib.rs:16	BrigadeId	<pre> 14 15 use omdurman_types::{ 16 BrigadeId, BrigadeNationality, DayNight, DervishTribe, Faction, HexCoord, HexsideRef, Player, 17 SetupLetter, UnitKind, 18 }; </pre>
omdurman-types/src/ lib.rs:679 GH:omdurman-types/src/lib.rs:679	SpriteAnnotation	<pre> 677 /// as an optional overlay over the compiled `sprite_data` fallback. 678 #[derive(Serialize, Deserialize, Clone, Debug, PartialEq)] 679 pub struct SpriteAnnotation { 680 pub color: SpriteColor, 681 pub faction: Option<Faction>, </pre>

Covered by tests: `omdurman-rules::src::unit_profiles::british_army_row_zero_specials_classify_by_counter`
`omdurman-rules::src::unit_profiles::egyptian_army_row_zero_specials_classify_by_counter`
`omdurman-rules::src::unit_profiles::tribe_stats_come_from_annotation`
`omdurman-rules::src::unit_profiles::section_owner_dervish_sections`
`omdurman-rules::src::unit_profiles::section_owner_green_sections_are_dervish`

§2.4 – Game Parts Inventory

out-of-scope

manual page unknown

Game Parts Inventory

Your complete copy of “REMEMBER GORDON!” — THE BATTLE OF OMDURMAN includes:

- One 22 × 28 Battle of Omdurman mapsheet
- One 8½ × 11 bonus game: FALL OF KHARTOUM mapsheet
- One Rules Booklet
- One die-cut Unit Counter Sheet
- One Campaign Game Order of Appearance Card
- One ten-sided die
- One game box

§2.31 – Dervish weapon types

implemented

manual page unknown

Dervish artillery, gunboats, and forts fire on the “artillery” line of the Dervish Range Effects Table; Jehadia and Danagla units fire on the “rifles” line as does the Isa Zachneih unit. All other Dervish units (including leaders) are armed with spears and swords.

File	Symbol	Code Snippet
------	--------	--------------

omdurman-rules/src/lib.rs:476 GH:omdurman-rules/src/lib.rs:476	WeaponClass	<pre> 474 Serialize, Deserialize, Clone, Copy, PartialEq, Eq, 475 PartialOrd, Ord, Hash, Debug, strum::Display, 476 pub enum WeaponClass { 477 /// Dervish spears and swords -- no ranged fire at 478 all. 479 Melee, </pre>
omdurman-rules/src/unit_profiles.rs:578 GH:omdurman-rules/src/unit_profiles.rs:578	dervish_tribe	<pre> 576 /// Resolve a Dervish tribal foot counter (§2.31): 577 /// Isa Zachneih fire on the rifles line; every other 578 tribe is spear-armed. 579 pub fn dervish_tribe(tribe: DervishTribe) -> 580 Option<Classification> { 581 // §2.31: "Jehadia and Danagla units fire on the 582 'rifles' line as does the 583 // Isa Zachneih unit. All other Dervish units 584 (including leaders) are armed </pre>
omdurman-rules/src/unit_profiles.rs:344 GH:omdurman-rules/src/unit_profiles.rs:344	khalifa_abdullah	<pre> 342 /// battle (§9.322). All three are interchangeable, 343 so they share the 344 `DervishArtillery` identity. 345 pub fn khalifa_abdullah(col: u32, row: u32) -> 346 Option<Classification> { 347 let artillery = { 348 Some(Classification { </pre>

Covered by tests: [omdurman-rules::src::unit_profiles::dervish_weapon_class_follows_the_rifles_line](#)

§2.32 – Anglo-Egyptian weapon types

implemented

manual page unknown

All Anglo-Egyptian units (except gunboats, Maxims, artillery, and leaders) are armed with rifles. Maxims fire on the “Maxims” line of the Anglo-Egyptian Range Effects Table, and artillery and old gunboats fire on the “Artillery” line. New type (named) gunboats may fire on the “Howitzer”, “Artillery”, and “Maxims” lines of the Range Effects Table. (See 6.52 for the fire capabilities of the “Friendlies”).

****Sample Dervish Units**** (printed on counters): combat unit (Combat / Melee / Movement values, plus Tribe identifier); Leader (e.g. OSMAN DIGNA); Camel unit (e.g. Danagla, 4-6-12); Fort.

****Sample Anglo-Egyptian Units**** (printed on counters): Cavalry (e.g. 21 Lancers); Artillery (e.g. 32 Battery); Old Gunboat (e.g. LORD KITCHENER, 0-0-15); New Gunboat — named (e.g. Sultan, with artillery and howitzer factor, plus movement downstream / movement upstream values); Maxim Guns (fire twice per turn); Infantry (Fire Combat Factor / Melee / Movement, plus Battalion ID and Brigade ID — e.g. “2B” = 2nd British Brigade, “3E” = 3rd Egyptian Brigade).

(see manual for full text)

See also: §6.52

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:428 GH:omdurman-rules/src/lib.rs:428	GunboatId	<pre> 426 /// fire; "old" gunboats do not (rulebook §2.32). 427 #[derive(Serialize, Deserialize, Clone, Copy, 428 PartialEq, Eq, Hash, Debug, strum::Display)] 429 pub enum GunboatId { 430 /// One of the five new-type named gunboats with 431 howitzer capability. 432 Named(NamedGunboat), </pre>
omdurman-rules/src/lib.rs:447 GH:omdurman-rules/src/lib.rs:447	NamedGunboat	<pre> 445 /// The five named gunboats with howitzer capability 446 (rulebook §6.64, §2.32). 447 #[derive(Serialize, Deserialize, Clone, Copy, 448 PartialEq, Eq, Hash, Debug, strum::Display)] 449 pub enum NamedGunboat { 450 Sultan, 451 Melik, </pre>

omdurman-rules/src/lib.rs:460 GH:omdurman-rules/src/lib.rs:460	OldGunboat	<pre>458 /// in the Maxim Second Fire and Howitzer subphase (\$6.42). 459 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 460 pub enum OldGunboat { 461 LordKitchener, 462 Tamai,</pre>
omdurman-rules/src/lib.rs:460 GH:omdurman-rules/src/lib.rs:460	GunboatId::Old	<pre>458 /// in the Maxim Second Fire and Howitzer subphase (\$6.42). 459 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 460 pub enum OldGunboat { 461 LordKitchener, 462 Tamai,</pre>
omdurman-rules/src/lib.rs:434 GH:omdurman-rules/src/lib.rs:434	GunboatId::Dervish-Gunboat	<pre>432 Old(OldGunboat), 433 /// A Dervish gunboat (\$9.111, \$10.14). 434 DervishGunboat(u8), 435 } 436 </pre>

Covered

by

tests:

omdurman-rules::src::effects::tests::old_gunboat_lacks_howitzer

omdurman-rules::src::effects::tests::old_gunboat_rejected_from_howitzer_subphase

0/1 implemented

| §3 – Getting Started

§3 – Getting Started

out-of-scope

manual page unknown

Getting Started

Spread out the mapsheet on a table. It should lie flat if you backfold it against the scored lines. The Dervish player should sit next to the west edge of the map and the Anglo-Egyptian player opposite him on the east edge. Read through the rules once, looking over the various charts as they are referred to in the various sections. Next, select a scenario and punch out only those unit counters needed to play. Later on, the rest of the unit counters should be punched out, sorted and stored by unit type.

(see manual for full text)

■ 1/1 implemented

§4 – Turn Sequence

§4 – Turn Sequence

implemented

manual page unknown

Turn Sequence

“REMEMBER GORDON!” — THE BATTLE OF OMDURMAN is played in “Game Turns”, each of which has two “Player Turns”. The player moving first will vary according to the scenario being played. In the Campaign Game, for example, the Anglo-Egyptian player moves first.

A) Anglo-Egyptian Player Turn:

1. Anglo-Egyptian Movement Phase
2. Fire Combat Phase a. Dervish Defensive Fire b. Anglo-Egyptian Offensive Fire
 1. Direct Fire Subphase
 2. Maxim Second Fire and Howitzer Fire Subphase

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:252 GH:omdurman-rules/src/lib.rs:252	GameTurnIndex	<pre>250 /// One-based Game Turn index (1, 2, ... up to the 251 scenario length) (rulebook §4). 252 #[derive(Serialize, Deserialize, Clone, Copy, 253 PartialEq, Eq, PartialOrd, Ord, Hash, Debug)] 254 pub struct GameTurnIndex(u8); 255 256 impl GameTurnIndex {</pre>
omdurman-rules/src/lib.rs:274 GH:omdurman-rules/src/lib.rs:274	Phase	<pre>272 /// etc. 273 #[derive(Serialize, Deserialize, Clone, Copy, 274 PartialEq, Eq, Hash, Debug, Default)] 275 pub enum Phase { 276 /// Pre-game deployment (§9.2/§9.3/§10): fixed 277 units are placed, each side 278 /// deploys its order of battle within its legal 279 zone, and river</pre>
omdurman-rules/src/effects/state.rs:5 GH:omdurman-rules/src/effects/state.rs:5	GameState	<pre>3 /// All mutable state of a game in progress (rulebook 4 §4). 5 #[derive(Serialize, Deserialize, Clone, Debug)] 6 pub struct GameState { 7 pub scenario: Scenario, 8 pub current_turn: GameTurnIndex,</pre>
omdurman-rules/src/effects/state.rs:156 GH:omdurman-rules/src/effects/state.rs:156	GameState::new	<pre>154 impl GameState { 155 /// Create a fresh game state for a given scenario 156 (rulebook §4). 157 pub fn new(scenario: Scenario) -> Self { 158 let first = scenario_turn(scenario, 159 GameTurnIndex::new(1)); 160 // First player to *move* per scenario: 161 Campaign -- Anglo-Egyptian moves</pre>
omdurman-rules/src/effects/effect.rs:17 GH:omdurman-rules/src/effects/effect.rs:17	AdvancePhase	<pre>15 /// At end-of-turn, disrupted units recover and 16 per-turn tracking is 17 /// cleared. 18 AdvancePhase, 19 // -- Movement 20 -----</pre>
omdurman-rules/src/effects/dispatch.rs:98 GH:omdurman-	advance_phase	<pre>96 97 /// Advance the game state to the next phase (rulebook 98 §4).</pre>

rules/src/effects/ dispatch.rs:98		<pre>98 pub fn advance_phase(state: &mut GameState) -> Result<(), RuleError> { 99 let old_phase = state.phase; 100 #[cfg(not(feature = "kani"))]</pre>
omdurman- rules/src/effects/ dispatch.rs:204 GH:omdurman- rules/src/effects/ dispatch.rs:204	end_player_turn	<pre>202 203 /// End the current player's turn: recover disrupted units, switch active player, advance turn index (rulebook §4). 204 pub fn end_player_turn(state: &mut GameState) -> Result<(), RuleError> { 205 #[cfg(not(feature = "kani"))] 206 debug!(</pre>
omdurman- rules/src/ lib.rs:63 GH:omdurman- rules/src/lib.rs:63	GameTurnIn- dex::value	<pre>61 pub const ALL: &'static [Self] = &{\$(Self:: \$variant,)+}; 62 63 pub fn value(self) -> u16 { 64 match self { 65 \$(Self::\$variant => \$value,)+</pre>
omdurman- rules/src/effects/ state.rs:148 GH:omdurman- rules/src/effects/ state.rs:148	PendingMelee	<pre>146 /// resolution after the reaction window is deterministic and host-ordered (rulebook §7.5). 147 #[derive(Serialize, Deserialize, Clone, Debug)] 148 pub struct PendingMelee { 149 pub attack: MeleeAttack, 150 pub attacker_roll: DieRoll,</pre>

Covered by tests: omdurman-rules::src::effects::tests::both_ready_auto_advances_out_of_setup
omdurman-rules::src::effects::tests::fire_combat_wrong_phase_rejected omdurman-rules::src::effects::tests::new_game_starts_in_setup
omdurman-rules::src::turn_track::scenario_turn_dispatches_correctly
omdurman-rules::src::effects::tests::turn_advances_through_phases
omdurman-rules::src::unit_profiles::game_turn_marker_cell_returns_none
omdurman-rules::src::effects::tests::declared_melee_blocks_phase_advance

18/23 implemented

§5 – Movement Phase

§5 – Movement Phase (general)

descriptive

manual page unknown

Movement Phase

§5.1 – General Rules

descriptive

manual page unknown

General Rules

§5.2 – Movement Restrictions

descriptive

manual page unknown

Movement Restrictions

§5.3 – Constructing the Zariba

implemented

manual page unknown

Constructing the Zariba

The Zariba trench and thorn hedge hexsides are built and in place in the historical scenario only. These hexsides are considered clear terrain in the campaign game. The Anglo-Egyptian player may, however, find it useful to construct this defensive position during the campaign game. The Zariba hexsides may only be built in their position as displayed on the mapsheet. Construction procedure is as follows: any Anglo-Egyptian infantry unit that begins and ends the Anglo-Egyptian player turn adjacent to (and on the Nile side of) Zariba hexsides has constructed all Zariba hexsides to which he is adjacent. The constructing unit may neither fire offensively nor melee attack during the turn of construction. Use a blank counter to denote units constructing Zariba hexsides. See 9.23 for defensive benefits and movement restrictions of Zariba hexsides.

(see manual for full text)

See also: §9.23

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:837 GH:omdurman-rules/src/lib.rs:837	constructing_zariba	<pre>835 /// Set while the unit is building Zariba hexsides -- -- neither offensive 836 /// fire nor melee allowed that turn (§5.3). 837 pub constructing_zariba: bool, 838 /// Set when the Royal Engineers are committed to a demolition this turn 839 /// (§6.53) -- neither offensive fire nor melee allowed that turn.</pre>
omdurman-rules/src/effects/effect.rs:169 GH:omdurman-	ConstructZariba	<pre>167 168 /// Begin constructing a Zariba hexside (rulebook §5.3). 169 ConstructZariba {</pre>

rules/src/effects/ effect.rs:169		<pre> 170 unit_ids: Vec<UnitId>, 171 hexside: HexsideRef, </pre>
omdurman-rules/src/effects/dispatch.rs:40 GH:omdurman-rules/src/effects/dispatch.rs:40	apply_construct_zariba	<pre> 38 GameEffect::RecoverUnit { unit_id } => apply_recover_unit(state, *unit_id), 39 GameEffect::ConstructZariba { unit_ids, hexside } => { 40 apply_construct_zariba(state, unit_ids, *hexside) 41 } 42 GameEffect::Demolition { unit_id, target } => apply_demolition(state, *unit_id, *target), </pre>

Covered by tests: [omdurman-rules::src::effects::tests::construct_zariba_marks_builders_and_records_hexside](#)
[omdurman-rules::src::effects::tests::world_lens_composes_breaches_and_constructed_zariba](#)

§5.4 – Zones of Control

[descriptive](#)

manual page unknown

Zones of Control

§5.5 – Stacking

[descriptive](#)

manual page unknown

Stacking

§5.11 – Movement allowances printed on units

[implemented](#)

manual page unknown

The movement allowances of the various unit types are printed directly on the units (see 2.3). A unit may move up to this printed movement allowance, paying varying costs for different terrain types (see the Terrain Effects Chart).

See also: §2.3

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:131 GH:omdurman-rules/src/lib.rs:131	MovementAllowance	<pre> 129 /// is a named variant. 130 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug)] 131 pub enum MovementAllowance { 132 /// Immobile (forts, wrecked gunboats). 133 Immobile = 0, </pre>
omdurman-rules/src/lib.rs:814 GH:omdurman-rules/src/lib.rs:814	UnitMovement	<pre> 812 /// Movement allowance -- uniform for land units, split for gunboats (rulebook §5.11, §5.24, §5.25). 813 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 814 pub enum UnitMovement { 815 Land(MovementAllowance), 816 Gunboat(GunboatMovement), </pre>
omdurman-rules/src/lib.rs:173 GH:omdurman-rules/src/lib.rs:173	MovementPoints	<pre> 171 Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Hash, Debug, Default, 172)] 173 pub struct MovementPoints(i16); 174 175 impl MovementPoints { </pre>

omdurman-rules/src/terrain_chart.rs:21 GH:omdurman-rules/src/terrain_chart.rs:21	terrain_effects_chart	<pre> 19 /// 20 /// Source: printed Terrain Effects Chart on the mapsheet. 21 pub fn terrain_effects_chart(terrain: Terrain) -> TerrainEntry { 22 match terrain { 23 Terrain::Clear { .. } => TerrainEntry { </pre>
omdurman-rules/src/terrain_chart.rs:77 GH:omdurman-rules/src/terrain_chart.rs:77	movement_cost	<pre> 75 /// Convenience: get the movement cost for a terrain type (rulebook §5.11, Terrain Effects Chart). 76 /// Returns `None` for impassable terrain (Nile). 77 pub fn movement_cost(terrain: Terrain) -> Option<MovementAllowance> { 78 terrain_effects_chart(terrain).movement_cost 79 } </pre>
omdurman-rules/src/terrain_chart.rs:85 GH:omdurman-rules/src/terrain_chart.rs:85	movement_cost_with_road	<pre> 83 /// underlying terrain; without a road it's the terrain's own cost. The road is 84 /// a movement overlay only -- combat/LOS still use the underlying terrain. 85 pub fn movement_cost_with_road(terrain: Terrain, road: bool) -> Option<MovementAllowance> { 86 if road { 87 Some(MovementAllowance::One) </pre>
omdurman-types/src/lib.rs:498 GH:omdurman-types/src/lib.rs:498	Terrain::has_road	<pre> 496 497 /// Whether this hex has any road touching it. 498 pub fn has_road(self) -> bool { 499 !matches!(self.road(), Road::None) 500 } </pre>
omdurman-types/src/lib.rs:435 GH:omdurman-types/src/lib.rs:435	Terrain::passable_by_land	<pre> 433 434 /// Whether this terrain may be entered by land units (rulebook §5.11). 435 pub fn passable_by_land(self) -> bool { 436 !self.is_nile() 437 } </pre>
omdurman-types/src/lib.rs:503 GH:omdurman-types/src/lib.rs:503	Terrain::is_crossroad	<pre> 501 502 /// Whether roads converge at this hex's centre. 503 pub fn is_crossroad(self) -> bool { 504 matches!(self.road(), Road::Crossroad) 505 } </pre>
omdurman-rules/src/board.rs:342 GH:omdurman-rules/src/board.rs:342	BoardInfo::roads	<pre> 340 tiles: tiles.into_iter().collect(), 341 hexsides: Vec::new(), 342 roads: Vec::new(), 343 excluded: BTreeSet::new(), 344 overlay: default_overlay(), </pre>

Proven by: [omdurman-rules::src::terrain_chart::movement_column_matches_the_printed_chart](#)
[omdurman-types::src::lib::terrain_road_state_round_trips](#)

Covered by tests: [omdurman-rules::src::terrain_chart::clear_terrain_no_bonus](#) [omdurman-rules::src::terrain_chart::nile_is_impassable](#)
[omdurman-rules::src::terrain_chart::rough_movement_and_defense](#)
[omdurman-rules::src::terrain_chart::swamp_movement_and_defense](#)
[omdurman-rules::src::terrain_chart::hilltop_movement_and_defense](#)
[omdurman-rules::src::terrain_chart::huts_movement_and_defense](#)
[omdurman-rules::src::terrain_chart::movement_cost_convenience_matches_chart](#)
[omdurman-rules::src::terrain_chart::movement_cost_with_road_always_one](#)
[omdurman-rules::src::effects::tests::land_unit_may_not_enter_nile](#)
[omdurman-rules::src::terrain_chart::movement_cost_without_road_matches_terrain](#)
[omdurman-rules::src::effects::tests::movement_cost_for_uses_terrain](#)
[omdurman-rules::src::effects::tests::movement_cost_for_road_costs_one](#)
[omdurman-rules::src::terrain_chart::road_gives_crossroad](#) [omdurman-rules::src::terrain_chart::terrain_movement_costs_in_bounds](#)
[omdurman-rules::src::terrain_chart::terrain_chart_road_always_costs_one](#)
[omdurman-rules::src::terrain_chart::trees_cost_one_and_give_no_defense](#)

§5.12 – Move up to allowance, hex by hex (cumulative MP cap)

implemented

manual page unknown

A player may move as many or as few of his units as desired during each movement phase, limited only by the units' movement allowance, the terrain costs paid in moving from hex to hex, and enemy zones of control (see 5.4).

See also: §5.4

File	Symbol	Code Snippet
omdurman-rules/src/effects/state.rs:792 GH:omdurman-rules/src/effects/state.rs:792	can_move_unit	<pre>790 /// the same `RuleError` the `MoveUnit` effect 791 would on rejection. Lets the 792 /// UI gate input without mutating or duplicating 793 the rules. 794 pub fn can_move_unit(&self, unit_id: UnitId, cost: MovementPoints) -> Result<(), RuleError> { self.can_move_unit_to(unit_id, None, cost) }</pre>
omdurman-rules/src/effects/state.rs:1494 GH:omdurman-rules/src/effects/state.rs:1494	mp_spent	<pre>1492 1493 /// Movement points `unit_id` has already spent 1494 this turn (§5.11/§5.12). 1495 pub fn mp_spent(&self, unit_id: UnitId) -> i16 { 1496 self.mp_spent_this_turn.get(&unit_id).copied().unwrap_or(0) }</pre>

Covered by tests: [omdurman-rules::src::effects::tests::cumulative_move_cost_may_not_exceed_allowance](#)
[omdurman-rules::src::effects::tests::wrong_faction_move_is_rejected](#)
[omdurman-rules::src::effects::tests::wrong_faction_gunboat_move_is_rejected](#)

§5.13 – No MP accumulation between turns

implemented

manual page unknown

A unit may never accumulate movement points from turn to turn, nor may a unit transfer unused movement points to other units. A unit's unused movement points in any given turn are considered lost.

File	Symbol	Code Snippet
omdurman-rules/src/effects/dispatch.rs:204 GH:omdurman-rules/src/effects/dispatch.rs:204	end_player_turn	<pre>202 203 /// End the current player's turn: recover disrupted 204 units, switch active player, advance turn index (rulebook 205 §4). 206 pub fn end_player_turn(state: &mut GameState) -> Result<(), RuleError> { #[cfg(not(feature = "kani"))] debug!(</pre>

Covered by tests: [omdurman-rules::src::effects::tests::unused_movement_points_do_not_carry_over](#)

§5.21 – Friendlies transport via gunboat

implemented

manual page unknown

In general, naval transport missions are not allowed, i.e. gunboats may not carry any land units. The sole exception is that the Anglo-Egyptian player may transport the surviving units of the “Friendlies” brigade from the east bank of the Nile to the west bank after, and only after, the Dervish east bank unit (Isa Zachneih) has been eliminated. The transport is accomplished in the following sequence: a) on any turn that a “Friendlies” unit and any Anglo-Egyptian gunboat start their turn adjacent, that unit may load onto (i.e. stack with) the gunboat; b) during the Anglo-Egyptian

player's next turn the gunboat may move to any Nile hex adjacent to a west bank hex (up to the gunboat's movement allowance); c) on the Anglo-Egyptian player's third turn the "Friendlies" unit may disembark and move normally, paying the normal terrain cost for the first hex entered. The gunboat may also move normally that turn.

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:629 GH:omdurman-rules/src/lib.rs:629	is_friendlyes	<pre> 627 /// "Friendlies" units obey several special rules (\$5.21, \$5.23, \$6.52, 628 /// \$9.14 victory conditions). pub fn is_friendlyes(&self) -> bool { 629 matches!(630 self, 631 self, </pre>
omdurman-rules/src/effects/state.rs:2237 GH:omdurman-rules/src/effects/state.rs:2237	friendlyes_transport_off	<pre> 2235 /// regardless of selection. Pairs with [`GameEffect::FriendlyesTransport`] 2236 /// so the UI can offer exactly the action the engine would accept. 2237 pub fn friendlyes_transport_offer(&self, selected: Option<UnitId>) -> Option<FriendlyesAction> { 2238 match self.friendlyes_transport { 2239 None => { </pre>
omdurman-rules/src/lib.rs:834 GH:omdurman-rules/src/lib.rs:834	loaded_on	<pre> 832 pub disrupted: bool, 833 /// `Some(gunboat)` after a "Friendlies" unit loads onto a gunboat (\$5.21). 834 pub loaded_on: Option<UnitId>, 835 /// Set while the unit is building Zariba hexsides -- neither offensive 836 /// fire nor melee allowed that turn (\$5.3). </pre>
omdurman-rules/src/effects/effect.rs:196 GH:omdurman-rules/src/effects/effect.rs:196	FriendlyesTransport	<pre> 194 195 /// Load/disembark the "Friendlies" brigade via gunboat (rulebook \$5.21). 196 FriendlyesTransport(crate::FriendlyesAction), 197 198 // -- Optional rules ----- </pre>
omdurman-rules/src/effects/river.rs:12 GH:omdurman-rules/src/effects/river.rs:12	apply_friendlyes_transpo	<pre> 10 /// unit is freed (a disembarking `MoveUnit` should follow, costed by 11 /// terrain). 12 pub fn apply_friendlyes_transport(13 state: &mut GameState, 14 action: FriendlyesAction, </pre>
omdurman-rules/src/lib.rs:1082 GH:omdurman-rules/src/lib.rs:1082	FriendlyesAction	<pre> 1080 /// tracks each unit-gunboat pair independently. 1081 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 1082 pub enum FriendlyesAction { 1083 /// Turn N (the load turn): unit and gunboat started adjacent; unit 1084 /// loads onto (stacks with) the gunboat. </pre>
omdurman-rules/src/lib.rs:1102 GH:omdurman-rules/src/lib.rs:1102	TransportState	<pre> 1100 /// third turn. 1101 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 1102 pub enum TransportState { 1103 /// Turn N (the load turn): unit and gunboat started adjacent; unit 1104 /// loads onto (stacks with) the gunboat. </pre>

Covered by tests: [omdurman-rules::src::effects::tests::friendlyes_transport_offer_load_requires_prerequisites](#)
[omdurman-rules::src::effects::tests::friendlyes_transport_offer_follows_state_machine](#)

§5.22 – Land units may never enter a Nile River hex

implemented

manual page unknown

With the exception of 5.21, land units may never enter a Nile River hex. Only gunboats may enter and move along Nile River hexes.

See also: §5.21

File	Symbol	Code Snippet
omdurman-rules/src/effects/state.rs:809 GH:omdurman-rules/src/effects/state.rs:809	can_move_unit_to	<pre>807 /// 808 /// [<code>`hex_in_enemy_zoc`</code>]: Self::hex_in_enemy_zoc 809 pub fn can_move_unit_to(810 &self, 811 unit_id: UnitId,</pre>
omdurman-rules/src/effects/state.rs:481 GH:omdurman-rules/src/effects/state.rs:481	in_deployment_zone	<pre>479 /// plan / UI rather than this hex predicate. Documented, not silently 480 /// dropped. 481 pub fn in_deployment_zone(&self, player: Player, hex: HexCoord, is_boat: bool) -> bool { 482 // No board attached -> permissive (unit tests, unbound session). 483 if self.board.terrain.is_empty() {</pre>

Covered by tests: [omdurman-rules::src::effects::tests::campaign_deployment_is_boat_land_exclusive](#)
[omdurman-rules::src::effects::tests::fok_ae_gunboat_deploys_only_on_nile](#)
[omdurman-rules::src::effects::tests::fok_ae_land_unit_rejected_on_nile](#)
[omdurman-rules::src::effects::tests::deploy_via_real_sprite_resolution_matches_engine](#)
[omdurman-rules::src::effects::tests::fok_dervish_land_unit_rejected_on_nile](#)
[omdurman-rules::src::effects::tests::retreat_before_melee_may_not_land_on_nile](#)

§5.23 – Walled city entry restrictions

implemented

manual page unknown

Only certain units may enter the walled portion of Omdurman. For the Dervish player these are the Khalifa unit, the three Dervish artillery units, and the Taiasha units (the Khalifa's bodyguard). Any Anglo-Egyptian units that can get to the walled city may enter it (except gunboats and "Friendlies"). Units entering and/or exiting the walled city may only do so through a gate or breach hexside.

File	Symbol	Code Snippet
omdurman-types/src/lib.rs:152 GH:omdurman-types/src/lib.rs:152	HexsideRef	<pre>150 /// data by [<code>`HexsideRef`</code>]. 151 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Hash, Debug)] 152 pub struct HexsideRef { 153 pub a: HexCoord, 154 pub b: HexCoord,</pre>
omdurman-types/src/lib.rs:187 GH:omdurman-types/src/lib.rs:187	HexsideKind	<pre>185 strum::EnumIter, 186)] 187 pub enum HexsideKind { 188 /// City wall (Khartoum, walled city of Omdurman). Blocks LOS, blocks 189 /// movement except across gates/breaches (§5.23), blocks ZOC into the city</pre>
omdurman-types/src/lib.rs:258	blocks_movement	<pre>256 /// `omdurman-rules`. The trench *end* variants are therefore intentionally 257 /// not blocking. 258 pub fn blocks_movement(self) -> bool {</pre>

GH:omdurman-types/src/lib.rs:258		<pre> 259 matches!(260 self, </pre>
omdurman-rules/src/lib.rs:655 GH:omdurman-rules/src/lib.rs:655	may_enter_walled_city	<pre> 653 /// Taiasha bodyguard may enter. Anglo-Egyptian: any unit that can reach the 654 /// walled city *except* gunboats and "Friendlies". 655 pub fn may_enter_walled_city(&self) -> bool { 656 match self { 657 // §5.23 Dervish: Khalifa, artillery, Taiasha. </pre>
omdurman-rules/src/board.rs:250 GH:omdurman-rules/src/board.rs:250	is_walled_city	<pre> 248 /// are its seeds). The set is derived once from the board data, replacing 249 /// the older "at least two of six hexsides are Wall/Gate/Breach" heuristic. 250 pub fn is_walled_city(&self, hex: HexCoord) -> bool { 251 // Membership in the precomputed enclosed area (see `walled_city`). 252 // Palace/Tomb hexes are always part of it (they are the seeds). </pre>
omdurman-rules/src/effects/error.rs:93 GH:omdurman-rules/src/effects/error.rs:93	WalledCityEntry	<pre> 91 92 #[error("unit {0:?} is not eligible to enter the walled city of Omdurman at {1:?} (§5.23)")] 93 WalledCityEntry(UnitId, HexCoord), 94 95 #[error("movement cost {cost:?} exceeds allowance {allowance:?}")] </pre>

Proven

by:

[omdurman-types::src::lib::hexside_ref_is_order_independent](#) [omdurman-types::src::lib::hexside_blocking_classifiers_are_exact](#)

Covered

by

tests:

[omdurman-rules::src::effects::tests::can_move_rejects_wall_hexside](#) [omdurman-rules::src::effects::tests::can_move_allows_gate_hexside](#)
[omdurman-rules::src::effects::tests::walled_city_entry_allows_khalifa](#)
[omdurman-rules::src::effects::tests::walled_city_entry_rejects_unauthorized_dervish](#)
[omdurman-rules::src::effects::tests::walled_city_entry_rejects_ae_gunboat](#)
[omdurman-rules::src::effects::tests::walled_city_entry_not_enforced_for_fok](#)
[omdurman-rules::src::board_data::campaign_walled_city_is_enclosed_by_walls](#)
[omdurman-rules::src::effects::tests::breach_is_an_opening_for_los_and_effective_kinds](#)

§5.24 – Gunboat upstream/downstream movement

implemented

manual page unknown

Note that gunboats have two movement allowances separated by a slash, e.g. 10/16. The smaller number is the movement allowance when moving upstream, i.e. against the current (the direction of the current is indicated by arrows in the Nile). The larger number is the movement allowance when moving downstream, i.e. with the current. Gunboats may combine movement in both directions, but if they move even one hex upstream, their upstream movement allowance is their maximum movement allowance for that turn, and may not be exceeded.

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:552	GunboatMovement	<pre> 550 /// the turn. 551 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] </pre>

GH:omdurman-rules/src/lib.rs:552		552 pub struct GunboatMovement { 553 pub upstream: MovementAllowance, 554 pub downstream: MovementAllowance,
omdurman-types/src/lib.rs:967 GH:omdurman-types/src/lib.rs:967	is_boat	965 966 /// Gunboats use the split upstream/downstream movement allowance (§5.24). 967 pub fn is_boat(self) -> bool { 968 matches!(self, UnitKind::Gunboat { .. }) 969 }

Proven by: omdurman-types::src::lib::unit_kind_fire_and_movement_capability_law_is_exact
omdurman-types::src::lib::hex_direction_from_index_is_total_mod_six
omdurman-types::src::lib::nile_flow_rotation_composes_and_never_leaves_the_nile

Covered by tests: omdurman-rules::src::unit_profiles::boat_annotation_yields_split_gunboat_movement
omdurman-rules::src::effects::tests::gunboat_upstream_cap_is_sticky_across_moves
omdurman-app::src::picker::movement::gunboat_cap_gate_mirrors_the_engine
omdurman-app::src::picker::movement::remaining_mp_respects_the_sticky_upstream_cap

§5.25 – Dervish forts may not move

implemented

manual page unknown

Dervish forts may not move in any way once placed.

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:818 GH:omdurman-rules/src/lib.rs:818	Immobile	816 Gunboat(GunboatMovement), 817 /// Forts may not move once placed (§5.25). 818 Immobile, 819 } 820
omdurman-types/src/lib.rs:924 GH:omdurman-types/src/lib.rs:924	UnitKind::Fort	922 /// Permanent emplacement (§6.54): fire (artillery) / melee (defensive). 923 /// May not move once placed (§5.25). 924 Fort { fire: i32, melee: i32 }, 925 /// Dervish leader (§6.51): fire / melee / movement. May melee attack (§7.4). 926 DervishLeader {
omdurman-rules/src/lib.rs:818 GH:omdurman-rules/src/lib.rs:818	UnitMovement::Immobile	816 Gunboat(GunboatMovement), 817 /// Forts may not move once placed (§5.25). 818 Immobile, 819 } 820

Covered by tests: omdurman-rules::src::effects::tests::forts_are_never_advance_eligible
omdurman-rules::src::effects::tests::immobile_fort_rejects_move_unit

§5.26 – Units stop on entering enemy ZOC

implemented

manual page unknown

Units must stop their movement immediately upon entering an enemy zone of control (see 5.4).

See also: §5.4

File	Symbol	Code Snippet
------	--------	--------------

omdurman-rules/src/effects/state.rs:809 GH:omdurman-rules/src/effects/state.rs:809	can_move_unit_to	<pre> 807 /// 808 /// [`hex_in_enemy_zoc`]: Self::hex_in_enemy_zoc 809 pub fn can_move_unit_to(810 &self, 811 unit_id: UnitId, </pre>
omdurman-rules/src/effects/state.rs:1620 GH:omdurman-rules/src/effects/state.rs:1620	hex_in_enemy_zoc	<pre> 1618 /// does not extend into or out of a Nile hex. With no board loaded these 1619 /// reduce to the plain adjacency rule. 1620 pub fn hex_in_enemy_zoc(1621 &self, 1622 hex: HexCoord, </pre>

Covered by tests: [omdurman-rules::src::effects::tests::unit_entering_enemy_zoc_may_move_no_further_that_turn](#)
[omdurman-rules::src::effects::tests::zoc_transit_check_uses_the_actual_path](#)

§5.41 – All units except AE leaders exert ZOC

implemented

manual page unknown

All units except Anglo-Egyptian leaders exert a zone of control (hereafter called a ZOC) into their six adjacent hexes (exception: Gunboats exert a ZOC only against enemy gunboats). Disrupted units have no ZOC.

File	Symbol	Code Snippet
omdurman-rules/src/effects/state.rs:1924 GH:omdurman-rules/src/effects/state.rs:1924	unit_projects_zoc_rule	<pre> 1922 /// * A fort projects ZOC out of its hex even when unoccupied (§5.44), 1923 /// modelled by the fort unit projecting normally. 1924 pub fn unit_projects_zoc_rule(1925 unit: &UnitPlacement, 1926 mover_player: Player, </pre>
omdurman-rules/src/lib.rs:873 GH:omdurman-rules/src/lib.rs:873	ZocReason	<pre> 871 /// Used by the engine when answering "is this hex in an enemy ZOC?". 872 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 873 pub enum ZocReason { 874 /// Normal ZOC: any non-disrupted unit other than an Anglo-Egyptian 875 /// leader (§5.41) projects ZOC into each of its six adjacent hexes. </pre>
omdurman-rules/src/effects/state.rs:1602 GH:omdurman-rules/src/effects/state.rs:1602	unit_projects_zoc	<pre> 1600 /// §5.44) need the game map, which the engine does not hold; the app layers 1601 /// those on top. This is the position/kind/ disruption core of the rule. 1602 pub fn unit_projects_zoc(1603 &self, 1604 unit: &UnitPlacement, </pre>
omdurman-rules/src/effects/state.rs:1659 GH:omdurman-rules/src/effects/state.rs:1659	zoc_hexes	<pre> 1657 /// ZOC covers a given hex; this function returns *which* hexes a 1658 /// specific unit covers. 1659 pub fn zoc_hexes(1660 &self, 1661 unit: &UnitPlacement, </pre>

Proven by: [omdurman-rules::src::effects::unit_projects_zoc_matches_manual_clauses](#)
[omdurman-types::src::lib::player_opponent_is_a_fixed_point_free_involution](#)

Covered by tests: [omdurman-rules::src::effects::tests::zoc_hexes_empty_for_anglo_egyptian_leader](#)
[omdurman-rules::src::effects::tests::zoc_hexes_normal_unit_projects_six_adjacent_minus_exclusions](#)
[omdurman-rules::src::effects::tests::zoc_hexes_empty_for_disrupted_unit](#)
[omdurman-rules::src::effects::tests::zoc_hexes_matches_hex_in_enemy_zoc](#) [omdurman-rules::src::effects::tests::zoc_hexes_excludes_nile](#)
[omdurman-rules::src::effects::tests::zoc_hexes_excludes_khor](#)

§5.42 – No MP cost to enter/leave enemy ZOC

implemented

manual page unknown

There is no movement point cost to enter or leave an enemy ZOC.

File	Symbol	Code Snippet
omdurman-rules/src/effects/state.rs:979 GH:omdurman-rules/src/effects/state.rs:979	movement_cost_for	<pre>977 /// 978 /// §5.42: entering or leaving an enemy ZOC adds no MP cost. 979 pub fn movement_cost_for(&self, 980 unit: &UnitPlacement,</pre>

Covered by tests: [omdurman-rules::src::effects::tests::entering_enemy_zoc_costs_no_extra_mp](#)

§5.43 – Units stop when entering enemy ZOC

implemented

manual page unknown

All units must stop when they enter an enemy ZOC and may move no further that turn. In their next movement phase they may withdraw or, if desired, move directly into another enemy ZOC.

File	Symbol	Code Snippet
omdurman-rules/src/effects/state.rs:809 GH:omdurman-rules/src/effects/state.rs:809	can_move_unit_to	<pre>807 /// 808 /// [<code>hex_in_enemy_zoc</code>]: Self::hex_in_enemy_zoc 809 pub fn can_move_unit_to(&self, 810 unit_id: UnitId,</pre>
omdurman-rules/src/effects/state.rs:1620 GH:omdurman-rules/src/effects/state.rs:1620	hex_in_enemy_zoc	<pre>1618 /// does not extend into or out of a Nile hex. With no board loaded these 1619 /// reduce to the plain adjacency rule. 1620 pub fn hex_in_enemy_zoc(&self, 1621 hex: HexCoord,</pre>

Covered by tests: [omdurman-rules::src::effects::tests::unit_entering_enemy_zoc_may_move_no_further_that_turn](#)

§5.44 – ZOC limitations (walls, khor, fort, Nile, Zariba)

implemented

manual page unknown

ZOCs do not extend into or out of a Nile River hex (exception: Gunboats, see 5.41). ZOCs do not extend across a khor, into a fort, or into a hex inside the walled city across a wall hexside. ZOCs do extend out of a fort (even if unoccupied), and from a walled city hex into an adjacent non-walled-city hex across a wall hexside. ZOCs also extend out of (but not into) a walled city hex across a gate hexside. ZOCs extend both ways across a breach hexside. ZOCs also extend out of, but not into, a hut or building hex. In the historical scenario ZOCs extend out of, but not into, the Zariba across a Zariba hexside (also in the campaign game if the Zariba is constructed).

(see manual for full text)

See also: §5.41

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:873 GH:omdurman-rules/src/lib.rs:873	ZocReason	<pre>871 /// Used by the engine when answering "is this hex in 872 an enemy ZOC?". 873 #[derive(Serialize, Deserialize, Clone, Copy, 874 PartialEq, Eq, Debug)] 875 pub enum ZocReason { 876 /// Normal ZOC: any non-disrupted unit other than 877 an Anglo-Egyptian 878 /// leader (§5.41) projects ZOC into each of its 879 six adjacent hexes.</pre>
omdurman-types/src/lib.rs:192 GH:omdurman-types/src/lib.rs:192	Wall	<pre>190 /// (§5.44), blocks melee (§7.2), blocks advance- 191 after-combat (§6.82). 192 #[default] 193 Wall, 194 /// Gate hexside in a wall. ZOC extends *out of* 195 the walled city through 196 /// gates but not into it (§5.44). Melee may be 197 made through a gate (§7.2).</pre>
omdurman-types/src/lib.rs:201 GH:omdurman-types/src/lib.rs:201	Khor	<pre>199 /// Khor -- gully/wadi. ZOCs do not extend across 200 (§5.44); advance after 201 /// combat may not cross (§6.82). 202 Khor, 203 /// Crest line. Blocks LOS unless the firer is on 204 the higher side 205 /// (§6.3 note 7).</pre>
omdurman-rules/src/lib.rs:886 GH:omdurman-rules/src/lib.rs:886	ZocReason::Zariba	<pre>884 /// Zariba hexside ZOC behaviour in the historical 885 scenario / when the 886 /// Zariba is constructed (§5.44). 887 Zariba, 888 }</pre>
omdurman-rules/src/effects/state.rs:1602 GH:omdurman-rules/src/effects/state.rs:1602	unit_projects_zoc	<pre>1600 /// §5.44) need the game map, which the engine 1601 does not hold; the app layers 1602 /// those on top. This is the position/kind/ 1603 disruption core of the rule. 1604 pub fn unit_projects_zoc(1605 &self, 1606 unit: &UnitPlacement,</pre>
omdurman-types/src/lib.rs:275 GH:omdurman-types/src/lib.rs:275	HexsideKind::blocks_zoc	<pre>273 /// cannot express; those are left to the caller. 274 This predicate captures the 275 /// symmetric "does not extend across" cases. 276 pub fn blocks_zoc(self) -> bool { 277 matches!(278 self,</pre>
omdurman-rules/src/effects/state.rs:1620 GH:omdurman-rules/src/effects/state.rs:1620	hex_in_enemy_zoc	<pre>1618 /// does not extend into or out of a Nile hex. 1619 With no board loaded these 1620 /// reduce to the plain adjacency rule. 1621 pub fn hex_in_enemy_zoc(1622 &self,</pre>

Proven by: [omdurman-rules::src::effects::unit_projects_zoc_matches_manual_clauses](#)
[omdurman-types::src::lib::hexside_blocking_classifiers_are_exact](#)

Covered by tests: [omdurman-rules::src::effects::tests::zoc_hexes_excludes_nile](#) [omdurman-rules::src::effects::tests::zoc_hexes_excludes_khor](#)
[omdurman-rules::src::effects::tests::zoc_hexes_normal_unit_projects_six_adjacent_minus_exclusions](#)

§5.51 – Stacking limit (4 units + leaders, gunboats isolated)

implemented

manual page unknown

No more than four units may occupy a hex, with the exception of leaders and gunboats. All leader units are free stacking, i.e. they may stack in addition to the four-unit-per-hex stacking limitation. Gunboats may not stack with any other unit (Exception: 5.21). Players may move through friendly units at no additional cost in movement points. The stacking limitation applies only at the end of the movement phase and during combat.

See also: §5.21

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:898 GH:omdurman-rules/src/lib.rs:898	OverLimit	<pre> 896 /// (§6.51: a Dervish unit occupying his hex eliminates him). 897 #[error("hex stack exceeds the four-unit limit [\$5.51]")] 898 OverLimit, 899 /// "Gunboats may not stack with any other unit" (§5.51, exception §5.21). 900 #[error("gunboats may not stack with non-gunboat units [\$5.51]")] </pre>
omdurman-rules/src/lib.rs:901 GH:omdurman-rules/src/lib.rs:901	GunboatStack	<pre> 899 /// "Gunboats may not stack with any other unit" (§5.51, exception §5.21). 900 #[error("gunboats may not stack with non-gunboat units [\$5.51]")] 901 GunboatStack, 902 /// "Units of different Dervish tribes may not stack together" (§5.52). 903 /// The Dervish artillery (§9.322's three guns) is not a tribe but is not </pre>
omdurman-rules/src/lib.rs:911 GH:omdurman-rules/src/lib.rs:911	EnemyCohabitation	<pre> 909 /// lone Anglo-Egyptian leader is exempt (§6.51). 910 #[error("enemy units may not share a hex; melee, not movement, engages them [\$5.51, §7.1]")] 911 EnemyCohabitation, 912 /// "If Dervish leaders elect to stack, they may only stack with units of 913 /// their command (i.e. colour)" (§5.53). </pre>
omdurman-rules/src/effects/state.rs:1553 GH:omdurman-rules/src/effects/state.rs:1553	check_stacking	<pre> 1551 /// Dervish artillery is its own group) may not stack together. 1552 /// * §5.53 -- a Dervish leader may stack only with units of its command. 1553 pub fn check_stacking(1554 &self, 1555 mover: &UnitPlacement, </pre>
omdurman-rules/src/effects/state.rs:1835 GH:omdurman-rules/src/effects/state.rs:1835	stacking_rule	<pre> 1833 /// artillery as its own group) may not share a hex. 1834 /// * §5.53: a Dervish leader stacks only with units of its command. 1835 pub fn stacking_rule(occupants: &[&UnitPlacement]) -> Result<(), crate::StackingError> { 1836 use crate::StackingError; 1837 </pre>

Proven by:

- [omdurman-rules::src::effects::stacking_rule_cohabitation_is_exact](#)
- [omdurman-rules::src::effects::stacking_rule_is_symmetric](#)
- [omdurman-rules::src::effects::stacking_rule_leaders_are_free_stacking](#)
- [omdurman-rules::src::effects::stacking_rule_limit_is_four_counted_units](#)
- [omdurman-rules::src::effects::stacking_rule_gunboat_never_shares](#)

Covered by tests:

- [omdurman-rules::src::effects::tests::stacking_over_limit_rejected](#)
- [omdurman-rules::src::effects::tests::mid_move_stacking_allows_pass_through](#)
- [omdurman-rules::src::effects::tests::mid_move_stacking_rejects_over_limit_destination](#)
- [omdurman-rules::src::effects::tests::validate_stacking_invariants_clean_state](#)
- [omdurman-rules::src::effects::tests::validate_stacking_invariants_catches_stacking_violation](#)
- [omdurman-rules::src::effects::tests::validate_stacking_invariants_allows_leaders_stacking](#)
- [omdurman-rules::src::effects::tests::deploy_rejects_enemy_cohabitation_during_setup](#)
- [omdurman-rules::src::effects::tests::validate_stacking_invariants_catches_enemy_cohabitation](#)
- [omdurman-rules::src::effects::tests::ae_garrison_stacks_freely_under_gordon](#)
- [omdurman-rules::src::effects::tests::melee_mandatory_advance_leaders_are_free_stacking](#)

§5.52 – Different Dervish tribes may not stack together

implemented

manual page unknown

The units of different Dervish tribes may not stack together, even if they are the same color (e.g. although both are green, Mulazmin and Jehadia units may not stack with each other).

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:907 GH:omdurman-rules/src/lib.rs:907	DervishTribeMix	<pre>905 /// [`UnitIdentity::dervish_stacking_group`]). 906 #[error("Dervish units of different tribes may not stack [\$5.52]")] 907 DervishTribeMix, 908 /// A unit may never share a hex with enemy units (\$5.51, \$7.1); only the 909 /// lone Anglo-Egyptian leader is exempt (\$6.51).</pre>
omdurman-rules/src/lib.rs:707 GH:omdurman-rules/src/lib.rs:707	dervish_stacking_group	<pre>705 /// `None` for every unit the §5.52 law does not constrain: Dervish 706 /// leaders, forts and gunboats, and all Anglo- Egyptian units. 707 pub fn dervish_stacking_group(&self) -> Option<DervishStackingGroup> { 708 match self { 709 UnitIdentity::DervishTribal { tribe } => Some(DervishStackingGroup::Tribe(*tribe)),</pre>

Proven by: [omdurman-rules::src::effects::stacking_rule_group_purity_is_exact](#)

Covered by tests: [omdurman-rules::src::unit_profiles::green_sections_are_mulazmin_tribal_units](#)
[omdurman-rules::src::effects::tests::deploy_rejects_dervish_tribe_mix](#)
[omdurman-rules::src::effects::tests::deploy_rejects_hadendowa_on_dervish_gun](#)
[omdurman-rules::src::effects::tests::dervish_guns_stack_with_guns_and_their_leader](#)
[omdurman-rules::src::effects::tests::validate_stacking_invariants_clean_state](#)

§5.53 – Leader stacking with command colour only

implemented

manual page unknown

Leader units are not required to stack. If Dervish leaders elect to stack, however, they may only stack with units of their command (i.e. color). For example, Sheik El Din may only stack with Mulazmins or Jehadias.

****5.54) Anglo-Egyptian Brigade Integrity:**** All British, Sudanese, and Egyptian infantry units have their brigade designation printed in the upper right corner (e.g. “2B” = 2nd British Brigade; “3E” = 3rd Egyptian Brigade, etc.). In any combat phase in which all four infantry battalions belonging to any Anglo-Egyptian infantry brigade are stacked in the same hex they are said to have brigade integrity. Stacks having brigade integrity receive a +1 modifier to their fire combat die roll provided they all fire at the same enemy occupied hex. This modifier is in addition to the normal +1 bonus given to all Anglo-Egyptian direct fire attacks (see 6.24).

(see manual for full text)

See also: §5.54, §6.24

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:915 GH:omdurman-rules/src/lib.rs:915	DervishLeaderCommandMismatch	<pre>913 /// their command (i.e. colour)" (§5.53). 914 #[error("Dervish leader may only stack with units of their own command [\$5.53]")] 915 DervishLeaderCommandMismatch, 916 } 917 </pre>

Covered by tests: [omdurman-rules::src::effects::tests::dervish_leader_stacks_only_with_command_colour](#)
[omdurman-rules::src::unit_profiles::command_owns_unit_follows_tribes_and_brigades](#)

\$5.54 – Anglo-Egyptian Brigade Integrity

[implemented](#)

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:921 GH:omdurman-rules/src/lib.rs:921	BrigadeIntegrity	<pre>919 /// stack contains all four battalions of a single 920 #[derive(Serialize, Deserialize, Clone, Copy, 921 pub enum BrigadeIntegrity { 922 None, 923 Integrated(BrigadeId),</pre>
omdurman-rules/src/lib.rs:771 GH:omdurman-rules/src/lib.rs:771	brigade_integrity	<pre>769 /// Only a full stack of four battalions qualifies. 770 /// stack and fire, but they receive no brigade- 771 pub fn brigade_integrity(identities: &[UnitIdentity]) - 772 let Some(brigade) = identities.first().and_then(i 773 i.brigade()) else { 774 return BrigadeIntegrity::None;</pre>
omdurman-rules/src/lib.rs:921 GH:omdurman-rules/src/lib.rs:921	FireModifier::BrigadeIntegrity	<pre>919 /// stack contains all four battalions of a single 920 #[derive(Serialize, Deserialize, Clone, Copy, 921 pub enum BrigadeIntegrity { 922 None, 923 Integrated(BrigadeId),</pre>
omdurman-rules/src/lib.rs:329 GH:omdurman-rules/src/lib.rs:329	BattalionOrdinal	<pre>327 /// brigade integrity requires all four stacked in 328 #[derive(Serialize, Deserialize, Clone, Copy, 329 pub enum BattalionOrdinal { 330 First = 1, 331 Second = 2,</pre>
omdurman-types/src/lib.rs:1043 GH:omdurman-types/src/lib.rs:1043	BrigadeId	<pre>1041 /// same field for uniform handling. 1042 #[derive(Serialize, Deserialize, Clone, Copy, 1043 pub struct BrigadeId { 1044 pub number: u8, 1045 pub nationality: BrigadeNationality,</pre>

Proven by: [omdurman-rules::src::lib::brigade_integrity_requires_all_four_distinct_battalions_of_one_brigade](#)

Covered by tests: [omdurman-rules::src::unit_profiles::brigade_designation_ignored_for_non_infantry](#)
[omdurman-rules::src::unit_profiles::printed_brigade_designation_overrides_column](#)
[omdurman-rules::src::unit_profiles::section_owner_anglo_egyptian_sections](#)
[omdurman-rules::src::lib::brigade_integrity_four_battalions_returns_integrated](#)
[omdurman-rules::src::unit_profiles::ae_infantry_fourth_battalion_from_col_3](#)
[omdurman-rules::src::lib::brigade_integrity_empty_slice](#) [omdurman-rules::src::lib::brigade_integrity_friendly_returns_none](#)
[omdurman-rules::src::lib::brigade_integrity_three_battalions_returns_none](#)
[omdurman-rules::src::lib::unit_identity_brigade_and_battalion_accessors](#)
[omdurman-rules::src::unit_profiles::ae_infantry_brigade_number_three_from_col_7](#)
[omdurman-rules::src::lib::brigade_integrity_non_infantry_returns_none](#)
[omdurman-rules::src::lib::brigade_integrity_mixed_brigades_returns_none](#)
[omdurman-rules::src::unit_profiles::ae_infantry_third_battalion_from_col_2](#)
[omdurman-rules::src::effects::tests::brigade_integrity_modifier_is_engine_derived](#)

§6 – Fire Combat Phase

§6 – Fire Combat Phase

descriptive

manual page unknown

Fire Combat Phase

§6.1 – General Rules

descriptive

manual page unknown

General Rules

§6.2 – How To Have Fire Combat

descriptive

manual page unknown

How To Have Fire Combat

§6.3 – Line of Sight Table

implemented

manual page unknown

Line of Sight Table

This table is located on the back of this rulebook and should be self-explanatory. Locate the terrain type the firing unit is in and cross-index it with the terrain type the target unit is in. Terrain types in the intersecting box block line of sight, with exceptions as footnoted. Also study the “Special LOS Notes” given and remember that (with the exception of howitzer fire — see 6.64) you can’t fire at anything you can’t see!

See also: §6.64

File	Symbol	Code Snippet
omdurman-rules/src/los_table.rs:57 GH:omdurman-rules/src/los_table.rs:57	LosLevel	<pre>55 serde::Serialize, serde::Deserialize, Clone, Copy, 56 PartialEq, Eq, PartialOrd, Ord, Hash, Debug, 57)] 58 pub enum LosLevel { 59 Ground, 59 Rough,</pre>
omdurman-rules/src/los_table.rs:81 GH:omdurman-rules/src/los_table.rs:81	LosFeature	<pre>79 /// authored RON spellings. 80 #[derive(serde::Serialize, serde::Deserialize, Clone, 81 Copy, PartialEq, Eq, Hash, Debug)] 82 pub enum LosFeature { 83 /// A hex containing units (gunboats/forts excluded 83 Units,</pre>
omdurman-rules/src/los_table.rs:103 GH:omdurman-rules/src/los_table.rs:103	LosCondition	<pre>101 /// A positional condition from the LOS table Detail 102 footnotes. 103 #[derive(serde::Serialize, serde::Deserialize, Clone, 104 Copy, PartialEq, Eq, Hash, Debug)] 105 pub enum LosCondition { 106 /// (1) Blocks only if the ray passes through more</pre>

		than two such features. <pre>105 MoreThanTwo,</pre>
omdurman-rules/src/los_table.rs:183 GH:omdurman-rules/src/los_table.rs:183	los_level	<pre>181 /// 182 /// For all other units, the level is derived from the terrain at `hex`. 183 pub fn los_level_for_unit(184 kind: UnitKind, 185 hex: HexCoord,</pre>
omdurman-rules/src/los_table.rs:183 GH:omdurman-rules/src/los_table.rs:183	los_level_for_unit	<pre>181 /// 182 /// For all other units, the level is derived from the terrain at `hex`. 183 pub fn los_level_for_unit(184 kind: UnitKind, 185 hex: HexCoord,</pre>
omdurman-rules/src/los_table.rs:223 GH:omdurman-rules/src/los_table.rs:223	blocking_rules	<pre>221 /// always blocks. Indexing is in-bounds by construction (both enums have 222 /// exactly three variants). 223 pub fn blocking_rules(firer: LosLevel, target: LosLevel) -> &'static [BlockingRule] { 224 crate::tables_data::LOS_CELLS[firer.index()] [target.index()] 225 }</pre>
omdurman-rules/src/los_table.rs:558 GH:omdurman-rules/src/los_table.rs:558	has_los	<pre>556 /// board-only tools). 557 #[allow(clippy::too_many_arguments)] 558 pub fn has_los(559 board: &crate::board::BoardInfo, 560 from: HexCoord,</pre>
omdurman-types/src/lib.rs:230 GH:omdurman-types/src/lib.rs:230	HexsideKind::blocks_los	<pre>228 /// (LOS table conditions 2-4, 7) and note (e) are handled by the engine 229 /// in `omdurman_rules::los_table`, not by this predicate. 230 pub fn blocks_los(self) -> bool { 231 matches!(self, HexsideKind::Wall HexsideKind::Crest) 232 }</pre>
omdurman-types/src/lib.rs:230 GH:omdurman-types/src/lib.rs:230	Terrain::blocks_los	<pre>228 /// (LOS table conditions 2-4, 7) and note (e) are handled by the engine 229 /// in `omdurman_rules::los_table`, not by this predicate. 230 pub fn blocks_los(self) -> bool { 231 matches!(self, HexsideKind::Wall HexsideKind::Crest) 232 }</pre>
omdurman-types/src/lib.rs:452 GH:omdurman-types/src/lib.rs:452	Terrain::is_los_trees	<pre>450 /// (§6.3 note 1). Retained for compatibility; the full LOS engine 451 /// checks `Terrain::Trees` directly. 452 pub fn is_los_trees(self) -> bool { 453 matches!(self, Terrain::Trees { .. }) 454 }</pre>

Proven

by: [omdurman-types::src::lib::line_between_forms_a_connected_ray](#) [omdurman-types::src::lib::hexside_blocking_classifiers_are_exact](#)
[omdurman-rules::src::los_table::los_level_depends_only_on_the_ground](#)
[omdurman-rules::src::los_table::los_level_overrides_hold_for_gunboats_and_forts](#)
[omdurman-rules::src::los_table::blocking_grid_is_total_and_walls_block_ground_firers](#)

Covered by tests: [omdurman-rules::src::los_table::los_level_mapping](#) [omdurman-rules::src::los_table::blocking_rules_all_cells_covered](#)
[omdurman-rules::src::los_table::has_los_empty_board_is_clear](#) [omdurman-rules::src::los_table::has_los_adjacent_clear](#)
[omdurman-rules::src::los_table::has_los_howitzzer_bypasses](#)
[omdurman-rules::src::los_table::has_los_wall_hexside_blocks_ground_to_ground](#)
[omdurman-rules::src::los_table::has_los_gate_hexside_passes](#) [omdurman-rules::src::los_table::has_los_breach_hexside_passes](#)
[omdurman-rules::src::effects::tests::breach_is_an_opening_for_los_and_effective_kinds](#)
[omdurman-rules::src::los_table::has_los_rough_intervening_blocks_ground_to_ground](#)

```

omdurman-rules::src::los_table::has_los_two_tree_hexes_pass_ground_to_ground
omdurman-rules::src::los_table::has_los_three_tree_hexes_block_ground_to_ground
omdurman-rules::src::los_table::has_los_two_hut_hexes_pass_ground_to_ground
omdurman-rules::src::los_table::has_los_three_hut_hexes_block_ground_to_ground
omdurman-rules::src::los_table::has_los_hilltop_to_hilltop_clear_no_units
omdurman-rules::src::los_table::has_los_hilltop_to_hilltop_blocked_by_hilltop_unit
omdurman-rules::src::los_table::has_los_hilltop_to_hilltop_not_blocked_by_ground_unit
omdurman-rules::src::los_table::has_los_rough_to_rough_unit_at_lower_level_passes
omdurman-rules::src::los_table::has_los_rough_to_rough_unit_at_same_level_blocks
omdurman-rules::src::los_table::has_los_rough_to_rough_hilltop_blocks
omdurman-rules::src::los_table::has_los_ground_to_hilltop_intervening_hilltop_blocks
omdurman-rules::src::los_table::has_los_building_blocks_like_huts_ground_to_ground
omdurman-rules::src::los_table::has_los_two_building_hexes_pass_ground_to_ground
omdurman-rules::src::los_table::los_level_for_unit_gunboat_is_rough
omdurman-rules::src::los_table::los_level_for_unit_fort_is_ground
omdurman-rules::src::los_table::los_level_for_unit_walled_city_adj_wall_is_rough
omdurman-rules::src::los_table::gunboat_firer_uses_rough_row_not_ground
omdurman-rules::src::los_table::los_reflexive_all_terrains
omdurman-rules::src::los_table::los_reflexive_hilltop
omdurman-rules::src::los_table::los_symmetric_ground_to_ground_no_units
omdurman-rules::src::los_table::los_howitzer_always_has_los
omdurman-rules::src::los_table::los_howitzer_same_hex
omdurman-rules::src::los_table::los_blocking_rules_match_reference_table
omdurman-rules::src::los_table::los_ground_to_ground_features_block_as_expected

```

§6.4 – Fire Combat Sequence

implemented

manual page unknown

Fire Combat Sequence

The sequence of fire combat resolution is the same for both defensive and offensive fire combat. During the Dervish player turn the Anglo-Egyptian player executes 6.41 AND 6.42 as defensive fire, after which the Dervish player executes 6.41 as offensive fire. During the Anglo-Egyptian player turn the Dervish player executes 6.41 as defensive fire, after which the Anglo-Egyptian player executes 6.41 AND 6.42 as offensive fire.

****6.41) Direct Fire Subphase (Dervish and Anglo-Egyptian players):**** The firing player must first allocate all of his fire attacks, combining his units' direct fire combat factors in any manner he wishes. After all fire has been allocated, the firing player then resolves his attacks in any order he wishes.

****6.42) Maxim Second Fire and Howitzer Fire Subphase (Anglo-Egyptian player only):**** Anglo-Egyptian named gunboats may now fire their artillery factor as howitzer fire (see 6.64) and all Maxim guns may fire a second time. Once

(see manual for full text)

See also: §6.41, §6.42, §6.64

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:302 GH:omdurman-rules/src/lib.rs:302	FireSubPhase	<pre> 300 301 #[derive(Serialize, Deserialize, Clone, Copy, #PartialEq, Eq, Hash, Debug)] 302 pub enum FireSubPhase { 303 /// Direct fire (§6.41). Both sides participate in this sub-phase. 304 DirectFire, </pre>
omdurman-rules/src/effects/effect.rs:72 GH:omdurman-rules/src/effects/effect.rs:72	FireCombat	<pre> 70 /// - Firers marked as fired; target hex marked as fired-at. 71 /// - Victory points awarded for eliminations. 72 FireCombat { attack: FireAttack, roll: DieRoll }, 73 74 /// Resolve a howitzer bombardment (two rolls: CRT + impact scatter) </pre>

Covered by tests: [omdurman-rules::src::effects::tests::turn_advances_through_phases](#)

§6.5 – Special Unit Capabilities

descriptive
manual page unknown

Special Unit Capabilities

****6.51) Leader Units:**** Dervish leader units have a fire factor, a melee factor, and a movement factor. They may thus attack, melee, and be eliminated like any other combat unit. Their special benefit is that they stack free.

Anglo-Egyptian leaders have a movement factor only. They are eliminated if a) they are alone in a hex when a Dervish unit occupies or passes through that hex, or b) if all of the combat units a leader is stacked with are eliminated in fire combat or melee. The special function of Anglo-Egyptian leaders is that at least one must survive to occupy the Mahdi’s tomb hex if it is to be taken from the Dervish player (see 9.14).

****6.52) Anglo-Egyptian “Friendlies” Brigade:**** These units represent native volunteers in the Anglo-Egyptian army. They fire rifles on the Dervish Range Effects Table and melee with the Dervish melee modifier. They may not enter the walled city of Omdurman (see 5.23). They may be transferred to the west bank (see 5.21).

(see manual for full text)

See also: §5.21, §5.23, §5.44, §6.51, §6.52, §6.53, §6.54, §6.62, §6.63, §7.6, §9.14

§6.6 – Special Artillery Capabilities

descriptive
manual page unknown

Special Artillery Capabilities

§6.7 – Defensive Fire

implemented
manual page unknown

Defensive Fire

In Defensive Fire phase, all of the non-moving player’s units may fire at any of the moving player’s units in range, within the limitations imposed by the rules of combat (see 6.1 to 6.6). There is no advance after combat as a result of defensive fires.

See also: §6.1, §6.6

File	Symbol	Code Snippet
omdurman-rules/src/effects/state.rs:2114 GH:omdurman-rules/src/effects/state.rs:2114	can_advance_after_comb	2112 // player's unit, not artillery, adjacent to `to`, and `to` now empty. 2113 // Wall/khor hexside restrictions are not enforced (no hexside map data). 2114 pub fn can_advance_after_combat(&self, unit_id: UnitId, to: HexCoord) -> Result<(), RuleError> { 2115 let unit = self.unit_or_err(unit_id)?; 2116 // §6.7: there is no advance after combat as a result of defensive fire.

Covered by tests: omdurman-rules::src::effects::tests::no_advance_after_defensive_fire
omdurman-rules::src::effects::tests::defensive_fire_opens_no_advance_window

§6.8 – Offensive Fire

descriptive
manual page unknown

Offensive Fire

§6.11 – Fire combat factor printed on units

implemented

manual page unknown

The fire combat factor of the various unit types is printed directly on the units and is a numerical expression of the unit’s fire strength.

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:86 GH:omdurman-rules/src/lib.rs:86	FireFactor	<pre>84 // Every possible value from the annotated counter 85 set is a named variant. 86 #[derive(Serialize, Deserialize, Clone, Copy, 87 PartialEq, Eq, Hash, Debug, strum::Display)] 88 pub enum FireFactor { One = 1, Three = 3,</pre>

Covered by tests: [omdurman-rules::src::lib::fire_factor_sum_to_row](#)

§6.12 – Fire combat is always voluntary

implicit

manual page unknown

Fire combat is always voluntary. A unit is never required to fire at enemy units merely because they are in range or adjacent.

§6.13 – Fire factor is unitary (may not be divided)

implemented

manual page unknown

If a unit elects to fire, its fire combat factor at an enemy unit, that fire combat factor is unitary. A unit’s fire combat factor may not be divided up to fire at enemy units on different hexes.

File	Symbol	Code Snippet
omdurman-rules/src/effects/fire.rs:460 GH:omdurman-rules/src/effects/fire.rs:460	build_fire_attack_from	<pre>458 // derived exactly as in [`build_fire_attack`]. 459 Returns `None` for an empty, 460 duplicated, or not-fully-legal list. 461 pub fn build_fire_attack_from(462 gs: &GameState, firer_hex: HexCoord,</pre>

Covered by tests: [omdurman-rules::src::effects::tests::single_unit_fires_alone_from_a_stack](#)

§6.14 – Players may combine fire factors into one attack

implemented

manual page unknown

Players may combine fire during fire combat phase, i.e. they may fire at an enemy-occupied hex with as many friendly units as may legally do so, combining all of their fire combat factors into one attack. Note that in any given fire combat phase, however, a combat unit may only fire once and may only be fired at once (exceptions: Maxim guns and gunboats — see 6.4).

See also: §6.4

File	Symbol	Code Snippet
------	--------	--------------

omdurman-rules/src/lib.rs:100 GH:omdurman-rules/src/lib.rs:100	sum_to_row	<pre> 98 impl FireFactor { 99 /// Sum multiple fire factors and return the corresponding Combat Results Table row (rulebook §6.11). 100 pub fn sum_to_row<'a>(factors: impl IntoIterator<Item = &'a FireFactor>) -> FireFactorRow { 101 let total: u16 = factors.into_iter().map(f f.value()).sum(); 102 crate::combat_results_table::FireFactorRow::from_total(total) </pre>
omdurman-rules/src/effects/state.rs:1162 GH:omdurman-rules/src/effects/state.rs:1162	GameState::can_fire_at	<pre> 1160 /// modifier in the [<code>FireAttack</code>] and is responsible for the LOS gate. 1161 /// (Howitzer fire ignores LOS entirely -- §6.64.) 1162 pub fn can_fire_at(1163 &self, 1164 firer: UnitId, </pre>

Covered by tests: [omdurman-rules::src::effects::tests::unit_may_only_be_fired_at_once_per_phase](#)
[omdurman-rules::src::effects::tests::gunboat_and_maxim_may_be_fired_at_repeatedly](#)
[omdurman-rules::src::effects::tests::rejected_fire_attack_does_not_mark_firers_as_fired](#)
[omdurman-rules::src::effects::tests::single_unit_fires_alone_from_a_stack](#)
[omdurman-rules::src::effects::tests::infantry_may_fire_only_once_per_subphase](#)
[omdurman-rules::src::effects::tests::maxim_may_fire_twice_per_turn](#)

§6.15 – May divide a stack to fire at different hexes

implemented

manual page unknown

Players may also divide a stack of units in order to fire at different enemy-occupied hexes. Anglo-Egyptian infantry units having brigade integrity, however, do not receive their +1 direct fire modifier unless they all fire at the same enemy-occupied hex (see 5.54).

See also: §5.54

File	Symbol	Code Snippet
omdurman-rules/src/effects/fire.rs:460 GH:omdurman-rules/src/effects/fire.rs:460	build_fire_attack_from	<pre> 458 /// derived exactly as in [<code>build_fire_attack</code>]. Returns <code>None</code> for an empty, 459 /// duplicated, or not-fully-legal list. 460 pub fn build_fire_attack_from(461 gs: &GameState, 462 firer_hex: HexCoord, </pre>

Covered by tests: [omdurman-rules::src::effects::tests::stack_may_split_its_fire_across_hexes](#)

§6.16 – Halving fire strength rounds down, minimum 1

implemented

manual page unknown

When halving fire combat strength, always round down each individual unit. For example, an Egyptian brigade of four battalions, each having a printed strength of 9 fire factors, will fire a total of 16 factors when halved. However, a unit's firing strength is never reduced below one by halving.

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:519 GH:omdurman-rules/src/lib.rs:519	RangeBand	<pre> 517 /// multiplied at a given distance (§6.22). 518 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 519 pub enum RangeBand { 520 Tripled, 521 Doubled, </pre>

Proven by: `omdurman-rules::src::lib::range_band_halved_is_max_of_one_and_floor_half`
`omdurman-rules::src::lib::range_band_apply_is_monotone_in_raw` `omdurman-rules::src::lib::disrupt_half_is_rounded_up`

Covered by tests: `omdurman-rules::src::lib::halving_rounds_down_and_never_below_one`

§6.21 – First check LOS before firing

implemented

manual page unknown

When combat units wish to fire at enemy units, first check the Line of Sight Table to be sure the firing unit can see the target hex (exception: howitzer fire, see 6.64).

See also: §6.64

File	Symbol	Code Snippet
omdurman-rules/src/los_table.rs:223 GH:omdurman-rules/src/los_table.rs:223	blocking_rules	<pre>221 /// always blocks. Indexing is in-bounds by 222 /// exactly three variants). 223 pub fn blocking_rules(firer: LosLevel, target: 224 crate::tables_data::LOS_CELLS[firer.index()] 225 [target.index()]) 225 }</pre>
omdurman-rules/src/los_table.rs:558 GH:omdurman-rules/src/los_table.rs:558	has_los	<pre>556 /// board-only tools). 557 #[allow(clippy::too_many_arguments)] 558 pub fn has_los(559 board: &crate::board::BoardInfo, 560 from: HexCoord,</pre>

Covered by: `omdurman-rules::src::effects::tests::can_fire_at_rejects_blocked_los` `omdurman-rules::src::effects::tests::can_fire_at_allows_clear_los` tests:

§6.22 – Consult Range Effects Table

implemented

manual page unknown

Next consult the Range Effects Table to see if the firing unit's fire combat factor is tripled, doubled, normal, halved, or if the target hex is out of range. Add up the total number of fire combat factors firing at the enemy-occupied hex.

File	Symbol	Code Snippet
omdurman-rules/src/range_effects.rs:34 GH:omdurman-rules/src/range_effects.rs:34	ae_range_effects	<pre>32 /// Look up the range band for an Anglo-Egyptian weapon 33 /// (\$6.22, §6.24). 34 /// Distances > 10 are out of range for all weapons. 35 pub fn ae_range_effects(weapon: WeaponClass, distance: 36 HexDistance) -> RangeBand { 37 band_at(faction_rows(true), weapon, distance) 38 }</pre>
omdurman-rules/src/range_effects.rs:40 GH:omdurman-rules/src/range_effects.rs:40	dervish_range_effects	<pre>38 /// Look up the range band for a Dervish weapon 39 /// (\$6.22). 40 /// Distances > 10 are out of range for all weapons. 41 pub fn dervish_range_effects(weapon: WeaponClass, 42 distance: HexDistance) -> RangeBand { 43 band_at(faction_rows(false), weapon, distance) 44 }</pre>
omdurman-rules/src/lib.rs:519	RangeBand	<pre>517 /// multiplied at a given distance (§6.22). 518 #[derive(Serialize, Deserialize, Clone, Copy, 519 PartialEq, Eq, Debug)] 520 pub enum RangeBand {</pre>

GH:omdurman-rules/src/lib.rs:519		520 Tripled, 521 Doubled,
omdurman-rules/src/lib.rs:187 GH:omdurman-rules/src/lib.rs:187	HexDistance	185 /// (rulebook §6.22, §7.5). 186 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Hash, Debug)] 187 pub struct HexDistance(u16); 188 189 impl HexDistance {

Proven

by:

omdurman-types::src::lib::adjacency_iff_distance_one omdurman-rules::src::lib::fire_factor_row_from_total_matches_printed_bands
omdurman-rules::src::lib::range_band_multiplier_arithmetic_is_exact
omdurman-rules::src::range_effects::range_effects_are_out_of_range_outside_the_printed_ten_hex_distance_window
omdurman-rules::src::range_effects::max_day_range_is_the_last_in_range_hex
omdurman-rules::src::effects::fire::range_band_for_routes_to_the_right_faction_table

Covered

by

tests:

omdurman-rules::src::range_effects::ae_rifles_doubled_at_range_1 omdurman-rules::src::range_effects::ae_rifles_halved_at_range_4
omdurman-rules::src::range_effects::ae_howitzer_range omdurman-rules::src::range_effects::dervish_rifles_shorter_range
omdurman-rules::src::range_effects::melee_only_range_1 omdurman-rules::src::range_effects::ae_range_effects_artillery_full
omdurman-rules::src::range_effects::ae_range_effects_maxims_match_rifles
omdurman-rules::src::range_effects::ae_range_effects_distance_over_10
omdurman-rules::src::range_effects::ae_range_effects_howitzer_halved_4_to_10
omdurman-rules::src::range_effects::dervish_range_effects_rifles omdurman-rules::src::range_effects::dervish_range_effects_artillery
omdurman-rules::src::range_effects::dervish_range_effects_maxims_and_howitzer
omdurman-rules::src::range_effects::dervish_range_effects_melee
omdurman-rules::src::range_effects::dervish_range_effects_distance_over_10
omdurman-rules::src::effects::tests::fire_combat_eliminate_target omdurman-rules::src::range_effects::max_day_range_all_combos
omdurman-rules::src::range_effects::range_effects_every_cell_ae_artillery
omdurman-rules::src::range_effects::range_effects_every_cell_ae_howitzer
omdurman-rules::src::range_effects::range_effects_every_cell_ae_maxims
omdurman-rules::src::range_effects::range_effects_every_cell_ae_rifles
omdurman-rules::src::range_effects::range_effects_every_cell_dervish_artillery
omdurman-rules::src::range_effects::range_effects_every_cell_dervish_maxims_howitzer
omdurman-rules::src::range_effects::range_effects_every_cell_dervish_rifles
omdurman-rules::src::range_effects::range_effects_every_cell_dervish_spears
omdurman-rules::src::effects::tests::can_fire_at_gates_phase_range_and_player
omdurman-rules::src::effects::tests::mixed_attack_bands_per_firer
omdurman-rules::src::range_effects::ae_range_effects_monotone_non_increasing
omdurman-rules::src::range_effects::ae_howitzer_has_minimum_range
omdurman-rules::src::range_effects::dervish_range_effects_monotone_non_increasing
omdurman-rules::src::range_effects::range_effects_first_range_max_effect_last_range_oor

§6.23 – Terrain defensive modifier

implemented

manual page unknown

Next check the Terrain Effects Chart to see if the enemy-occupied hex fired upon contains any terrain which gives the enemy units in that hex a defensive benefit. If so, apply this negative modifier to the roll of the ten-sided die and cross-index your net die roll on the Combat Results Table with the number of combat factors firing.

File	Symbol	Code Snippet
omdurman-rules/src/terrain_chart.rs:59 GH:omdurman-rules/src/terrain_chart.rs:59	defense_modifier	57 58 /// Convenience: get the defense modifier for a terrain type (rulebook §6.23, Terrain Effects Chart). 59 pub fn defense_modifier(terrain: Terrain) -> i16 { 60 terrain_effects_chart(terrain).defense_modifier 61 }

omdurman-rules/src/ lib.rs:942 GH:omdurman-rules/src/lib.rs:942	FireModifier::Terrain	<pre> 940 /// Negative modifier from the Terrain Effects Chart applied to the 941 /// defender's hex (§6.23). 942 Terrain(i16), 943 /// -2 thorn-hedge defensive modifier (§9.231). 944 ZaribaThornHedge,</pre>
---	------------------------------	---

Proven by: `omdurman-rules::src::lib::fire_modifier_keeps_roll_legal`
`omdurman-rules::src::terrain_chart::defence_column_never_helps_the_attacker`

Covered by tests: `omdurman-rules::src::terrain_chart::clear_terrain_no_bonus` `omdurman-rules::src::terrain_chart::building_gives_minus_3`
`omdurman-rules::src::terrain_chart::trees_cost_one_and_give_no_defense`
`omdurman-rules::src::terrain_chart::rough_movement_and_defense`
`omdurman-rules::src::terrain_chart::swamp_movement_and_defense`
`omdurman-rules::src::terrain_chart::hilltop_movement_and_defense`
`omdurman-rules::src::terrain_chart::huts_movement_and_defense`
`omdurman-rules::src::terrain_chart::defense_modifier_convenience_matches_chart`
`omdurman-rules::src::terrain_chart::terrain_movement_costs_in_bounds`
`omdurman-rules::src::terrain_chart::terrain_defense_modifier_non_positive`

§6.24 – Anglo-Egyptian direct fire accuracy bonus and brigade integrity

implemented

manual page unknown

All Anglo-Egyptian direct fire attacks receive a +1 modifier to their die roll as an accuracy bonus. In addition, any stack of Anglo-Egyptian infantry having brigade integrity (see 5.54) receives a +1 modifier to their die roll if all four fire at the same enemy-occupied hex. These modifiers are cumulative.

See also: §5.54

File	Symbol	Code Snippet
omdurman-rules/src/ lib.rs:936 GH:omdurman-rules/src/lib.rs:936	AngloEgyptianDirectFire	<pre> 934 pub enum FireModifier { 935 /// +1 to all Anglo-Egyptian *direct* fire (§6.24). 936 AngloEgyptianDirectFire, 937 /// +1 brigade integrity, applied only if all four battalions fire at 938 /// the same enemy-occupied hex (§5.54, §6.24).</pre>
omdurman-rules/src/ lib.rs:921 GH:omdurman-rules/src/lib.rs:921	BrigadeIntegrity	<pre> 919 /// stack contains all four battalions of a single Anglo-Egyptian brigade. 920 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 921 pub enum BrigadeIntegrity { 922 None, 923 Integrated(BrigadeId),</pre>
omdurman-rules/src/ lib.rs:952 GH:omdurman-rules/src/lib.rs:952	FireModifier::die_modifier	<pre> 950 impl FireModifier { 951 /// Return the numeric die-roll modifier for this bonus/penalty (rulebook §6.24, §5.54, §6.23, §9.231, §9.232). 952 pub fn die_modifier(self) -> i16 { 953 match self { 954 FireModifier::AngloEgyptianDirectFire FireModifier::BrigadeIntegrity => 1,</pre>

Proven by: `omdurman-rules::src::lib::die_roll_apply_modifier_is_total`

Covered by tests: `omdurman-rules::src::effects::tests::brigade_integrity_modifier_is_engine_derived`
`omdurman-rules::src::effects::tests::fire_modifiers_are_engine_derived_and_mismatches_rejected`

§6.41 – Direct Fire Subphase

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:304 GH:omdurman-rules/src/lib.rs:304	DirectFire	<pre>302 pub enum FireSubPhase { 303 /// Direct fire (§6.41). Both sides participate in this sub-phase. 304 DirectFire, 305 /// Anglo-Egyptian only: Maxim second fire + named- gunboat howitzer fire (§6.42). 306 MaximSecondAndHowitzer,</pre>

Covered

by

tests:

[omdurman-rules::src::effects::tests::disrupted_unit_cannot_fire](#) [omdurman-rules::src::effects::tests::fire_combat_elimimates_target](#)

§6.42 – Maxim Second Fire and Howitzer Fire Subphase

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:306 GH:omdurman-rules/src/lib.rs:306	MaximSecondAndHowitzer	<pre>304 DirectFire, 305 /// Anglo-Egyptian only: Maxim second fire + named- gunboat howitzer fire (§6.42). 306 MaximSecondAndHowitzer, 307 } 308 </pre>
omdurman-types/src/lib.rs:985 GH:omdurman-types/src/lib.rs:985	fires_twice	<pre>983 /// Maxim guns fire twice per turn -- once in the Direct Fire Subphase and 984 /// again in the Maxim Second Fire Subphase (rulebook §6.42). 985 pub fn fires_twice(self) -> bool { 986 matches!(self, UnitKind::Maxim { .. }) 987 }</pre>

Proven by: [omdurman-types::src::lib::unit_kind_fire_and_movement_capability_law_is_exact](#)

Covered

by

tests:

[omdurman-rules::src::howitzer_scatter::howitzer_on_target_7_to_10](#)
[omdurman-rules::src::howitzer_scatter::howitzer_scatters_below_7](#)
[omdurman-rules::src::effects::tests::advance_window_bridges_fire_subphase_and_closes_at_melee](#)
[omdurman-rules::src::effects::tests::fired_at_tracker_resets_at_maxim_subphase](#)
[omdurman-rules::src::effects::tests::maxim_may_fire_twice_per_turn](#)
[omdurman-rules::src::effects::tests::maxim_that_skipped_direct_may_fire_once_in_second_subphase](#)

§6.51 – Leader Units

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:417 GH:omdurman-rules/src/lib.rs:417	BritishLeader	<pre>415 /// to claim the Mahdi's Tomb (§9.14). 416 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 417 pub enum BritishLeader { 418 Kitchener, 419 Gatacre,</pre>
omdurman-types/src/lib.rs:932	BritishLeader	<pre>930 }, 931 /// Anglo-Egyptian leader (§6.51): movement only. 932 BritishLeader { movement: i32 }, 933 /// Wall-breach marker placed by artillery fire</pre>

GH:omdurman-types/src/lib.rs:932		<pre>(§6.63). Not a combat unit. 934 Breech,</pre>
omdurman-types/src/lib.rs:973 GH:omdurman-types/src/lib.rs:973	has_combat_factors	<pre>971 /// British leaders print a movement factor only (§6.51); other kinds carry 972 /// fire and/or melee factors. Markers carry no stats. 973 pub fn has_combat_factors(self) -> bool { 974 !matches!(975 self,</pre>

Proven by: [omdurman-types::src::lib::unit_kind_fire_and_movement_capability_law_is_exact](#)

Covered by tests:

- [omdurman-rules::src::unit_profiles::zero_factor_is_none_not_zero](#)
- [omdurman-rules::src::unit_profiles::kitchener_block_resolves_leaders_friendlys_camel_and_sudanese](#)
- [omdurman-rules::src::unit_profiles::dervish_leader_sections_resolve_leader_and_retinue_per_cell](#)
- [omdurman-rules::src::effects::tests::deploy_rejects_enemy_cohabitation_during_setup](#)
- [omdurman-rules::src::effects::tests::dervish_move_through_lone_ae_leader_hex_eliminate_the_leader](#)
- [omdurman-rules::src::effects::tests::dervish_move_onto_lone_ae_leader_hex_eliminate_the_leader](#)
- [omdurman-rules::src::effects::tests::ae_leader_with_combat_unit_is_not_overrun_by_dervish_move](#)
- [omdurman-rules::src::effects::tests::ae_leader_eliminated_with_last_combat_unit_in_fire_combat](#)

§6.52 – Anglo-Egyptian Friendlys Brigade

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:629 GH:omdurman-rules/src/lib.rs:629	is_friendlys	<pre>627 /// "Friendlys" units obey several special rules (§5.21, §5.23, §6.52, 628 /// §9.14 victory conditions). 629 pub fn is_friendlys(&self) -> bool { 630 matches!(631 self,</pre>
omdurman-types/src/lib.rs:1015 GH:omdurman-types/src/lib.rs:1015	Friendlys	<pre>1013 /// Native volunteer brigade -- the Shaggyeh (§6.52). Do not receive 1014 /// brigade integrity (§5.54 enumerates only British/Egyptian/Sudanese). 1015 Friendlys, 1016 } 1017 </pre>

Proven by: [omdurman-rules::src::effects::fire::range_table_player_for_routes_friendlys_and_fok_to_the_dervish_table](#)

Covered by tests:

- [omdurman-rules::src::unit_profiles::friendlys_counters_score_by_bank_not_as_leaders](#)
- [omdurman-rules::src::effects::tests::friendlys_validate_and_resolve_on_dervish_table](#)

§6.53 – Royal Engineers demolition

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:600 GH:omdurman-rules/src/lib.rs:600	RoyalEngineers	<pre>598 /// The Royal Engineers (§6.53) -- a *specific* unit, not a class, so we 599 /// model it explicitly. 600 RoyalEngineers, 601 } 602 </pre>
omdurman-rules/src/lib.rs:840	demolishing	<pre>838 /// Set when the Royal Engineers are committed to a demolition this turn 839 /// (§6.53) -- neither offensive fire nor melee</pre>

GH:omdurman-rules/src/lib.rs:840		<pre> allowed that turn. 840 pub demolishing: bool, 841 /// Set when a gunboat has lost its engines to a river mine (\$10.12, roll 842 /// 5-7): it may no longer move under power and instead drifts two hexes per </pre>
omdurman-rules/src/effects/effect.rs:175 GH:omdurman-rules/src/effects/effect.rs:175	Demolition	<pre> 173 174 /// Royal Engineers demolition (rulebook §6.53). 175 Demolition { 176 unit_id: UnitId, 177 target: DemolitionTarget, </pre>
omdurman-rules/src/effects/setup.rs:35 GH:omdurman-rules/src/effects/setup.rs:35	apply_demolition	<pre> 33 /// resolution happens at end of turn via [`apply_resolve_demolition`], which 34 /// checks the engineer is still adjacent and undisrupted. 35 pub fn apply_demolition(36 state: &mut GameState, 37 unit_id: UnitId, </pre>
omdurman-rules/src/lib.rs:1066 GH:omdurman-rules/src/lib.rs:1066	DemolitionTarget	<pre> 1064 /// disrupted or driven off. 1065 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 1066 pub enum DemolitionTarget { 1067 Fort(UnitId), 1068 WallHexside(HexsideRef), </pre>
omdurman-rules/src/effects/state.rs:2206 GH:omdurman-rules/src/effects/state.rs:2206	demolition_targets	<pre> 2204 /// the rules would accept. Empty when the unit doesn't exist or has no 2205 /// adjacent target. 2206 pub fn demolition_targets(&self, unit_id: UnitId) -> Vec<DemolitionTarget> { 2207 let Ok(unit) = self.unit_or_err(unit_id) else { 2208 return Vec::new(); </pre>

Covered by tests: [omdurman-rules::src::effects::tests::demolition_cancelled_when_engineer_disrupted](#)
[omdurman-rules::src::effects::tests::demolition_cancelled_when_engineer_moved_away](#)
[omdurman-rules::src::effects::tests::demolition_targets_finds_adjacent_fort_and_wall](#)

§6.54 – Forts

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:873 GH:omdurman-rules/src/lib.rs:873	ZocReason	<pre> 871 /// Used by the engine when answering "is this hex in an enemy ZOC?". 872 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 873 pub enum ZocReason { 874 /// Normal ZOC: any non-disrupted unit other than an Anglo-Egyptian 875 /// leader (§5.41) projects ZOC into each of its six adjacent hexes. </pre>
omdurman-rules/src/lib.rs:880 GH:omdurman-rules/src/lib.rs:880	Fort	<pre> 878 GunboatVsGunboat, 879 /// Forts project ZOC out of, but not into, an empty fort (§5.44, §6.54). 880 Fort, 881 /// Walled-city ZOC: extends out through walls and gates but not in, 882 /// across a breach in both directions (§5.44). </pre>
omdurman-rules/src/lib.rs:828	UnitState	<pre> 826 /// rather than one big enum. 827 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, Default)] </pre>

GH:omdurman-rules/src/lib.rs:828		<pre> 828 pub struct UnitState { 829 /// Reference table: "Disrupted units: no ZOC; may not move; may not fire 830 /// offensively or defensively; may not melee; are turned face up at the </pre>
omdurman-rules/src/lib.rs:981 GH:omdurman-rules/src/lib.rs:981	FireAttack	<pre> 979 /// modifiers (rulebook §6). 980 #[derive(Serialize, Deserialize, Clone, Debug, PartialEq, Eq)] 981 pub struct FireAttack { 982 pub firing_player: Player, 983 pub phase: Phase, </pre>
omdurman-rules/src/lib.rs:996 GH:omdurman-rules/src/lib.rs:996	FireAttack::net_modifier	<pre> 994 impl FireAttack { 995 /// Sum of all fire modifiers applied to this attack (rulebook §6.24). 996 pub fn net_modifier(&self) -> i16 { 997 // Saturating fold rather than `sum()`: the modifier list is unbounded 998 // and arrives over the network, so a plain sum can overflow `i16`. </pre>

Covered by tests: `omdurman-rules::src::effects::tests::retreat_before_melee_may_not_land_on_enemy_fort`

§6.61 – Only artillery may fire at gunboats; 3+ to sink

implemented

manual page unknown

Only artillery may fire at gunboats. A result of 3 or more on the combat results table is required to sink a gunboat. Any other result is a miss.

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:476 GH:omdurman-rules/src/lib.rs:476	WeaponClass	<pre> 474 Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Hash, Debug, strum::Display, 475)] 476 pub enum WeaponClass { 477 /// Dervish spears and swords -- no ranged fire at all. 478 Melee, </pre>
omdurman-rules/src/effects/state.rs:1162 GH:omdurman-rules/src/effects/state.rs:1162	GameState::can_fire_at	<pre> 1160 /// modifier in the [`FireAttack`] and is responsible for the LOS gate. 1161 /// (Howitzer fire ignores LOS entirely -- §6.64.) 1162 pub fn can_fire_at(1163 &self, 1164 firer: UnitId, </pre>

Covered by tests: `omdurman-rules::src::effects::tests::rifles_may_not_sink_a_gunboat`
`omdurman-rules::src::effects::tests::artillery_sinks_gunboat_only_on_three_plus`

§6.62 – Only artillery may fire at forts; 2+ to destroy

implemented

manual page unknown

Only artillery may fire at forts. A result of 2 or more on the combat results table is required to eliminate a fort. Any other result is a miss. If the fort contains any enemy units at the instant it is destroyed, one unit is eliminated with the fort.

File	Symbol	Code Snippet
------	--------	--------------

omdurman-rules/src/lib.rs:476 GH:omdurman-rules/src/lib.rs:476	WeaponClass	<pre> 474 Serialize, Deserialize, Clone, Copy, PartialEq, Eq, 475 PartialOrd, Ord, Hash, Debug, strum::Display, 476 pub enum WeaponClass { 477 /// Dervish spears and swords -- no ranged fire at 478 all. 479 Melee, </pre>
omdurman-rules/src/effects/state.rs:1162 GH:omdurman-rules/src/effects/state.rs:1162	GameState::can_fire_at	<pre> 1160 /// modifier in the [`FireAttack`] and is 1161 responsible for the LOS gate. 1162 /// (Howitzer fire ignores LOS entirely -- §6.64.) 1163 pub fn can_fire_at(1164 &self, 1165 firer: UnitId, </pre>

Covered by tests: [omdurman-rules::src::effects::tests::artillery_destroys_fort_on_two_or_better_only](#)
[omdurman-rules::src::effects::tests::destroyed_fort_takes_one_occupant_with_it](#)

§6.63 – Only artillery may breach wall hexsides; 2+ required

implemented

manual page unknown

Only artillery may fire to breach a wall hexside of Khartoum or the walled city of Omdurman. A result of 2 or more on the combat results table is required to breach a wall. Any other result is a miss. The effect of the breach is to negate the wall hexside for line of sight purposes. Place a “BREACH” marker in an adjacent hex so that the arrow points to the breached hexside. If any enemy units are adjacent to the wall hexside at the instant it is breached, one enemy unit is eliminated.

****6.64) Howitzer fire:**** Five units in the game have howitzer fire capability. These are the five named British gunboats. They may fire their artillery factor as direct fire during the Direct Fire Subphase (see 4 and 6.41) and may then fire the same artillery factor as howitzer fire during the Maxim Second Fire and Howitzer Subphase (see 4 and 6.42). Exception: no howitzer fire is allowed during night game turns. To fire howitzer fire, select any target hex between 4 and 10 hexes from the firing gunboat (ignoring the Line of Sight Table) and roll the ten-sided die twice. The first die roll is the Combat Results Table die roll and the second roll is the impact hex die roll. Refer to the Howitzer Fire Scattergram on the warhead for the impact hex. The designated target hex is hit on a roll of 7-10. Once a howitzer

(see manual for full text)

See also: §6.41, §6.42, §6.64

File	Symbol	Code Snippet
omdurman-types/src/lib.rs:198 GH:omdurman-types/src/lib.rs:198	Breach	<pre> 196 /// Breach in a wall (artillery/§6.63 or Royal 197 Engineers/§6.53). ZOC both 198 ways; LOS no longer blocked across the hexside. 199 Breach, 200 /// Khor -- gully/wadi. ZOCs do not extend across 201 (§5.44); advance after 202 /// combat may not cross (§6.82). </pre>
omdurman-rules/src/effects/effect.rs:278 GH:omdurman-rules/src/effects/effect.rs:278	ArtilleryBreachWall	<pre> 276 /// pre-rolled d10 used for the CRT lookup; range/ 277 LOS are re-derived by the 278 engine from the firers and `target`. 279 ArtilleryBreachWall { 280 firers: Vec<UnitId>, 281 target: HexsideRef, </pre>
omdurman-rules/src/effects/fire.rs:710 GH:omdurman-rules/src/effects/fire.rs:710	apply_artillery_breach_v	<pre> 708 /// artillery's CRT roll -- the rulebook specifies the 709 same "2+ required" 710 threshold for both trigger styles. 711 pub fn apply_artillery_breach_wall(712 state: &mut GameState, 713 firers: &[UnitId], </pre>
omdurman-rules/src/effects/state.rs:1355 GH:omdurman-	can_fire_at_wall	<pre> 1353 /// range band and resolving the CRT -- this method 1354 only validates one 1355 firer at a time. 1356 pub fn can_fire_at_wall(</pre>

rules/src/effects/ state.rs:1355		1356 &self, 1357 firer: UnitId,
-------------------------------------	--	--

Covered by tests: [omdurman-rules::src::unit_profiles::breach_marker_cell_returns_none](#)
[omdurman-rules::src::effects::tests::artillery_breaches_wall_only_on_crt_two_or_better](#)
[omdurman-rules::src::effects::tests::wall_breach_eliminate_one_adjacent_enemy_unit](#)
[omdurman-rules::src::effects::tests::breach_is_an_opening_for_los_and_effective_kinds](#)

§6.64 – Howitzer fire

[implemented](#)

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/howitzer_scatter.rs:8 GH:omdurman-rules/src/howitzer_scatter.rs:8	ScatterHexDirection	<pre> 6 /// the diagram away from the firing player. 7 #[derive(serde::Serialize, serde::Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug)] 8 pub enum ScatterHexDirection { 9 UpperLeft, 10 UpperRight,</pre>
omdurman-rules/src/howitzer_scatter.rs:38 GH:omdurman-rules/src/howitzer_scatter.rs:38	howitzer_scatter	<pre> 36 /// onto a hex-grid offset oriented away from the firer (see 37 /// `GameState::howitzer_impact_hex`). 38 pub fn howitzer_scatter(impact_roll: DieRoll) -> ScatterHexDirection { 39 crate::tables_data::SCATTERGRAM[(impact_roll.value() - 1) as usize] 40 }</pre>
omdurman-rules/src/lib.rs:428 GH:omdurman-rules/src/lib.rs:428	GunboatId	<pre> 426 /// fire; "old" gunboats do not (rulebook §2.32). 427 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 428 pub enum GunboatId { 429 /// One of the five new-type named gunboats with howitzer capability. 430 Named(NamedGunboat),</pre>
omdurman-rules/src/effects/effect.rs:88 GH:omdurman-rules/src/effects/effect.rs:88	HowitzerFire	<pre> 86 /// - CRT result applied to units at impact hex (not the original target). 87 /// - Firers marked as fired. 88 HowitzerFire { 89 attack: FireAttack, 90 combat_results_table_roll: DieRoll,</pre>
omdurman-rules/src/effects/fire.rs:13 GH:omdurman-rules/src/effects/fire.rs:13	apply_howitzer_fire	<pre> 11 12 /// Validate and apply a howitzer fire attack (scatter path) (rulebook §6.64). 13 pub fn apply_howitzer_fire(14 state: &mut GameState, 15 attack: &FireAttack,</pre>
omdurman-rules/src/effects/state.rs:1162 GH:omdurman-rules/src/effects/state.rs:1162	can_fire_at	<pre> 1160 /// modifier in the [`FireAttack`] and is responsible for the LOS gate. 1161 /// (Howitzer fire ignores LOS entirely -- §6.64.) 1162 pub fn can_fire_at(1163 &self, 1164 firer: UnitId,</pre>

Proven by: [omdurman-rules::src::effects::opposite_is_an_involution](#) [omdurman-rules::src::effects::step_toward_lands_on_an_adjacent_hex](#)
[omdurman-rules::src::howitzer_scatter::scatter_is_center_exactly_for_rolls_7_to_10](#)

Covered by tests: [omdurman-rules::src::howitzer_scatter::howitzer_on_target_7_to_10](#)
[omdurman-rules::src::howitzer_scatter::howitzer_scatters_below_7](#)
[omdurman-rules::src::howitzer_scatter::howitzer_each_miss_gets_its_printed_hex](#)

[omdurman-rules::src::unit_profiles::named_and_old_gunboats_resolve](#)
[omdurman-rules::src::effects::tests::named_gunboat_has_howitzzer](#)
[omdurman-rules::src::effects::tests::named_gunboat_may_fire_howitzzer_in_second_subphase](#)
[omdurman-rules::src::effects::tests::named_gunboat_direct_fire_uses_artillery_weapon](#)
[omdurman-rules::src::effects::tests::named_gunboat_no_howitzzer_at_night](#)
[omdurman-rules::src::effects::tests::dervish_gunboat_lacks_howitzzer](#)

§6.81 – Moving player may fire with all capable units

implicit

manual page unknown

During Offensive Fire phase, the moving player may fire with all of his units capable of firing, up to their maximum range, within the limitations imposed by the rules of combat.

§6.82 – Advance after combat (offensive fire)

implemented

manual page unknown

If an enemy-occupied hex is vacated as a result of offensive fire, friendly units may advance after combat into the vacated hex. To be eligible to advance, the friendly units must have participated in the attack and must have been adjacent to the vacated hex. Note that artillery may not advance, nor may units advance across a wall hexside (except at a gate or breach). Units may never advance after combat across a khor.

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:162 GH:omdurman-rules/src/effects/effect.rs:162	AdvanceAfterCombat	<pre> 160 /// **Postconditions:** Unit position moved to `to`, `vacated_by_combat` 161 /// entry consumed. 162 AdvanceAfterCombat { unit_id: UnitId, to: HexCoord }, 163 164 // -- Unit state changes ----- </pre>
omdurman-rules/src/effects/dispatch.rs:36 GH:omdurman-rules/src/effects/dispatch.rs:36	apply_advance_after_combat	<pre> 34 } 35 GameEffect::AdvanceAfterCombat { unit_id, to } => { 36 apply_advance_after_combat(state, *unit_id, *to) 37 } 38 GameEffect::RecoverUnit { unit_id } => apply_recover_unit(state, *unit_id), </pre>
omdurman-types/src/lib.rs:241 GH:omdurman-types/src/lib.rs:241	blocks_advance_after_combat	<pre> 239 240 /// Whether advance-after-combat may *not* cross this side (§6.82, §7.6). 241 pub fn blocks_advance_after_combat(self) -> bool { 242 matches!(243 self, </pre>
omdurman-rules/src/effects/state.rs:2114 GH:omdurman-rules/src/effects/state.rs:2114	can_advance_after_combat	<pre> 2112 /// player's unit, not artillery, adjacent to `to`, and `to` now empty. 2113 /// Wall/khor hexside restrictions are not enforced (no hexside map data). 2114 pub fn can_advance_after_combat(&self, unit_id: UnitId, to: HexCoord) -> Result<(), RuleError> { 2115 let unit = self.unit_or_err(unit_id)?; 2116 // §6.7: there is no advance after combat as a result of defensive fire. </pre>

Proven by: [omdurman-rules::src::effects::advance_phase_is_atomic](#) [omdurman-types::src::lib::hexside_blocking_classifiers_are_exact](#)

Covered by tests: [omdurman-rules::src::effects::tests::can_advance_after_combat_rejects_wall_hexside](#)
[omdurman-rules::src::effects::tests::can_advance_after_combat_rejects_khor_hexside](#)

omdurman-rules::src::effects::tests::advance_requires_combat_vacated_hex
omdurman-rules::src::effects::tests::advance_requires_participation
omdurman-rules::src::effects::tests::rejected_advance_phase_keeps_vacated_windows

7/8 implemented

§7 – Melee Phase

§7 – Melee Phase (chapter)

descriptive

manual page unknown

Melee Phase

§7.1 – Melee strength printed on counter

implemented

manual page unknown

The melee strength of all units is printed on the counter. Note that gunboats have no melee strength. Gunboats may neither melee attack nor be melee attacked.

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:110 GH:omdurman-rules/src/lib.rs:110	MeleeFactor	<pre>108 /// Every possible value from the annotated counter set is a named variant. 109 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 110 pub enum MeleeFactor { 111 One = 1, 112 Three = 3,</pre>
omdurman-rules/src/lib.rs:121 GH:omdurman-rules/src/lib.rs:121	MeleeFactor::sum	<pre>119 impl MeleeFactor { 120 /// Sum multiple melee factors (rulebook §7.1). 121 pub fn sum<'a>(factors: impl IntoIterator<Item = &'a MeleeFactor>) -> u16 { 122 factors.into_iter().map(f f.value()).sum() 123 }</pre>
omdurman-types/src/lib.rs:956 GH:omdurman-types/src/lib.rs:956	may_be_melee_attacked	<pre>954 955 /// Gunboats neither attack nor are attacked in melee (§7.1). 956 pub fn may_be_melee_attacked(self) -> bool { 957 !matches!(self, UnitKind::Gunboat { .. }) 958 }</pre>

Proven by: [omdurman-types::src::lib::unit_kind_melee_capability_law_is_exact](#)

Covered by tests: [omdurman-rules::src::lib::melee_factor_values_and_sum](#) [omdurman-rules::src::lib::unit_kind_melee_capability](#)

§7.2 – Melee adjacent only, not across wall hexsides

implemented

manual page unknown

Melee simulates the hand-to-hand fighting of the period. Units may melee attack adjacent enemy units only. Units may not melee attack across a wall hexside, but may melee attack through a gate or breach hexside.

File	Symbol	Code Snippet
omdurman-types/src/lib.rs:236 GH:omdurman-types/src/lib.rs:236	blocks_melee	<pre>234 /// Whether melee may *not* be made across this side (§7.2). Gates and 235 /// breaches are passable to melee. 236 pub fn blocks_melee(self) -> bool { 237 matches!(self, HexsideKind::Wall HexsideKind::ZaribaThornHedge) 238 }</pre>

omdurman-rules/src/effects/state.rs:1446 GH:omdurman-rules/src/effects/state.rs:1446	can_melee	<pre> 1444 /// that may be melee-attacked (gunboats may not -- \$7.1), and no wall or 1445 /// thorn-hedge hexside blocks the attack (§7.2). 1446 pub fn can_melee(&self, attacker: UnitId, defender_hex: HexCoord) -> Result<(), RuleError> { 1447 let unit = self.unit_or_err(attacker)?; 1448 </pre>
---	------------------	--

Proven by: [omdurman-types::src::lib::hexside_blocking_classifiers_are_exact](#)

Covered by tests: [omdurman-rules::src::effects::tests::can_melee_gates_phase_adjacency_and_kind](#)
[omdurman-rules::src::effects::tests::can_melee_rejects_wall_hexside](#)
[omdurman-rules::src::effects::tests::can_melee_rejects_thorn_hedge_hexside](#)
[omdurman-rules::src::effects::tests::can_melee_allows_gate_hexside](#)

§7.3 – Simultaneous melee combat

implemented

manual page unknown

Melee combat is considered simultaneous, so that units eliminated by melee attacks still get a melee combat die roll.

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:111 GH:omdurman-rules/src/effects/effect.rs:111	MeleeCombat	<pre> 109 /// - Winner may advance into vacated hex (§7.6). 110 /// - Victory points awarded for eliminations. 111 MeleeCombat { 112 attack: MeleeAttack, 113 attacker_roll: DieRoll, </pre>
omdurman-rules/src/effects/melee.rs:4 GH:omdurman-rules/src/effects/melee.rs:4	apply_melee_combat	<pre> 2 3 /// Apply a simultaneous melee combat between two adjacent hexes (rulebook §7). 4 pub fn apply_melee_combat(5 state: &mut GameState, 6 attack: &MeleeAttack, </pre>

Covered by tests: [omdurman-rules::src::effects::tests::melee_resolves_simultaneously](#)

§7.4 – Who may melee attack / defend

implemented

manual page unknown

Only infantry, cavalry, camel units, and Dervish leaders may melee attack. All units (except gunboats — see 7.1) may melee defend.

See also: §7.1

File	Symbol	Code Snippet
omdurman-types/src/lib.rs:945 GH:omdurman-types/src/lib.rs:945	may_melee_attack	<pre> 943 /// Rulebook §7.4 -- only infantry, cavalry, camel and Dervish leaders may 944 /// melee *attack*. All others (except gunboats) may melee *defend* (§7.1). 945 pub fn may_melee_attack(self) -> bool { 946 matches!(947 self, </pre>
omdurman-types/src/lib.rs:882	UnitKind	<pre> 880 /// `Some(UnitKind::Marker)` or `None`. 881 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Hash, Debug, strum::Display)] 882 pub enum UnitKind { </pre>

GH:omdurman-types/src/lib.rs:882		883 <code>/// Foot infantry (§2.3): fire / melee / movement.</code> 884 <code>Infantry {</code>
omdurman-types/src/lib.rs:724 GH:omdurman-types/src/lib.rs:724	DervishTribe	722 <code>strum::EnumIter,</code> 723 <code>)]</code> 724 <code>pub enum DervishTribe {</code> 725 <code>Baggara,</code> 726 <code>Jaalin,</code>
omdurman-rules/src/effects/state.rs:1446 GH:omdurman-rules/src/effects/state.rs:1446	can_melee	1444 <code>/// that may be melee-attacked (gunboats may not</code> -- §7.1), and no wall or 1445 <code>/// thorn-hedge hexside blocks the attack (§7.2).</code> 1446 <code>pub fn can_melee(&self, attacker: UnitId,</code> defender_hex: HexCoord) -> Result<(), RuleError> { 1447 <code>let unit = self.unit_or_err(attacker)?;</code> 1448

Proven by: [omdurman-types::src::lib::unit_kind_melee_capability_law_is_exact](#)

Covered by tests: [omdurman-rules::src::effects::tests::can_melee_gates_phase_adjacency_and_kind](#)

§7.5 – Cavalry/camel retreat before melee

implemented

manual page unknown

Cavalry and camel units may retreat two hexes from an infantry melee attack. Note, however, that only one retreat per unit per turn is permitted. Thus, if their retreat places them adjacent to enemy units whose melee attacks have not yet been resolved, those enemy units may elect to attack the retreating unit(s).

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:148 GH:omdurman-rules/src/effects/effect.rs:148	RetreatBeforeMelee	146 <code>///</code> 147 <code>/// **Postconditions:** Unit position moved to</code> `to`. 148 <code>RetreatBeforeMelee { unit_id: UnitId, to:</code> HexCoord }, 149 <code>/// An attacking unit advances into a hex vacated</code> by combat (rulebook §6.82
omdurman-rules/src/effects/dispatch.rs:33 GH:omdurman-rules/src/effects/dispatch.rs:33	apply_retreat_before_melee	31 <code>GameEffect::ResolveMelee =></code> apply_resolve_melee(state), 32 <code>GameEffect::RetreatBeforeMelee { unit_id, to }</code> => { 33 <code>apply_retreat_before_melee(state, *unit_id,</code> *to) 34 <code>}</code> 35 <code>GameEffect::AdvanceAfterCombat { unit_id, to }</code> => {
omdurman-types/src/lib.rs:962 GH:omdurman-types/src/lib.rs:962	may_retreat_before_melee	960 <code>/// Cavalry and camel units may retreat two hexes</code> from an infantry melee 961 <code>/// attack (§7.5).</code> 962 <code>pub fn may_retreat_before_melee(self) -> bool {</code> 963 <code>matches!(self, UnitKind::Cavalry { .. } </code> UnitKind::Camel { .. }) 964 <code>}</code>
omdurman-rules/src/lib.rs:187 GH:omdurman-rules/src/lib.rs:187	HexDistance	185 <code>/// (rulebook §6.22, §7.5).</code> 186 <code>#[derive(Serialize, Deserialize, Clone, Copy,</code> PartialEq, Eq, PartialOrd, Ord, Hash, Debug)] 187 <code>pub struct HexDistance(u16);</code> 188 <code>impl HexDistance {</code>
omdurman-rules/src/effects/	can_retreat_before_melee	2043 <code>/// two hexes away and empty. (Does not verify the</code> attacker is infantry --

state.rs:2045 GH:omdurman-rules/src/effects/state.rs:2045	<pre> 2044 /// the caller offers the retreat only in response to one.) 2045 pub fn can_retreat_before_melee(&self, unit_id: UnitId, to: HexCoord) -> Result<(), RuleError> { 2046 let unit = self.unit_or_err(unit_id)?; 2047 if !matches!(self.phase, Phase::Melee) { </pre>
--	--

Proven by: [omdurman-rules::src::effects::resolve_melee_is_atomic](#) [omdurman-rules::src::effects::advance_phase_is_atomic](#)
[omdurman-types::src::lib::unit_kind_melee_capability_law_is_exact](#)

Covered by tests: [omdurman-rules::src::effects::tests::retreat_before_melee_only_cavalry_two_hexes](#)
[omdurman-rules::src::effects::tests::retreat_opens_window_only_when_hex_emptyies](#)
[omdurman-rules::src::effects::tests::rejected_resolve_melee_keeps_the_declaration](#)

§7.6 – Advance after melee

[implemented](#)

manual page unknown

If a melee attack eliminates all of the defenders in an adjacent hex, the Dervish player MUST advance into the vacated hex. To be eligible to advance, the Dervish units must have been adjacent to the vacated hex and participated in the melee attack that eliminated the defenders. All surviving eligible Dervish units MUST advance, up to the stacking limit. The Anglo-Egyptian player may advance if desired. Note that only attacking units may advance.

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:162 GH:omdurman-rules/src/effects/effect.rs:162	AdvanceAfterCombat	<pre> 160 /// **Postconditions:** Unit position moved to `to`, `vacated_by_combat` 161 /// entry consumed. 162 AdvanceAfterCombat { unit_id: UnitId, to: HexCoord }, 163 164 // -- Unit state changes ----- </pre>
omdurman-rules/src/effects/dispatch.rs:36 GH:omdurman-rules/src/effects/dispatch.rs:36	apply_advance_after_combat	<pre> 34 } 35 GameEffect::AdvanceAfterCombat { unit_id, to } => { 36 apply_advance_after_combat(state, *unit_id, *to) 37 } 38 GameEffect::RecoverUnit { unit_id } => apply_recover_unit(state, *unit_id), </pre>
omdurman-rules/src/effects/state.rs:2114 GH:omdurman-rules/src/effects/state.rs:2114	can_advance_after_combat	<pre> 2112 /// player's unit, not artillery, adjacent to `to`, and `to` now empty. 2113 /// Wall/khor hexside restrictions are not enforced (no hexside map data). 2114 pub fn can_advance_after_combat(&self, unit_id: UnitId, to: HexCoord) -> Result<(), RuleError> { 2115 let unit = self.unit_or_err(unit_id)?; 2116 // §6.7: there is no advance after combat as a result of defensive fire. </pre>
omdurman-rules/src/effects/melee.rs:4 GH:omdurman-rules/src/effects/melee.rs:4	apply_melee_combat	<pre> 2 3 /// Apply a simultaneous melee combat between two adjacent hexes (rulebook §7). 4 pub fn apply_melee_combat(state: &mut GameState, 5 attack: &MeleeAttack, 6 </pre>

Proven by: [omdurman-rules::src::effects::advance_phase_is_atomic](#)

Covered by tests: [omdurman-rules::src::effects::tests::dervish_advance_after_melee_is_mandatory](#)
[omdurman-rules::src::effects::tests::rejected_advance_phase_keeps_vacated_windows](#)
[omdurman-rules::src::effects::tests::melee_mandatory_advance_leaders_are_free_stacking](#)

§7.7 – Melee modifiers

implemented

manual page unknown

To resolve melee, both the attacker and the defender roll on the Combat Results Table and apply the applicable melee modifier to their die roll. The Dervish player receives a +2 melee modifier, the Anglo-Egyptian player receives a +1 melee modifier. No terrain modifiers are applied to melee combat (Exception: Zariba hexsides in the historical scenario and the campaign game, if constructed — see 9.23). Melee losses must be taken from meleeing units first!

See also: §9.23

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:1024 GH:omdurman-rules/src/lib.rs:1024	MeleeModifier	<pre>1022 1023 #[derive(Serialize, Deserialize, Clone, Copy, 1024 pub enum MeleeModifier { 1025 /// +2 to all Dervish melee rolls (§7.7). 1026 DervishStandard,</pre>
omdurman-rules/src/effects/melee.rs:356 GH:omdurman-rules/src/effects/melee.rs:356	mandatory_melee_modif	<pre>354 /// `(attacker_modifiers, defender_modifiers)`; the engine applies exactly 355 /// these at resolution and rejects a declared attack whose lists differ. 356 pub fn mandatory_melee_modifiers(357 state: &GameState, 358 attack: &MeleeAttack,</pre>
omdurman-rules/src/lib.rs:1047 GH:omdurman-rules/src/lib.rs:1047	MeleeAttack	<pre>1045 /// A melee attack: simultaneous, both sides roll on the Combat Results Table (§7.3, §7.7). 1046 #[derive(Serialize, Deserialize, Clone, Debug, PartialEq, Eq)] 1047 pub struct MeleeAttack { 1048 pub attacker_player: Player, 1049 pub attacker_hex: HexCoord,</pre>
omdurman-rules/src/lib.rs:1028 GH:omdurman-rules/src/lib.rs:1028	MeleeModifier::Anglo-EgyptianStandard	<pre>1026 DervishStandard, 1027 /// +1 to all Anglo-Egyptian melee rolls (§7.7). 1028 AngloEgyptianStandard, 1029 /// Inverted to -2 when Dervish units melee-attack across a trench into 1030 /// an entrenched defender (§9.232).</pre>
omdurman-rules/src/lib.rs:1031 GH:omdurman-rules/src/lib.rs:1031	MeleeModifier::DervishVsDefender	<pre>1029 /// Inverted to -2 when Dervish units melee-attack across a trench into 1030 /// an entrenched defender (§9.232). 1031 DervishVsTrenchedDefender, 1032 } 1033 </pre>
omdurman-rules/src/lib.rs:1026 GH:omdurman-rules/src/lib.rs:1026	MeleeModifier::DervishStandard	<pre>1024 pub enum MeleeModifier { 1025 /// +2 to all Dervish melee rolls (§7.7). 1026 DervishStandard, 1027 /// +1 to all Anglo-Egyptian melee rolls (§7.7). 1028 AngloEgyptianStandard,</pre>

Proven by: [omdurman-rules::src::lib::melee_modifier_keeps_roll_legal](#)

Covered by tests: [omdurman-rules::src::effects::tests::melee_resolves_simultaneously](#)
[omdurman-rules::src::effects::tests::melee_modifiers_are_engine_derived_and_mismatches_rejected](#)

2/3 implemented

§8 – Night Game Turns

§8 – Night Game Turns

descriptive

manual page unknown

Night Game Turns

§8.1 – Night effects

implemented

manual page unknown

The effects of night game turns are: a) all Anglo-Egyptian movement allowances are halved (round down), b) there is no Anglo-Egyptian howitzer fire, and c) all fire ranges are halved for both sides (round down, but range 1 stays range 1). Range effects on fire combat are the same as during day game turns. For example, an Anglo-Egyptian infantry unit firing at night will be doubled at range 1, normal at range 2, and may not fire at range 3 or greater.

****8.2) Dervish Desertion Roll:**** Once each campaign game, during the first night turn of the game, the Dervish player rolls one die to see how many of his units desert. The roll is made during the movement phase and the number of deserting Dervish units is equal to 1½ times the roll of one die. The Dervish player may choose which units desert by merely removing them from the mapsheet. The KHALIFA unit, gunboats, artillery units, and forts are the only Dervish units that may not be chosen. No victory points are awarded to the Anglo-Egyptian player for deserting Dervishes.

(see manual for full text)

See also: §8.2

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:156 GH:omdurman-rules/src/lib.rs:156	MovementAllowance::halve	<pre>154 impl MovementAllowance { 155 /// Night movement allowance = halved (round down) (rulebook §8.1, §5.11). 156 pub fn halve(self) -> Self { 157 let v = self.value() / 2; 158 MovementAllowance::try_from(v).expect("halved value always a named variant")</pre>
omdurman-types/src/lib.rs:789 GH:omdurman-types/src/lib.rs:789	DayNight	<pre>787 /// (rulebook §8.1). 788 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 789 pub enum DayNight { 790 Day, 791 Night,</pre>
omdurman-rules/src/range_effects.rs:71 GH:omdurman-rules/src/range_effects.rs:71	night_max_range	<pre>69 70 /// The halved maximum range at night (§8.1): round down, minimum 1. 71 pub fn night_max_range(weapon: WeaponClass, ae: bool) - > u8 { 72 let day = max_day_range(weapon, ae); 73 if day <= 1 { 1 } else { day / 2 }</pre>
omdurman-rules/src/lib.rs:1519 GH:omdurman-rules/src/lib.rs:1519	effective_movement_at_night	<pre>1517 /// Apply night-turn movement halving for Anglo- Egyptian units (§8.1): all 1518 /// Anglo-Egyptian movement allowances are halved (round down). 1519 pub fn effective_movement_at_night(1520 allowance: MovementAllowance, 1521 player: Player,</pre>
omdurman-rules/src/effects/	NoHowitzerAtNight	<pre>1223 // §6.64: no howitzer fire at night. 1224 if kind == FireKind::Howitzer &&</pre>

state.rs:1225 GH:omdurman-rules/src/effects/ state.rs:1225		<pre> self.day_night == DayNight::Night { 1225 return Err(RuleError::NoHowitzerAtNight); 1226 } 1227 </pre>
--	--	---

Proven by: `omdurman-rules::src::lib::movement_allowance_halve_never_panics`
`omdurman-rules::src::lib::night_halving_is_ae_only_and_day_neutral`
`omdurman-rules::src::range_effects::night_cap_is_halved_day_max_floored_at_one`
`omdurman-rules::src::range_effects::night_range_effects_gates_the_day_band_by_the_cap`
`omdurman-rules::src::effects::fire::night_capped_distance_is_some_exactly_within_the_night_max`

Covered by tests: `omdurman-rules::src::range_effects::night_max_ranges` `omdurman-rules::src::range_effects::night_max_ranges_remaining`
`omdurman-rules::src::range_effects::ae_rifle_at_night_matches_rulebook_example`
`omdurman-rules::src::range_effects::max_day_range_all_combos`
`omdurman-rules::src::effects::tests::night_movement_overlay_allowance_halved`
`omdurman-rules::src::effects::tests::named_gunboat_no_howitzer_at_night`

§8.2 – Dervish Desertion Roll

`implemented`

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/effects/ effect.rs:190 GH:omdurman-rules/src/effects/ effect.rs:190	DervishDesertion	<pre> 188 /// the effect. The Khalifa, gunboats, artillery, 189 /// chosen. 190 DervishDesertion { 191 roll: DieRoll, 192 deserters: Vec<UnitId>, </pre>
omdurman-rules/src/ lib.rs:678 GH:omdurman-rules/src/lib.rs:678	is_desertion_exempt	<pre> 676 /// Non-Dervish identities are trivially not 677 /// eligible to desert and so are 678 /// reported as exempt too. 679 pub fn is_desertion_exempt(&self) -> bool { 680 match self { UnitIdentity::DervishLeader(DervishLeader::KhalifaAbdullah) </pre>
omdurman-rules/src/ turn_track.rs:63 GH:omdurman-rules/src/ turn_track.rs:63	DervishDesertion	<pre> 61 None, 62 /// Dervish desertion roll (§8.2) -- occurs on the 63 DervishDesertion, 64 /// Dervish reinforcements are available. 65 DervishReinforcements, </pre>
omdurman-rules/src/ turn_track.rs:63 GH:omdurman-rules/src/ turn_track.rs:63	DervishDesertion	<pre> 61 None, 62 /// Dervish desertion roll (§8.2) -- occurs on the 63 DervishDesertion, 64 /// Dervish reinforcements are available. 65 DervishReinforcements, </pre>
omdurman-rules/src/ turn_track.rs:60 GH:omdurman-rules/src/ turn_track.rs:60	TurnEvent	<pre> 58 /// Special events that occur on specific turns 59 (rulebook §8.2, §9.112, §9.113). 60 #[derive(Serialize, Deserialize, Clone, Copy, 61 pub enum TurnEvent { 62 None, 63 /// Dervish desertion roll (§8.2) -- occurs on the 64 first night turn. </pre>

Proven by: `omdurman-rules::src::effects::desertion_count_is_one_and_a_half_times_the_roll`
`omdurman-rules::src::turn_track::desertion_event_is_unique_to_the_first_night_turn`

Covered by tests: `omdurman-rules::src::effects::tests::desertion_count_is_floor_one_and_a_half`
`omdurman-rules::src::turn_track::desertion_on_first_night`

omdurman-rules::src::effects::tests::desertion_roll_required_before_first_night_movement_ends
omdurman-rules::src::effects::tests::desertion_removes_chosen_count_and_respects_exemptions

 23/33 implemented

§9 – The Scenarios

§9 – The Scenarios

descriptive

manual page unknown

The Scenarios

§9.1 – The Campaign Game

descriptive

manual page unknown

The Campaign Game

§9.2 – The Historical Scenario

descriptive

manual page unknown

The Historical Scenario

Players should note that the historical scenario is an exercise in futility for the Dervish player. It is, however, an interesting demonstration of the absolute imbecility of the Khalifa’s generalship and vividly shows the superiority of entrenched firepower over traditional tribal arms in the colonial period.

§9.3 – Bonus Game: Fall of Khartoum

descriptive

manual page unknown

Bonus Game: FALL OF KHARTOUM

§9.11 – Set Up (Campaign)

descriptive

manual page unknown

Set Up

§9.12 – Scenario Length (Campaign)

implemented

manual page unknown

Scenario Length

6:00 am, Sept. 1 through 8:00 am, Sept. 3, 22 Game Turns.

File	Symbol	Code Snippet
omdurman-rules/src/turn_track.rs:11 GH:omdurman-	GameTime	<pre>9 /// starts at one of these twelve times. 10 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 11 pub enum GameTime {</pre>

rules/src/ turn_track.rs:11		12 SixAM, 13 EightAM,
omdurman- rules/src/ turn_track.rs:47 GH:omdurman- rules/src/ turn_track.rs:47	TurnEntry	45 /// A single entry on the Turn Record Track (rulebook \$9.12, §9.22). 46 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 47 pub struct TurnEntry { 48 /// 1-based turn number. 49 pub turn: u8,
omdurman- rules/src/ turn_track.rs:95 GH:omdurman- rules/src/ turn_track.rs:95	CAMPAIGN_TURN_TRACK	93 /// is turn 9, which carries the once-per-game Dervish Desertion Roll (§8.2) -- 94 /// the printed track prints "Dervish Desertion Roll / NIGHT" on that cell. 95 pub const CAMPAIGN_TURN_TRACK: [TurnEntry; 22] = [96 // Row 1, left->right: Sept 1, 6 am -> 8 pm, then the first NIGHT. 97 entry(1, SixAM, Day, TurnEvent::None),
omdurman- rules/src/turn_track.rs:242 GH:omdurman- rules/src/ turn_track.rs:242	TurnLabel	240 /// printed cell; `Blank` is for unused positions in the 9x3 grid. 241 #[derive(Serialize, Deserialize, Debug, Clone, Copy, PartialEq, Eq)] 242 pub enum TurnLabel { 243 Blank, 244 /// "SEPT. 1\n6:00 am" -- day header plus time (turn 1).

Proven by: omdurman-rules::src::turn_track::scenario_turn_indexing_is_exact_for_every_scenario
omdurman-rules::src::turn_track::turn_labels_agree_with_the_rule_bearing_track

Covered
by tests: omdurman-rules::src::turn_track::campaign_track_22_turns omdurman-rules::src::turn_track::desertion_on_first_night
omdurman-rules::src::turn_track::campaign_track_label_and_day_night_agree
omdurman-rules::src::turn_track::game_time_display_all_variants omdurman-rules::src::turn_track::turn_label_display
omdurman-rules::src::turn_track::turn_label_out_of_range_is_none
omdurman-rules::src::effects::tests::game_over_after_campaign_turns

§9.13 – Special Rules (Campaign)

descriptive
manual page unknown

- Special Rules
- None.

§9.14 – Victory Conditions (Campaign)

implemented
manual page unknown

Victory Conditions

The Mahdi’s Tomb in Omdurman was not only the tallest structure in the entire Sudan in 1898, it was also a Dervish holy shrine. Its loss or destruction would be a severe blow to the Mahdist cause. It is accordingly assigned 25 victory points which are awarded to the player who controls it at the conclusion of play. The Dervish player controls it at the start of play. As a tactical note, the Anglo-Egyptian player will find a decisive victory almost impossible unless he takes the Mahdi’s Tomb from the Dervish player. To take the Tomb hex, it must be occupied by one British leader plus any one non-“Friendlies” Anglo-Egyptian combat unit (both undisrupted) at the conclusion of play.

Additional victory points are awarded as follows:

****Dervish Player receives:****

- 10 pts: each British leader eliminated

(see manual for full text)

See also: §5.21

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:1173 GH:omdurman-rules/src/lib.rs:1173	VpSource	<pre>1171 /// the manual and the engine. 1172 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 1173 pub enum VpSource { 1174 // ----- Anglo-Egyptian player receives: 1175 /// Mahdi's Tomb control at conclusion of play (\$9.14).</pre>
omdurman-rules/src/lib.rs:1199 GH:omdurman-rules/src/lib.rs:1199	VpSource::points	<pre>1197 impl VpSource { 1198 /// VP awarded to `who_scores()` (rulebook §9.14). 1199 pub fn points(self) -> VictoryPoints { 1200 match self { 1201 VpSource::MahdisTomb => VictoryPoints::new(25),</pre>
omdurman-rules/src/lib.rs:1214 GH:omdurman-rules/src/lib.rs:1214	VpSource::who_scores	<pre>1212 1213 /// Which player receives these victory points (rulebook §9.14). 1214 pub fn who_scores(self) -> Player { 1215 match self { 1216 VpSource::MahdisTomb</pre>
omdurman-rules/src/lib.rs:1249 GH:omdurman-rules/src/lib.rs:1249	VictoryLedger	<pre>1247 /// Cumulative victory ledger for one scenario (rulebook §9.14). 1248 #[derive(Serialize, Deserialize, Clone, Debug, Default)] 1249 pub struct VictoryLedger { 1250 pub events: Vec<VpEvent>, 1251 }</pre>
omdurman-rules/src/lib.rs:1255 GH:omdurman-rules/src/lib.rs:1255	VpEvent	<pre>1253 /// A single victory-point scoring event (rulebook §9.14). 1254 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 1255 pub struct VpEvent { 1256 pub turn: GameTurnIndex, 1257 pub source: VpSource,</pre>
omdurman-rules/src/lib.rs:1262 GH:omdurman-rules/src/lib.rs:1262	VictoryLedger::total_for	<pre>1260 impl VictoryLedger { 1261 /// Total victory points earned by a given player (rulebook §9.14). 1262 pub fn total_for(&self, player: Player) -> VictoryPoints { 1263 VictoryPoints(1264 self.events</pre>
omdurman-rules/src/lib.rs:1274 GH:omdurman-rules/src/lib.rs:1274	VictoryLedger::superiority	<pre>1272 /// Net superiority: positive = Anglo-Egyptian ahead, negative = Dervish ahead 1273 /// (rulebook §9.14). 1274 pub fn superiority(&self) -> VictoryPoints { 1275 VictoryPoints(1276 self.total_for(Player::AngloEgyptian).value() - self.total_for(Player::Dervish).value(),</pre>
omdurman-rules/src/lib.rs:1294 GH:omdurman-rules/src/lib.rs:1294	CampaignVictoryLevel	<pre>1292 /// Campaign-game victory levels (§9.14). 1293 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 1294 pub enum CampaignVictoryLevel { 1295 Draw, 1296 Marginal(Player),</pre>
omdurman-rules/src/lib.rs:1303 GH:omdurman-rules/src/lib.rs:1303	CampaignVictoryLevel::from_superiority	<pre>1301 impl CampaignVictoryLevel { 1302 /// Assign a level from the net superiority (\$9.14). 1303 pub fn from_superiority(s: VictoryPoints) -> Self { 1304 let net = s.0;</pre>

		1305 // Positive -> Anglo-Egyptian thresholds: 15/30/50
omdurman-rules/src/effects/movement.rs:194 GH:omdurman-rules/src/effects/movement.rs:194	score_elimination	192 .find_unit(leader) 193 .is_some_and(u u.profile.identity.is_gordon()); 194 score_elimination(state, leader, ElimCause::Combat); 195 state.units.retain(u u.id != leader); 196 if is_gordon {
omdurman-rules/src/lib.rs:239 GH:omdurman-rules/src/lib.rs:239	VictoryPoints	237 /// (rulebook §9.14). 238 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Debug, Default)] 239 pub struct VictoryPoints(i32); 240 241 impl VictoryPoints {

Proven by:

omdurman-rules::src::lib::campaign_victory_levels_match_manual_superiority_table
omdurman-rules::src::lib::vp_source_points_and_scorer_match_the_printed_schedule
omdurman-rules::src::effects::victory::vp_source_for_routes_every_elimination_to_the_printed_source
omdurman-rules::src::effects::victory::score_elimination_records_exactly_what_it_scores

Covered by tests:

omdurman-rules::src::effects::tests::friendlies_bank_scores_by_side
omdurman-rules::src::effects::tests::mahdis_tomb_not_scored_without_a_leader
omdurman-rules::src::effects::tests::mahdis_tomb_scores_for_anglo_egyptian_when_held
omdurman-rules::src::lib::vp_source_attributes

§9.21 – Set Up (Historical)

descriptive

manual page unknown

Set Up

§9.22 – Scenario Length (Historical)

implemented

manual page unknown

Scenario Length

6:00 am, September 2 through 12:00 noon, September 2. Four game turns.

File	Symbol	Code Snippet
omdurman-rules/src/turn_track.rs:132 GH:omdurman-rules/src/turn_track.rs:132	HISTORICAL_TURN_TRACK	130 131 /// Historical scenario track (§9.22 -- 4 turns, Sept 2 6:00 am -> 12:00 pm). 132 pub const HISTORICAL_TURN_TRACK: [TurnEntry; 4] = [133 TurnEntry { 134 turn: 1,

Proven by:

omdurman-rules::src::turn_track::scenario_turn_indexing_is_exact_for_every_scenario

Covered by tests:

omdurman-rules::src::turn_track::historical_turn_all_four_turns

§9.23 – Special Rule: The Zariba

descriptive

manual page unknown

Special Rule: “The Zariba”

****9.231)** Thorn hedge hexsides:****** -2 to die roll on all Dervish fire attacks; may not melee across in either direction; may not advance after combat across in either direction.

****9.232)** Trench hexsides:****** -4 to die roll on all Dervish fire attacks vs. entrenched units only; -2 (instead of +2) melee modifier to Dervish units melee attacking an entrenched unit; entrenched units may be fired “over” in both directions (i.e. they do not block line of sight); units are considered “entrenched” if they are directly adjacent to (and on the Nile River side of) a trench hexside.

(see manual for full text)

See also: §9.231, §9.232

§9.24 – Victory Conditions (Historical)

implemented
manual page unknown

Victory Conditions

Victory Levels are based solely on eliminating enemy units while conserving your own force as much as possible.

| Victory Level | Anglo-Egyptian Player (Dervish units eliminated) | Dervish Player (Anglo-Egyptian units eliminated)
| |—|—|—| | 5 — DECISIVE | 100+ | 30+ | | 4 — STRATEGIC | 60–99 | 15–29 | | 3 — TACTICAL | 45–59 | 10–14 | | 2 — MARGINAL | 30–44 | 5–9 | | 1 — DRAW | 0–29 | 0–4 |

The lower value victory level is then subtracted from the higher level to determine a player’s net victory. For example, if the Anglo-Egyptian player eliminates 104 Dervish units (decisive victory) but loses 18 units doing it (Dervish Strategic), the Anglo-Egyptian player only nets out with a draw (decisive worth 5 minus strategic worth 4 = 1, draw).

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:1333 GH:omdurman-rules/src/lib.rs:1333	HistoricalVictoryLevel	<pre>1331 /// draw"). 1332 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, PartialOrd, Ord, Debug)] 1333 pub enum HistoricalVictoryLevel { 1334 Draw = 1, 1335 Marginal = 2,</pre>

Proven by: [omdurman-rules::src::lib::historical_victory_ladders_match_manual_bands](#)

Covered by tests:
[omdurman-rules::src::lib::historical_victory_level_for_dervish](#) [omdurman-rules::src::lib::historical_victory_level_for_anglo_egyptian](#)

§9.31 – Bonus game map

implemented
manual page unknown

Only the small FALL OF KHARTOUM scenario map is used for this game.

File	Symbol	Code Snippet
omdurman-rules/src/board_data.rs:37 GH:omdurman-rules/src/board_data.rs:37	fall_of_khartoum_map	<pre>35 36 /// The Fall-of-Khartoum board (§9.3). 37 pub fn fall_of_khartoum_map_data() -> MapData { 38 FOK.get_or_init(parse(FOK_RON)).clone() 39 }</pre>

Covered by tests: `omdurman-app::src::tests::scenario_maps_to_board` `omdurman-app::src::tests::start_game_scenario_selects_board`

§9.32 – Set Up (Bonus)

`descriptive`
manual page unknown

Set Up

§9.33 – Scenario Length (Bonus)

`implemented`
manual page unknown

Scenario Length
Variable, see victory conditions (9.35). Rarely lasts five turns.

See also: §9.35

File	Symbol	Code Snippet
<code>omdurman-rules/src/turn_track.rs:172</code> <code>GH:omdurman-rules/src/turn_track.rs:172</code>	<code>FALL_OF_KHARTOUM</code>	<pre>170 /// (the rulebook fixes none); only `day_night` is 171 rule-bearing (night halves 172 /// Anglo-Egyptian movement and ranges and bars 173 howitzer fire, §8.1). 174 pub const FALL_OF_KHARTOUM_TURN_TRACK: [TurnEntry; 8] = [TurnEntry { turn: 1,</pre>

Proven by: `omdurman-rules::src::turn_track::scenario_turn_indexing_is_exact_for_every_scenario`
`omdurman-rules::src::turn_track::fall_of_khartoum_night_window_is_turns_one_and_two`

Covered by tests: `omdurman-rules::src::turn_track::fall_of_khartoum_turn_one_is_night`
`omdurman-rules::src::turn_track::fall_of_khartoum_turns_3_to_8_are_day`

§9.34 – Special Rules (Bonus)

`descriptive`
manual page unknown

Special Rules

§9.35 – Victory Conditions (Bonus)

`implemented`
manual page unknown

Victory Conditions
Victory is determined by how many turns it takes the Dervish player to eliminate the GORDON leader unit and how many Dervish units are eliminated:

- Dervish decisive: eliminate GORDON turn four or sooner.
- Dervish tactical: eliminate GORDON turn five.
- Dervish marginal: eliminate GORDON turn six.
- British marginal: GORDON survives end of turn six.
- British tactical: GORDON survives end of turn seven.
- British decisive: GORDON survives end of turn eight.

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:1451 GH:omdurman-rules/src/lib.rs:1451	FoKVictoryLevel::resolve	<pre> 1449 /// rulebook: GORDON dies turn 5 (tactical) with 24 Dervish losses (-2 1450 /// levels) nets a British marginal. 1451 pub fn resolve(gordon_died_turn: Option<u8>, scenario_end_turn: u8, dervish_lost: i16) -> Self { 1452 let base = Self::base(gordon_died_turn, scenario_end_turn); 1453 let base_idx = Self::LADDER </pre>

Proven by: [omdurman-rules::src::lib::fok_victory_ladder_penalties_shift_monotonically](#)

Covered

by tests: [omdurman-rules::src::lib::fok_victory_level_worked_example](#) [omdurman-rules::src::lib::fok_victory_level_gordon_died_early](#) [omdurman-rules::src::lib::fok_victory_level_late_gordon_death](#) [omdurman-rules::src::lib::fok_victory_level_gordon_survived](#)

§9.111 – Dervish set up (Campaign)

implemented

manual page unknown

Dervish player sets up first, moves second.

- Isa Zachneih infantry unit: anywhere on the east bank, in or south of El Debeba.
- KHALIFA ABDULLAH: in the walled city of Omdurman, in either palace hex.
- 3 artillery units, and all Taiasha units: anywhere in the walled city of Omdurman.
- 17 forts: anywhere on the mapsheet south of the Khor Shambat on the west bank, and/or south of all Halfaya hut hexes on the east bank and Nile River islands.
- 2 gunboats: any south edge Nile River hexes.

****9.112) Dervish reinforcements:**** all reinforcements enter on the west edge of the mapsheet, south of the Khor Shambat. Each unit pays the terrain cost of the hex through which it enters, no matter how many units enter through

(see manual for full text)

See also: §9.112

File	Symbol	Code Snippet
omdurman-rules/src/effects/state.rs:371 GH:omdurman-rules/src/effects/state.rs:371	setup_complete	<pre> 369 /// currently shares the same "both sides deployed" gate; when a scenario 370 /// needs a different minimum, branch on `self.scenario` here. 371 pub fn setup_complete(&self) -> Result<(), RuleError> { 372 let has = player { 373 self.units </pre>

Covered

by

tests:

[omdurman-app::src::scenario_setup::campaign_has_no_fixed_placements](#) [omdurman-rules::src::unit_profiles::hadendowa_first_cell_is_isa_zachneih](#) [omdurman-rules::src::effects::tests::campaign_deployment_is_boat_land_exclusive](#) [omdurman-rules::src::effects::tests::campaign_setup_rejects_non_initial_force](#)

§9.112 – Dervish reinforcements (Campaign)

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:182 GH:omdurman-	PlaceReinforcements	<pre> 180 // -- Reinforcement / placement ----- 181 /// Place reinforcements onto the map (rulebook </pre>

rules/src/effects/ effect.rs:182		<pre> \$9.112, \$9.113). 182 PlaceReinforcements(Vec<UnitPlacement>), 183 184 // -- Scenario-specific ----- </pre>
omdurman- rules/src/effects/ dispatch.rs:44 GH:omdurman- rules/src/effects/ dispatch.rs:44	apply_place_reinforce	<pre> 42 GameEffect::Demolition { unit_id, target } => apply_demolition(state, *unit_id, *target), 43 GameEffect::PlaceReinforcements(placements) => { 44 apply_place_reinforcements(state, placements) 45 } 46 GameEffect::DervishDesertion { roll, deserters } => { </pre>
omdurman- rules/src/reinforcements.rs:69 GH:omdurman- rules/src/reinforcements.rs:69	dervish_campaign_sched	<pre> 67 /// All reinforcements enter on the west edge, south of the Khor Shambat. 68 /// Each unit pays terrain cost of the hex it enters through. 69 pub fn dervish_campaign_schedule() -> ReinforcementSchedule { 70 ReinforcementSchedule { 71 player: Player::Dervish, </pre>
omdurman- types/src/ lib.rs:524 GH:omdurman- types/src/lib.rs:524	Location	<pre> 522 /// Named map landmarks (rulebook mapsheet, \$9.111, \$9.113, \$9.212 scenarios). 523 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug, strum::Display)] 524 pub enum Location { 525 FortMakran, 526 NorthFort, </pre>
omdurman- types/src/ lib.rs:604 GH:omdurman- types/src/lib.rs:604	SetupLetter	<pre> 602 /// Each letter marks a specific hex where a Dervish leader is placed. 603 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug, strum::Display)] 604 pub enum SetupLetter { 605 Y, 606 K, </pre>
omdurman- types/src/ lib.rs:747 GH:omdurman- types/src/lib.rs:747	Faction	<pre> 745 /// `Some(BrigadeId::friendlies())`. 746 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 747 pub enum Faction { 748 Dervish { 749 tribe: DervishTribe, </pre>

Proven by: [omdurman-rules::src::reinforcements::wave_for_turn_answers_exactly_on_the_printed_schedule](#)

Covered by tests: [omdurman-rules::src::reinforcements::dervish_schedule_has_three_waves](#)
[omdurman-rules::src::reinforcements::dervish_wave_one_has_baggaara_and_three_leaders](#)
[omdurman-rules::src::reinforcements::dervish_wave_two_has_hadendowa](#)
[omdurman-rules::src::reinforcements::dervish_wave_three_is_all_remaining](#)
[omdurman-rules::src::reinforcements::wave_for_turn_returns_correct_wave](#)
[omdurman-rules::src::effects::tests::campaign_reinforcements_gate_by_wave](#)
[omdurman-rules::src::effects::tests::campaign_setup_rejects_non_initial_force](#)

\$9.113 – Anglo-Egyptian reinforcements (Campaign)

implemented

manual page unknown

The Anglo-Egyptian player moves first. There are no Anglo-Egyptian units on the mapsheet at start. The GORDON unit is not used in this scenario.

- The leader units KITCHENER, GATACRE, and HUNTER may enter anytime during the first four game turns and do not count against the 12 units per turn limit. All three leaders must be in play by the end of turn four!

- All gunboats enter through any north edge Nile River hex, paying one movement point for the first hex entered. The “Friendlies” brigade enters through the Abu Alim hut hex on the east bank, paying eight movement points per unit. All other Anglo-Egyptian units enter through the west bank “ANGLO-EGYPTIAN ENTRANCE AREA”, each unit paying one movement point to enter the mapsheet.
- Turn 1) Any three gunboats; “Friendlies” brigade; Egyptian Cavalry; Horse Artillery; and two infantry brigades

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/reinforcements.rs:126 GH:omdurman-rules/src/reinforcements.rs:126	anglo_egyptian_campaign	<pre> 124 /// - "Friendlies" enter via Abu Alim hut on the east bank (8 MP per unit). 125 /// - All other AE units enter via the Anglo-Egyptian Entrance Area (1 MP). 126 pub fn anglo_egyptian_campaign_schedule() -> ReinforcementSchedule { 127 let free_leaders = vec![128 CampaignLeader::British(BritishLeader::Kitchener), </pre>

Proven by: [omdurman-rules::src::reinforcements::wave_for_turn_answers_exactly_on_the_printed_schedule](#)

Covered by tests:

- [omdurman-rules::src::reinforcements::anglo_egyptian_schedule_has_four_waves](#)
- [omdurman-rules::src::reinforcements::anglo_egyptian_leaders_available_each_wave](#)
- [omdurman-rules::src::reinforcements::anglo_egyptian_turn_four_is_all_remaining](#)
- [omdurman-rules::src::effects::tests::campaign_reinforcement_cap_and_double_entry](#)
- [omdurman-rules::src::effects::tests::campaign_gunboats_quota_three_per_turn](#)
- [omdurman-rules::src::effects::tests::reinforcement_rejected_onto_enemy_occupied_hex](#)
- [omdurman-rules::src::effects::tests::campaign_setup_rejects_non_initial_force](#)

§9.211 – Anglo-Egyptian set up first, moves second (Historical)

implemented

manual page unknown

The Anglo-Egyptian player sets up first, and moves second:

- Not in play: GORDON leader unit, “Friendlies” brigade.
- Gunboats start in any Nile River hexes adjacent to the Zariba.
- Camel Corps, Egyptian Cavalry, and Horse Artillery start in the village of Kerreri hut hexes.
- All remaining Anglo-Egyptian units set up in the 13 hexes of the Zariba.

File	Symbol	Code Snippet
omdurman-rules/src/effects/dispatch.rs:346 GH:omdurman-rules/src/effects/dispatch.rs:346	first_player	<pre> 344 345 /// The player who moves first in a scenario (§4, §9.113, §9.212, §9.322). 346 pub fn first_player(scenario: Scenario) -> Player { 347 match scenario { 348 Scenario::Campaign => Player::AngloEgyptian, </pre>

Covered by tests: [omdurman-rules::src::effects::tests::historical_setup_rejects_not_in_play_units](#)

§9.212 – Dervish set up (Historical) – deployment zones and leader-to-hex mapping

implemented

manual page unknown

The Dervish player sets up second, and moves first.

- Not in play: Isa Zachneih, gunboats, and forts.

- All Dervish units must be set up out of the line of sight of all Anglo-Egyptian units.
- Dervish leaders start on the lettered hexes:
 - A: Ali Wad Helu
 - D: Sheik El Din
 - Y: Yakub
 - K: Khalifa Abdullah
 - S: Sherif

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/effects/state.rs:481 GH:omdurman-rules/src/effects/state.rs:481	in_deployment_zone	<pre> 479 /// plan / UI rather than this hex predicate. Documented, not silently 480 /// dropped. 481 pub fn in_deployment_zone(&self, player: Player, hex: HexCoord, is_boat: bool) -> bool { 482 // No board attached -> permissive (unit tests, unbound session). 483 if self.board.terrain.is_empty() { </pre>
omdurman-rules/src/lib.rs:387 GH:omdurman-rules/src/lib.rs:387	DervishLeader::setup_letter	<pre> 385 /// (§9.212): A→Ali Wad Helu, D→Sheik El Din, Y→Yakub, K→Khalifa Abdullah, 386 /// S→Sherif, O→Osman Digna. Inverse of [DervishLeader::setup_letter]. 387 pub fn setup_letter(self) -> SetupLetter { 388 match self { 389 DervishLeader::AliWadHelu => SetupLetter::A, </pre>
omdurman-rules/src/lib.rs:403 GH:omdurman-rules/src/lib.rs:403	dervish_leader_for_setup_letter	<pre> 401 /// inherent impl here, so the mapping is a free function -- the bijective 402 /// inverse of [DervishLeader::setup_letter]. 403 pub fn dervish_leader_for_setup_letter(letter: SetupLetter) -> DervishLeader { 404 match letter { 405 SetupLetter::A => DervishLeader::AliWadHelu, </pre>

Covered by tests:

- [omdurman-rules::src::effects::tests::deploy_rejected_outside_zone](#)
- [omdurman-rules::src::unit_profiles::embedded_leaders_resolve_from_their_host_section](#)
- [omdurman-app::src::scenario_setup::historical_places_all_six_leaders_when_anchors_present](#)
- [omdurman-app::src::scenario_setup::missing_anchor_is_reported_not_dropped_silently](#)
- [omdurman-rules::src::effects::tests::setup_letter_dervish_leader_roundtrip](#)
- [omdurman-rules::src::effects::tests::setup_letter_to_dervish_leader_known_values](#)
- [omdurman-rules::src::effects::tests::historical_setup_rejects_not_in_play_units](#)

§9.231 – Thorn hedge hexsides

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:944 GH:omdurman-rules/src/lib.rs:944	ZaribaThornHedge	<pre> 942 Terrain(i16), 943 /// -2 thorn-hedge defensive modifier (§9.231). 944 ZaribaThornHedge, 945 /// -4 trench defensive modifier (§9.232). Only applies vs. "entrenched" 946 /// units (those Nile-side of the trench hexside). </pre>
omdurman-types/src/lib.rs:206 GH:omdurman-types/src/lib.rs:206	ZaribaThornHedge	<pre> 204 Crest, 205 /// Historical-scenario thorn-hedge segment of the Zariba (§9.231). 206 ZaribaThornHedge, 207 /// Historical-scenario trench segment of the Zariba (§9.232). 208 ZaribaTrench, </pre>

omdurman-rules/src/effects/state.rs:295 GH:omdurman-rules/src/effects/state.rs:295	has_zariba_thorn_hedge	<pre> 293 /// *effective* hexsides, so constructed (§5.3) and 294 /// count. 295 pub fn has_zariba_thorn_hedge(&self, hex: HexCoord) -> bool { 296 for n in hex.neighbors() { 297 if self.hexside_effective_is(hex, n, k k == HexsideKind::ZaribaThornHedge) { </pre>
---	-------------------------------	--

Covered by tests: [omdurman-rules::src::effects::tests::zariba_fire_penalties_apply_to_dervish_fire_only](#)

§9.232 – Trench hexsides

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/lib.rs:947 GH:omdurman-rules/src/lib.rs:947	ZaribaTrenchEntrenched	<pre> 945 /// -4 trench defensive modifier (§9.232). Only applies vs. "entrenched" 946 /// units (those Nile-side of the trench hexside). 947 ZaribaTrenchEntrenched, 948 } 949 </pre>
omdurman-types/src/lib.rs:208 GH:omdurman-types/src/lib.rs:208	ZaribaTrench	<pre> 206 ZaribaThornHedge, 207 /// Historical-scenario trench segment of the Zariba (§9.232). 208 ZaribaTrench, 209 /// One of the two end hexsides of a Zariba trench segment that connect to 210 /// the Nile River (§9.233). Units may only enter/ leave the Zariba via </pre>

Proven by: [omdurman-rules::src::lib::melee_modifier_keeps_roll_legal](#)

Covered by tests: [omdurman-rules::src::effects::tests::trench_entrenched_units_take_trench_modifiers](#)

§9.233 – Zariba entry/exit costs

implemented

manual page unknown

Units may only enter and/or leave the Zariba via the two end hexsides that connect to the Nile River, paying +2 movement points to cross (Exception: advance after combat across an entrenched hexside).

File	Symbol	Code Snippet
omdurman-types/src/lib.rs:258 GH:omdurman-types/src/lib.rs:258	blocks_movement	<pre> 256 /// `omdurman-rules`). The trench *end* variants are therefore intentionally 257 /// not blocking. 258 pub fn blocks_movement(self) -> bool { 259 matches!(260 self, </pre>
omdurman-rules/src/effects/state.rs:308 GH:omdurman-rules/src/effects/state.rs:308	zariba_entry_surcharge	<pre> 306 /// +2 movement points to cross"). Trench ends are authored FoK geography 307 /// (players cannot construct them), so this reads the authored board. 308 pub fn zariba_entry_surcharge(&self, from: HexCoord, to: HexCoord) -> i16 { 309 match self.board.hexside_between(from, to) { 310 Some(k) if k.is_zariba_trench_end() => 2, </pre>
omdurman-rules/src/effects/	movement_cost_for	<pre> 977 /// 978 /// §5.42: entering or leaving an enemy ZOC adds no </pre>

state.rs:979 GH:omdurman-rules/src/effects/state.rs:979		MP cost. 979 pub fn movement_cost_for(980 &self, 981 unit: &UnitPlacement,
omdurman-rules/src/effects/movement.rs:31 GH:omdurman-rules/src/effects/movement.rs:31	apply_move_unit	29 /// the true terrain cost (\$5.11) and enforces gunboat upstream/downstream 30 /// allowances (\$5.24); otherwise it falls back to the caller-supplied `cost`. 31 pub fn apply_move_unit(32 state: &mut GameState, 33 unit_id: UnitId,

Proven by: omdurman-types::src::lib::zariba_trench_ends_differ_only_in_the_entry_rule

Covered by tests: omdurman-rules::src::effects::tests::zariba_end_hexside_costs_extra_mp
omdurman-rules::src::effects::tests::zariba_thorn_hedge_blocks_movement
omdurman-app::src::picker::movement::trench_end_crossing_costs_two_extra_mp

§9.321 – British set up (Bonus)

implemented

manual page unknown

The British player sets up first, moves second:

- General GORDON leader unit in the palace.
- Two old style (unnamed) gunboats in any Nile River hexes.
- Set up in any building or hut hexes of Khartoum, Forts Makran and/or Buri, and/or adjacent to any wall hex:
 - one Egyptian Battalion artillery unit
 - two British infantry units (represents Caucasian troops)
 - three Egyptian infantry units (represents Cairo “Bazouks”)
 - four Sudan infantry units (represents Sudanese blacks)
 - four “Friendlies” units (represents the Shaggyeh)

(see manual for full text)

File	Symbol	Code Snippet
omdurman-rules/src/scenario_setup.rs:42 GH:omdurman-rules/src/scenario_setup.rs:42	FALL_OF_KHARTOUM	40 /// North Fort uses a campaign HadendowaForts counter (one of the spare fort 41 /// sprites). 42 pub const FALL_OF_KHARTOUM_SETUP: &[FixedPlacement] = &[43 FixedPlacement { 44 section: SectionName::BritishBoats,

Covered by tests: omdurman-rules::src::effects::tests::confirm_ready_rejected_below_scenario_target
omdurman-rules::src::effects::tests::remove_deployed_unit_happy_path
omdurman-app::src::scenario_setup::fall_of_khartoum_places_gordon_in_the_palace
omdurman-app::src::scenario_setup::fall_of_khartoum_reports_missing_palace
omdurman-app::src::scenario_setup::fall_of_khartoum_fort_landmarks_sit_at_the_correct_hexes
omdurman-rules::src::effects::tests::fok_ae_gunboat_deploys_only_on_nile
omdurman-rules::src::effects::tests::fok_ae_land_unit_rejected_on_nile
omdurman-rules::src::effects::tests::fok_setup_complete_requires_full_oob
omdurman-rules::src::effects::tests::deploy_via_real_sprite_resolution_matches_engine
omdurman-rules::src::effects::tests::british_boats_named_vs_old_gunboat_detection
omdurman-rules::src::effects::tests::fok_order_of_battle_british omdurman-rules::src::effects::tests::fok_order_of_battle_dervish
omdurman-rules::src::effects::tests::fok_caps_bind_across_counter_variants

§9.322 – Dervish enters turn one (Bonus)

implemented

manual page unknown

Dervish player moves first: enters turn one through any hexes on the south or east edge of the map.

- 32 Mulazmin units (represents combined forces of Wad El Nejumi, Abu Girgeh, and Sheik El Obeid)
- 2 Hadendowa; 6 Kehena; 5 Degheim (represents Mahdi's combined west bank forces)
- 3 Dervish artillery units.

File	Symbol	Code Snippet
omdurman-rules/src/unit_profiles.rs:392 GH:omdurman-rules/src/unit_profiles.rs:392	ali_wad_helu	<pre>390 /// §9.2/§9.3) unplaceable -- the FoK order-of-battle table 391 /// (`fok_cap_group`) is keyed by identity. 392 pub fn ali_wad_helu(col: u32, row: u32) -> Option<Classification> { 393 match (col, row) { 394 (0, 0) => dervish_leader(DervishLeader::AliWadHelu),</pre>
omdurman-types/src/lib.rs:846 GH:omdurman-types/src/lib.rs:846	sections_for_picker	<pre>844 /// counter of those two forces and leave the §9.322 entry force -- and 845 /// with it the setup Ready gate (§9.2/§9.3) -- unplaceable. 846 pub fn sections_for_picker(self) -> Option<&'static [SectionName]> { 847 match self { 848 Scenario::Campaign Scenario::Historical => None,</pre>

Covered by tests: [omdurman-rules::src::unit_profiles::ali_wad_helu_block_resolves_leader_and_degelim_tribes](#)
[omdurman-rules::tests::fok_setup_flow::degheim_counters_resolve_to_the_degheim_tribe](#)
[omdurman-rules::src::effects::tests::fok_setup_complete_requires_full_oob](#)
[omdurman-rules::src::effects::tests::fok_dervish_land_unit_rejected_on_nile](#)
[omdurman-types::src::lib::fok_picker_allowlist_has_dervish_entry_force_blocks](#)
[omdurman-rules::src::effects::tests::fok_order_of_battle_dervish](#)
[omdurman-rules::src::effects::tests::fok_dervish_east_edge_on_diamond_board](#)

§9.341 – Turn 1 is always a night turn (Bonus)

implemented

manual page unknown

Turn 1 is always a night turn (see 8.1).

See also: §8.1

File	Symbol	Code Snippet
omdurman-rules/src/turn_track.rs:172 GH:omdurman-rules/src/turn_track.rs:172	FALL_OF_KHARTOUM	<pre>170 /// (the rulebook fixes none); only `day_night` is rule-bearing (night halves 171 /// Anglo-Egyptian movement and ranges and bars howitzer fire, §8.1). 172 pub const FALL_OF_KHARTOUM_TURN_TRACK: [TurnEntry; 8] = [173 TurnEntry { 174 turn: 1,</pre>

Proven by: [omdurman-rules::src::turn_track::scenario_turn_indexing_is_exact_for_every_scenario](#)
[omdurman-rules::src::turn_track::fall_of_khartoum_night_window_is_turns_one_and_two](#)

Covered by tests: [omdurman-rules::src::turn_track::fall_of_khartoum_turn_one_is_night](#)

§9.342 – All hexes are playable, including half hexes (Bonus)

implemented

manual page unknown

All hexes are playable, including hexes showing up half or less.

File	Symbol	Code Snippet
omdurman-rules/src/board_data.rs:37 GH:omdurman-rules/src/board_data.rs:37	fall_of_khartoum_map	<pre>35 36 /// The Fall-of-Khartoum board (§9.3). 37 pub fn fall_of_khartoum_map_data() -> MapData { 38 FOK.get_or_init(parse(FOK_RON)).clone() 39 }</pre>

Covered by tests: [omdurman-rules::src::effects::tests::fall_of_khartoum_board_excludes_no_hexes](#)

§9.343 – Both players use the Dervish Range Effects Table (Bonus)

implemented

manual page unknown

Both players must use the Dervish Range Effects Table.

File	Symbol	Code Snippet
omdurman-rules/src/effects/fire.rs:53 GH:omdurman-rules/src/effects/fire.rs:53	range_band_for	<pre>51 /// in FALL OF KHARTOUM *both* players use the Dervish Range Effects Table 52 /// (§9.343). 53 pub fn range_band_for(54 scenario: Scenario, 55 player: Player,</pre>

Proven by: [omdurman-rules::src::effects::fire::range_band_for_routes_to_the_right_faction_table](#)
[omdurman-rules::src::effects::fire::range_table_player_for_routes_friendlyes_and_fok_to_the_dervish_table](#)

Covered by tests: [omdurman-rules::src::effects::tests::fok_both_players_use_dervish_range_table](#)

§9.344 – Dervish controls the North Fort (Bonus)

implemented

manual page unknown

The Dervish player controls the “North Fort” and may fire its guns.

File	Symbol	Code Snippet
omdurman-rules/src/scenario_setup.rs:42 GH:omdurman-rules/src/scenario_setup.rs:42	FALL_OF_KHARTOUM	<pre>40 /// North Fort uses a campaign HadendowaForts counter (one of the spare fort 41 /// sprites). 42 pub const FALL_OF_KHARTOUM_SETUP: &[FixedPlacement] = &[43 FixedPlacement { 44 section: SectionName::BritishBoats,</pre>
omdurman-rules/src/effects/state.rs:1525 GH:omdurman-rules/src/effects/state.rs:1525	hex_has_enemy_fort	<pre>1523 /// may neither occupy an enemy fort nor advance after combat into one 1524 /// (forts are never captured -- only destroyed, \$6.62/\$6.53/\$7.6). 1525 pub fn hex_has_enemy_fort(&self, hex: HexCoord, mover: Player) -> bool { 1526 self.units.iter().any(u { 1527 u.position == hex</pre>

Covered by tests: `omdurman-app::src::scenario_setup::fall_of_khartoum_places_gordon_in_the_palace`
`omdurman-app::src::scenario_setup::fall_of_khartoum_fort_landmarks_sit_at_the_correct_hexes`
`omdurman-app::src::scenario_setup::placement_done_gate_matches_by_identity_not_allocated_id`
`omdurman-rules::src::effects::tests::fok_order_of_battle_dervish`
`omdurman-types::src::lib::fok_picker_allowlist_has_dervish_entry_force_blocks`

§9.345 – Gunboat White Nile <-> Blue Nile crossing (Bonus)

implemented

manual page unknown

The British gunboats may move from the White Nile to the Blue Nile and vice-versa at an off-board movement cost of six “upstream” movement points.

File	Symbol	Code Snippet
omdurman-rules/src/effects/state.rs:1509 GH:omdurman-rules/src/effects/state.rs:1509	is_nile_mouth_crossing	<pre>1507 /// must be named on the board, else this is 1508 `false` and the move falls 1509 /// through to the ordinary contiguous-Nile rules. 1509 pub fn is_nile_mouth_crossing(&self, from: HexCoord, to: HexCoord) -> bool { 1510 let white = self 1511 .board</pre>
omdurman-types/src/lib.rs:540 GH:omdurman-types/src/lib.rs:540	Location::WhiteNileMouth	<pre>538 /// The off-board mouth of the White Nile branch (FALL OF KHARTOUM §9.345) -- 539 /// a British gunboat may cross to the Blue Nile mouth for 6 upstream MP. 540 WhiteNileMouth, 541 /// The off-board mouth of the Blue Nile branch (FALL OF KHARTOUM §9.345). 542 BlueNileMouth,</pre>

Covered by tests: `omdurman-rules::src::effects::tests::fok_gunboat_crosses_between_nile_mouths`

§9.346 – GORDON immobile, eliminated only at the Palace (Bonus)

implemented

manual page unknown

The GORDON leader unit starts in the palace and may not move during the scenario. He may only be eliminated by a Dervish unit passing through or occupying the palace hex (as normal movement or as advance after combat).

File	Symbol	Code Snippet
omdurman-rules/src/effects/dispatch.rs:482 GH:omdurman-rules/src/effects/dispatch.rs:482	check_gordon_palace	<pre>480 /// after combat). Records the turn (which fixes the §9.35 victory level) and 481 /// ends the game. A no-op outside FoK, or once GORDON is already gone. 482 pub fn check_gordon_palace(state: &mut GameState) { 483 if state.scenario != Scenario::FallOfKhartoum state.gordon_eliminated_turn.is_some() { 484 return;</pre>
omdurman-rules/src/lib.rs:644 GH:omdurman-rules/src/lib.rs:644	UnitIdentity::is_gordon	<pre>642 /// Whether this is the GORDON leader unit (§9.32, §9.346) -- the immobile 643 /// palace defender whose elimination ends FALL OF KHARTOUM (§9.35). 644 pub fn is_gordon(&self) -> bool { 645 matches!(646 self,</pre>

Covered by tests: `omdurman-rules::src::unit_profiles::gordon_is_an_immobile_british_leader`
`omdurman-rules::src::effects::tests::gordon_survives_means_no_elimination`
`omdurman-app::src::scenario_setup::fall_of_khartoum_places_gordon_in_the_palace`

 7/10 implemented

§10 – Optional Rules

§10 – Optional Rules

descriptive

manual page unknown

Optional Rules (Campaign game only)

It is suggested that the most intriguing employment of the following two options is to permit the Dervish player to have either one or the other, but the Anglo-Egyptian player doesn't know which one until he stumbles onto it. Players are advised that the employment of both optionals in the same game is not recommended.

§10.1 – River Mines

descriptive

manual page unknown

River Mines

The Khalifa twice tried (unsuccessfully) to submerge a powerful mine in the Nile to sink or damage British gunboats. This option assumes that both attempts were successful.

§10.2 – River Chain

descriptive

manual page unknown

River Chain

The Khalifa also tried (also unsuccessfully) to string a heavy chain across the Nile to stop or slow down the British gunboats. This option assumes the chain was emplaced.

§10.11 – Secretly record mine hexes

implemented

manual page unknown

Prior to the commencement of play the Dervish player secretly records two Nile River hexes to be mined (the mines may not both be placed in the same hex). These hexes must be south of the E–W hexrow in which the Khor Shambat empties into the Nile.

File	Symbol	Code Snippet
omdurman-rules/src/effects/setup.rs:326 GH:omdurman-rules/src/effects/setup.rs:326	apply_place_mine	<pre>324 /// Lay a river mine during setup (§10.11). Validated by 325 /// [<code>GameState::can_place_mine`</code>]. 326 pub fn apply_place_mine(state: &mut GameState, hex: HexCoord) -> Result<(), RuleError> { 327 state.can_place_mine(hex)?; 328 state.mines.push(MinePlacement {</pre>
omdurman-rules/src/effects/state.rs:189 GH:omdurman-rules/src/effects/state.rs:189	GameState::mines	<pre>187 friendlies_transport: None, 188 optional_rules: Vec::new(), 189 mines: Vec::new(), 190 chain: None, 191 board: Arc::new(BoardInfo::default()),</pre>
omdurman-rules/src/	OptionalRule	<pre>314 /// two should be in play (rulebook §10). 315 #[derive(Serialize, Deserialize, Clone, Copy,</pre>

lib.rs:316 GH:omdurman-rules/src/lib.rs:316		PartialEq, Eq, Debug)) 316 pub enum OptionalRule { 317 RiverMines, 318 RiverChain,
--	--	---

Covered by tests: [omdurman-rules::src::effects::tests::mine_and_chain_limits_enforced_in_setup](#)
[omdurman-rules::src::effects::tests::mines_and_chain_require_their_optional_rule](#)

§10.12 – Mine resolution

implemented

manual page unknown

When a British gunboat enters a mined hex, the Dervish player must order it to stop as it has struck a mine. The Dervish player then resolves the effect of the mine's blast by rolling the ten-sided die:

- 1–4: No effect
- 5–7: Gunboat damaged, lost use of its engines and must drift two hexes per turn (with the current) for the rest of the game. No effect on guns or Maxims unless they drift out of range.
- 8–10: Gunboat sunk!

File	Symbol	Code Snippet
omdurman-rules/src/effects/effect.rs:200 GH:omdurman-rules/src/effects/effect.rs:200	RiverMine	198 // -- Optional rules ----- 199 /// River mine resolution (rulebook §10.12). 200 RiverMine { 201 gunboat_id: UnitId, 202 hex: HexCoord,
omdurman-rules/src/effects/river.rs:152 GH:omdurman-rules/src/effects/river.rs:152	apply_river_mine	150 151 /// Apply a river-mine resolution (rulebook §10.12). 152 pub fn apply_river_mine(153 state: &mut GameState, 154 gunboat_id: UnitId,
omdurman-rules/src/lib.rs:1125 GH:omdurman-rules/src/lib.rs:1125	MineResult	1123 /// British gunboat enters a mined hex. 1124 #[derive(Serialize, Deserialize, Clone, Copy, PartialEq, Eq, Debug)] 1125 pub enum MineResult { 1126 /// Roll 1-4: no effect. 1127 NoEffect,

Proven by: [omdurman-rules::src::lib::mine_result_bands_match_the_printed_rule](#)
[omdurman-rules::src::effects::river::river_mine_triggers_even_on_a_harmless_roll](#)
[omdurman-rules::src::effects::river::river_mine_engine_loss_arms_the_drift_flag](#)
[omdurman-rules::src::effects::river::river_mine_sinking_removes_the_gunboat](#)

Covered by tests: [omdurman-rules::src::effects::tests::mine_fires_once_and_spare_dervish](#)

§10.13 – Mines consumed after both rolled for

implemented

manual page unknown

After both mines have been rolled for, no more are available.

File	Symbol	Code Snippet
omdurman-rules/src/effects/	apply_river_mine	150 151 /// Apply a river-mine resolution (rulebook §10.12).

river.rs:152 GH:omdurman-rules/src/effects/river.rs:152		<pre>152 pub fn apply_river_mine(153 state: &mut GameState, 154 gunboat_id: UnitId,</pre>
--	--	--

Proven by: [omdurman-rules::src::effects::river::river_mine_triggers_even_on_a_harmless_roll](#)
[omdurman-rules::src::effects::river::a_triggered_mine_never_fires_again](#)

Covered by tests: [omdurman-rules::src::effects::tests::mine_fires_once_and_spares_dervish](#)

§10.14 – Dervish gunboats pass safely

[implemented](#)

manual page unknown

The Dervish player’s gunboats may pass through the mined hexes with no ill effect (he knows where the mines are).

File	Symbol	Code Snippet
omdurman-rules/src/effects/river.rs:152 GH:omdurman-rules/src/effects/river.rs:152	apply_river_mine	<pre>150 151 /// Apply a river-mine resolution (rulebook §10.12). 152 pub fn apply_river_mine(153 state: &mut GameState, 154 gunboat_id: UnitId,</pre>

Proven by: [omdurman-rules::src::effects::river::dervish_gunboats_pass_mined_hexes_unharmd](#)

Covered by tests: [omdurman-rules::src::effects::tests::mine_fires_once_and_spares_dervish](#)

§10.21 – Secretly record chain hexes

[implemented](#)

manual page unknown

Prior to the commencement of play the Dervish player secretly records a line of river hexes (not exceeding four hexes long) across which the chain is strung. The hexes must be south of the E–W hexrow in which the Khor Shambat empties into the Nile.

File	Symbol	Code Snippet
omdurman-rules/src/effects/state.rs:745 GH:omdurman-rules/src/effects/state.rs:745	can_place_chain	<pre>743 /// Read-only check of a river-chain placement in 744 setup (§10.21): Setup phase 745 /// and at most [<code>MAX_CHAIN_HEXES</code>] hexes. 746 pub fn can_place_chain(&self, hexes: &[HexCoord]) - 747 > Result<(), RuleError> { 748 self.require_setup_phase()?; 749 // Optional-rule gate: the chain exists only 750 when the River Chain option</pre>
omdurman-rules/src/effects/setup.rs:337 GH:omdurman-rules/src/effects/setup.rs:337	apply_place_chain	<pre>335 /// Lay (or replace) the river chain during setup 336 (§10.21). Validated by 337 /// [<code>GameState::can_place_chain`</code>]. 338 pub fn apply_place_chain(state: &mut GameState, hexes: 339 &[HexCoord]) -> Result<(), RuleError> { 340 state.can_place_chain(hexes)?; 341 state.chain = Some(ChainPlacement {</pre>
omdurman-rules/src/effects/state.rs:2033 GH:omdurman-rules/src/effects/state.rs:2033	MAX_CHAIN_HEXES	<pre>2031 2032 /// Maximum contiguous Nile hexes the river chain may 2033 span (§10.21). 2034 pub const MAX_CHAIN_HEXES: usize = 4;</pre>

		2035 //
--	--	-----------

Covered by tests: `omdurman-rules::src::effects::tests::mine_and_chain_limits_enforced_in_setup`
`omdurman-rules::src::effects::tests::mines_and_chain_require_their_optional_rule`

§10.22 – Gunboat stops on chained hex

implemented

manual page unknown

When a British gunboat enters a “chained” river hex it must stop and may move no further that turn.

File	Symbol	Code Snippet
omdurman-rules/src/effects/state.rs:1018 GH:omdurman-rules/src/effects/state.rs:1018	<code>can_move_gunboat</code>	<pre>1016 /// upstream movement allowance is their maximum for that turn." Chained Nile 1017 /// hexes stop the gunboat (§10.22). 1018 pub fn can_move_gunboat(1019 &self, 1020 unit_id: UnitId,</pre>

Covered by tests: `omdurman-rules::src::effects::tests::chain_stops_gunboat_until_sunk`

§10.23 – Sinking the chain

implemented

manual page unknown

No gunboats (British or Dervish) may cross the chain until it has been sunk by the British player. He may sink the chain by a) having an infantry or cavalry unit spend one complete turn on either riverbank adjacent to a “chained” river hex, or b) firing at the chain with artillery and achieving a 3 or more on the Combat Results Table.

File	Symbol	Code Snippet
omdurman-rules/src/effects/river.rs:204 GH:omdurman-rules/src/effects/river.rs:204	<code>apply_sink_chain</code>	<pre>202 /// Sink the river chain (rulebook §10.23). Marks the placed chain cleared so it 203 /// no longer stops gunboats (§10.22). 204 pub fn apply_sink_chain(state: &mut GameState) -> Result<(), RuleError> { 205 match state.chain.as_mut() { 206 Some(chain) if !chain.sunk => {</pre>

Covered by tests: `omdurman-rules::src::effects::tests::chain_stops_gunboat_until_sunk`

0/1 implemented

§11 – Historical Notes

§11 – Historical Notes

descriptive

manual page unknown

Historical Notes

In 1881 Mohammed Ahmed Ibn Al-Sayid Abdullah, the son of an obscure carpenter in the hinterlands of the Sudan, proclaimed himself the “Mahdi” — the Messiah of the Islamic faith. His timing was propitious indeed. Since the early 1820’s a corrupt Egypt, with the Sultan of Turkey’s blessing, had incessantly raped the Sudan, taking ivory and flooding the slave markets with some half million captured Sudanese blacks. By 1880, nearly 40,000 Egyptian troops occupied outposts scattered throughout the Sudan, enforcing Egypt’s hold on this lucrative ivory and slave trade and squeezing the native population dry through vicious and corrupt tax officials. All was controlled from Khartoum via the office of Governor General of the Sudan. The title had been held by a succession of individuals, including General Charles Gordon, whose appointment was an attempt to reinstate some rudimentary justice in the Sudan after France and Britain assumed joint political control of a bankrupt Egypt.

By 1881, however, Gordon’s term had expired and a new Governor General, again corrupt and incompetent,
(see manual for full text)

See also: §9.1, §9.2, §9.3

0/1 implemented

Credits

§Credits – Credits

descriptive

manual page unknown

 1/1 implemented

Combat Results Table (shared reference)

§CRT – Combat Results Table (shared by §6.22 fire and §7.7 melee)

implemented

manual page unknown

File	Symbol	Code Snippet
omdurman-rules/src/combat_results_table.rs:10 GH:omdurman-rules/src/combat_results_table.rs:10	FireFactorRow	<pre>8 serde::Serialize, serde::Deserialize, Clone, Copy, 9 PartialEq, Eq, PartialOrd, Ord, Hash, Debug, 10 } 11 pub enum FireFactorRow { 12 /// 1-5 factors 13 Row01to05,</pre>
omdurman-rules/src/combat_results_table.rs:46 GH:omdurman-rules/src/combat_results_table.rs:46	from_total	<pre>44 /// Determine which row a given total fire factor 45 falls into (rulebook §6.22). 46 pub fn from_total(total: u16) -> Self { 47 match total { 48 0..=5 => FireFactorRow::Row01to05,</pre>
omdurman-rules/src/combat_results_table.rs:88 GH:omdurman-rules/src/combat_results_table.rs:88	combat_results_table	<pre>86 /// D = `Disrupt` (1/2 of target units, round up) 87 /// 1...5 = `Eliminate(n)` (that many units removed) 88 pub fn combat_results_table(row: FireFactorRow, roll: 89 DieRoll) -> CombatResult { 90 crate::tables_data::CRT[row.index()][roll.value() 91 - 1] as usize]</pre>
omdurman-rules/src/lib.rs:1013 GH:omdurman-rules/src/lib.rs:1013	CombatResult	<pre>1011 /// * `--` -- no effect 1012 #[derive(Serialize, Deserialize, Clone, Copy, 1013 PartialEq, Eq, Debug)] 1014 pub enum CombatResult { 1015 NoEffect, 1016 Disrupt,</pre>

Proven by: [omdurman-rules::src::lib::disrupt_half_is_rounded_up](#)
[omdurman-rules::src::combat_results_table::crt_eliminate_count_stays_within_printed_bounds](#)
[omdurman-rules::src::combat_results_table::crt_is_monotone_in_the_die_roll_for_every_row](#)

Covered by tests: [omdurman-rules::src::combat_results_table::ae_combat_results_table_lowest_is_no_effect](#)
[omdurman-rules::src::combat_results_table::ae_combat_results_table_highest_is_eliminate_5](#)
[omdurman-rules::src::combat_results_table::ae_combat_results_table_progresses_with_roll](#)
[omdurman-rules::src::combat_results_table::ae_combat_results_table_progresses_with_factor](#)
[omdurman-rules::src::combat_results_table::fire_factor_row_boundaries](#)
[omdurman-rules::src::combat_results_table::fire_factor_row_remaining_boundaries](#)
[omdurman-rules::src::combat_results_table::fire_factor_row_index_sequential](#)
[omdurman-rules::src::combat_results_table::crt_all_rows_monotone_non_decreasing](#)
[omdurman-rules::src::combat_results_table::crt_cross_row_monotone_for_each_roll](#)
[omdurman-rules::src::combat_results_table::crt_lowest_row_is_worst_highest_row_is_best](#)
[omdurman-rules::src::combat_results_table::crt_eliminate_never_exceeds_5](#)
[omdurman-rules::src::combat_results_table::crt_every_cell_matches_the_table](#)

0/1 implemented

| Reference – Charts and Tables

§Reference – Charts and Tables

out-of-scope

manual page unknown

Appendix: Symbol Index

Symbol	Sections
AdvanceAfterCombat	§6.82, §7.6
AdvancePhase	§4
AngloEgyptianDirectFire	§6.24
AngloEgyptianStandard	§7.7
ArtilleryBreachWall	§6.63
BattalionOrdinal	§5.54
Breach	§6.63
BrigadeId	§2.3, §5.54
BrigadeIntegrity	§5.54, §6.24
BritishLeader	§6.51
CAMPAIGN_TURN_TRACK	§9.12
CampaignVictoryLevel	§9.14
CombatResult	§CRT
ConstructZariba	§5.3
DayNight	§8.1
Demolition	§6.53
DemolitionTarget	§6.53
DervishDesertion	§8.2
DervishGunboat	§2.32
DervishLeaderCommandMismatch	§5.53
DervishStandard	§7.7
DervishTribe	§7.4
DervishTribeMix	§5.52
DervishVsTrenchedDefender	§7.7
DirectFire	§6.41
EnemyCohabitation	§5.51
FALL_OF_KHARTOUM_SETUP	§9.321, §9.344
FALL_OF_KHARTOUM_TURN_TRACK	§9.321, §9.341
Faction	§9.112
FireAttack	§6.54
FireCombat	§6.4
FireFactor	§6.11
FireFactorRow	§CRT
FireSubPhase	§6.4
Fort	§5.25, §6.54
Friendlies	§6.52
FriendliesAction	§5.21
FriendliesTransport	§5.21
GameState	§4
GameTime	§9.12

GameTurnIndex	§4
GunboatId	§2.32, §6.64
GunboatMovement	§5.24
GunboatStack	§5.51
HISTORICAL_TURN_TRACK	§9.22
HexDistance	§6.22, §7.5
HexsideKind	§5.23
HexsideRef	§5.23
HistoricalVictoryLevel	§9.24
HowitzerFire	§6.64
Immobile	§5.25
Khor	§5.44
Location	§9.112
LosCondition	§6.3
LosFeature	§6.3
LosLevel	§6.3
MAX_CHAIN_HEXES	§10.21
MaximSecondAndHowitzer	§6.42
MeleeAttack	§7.7
MeleeCombat	§7.3
MeleeFactor	§7.1
MeleeModifier	§7.7
MineResult	§10.12
MovementAllowance	§5.11
MovementPoints	§5.11
NamedGunboat	§2.32
NoHowitzerAtNight	§8.1
Old	§2.32
OldGunboat	§2.32
OptionalRule	§10.11
OverLimit	§5.51
PendingMelee	§4
Phase	§4
PlaceReinforcements	§9.112
RangeBand	§6.16, §6.22
RetreatBeforeMelee	§7.5
RiverMine	§10.12
RoyalEngineers	§6.53
ScatterHexDirection	§6.64
SetupLetter	§9.112
SpriteAnnotation	§2.3
Terrain	§6.23
TransportState	§5.21
TurnEntry	§9.12

TurnEvent	§8.2
TurnLabel	§9.12
UnitKind	§7.4
UnitMovement	§5.11
UnitProfile	§2.3
UnitState	§6.54
VictoryLedger	§9.14
VictoryPoints	§9.14
VpEvent	§9.14
VpSource	§9.14
Wall	§5.44
WalledCityEntry	§5.23
WeaponClass	§2.31, §6.61, §6.62
WhiteNileMouth	§9.345
Zariba	§5.44
ZaribaThornHedge	§9.231
ZaribaTrench	§9.232
ZaribaTrenchEntrenched	§9.232
ZocReason	§5.41, §5.44, §6.54
advance_phase	§4
ae_range_effects	§6.22
ali_wad_helu	§9.322
anglo_egyptian_campaign_schedule	§9.113
apply_advance_after_combat	§6.82, §7.6
apply_artillery_breach_wall	§6.63
apply_construct_zariba	§5.3
apply_demolition	§6.53
apply_friendlylies_transport	§5.21
apply_howitzzer_fire	§6.64
apply_melee_combat	§7.3, §7.6
apply_move_unit	§9.233
apply_place_chain	§10.21
apply_place_mine	§10.11
apply_place_reinforcements	§9.112
apply_retreat_before_melee	§7.5
apply_river_mine	§10.12, §10.13, §10.14
apply_sink_chain	§10.23
blocking_rules	§6.21, §6.3
blocks_advance_after_combat	§6.82
blocks_los	§6.3
blocks_melee	§7.2
blocks_movement	§5.23, §9.233
blocks_zoc	§5.44
brigade_integrity	§5.54

build_fire_attack_from	§6.13, §6.15
can_advance_after_combat	§6.7, §6.82, §7.6
can_fire_at	§6.14, §6.61, §6.62, §6.64
can_fire_at_wall	§6.63
can_melee	§7.2, §7.4
can_move_gunboat	§10.22
can_move_unit	§5.12
can_move_unit_to	§5.22, §5.26, §5.43
can_place_chain	§10.21
can_retreat_before_melee	§7.5
check_gordon_palace	§9.346
check_stacking	§5.51
combat_results_table	§CRT
command_owns_unit	§1.1
constructing_zariba	§5.3
defense_modifier	§6.23
demolishing	§6.53
demolition_targets	§6.53
dervish_campaign_schedule	§9.112
dervish_leader_for_setup_letter	§9.212
dervish_range_effects	§6.22
dervish_stacking_group	§5.52
dervish_tribe	§2.31
die_modifier	§6.24
effective_movement_at_night	§8.1
end_player_turn	§4, §5.13
fall_of_khartoum_map_data	§9.31, §9.342
fires_twice	§6.42
first_player	§9.211
friendlies_transport_offer	§5.21
from_superiority	§9.14
from_total	§CRT
halve	§8.1
has_combat_factors	§6.51
has_los	§6.21, §6.3
has_road	§5.11
has_zariba_thorn_hedge	§9.231
hex_has_enemy_fort	§9.344
hex_in_enemy_zoc	§5.26, §5.43, §5.44
howitzer_scatter	§6.64
in_deployment_zone	§5.22, §9.212
is_boat	§5.24
is_crossroad	§5.11
is_desertion_exempt	§8.2

is_friendlys	§5.21, §6.52
is_gordon	§9.346
is_los_trees	§6.3
is_nile_mouth_crossing	§9.345
is_walled_city	§5.23
khalifa_abdullah	§2.31
loaded_on	§5.21
los_level	§6.3
los_level_for_unit	§6.3
mandatory_melee_modifiers	§7.7
may_be_melee_attacked	§7.1
may_enter_walled_city	§5.23
may_melee_attack	§7.4
may_retreat_before_melee	§7.5
mines	§10.11
movement_cost	§5.11
movement_cost_for	§5.42, §9.233
movement_cost_with_road	§5.11
mp_spent	§5.12
net_modifier	§6.54
new	§4
night_max_range	§8.1
passable_by_land	§5.11
points	§9.14
range_band_for	§9.343
resolve	§9.35
roads	§5.11
score_elimination	§9.14
sections_for_picker	§9.322
setup_complete	§9.111
setup_letter	§9.212
stacking_rule	§5.51
sum	§7.1
sum_to_row	§6.14
superiority	§9.14
terrain_effects_chart	§5.11
total_for	§9.14
unit_projects_zoc	§5.41, §5.44
unit_projects_zoc_rule	§5.41
value	§4
who_scores	§9.14
zariba_entry_surcharge	§9.233
zoc_hexes	§5.41