Crear las carpetas y páginas web para ambos sitios.

```
(kali@ kali)-[~]
$ sudo mkdir -p /var/www/cafe
[sudo] password for kali:

(kali@ kali)-[~]
$ sudo mkdir -p /var/www/cafe-intranet
```

Contenido de /var/www/cafe/index.html

```
/var/www/cafe/index.html • - Sublime Text (SUDO / UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

index.html

! <!DOCTYPE html>
2 < html>
3 < head>
4 < title>Sitio CAFE INTERNET</title>
5 </head>
6 < body>
7 < hl style="font-size: 40px;">Tu Nombre</hl>
8 < h2>Sitio CAFE INTERNET</h2>
9 </body>
10 </html>S
```


Contenido de /var/www/cafe-intranet/index.html

Mapear nombres de dominio a las IPs correspondientes.

Definir los servidores virtuales para cada IP.

```
cafe.conf
# Sitio CAFE INTRANET (Red Interna)
<VirtualHost 192.168.10.100:80>
     ServerName www.cafe-intranet.jose.com
     ServerAlias cafe-intranet.jose.com
DocumentRoot /var/www/cafe-intranet
ErrorLog ${APACHE_LOG_DIR}/error-intranet.log
     CustomLog ${APACHE LOG DIR}/access-intranet.log combined
     <Directory /var/www/cafe-intranet>
         Options Indexes FollowSymLinks
         AllowOverride All
         Require all granted
     </Directory>
</VirtualHost>
# Sitio CAFE INTERNET (NAT)
<VirtualHost 10.0.2.15:80>
     ServerName www.cafe.es
     ServerAlias cafe.es
     DocumentRoot /var/www/cafe
     ErrorLog ${APACHE LOG DIR}/error-cafe.log
    CustomLog ${APACHE LOG DIR}/access-cafe.log combined
     <Directory /var/www/cafe>
         Options Indexes FollowSymLinks
         AllowOverride All
         Require all granted
     </Directory>
 </VirtualHost>
```

Resultado de conexion local



Tu Nombre

Sitio CAFE INTERNET

S



Configuracion de los hosts en windows

```
hosts: Bloc de notas
Archivo Edición Formato Ver Ayuda
# This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
# This file contains the mappings of IP addresses to host names. Each
# entry should be kept on an individual line. The IP address should
# be placed in the first column followed by the corresponding host name.
# The IP address and the host name should be separated by at least one
# space.
# Additionally, comments (such as these) may be inserted on individual
# lines or following the machine name denoted by a '#' symbol.
# For example:
      102.54.94.97
                       rhino.acme.com
                                               # source server
       38.25.63.10
                       x.acme.com
                                               # x client host
# localhost name resolution is handled within DNS itself.
      127.0.0.1 localhost
       ::1
                       localhost
192.168.10.100 www.cafe-intranet.DAW23.local
```

Conexion realizada

