

Decision summary

REJECT

REJECT — generic capacity support

Reject generic polypropylene capacity support; investigate only explicitly defined grade/application exceptions.

SAU-H0-390210 · No intervention for generic capacity · Mode: Public evidence

Polypropylene, in primary forms

HS H0 / 390210

Target-specification demand Unavailable kt	Effective qualified capacity Unavailable kt
Published capability distance D* Not calculable ratio	Minimum effective support S* Not calculable SAR m

Decision conditions

Only a named specialty grade/application exception may re-enter INVESTIGATE.

Kill conditions

Imported and domestic products are shown equivalent and qualified [1 more; see the full record](#)

Evidence passport ledger: [P-WITS-390210 P-SABIC](#)

Snapshot: PUBLIC-SAU-H0-390210-2026-08-31 · As of: 2026-08-31

Supporting evidence pack

1. [Identity and specification boundary](#)
2. [Demand and public trade signals](#)
3. [Domestic supply and qualified capacity](#)
4. [Gap diagnosis and false-positive controls](#)
5. [Capability and route alternatives](#)
6. [Economics and intervention](#)
7. [Competition and public policy](#)
8. [Complete rule execution ledger](#)
9. [Evidence passports and contradictions](#)
10. [Conditions, kill conditions and next facts](#)
11. [Authority and reproducibility](#)

Identity and specification boundary

Public evidence

Product identity

Source field	Value	Unit
HS revision	H0	
HS code	390210	
National tariff line	Unavailable Not established by the supplied evidence.	
Commercial name, English source	Polypropylene, in primary forms	
Commercial name, Arabic	بولي بروبيلين بأشكاله الأولية	
Application boundary	Generic capacity case; narrow grade/application exceptions remain unresolved.	
Target specification	Unavailable Not established by the supplied evidence.	
Standard	Unavailable Not established by the supplied evidence.	
Alloy	Unavailable Not established by the supplied evidence.	

Source field	Value	Unit
Temper	Unavailable Not established by the supplied evidence.	
Application	Unavailable Not established by the supplied evidence.	
Zinc coating mass	Unavailable Not established by the supplied evidence.	g/m ²
Tin coating mass	Unavailable Not established by the supplied evidence.	g/m ²
Thickness	Unavailable Not established by the supplied evidence.	mm
Thickness	Unavailable Not established by the supplied evidence.	µm
Width	Unavailable Not established by the supplied evidence.	mm
Customer qualification required	Unavailable Not established by the supplied evidence.	

Classification revision and concordance

Unavailable

Specification source spans

Unavailable

Demand and public trade signals

Public evidence

Demand conclusion

Gross imports are a screening signal, not demand at the target specification.

Source field	Value	Unit
Base demand	Unavailable Not established by the supplied evidence.	kt

Source field	Value	Unit
Target-specification demand	Unavailable Not established by the supplied evidence.	kt
Downside demand	Unavailable Not established by the supplied evidence.	kt
Committed demand	Unavailable Not established by the supplied evidence.	kt
Announced demand	Unavailable Not established by the supplied evidence.	kt
Commitment probability	Unavailable Not established by the supplied evidence.	ratio
Observation year	2024	year
Gross import value	92.3	USD m
Gross import quantity	56	kt
Named buyers	Unavailable Not established by the supplied evidence.	
Buyer concentration	Unavailable Not established by the supplied evidence.	
Demand timing	Unavailable Not established by the supplied evidence.	
Year	Import value, USD m	Import quantity, kt
2021	91.2	50.5
2023	91	67
2024	92.3	56

Trade coverage and measurement

Trade-flow basis	gross
Re-exports separated	No
Domestic-origin exports separated	No
Missing years	2022

Monthly partner/tariff-line detail available	No
Quantity is comparable	Yes
Execution ceiling	DEGRADED where continuity or grade resolution is required

Production, retained flows and re-exports

Reference year	2024
Domestic production (kt)	Unavailable
Retained imports (kt)	Unavailable
Domestic-origin exports (kt)	Unavailable
Re-exports (kt)	Unavailable
Source evidence references	None recorded; no completed review is implied.

Supplier diagnostics

Domestic supply and qualified capacity

Supply conclusion

Public producer observations; nameplate is not qualified capacity.

Named producer	Value
SABIC	Process family polypropylene
	Published process route Unavailable
	Published standards Unavailable
	Published product portfolio homo, random and impact products and compounds
	Observed nameplate capacity, t/y Unavailable
	Nominal-capacity status unresolved
	Nominal-capacity evidence reference Unavailable
	Evidence class C
P-SABIC	

Named producer	Value
Advanced Petrochemical	Process family polypropylene
	Published process route Unavailable
	Published standards Unavailable
	Public source note Jubail complex exceeded nameplate in Q1 2026
	Observed nameplate capacity, t/y 450000
	Nominal-capacity status observed
	Nominal-capacity evidence reference P-ADVANCED
	Evidence class C
P-ADVANCED	

Named producer	Value
Tasnee	Process family polypropylene
	Published process route Unavailable
	Published standards Unavailable
	Observed nameplate capacity, t/y 720000
	Nominal-capacity status observed
	Nominal-capacity evidence reference P-TASNEE
	Evidence class C
	P-TASNEE

Observed adjacency signals

• Signal type	core_process
Description	large established Saudi polypropylene production
Evidence references	◦ P-ADVANCED◦ P-TASNEE
• Signal type	adjacent_output
Description	broad producer grade portfolios
Evidence references	◦ P-SABIC

Public evidence

Source field	Value	Unit
Effective qualified capacity	Unavailable Not established by the supplied evidence.	kt

Source field	Value	Unit
Qualified available supply	Unavailable Not established by the supplied evidence.	kt

Gap diagnosis and false-positive controls

Public evidence

Evidence gap

Source field	Value	Unit
Specification-adjusted gap	Unavailable Not established by the supplied evidence.	kt

Source reference	Status	Value
EX-01_HETEROGENEOUS_RESIDUAL	Not calculable	The commercial product cannot be separated from a highly heterogeneous residual code and no product-level evidence is available.
EX-02_MARKET_BELOW_MINIMUM	Not calculable	The sustainable downside market is below minimum efficient scale and no credible export contract exists.
EX-03_UNSATISFIABLE_HARD_GATE	Not calculable	A legal, safety, environmental, IP or customer-qualification hard gate cannot be satisfied.
EX-04_IDLE_EQUIVALENT_CAPACITY	Not calculable	Domestic production meets the required specification with material idle capacity and no binding market failure is evidenced.
EX-05_TRANSITORY_OR_MEASUREMENT	Not calculable	The apparent gap is dominated by re-export, one-off project demand, temporary price arbitrage or classification discontinuity.

Source reference	Status	Value
EX-06_REDUNDANCY_OR_CROWD_OUT	Not calculable	The intervention would create unacceptable redundant capacity or crowd out a more efficient incumbent.

Test the apparent gap

Source reference	Status	Value
hard_exclusion	Not calculable	HARD_EXCLUSION_NOT_SATISFIED
false_or_measurement_gap	Not calculable	FALSE_OR_MEASUREMENT_NOT_ESTABLISHED
equivalent_idle_qualified_supply	Not calculable	EQUIVALENCE_INPUT_UNAVAILABLE
uneconomic_at_efficient_scale	Not calculable	EFFICIENT_SCALE_ECONOMICS_UNAVAILABLE
structural_overcapacity	Not calculable	STRUCTURAL_OVERCAPACITY_NOT_ESTABLISHED
generic_capacity_contradicted	Satisfied	GENERIC_CAPACITY_CONTRADICTED P-ADVANCED P-TASNEE P-WITS-390210

Capability and route alternatives

Public evidence

Source field	Value	Unit
Known coverage K	0.6	ratio
Unknown weight U	0.4	ratio
Uncertainty penalty (lambda)	0.5	ratio
Minimum known coverage	0.7	ratio

Source field	Value	Unit
Published capability distance D*	Not calculable Cannot be calculated from the supplied evidence.	ratio
Source field	State	Weight
Feedstock chemistry	0	0.15
Core process route	0	0.2
Equipment operating envelope	0	0.15
Finishing and specification control	U	0.1
Quality, laboratories and metrology	U	0.1
Certification and customer qualification	U	0.15
Capacity and timing	U	0.05
Utilities, environment and permitting	0	0.05
Skills and market integration	0	0.05
Sector-profile hard gates		
Polymer/additive compatibility	Unavailable	
Conversion process	Unavailable	
Tooling	Unavailable	
Performance requirement	Unavailable	
Application qualification	Unavailable	
Unresolved hard gates	- polymer_additive_compatibility - conversion_route - tooling - performance_requirement - application_qualification - named imported grade - buyer application and qualification - local grade availability in required volume and timing	
Known hard-gate failures	None recorded; no completed review is implied.	

No intervention

Passes

Source field	Value
Feasibility	Passes
Resolves the binding constraint	Passes
Additionality	Passes
Policy permissibility	Passes
Unsupported NPV	Not calculable
Unsupported IRR	Not calculable
Minimum effective support S*	Not calculable

Lower-route precedence: No lower route recorded

Incremental national value 0

passes

- No action is the comparator and is selected when an evidenced rejection condition fully resolves the proposition.

Administrative or regulatory correction

Fails

Source field	Value
Feasibility	Not calculable
Resolves the binding constraint	Not calculable
Additionality	Not calculable
Policy permissibility	Not calculable
Unsupported NPV	Not calculable
Unsupported IRR	Not calculable
Minimum effective support S*	Not calculable

Lower-route precedence: No intervention

Incremental national value Not calculable

Not calculable

- Administrative, classification or regulatory barrier evidence is required.
 - A lower-intervention route fully resolves the binding constraint.
-

Information and market linkage

Fails

Source field	Value
Feasibility	Not calculable
Resolves the binding constraint	Not calculable
Additionality	Not calculable
Policy permissibility	Not calculable

Unsupported NPV Not calculable

Unsupported IRR Not calculable

Minimum effective support S* Not calculable

Lower-route precedence: No intervention

Incremental national value Not calculable

Not calculable

- A verified information, linkage or matching constraint is required.
 - A lower-intervention route fully resolves the binding constraint.
-

Certification, testing and quality

Fails

Source field	Value
Feasibility	Not calculable
Resolves the binding constraint	Not calculable
Additionality	Not calculable
Policy permissibility	Not calculable

Unsupported NPV	Not calculable
Unsupported IRR	Not calculable
Minimum effective support S*	Not calculable

Lower-route precedence: No intervention

Incremental national value	Not calculable
-----------------------------------	----------------

Not calculable

- A verified specification, certification, testing or qualification constraint is required.
- A lower-intervention route fully resolves the binding constraint.

Demand aggregation and offtake

Fails

Source field	Value
Feasibility	Not calculable
Resolves the binding constraint	Not calculable
Additionality	Not calculable
Policy permissibility	Not calculable

Unsupported NPV	Not calculable
Unsupported IRR	Not calculable
Minimum effective support S*	Not calculable

Lower-route precedence: No intervention

Incremental national value	Not calculable
-----------------------------------	----------------

Not calculable

- A verified demand-fragmentation or offtake constraint is required.
- A lower-intervention route fully resolves the binding constraint.

Brownfield upgrade or expansion

Fails

Source field	Value
Feasibility	Not calculable
Resolves the binding constraint	Not calculable
Additionality	Not calculable
Policy permissibility	Not calculable
Unsupported NPV	Not calculable
Unsupported IRR	Not calculable
Minimum effective support S*	Not calculable

Lower-route precedence: No intervention

Incremental national value Not calculable

Not calculable

- Verified incumbent adjacency makes brownfield the priority hypothesis; effective capacity and economics remain required.
 - A lower-intervention route fully resolves the binding constraint.
-

Technology partnership or joint venture

Fails

Source field	Value
Feasibility	Not calculable
Resolves the binding constraint	Not calculable
Additionality	Not calculable
Policy permissibility	Not calculable
Unsupported NPV	Not calculable
Unsupported IRR	Not calculable
Minimum effective support S*	Not calculable

Lower-route precedence: No intervention

Incremental national value Not calculable

Not calculable

- A verified technology constraint and major-line/JV adjacency are required.
- A lower-intervention route fully resolves the binding constraint.

Greenfield capacity

Fails

Source field	Value
Feasibility	Not calculable
Resolves the binding constraint	Not calculable
Additionality	Not calculable
Policy permissibility	Not calculable
Unsupported NPV	Not calculable
Unsupported IRR	Not calculable
Minimum effective support S*	Not calculable

Lower-route precedence: No intervention

Incremental national value Not calculable

Not calculable

- Greenfield requires failed lower routes, D* above the configured band, demand at MES, and passing competition gates.
- A lower-intervention route fully resolves the binding constraint.

Shared enabling infrastructure

Not calculable

Source field	Value
Feasibility	Not calculable
Resolves the binding constraint	Not calculable
Additionality	Not calculable
Policy permissibility	Not calculable

Unsupported NPV Not calculable

Unsupported IRR Not calculable

Minimum effective support S* Not calculable

Lower-route precedence: No lower route recorded

Incremental national value Not calculable

Not calculable

- GRAPH_REQUIRED: route 8 requires the governed dependency graph and a positive UnlockValue.

Counterfactual

Unavailable

Economics and intervention

Public evidence

Source field	Value	Unit
Unsupported NPV	Not calculable Cannot be calculated from the supplied evidence.	SAR m
Unsupported IRR	Not calculable Cannot be calculated from the supplied evidence.	ratio
Minimum effective support S*	Not calculable Cannot be calculated from the supplied evidence.	SAR m

Source field	Value	Unit
Supported NPV	Not calculable Cannot be calculated from the supplied evidence.	SAR m
Supported IRR	Not calculable Cannot be calculated from the supplied evidence.	ratio
Hurdle rate	Not calculable Cannot be calculated from the supplied evidence.	ratio
Separate downside result	Not calculable Cannot be calculated from the supplied evidence.	SAR m

National-value comparison

Unavailable

Competition and public policy

Public evidence

Source field	Value	Unit
Capacity to downside demand ratio	Unavailable Not established by the supplied evidence.	ratio
Displacement cost	Unavailable Not established by the supplied evidence.	SAR m
Sunset date	Unavailable Not established by the supplied evidence.	

Unavailable

Calculation and recommendation do not authorize public support.

Complete rule execution ledger

R0 · Identity gate

Full · Fires

HS revision H0 and HS6 390210 are frozen in the snapshot; specification/application remains separately gated.

Continue to screening while preserving the unresolved decision object.

R1-F · Persistent retained exposure — full

Disabled · Not evaluable

Full continuity is unavailable and gross flows are not retained imports.

Do not claim the full persistence rule.

Missing years	• 2022
---------------	--------

R1-D · Persistence signal — degraded

Degraded · Fires

3 positive observed years within the configured window; no interpolation used.

Generate INVESTIGATE only; confidence capped at C.

Positive observed years	• 2021• 2023• 2024
-------------------------	--------------------

Confidence ceiling	C
--------------------	---

R2 · Quantity-led expansion

Full · Does not fire

Value movement is not quantity-led under the configured test.

Separate structural volume growth from price movement.

First year	2023
------------	------

Final year	2024
------------	------

Observed period (years)	1
-------------------------	---

Change in log value	0.0142
---------------------	--------

Change in log quantity	-0.1793
------------------------	---------

Change in log unit value	0.194
--------------------------	-------

Quantity contribution share	0.4804
-----------------------------	--------

Quantity compound annual growth rate	-0.1642
--------------------------------------	---------

R3 · Supplier concentration

Disabled · Not evaluable

Value- and quantity-basis partner concentration are NOT_CALCULABLE.

No concentration inference.

Concentration index (HHI)	Not calculable
Largest supplier share	Not calculable
Top-two supplier share	Not calculable
Concentration threshold (HHI)	0.25
Largest-supplier threshold	0.5

Value

Recorded basis	value
Status	Not calculable
Observation year	2024
Trade-flow basis	gross
Source	none
Concentration index (HHI)	Not calculable
Largest supplier share	Not calculable
Top-two supplier share	Not calculable
Valid observation coverage	Not calculable
Eligible partner count	Not calculable
Source explanation	No partner rows or source-attributed value concentration disclosure are available.

Quantity

Recorded basis	quantity
Status	Not calculable
Observation year	2024
Trade-flow basis	gross

Source	none
Concentration index (HHI)	Not calculable
Largest supplier share	Not calculable
Top-two supplier share	Not calculable
Valid observation coverage	Not calculable
Eligible partner count	Not calculable
Source explanation	No partner rows or source-attributed quantity concentration disclosure are available.

R4-F · Product-tier heterogeneity — full

Disabled · Not evaluable

Partner-month × tariff-line cells are unavailable.

Do not fit clusters or claim grades.

R4-D · Unit-value dispersion — degraded

Degraded · Fires

A source-attributed annual unit-value dispersion summary supports a descriptive product-mix signal; no cluster or grade conclusion.

Open specification research only; no grade conclusion.

Status	DISCLOSED
Calculation basis	disclosed_dispersion
Valid value coverage	Not calculable
Valid quantity coverage	Not calculable
Minimum valid-value coverage	0.7
Weighted first quartile (USD/t)	Not calculable
Weighted median (USD/t)	Not calculable
Weighted third quartile (USD/t)	Not calculable
Interquartile range (USD/t)	Not calculable

Bulk unit-value band (USD/t)	Not calculable
Potential outlier	Not calculable
Comparison observations	
• Trade flow	imports
Unit value (USD/t)	1649
• Trade flow	exports
Unit value (USD/t)	1097
Source evidence reference	P-WITS-390210
Source explanation	Gross-flow average unit values are a product-mix, grade, origin, or distribution research signal; they do not establish a specialty-grade gap.

R5 · Domestic supply plus continued imports

Degraded · Fires

Verified domestic capability coexists with material gross imports.

Test specification, qualification, capacity, price, application and allocation mismatch.

Retained imports (kt)	Not calculable
Net import exposure (kt)	Not calculable
Apparent consumption (kt)	Not calculable
Retained imports / apparent consumption	Not calculable
Calculation basis	Not calculable
Unavailable inputs	- domestic_origin_exports_kt • domestic_production_kt - reexports_kt • retained_imports_kt
Reasons for unavailability	
Retained imports (kt)	reexports_kt • retained_imports_kt
Net import exposure (kt)	domestic_origin_exports_kt • retained_imports_kt

Apparent consumption (kt)	- domestic_origin_exports_kt - domestic_production_kt - retained_imports_kt
Retained imports / apparent consumption	- apparent_consumption_kt - retained_imports_kt
Configured threshold	0.2
Source explanation	Domestic production quantity and retained-import flow are absent from the frozen public snapshot; gross imports cannot establish apparent consumption.

R6 · Capacity pressure

Disabled · Not evaluable

Effective utilisation and target-specification shortage are not public.

Obtain line-level availability, yield, qualification share and allocation.

R7 · Latent domestic capacity

Disabled · Not evaluable

Idle qualified capacity and specification equivalence are not established publicly.

Do not assume latent capacity.

R8 · Committed future demand

Disabled · Not evaluable

Awarded/financed demand at the target specification is unavailable.

Keep base, committed and announced demand separate when provided.

R9-S · Coarse incumbent adjacency screen

Full · Fires

A verified Saudi plant is in the same process family with additional capability signals.

Open the full line-level capability assessment; do not publish D* from screening alone.

Same process family	Yes
----------------------------	-----

Qualifying signal count	2
Known hard-gate failure	No

R10 · Strategic criticality

Disabled · Not evaluable

No responsible-authority criticality designation is present in the demo snapshot.

Keep commercial viability and strategic value separate.

Criticality status	Not calculable
Criticality evidence reference	Unavailable

R11 · Economic exclusion / generic-capacity warning

Full · Fires

Gross exports are 50.6× imports; generic new capacity cannot be justified from HS6 imports alone.

Reject generic support or move only a named specialty exception to investigation.

Export/import value ratio	50.6
Export/import ratio threshold	50
Calculated export/import value ratio	50.6013
Disclosed export/import value ratio	50.6
Disclosed ratio is consistent	Yes
Ratio basis	gross_trade_value
Ratio status	CALCULABLE
Ratio explanation	Unavailable
Established nominal capacity	
Established by evidence	Yes
Total observed nominal capacity (t/year)	1170000
Named producers	- Advanced Petrochemical - Tasnee

Evidence references	• P-ADVANCED• P-TASNEE
Source explanation	Unavailable

R12 · Evidence-value trigger

Degraded · Fires

5 named facts could change the route.

Prioritise the smallest evidence request with a plausible route effect; quantify EVSI when cost and value inputs exist.

Named missing facts	• Saudi tariff-line and invoice description • Importer/offtaker application and qualification requirements • Producer grade, application-equivalence and local-availability matrix • Effective availability, allocation, utilisation, yield, qualification share, backlog and planned outages • Delivered economics for the named specification/application exception
----------------------------	---

Evidence needed

- Saudi tariff-line and invoice description

Evidence-need identifier	identity/tariff-line
Blocked decision field	product_identity
Effect on route	Can resolve the decision object and change the admissible route.
Evidence references	◦ None recorded; no completed review is implied.
Numerical value of information	Not calculable

- Importer/offtaker application and qualification requirements

Evidence-need identifier	target specification/application
Blocked decision field	demand_at_required_specification
Effect on route	Can establish target demand and change state or route.
Evidence references	◦ None recorded; no completed review is implied.

Numerical value of information	Not calculable
• Producer grade, application-equivalence and local-availability matrix	
Evidence-need identifier	line-level production or producer-grade matrix
Blocked decision field	domestic_supply_or_capability
Effect on route	Can establish domestic equivalence and change the incumbent route.
Evidence references	◦ P-SABIC
Numerical value of information	Not calculable
• Effective availability, allocation, utilisation, yield, qualification share, backlog and planned outages	
Evidence-need identifier	capacity/availability/allocation
Blocked decision field	domestic_supply_or_capability
Effect on route	Can distinguish no action, brownfield expansion, and new capacity.
Evidence references	◦ P-ADVANCED◦ P-TASNEE
Numerical value of information	Not calculable
• Delivered economics for the named specification/application exception	
Evidence-need identifier	route economics
Blocked decision field	route_economics
Effect on route	Can determine whether the plausible route proceeds unsupported.
Evidence references	◦ P-WITS-390210
Numerical value of information	Not calculable

Evidence passports and contradictions

4 public records; 0 synthetic records.

Contradiction register

Public evidence contradictions

No public contradictions recorded.

Synthetic evidence contradictions

Synthetic evidence is not active in public mode.

P-WITS-390210

WITS/UN Comtrade Saudi trade rows for HS 390210

Source field	Value
Source	WITS/UN Comtrade
Class	B
Status	observed
Source period	2021/2023/2024
Retrieval date	2026-08-31
Reviewer status	unconfirmed_by_responsible_authority
Transformation	Frozen annual world rows; export/import ratios and 2024 average unit values are disclosed calculations from the methodology worked case.
Supporting claims	- TRADE_VALUE - TRADE_QUANTITY - EXPORT_IMPORT_RATIO
Contradiction register	Unavailable
Source reference	https://wits.worldbank.org/trade/comtrade/en/country/SAU/year/2024/tradeflow/Imports/partner/ALL/product/390210

P-SABIC

SABIC polypropylene portfolio

Source field	Value
Source	SABIC
Class	C
Status	observed
Source period	Unavailable
Retrieval date	2026-08-31
Reviewer status	unconfirmed_by_responsible_authority
Transformation	Unavailable
Supporting claims	DOMESTIC_PRODUCT_PORTFOLIO
Contradiction register	Unavailable
Source reference	https://www.sabic.com/en/products/polymers/polypropylene-pp

P-ADVANCED

Advanced Petrochemical company information

Source field	Value
Source	Advanced Petrochemical
Class	C
Status	observed
Source period	Unavailable
Retrieval date	2026-08-31
Reviewer status	unconfirmed_by_responsible_authority
Transformation	Unavailable
Supporting claims	DOMESTIC_NAMEPLATE_CAPACITY
Contradiction register	Unavailable
Source reference	https://advancedpetrochem.com/about/

P-TASNEE

Tasnee petrochemicals page

Source field	Value
Source	Tasnee
Class	C
Status	observed
Source period	Unavailable
Retrieval date	2026-08-31
Reviewer status	unconfirmed_by_responsible_authority
Transformation	Unavailable
Supporting claims	• DOMESTIC_NAMEPLATE_CAPACITY
Contradiction register	Unavailable
Source reference	https://www.tasnee.com/en/products/petrochemicals

Conditions, kill conditions and next facts

Public evidence

Decision conditions

- Only a named specialty grade/application exception may re-enter INVESTIGATE.

Kill conditions

- Imported and domestic products are shown equivalent and qualified
- No specification-adjusted gap exists

Next evidence actions

- Saudi tariff-line and invoice description
- Importer/offtaker application and qualification requirements
- Producer grade, application-equivalence and local-availability matrix
- Effective availability, allocation, utilisation, yield, qualification share, backlog and planned outages
- Delivered economics for the named specification/application exception

Decision history and expert overrides

None recorded; no completed review is implied.

Authority and reproducibility

Authority and versions

Source reference	Value
Methodology	docs/authority/Industrial_Opportunity_Resolution_Methodology_Final_KSA.docx 5717cbd42acc9947ce5e450013719275acb7ed1470847b21fb2cc547c8ac4ce9
Project	0.2.0
Thresholds	1.3.0
Sector profiles	1.1.0
Evidence policy	1.4.0
UI strings	1.7.0

Evidence boundary

Public decision uses public evidence only	Yes
Synthetic branch isolation	Yes
Scenario reconciliation	Unavailable
Latest imports (USD million)	92.3
Latest imports (kt)	56