

HTML CSS Assignment

1.Create a button using CSS transition.Change the button color when the user hovers over it.

2.Create a box animation using @keyframes.Move the box from left to right continuously.

3.Create a text hover effect using transition.Increase the text size smoothly when the mouse moves over it.

4.Create a box animation using CSS @keyframes.

Move the box from left to right, change colors at 50%, 70%, and 100%, repeat the animation 5 times, and keep the final style using animation-fill-mode and increase width 500px.

ANSWER:

1,2,3,4:

HTML:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>CSS Animation Showcase</title>

  <style>

    body {

      font-family: Arial, sans-serif;

      margin: 40px;

      background-color: #f5f6fa;

      color: #333;

    }
```

```
.section {  
  background: #ffffff;  
  padding: 24px;  
  margin-bottom: 24px;  
  border-radius: 8px;  
  box-shadow: 0 4px 6px rgba(0, 0, 0, 0.05);  
}
```

```
h2 {  
  margin-top: 0;  
  color: #2c3e50;  
  font-size: 18px;  
  border-bottom: 2px solid #edf2f7;  
  padding-bottom: 8px;  
}
```

```
/* 1.*/  
.transition-btn {  
  background-color: #3498db;  
  color: #ffffff;  
  padding: 12px 24px;  
  border: none;  
  border-radius: 4px;  
  cursor: pointer;  
  font-size: 16px;  
  transition: background-color 0.3s ease;  
}
```

```
.transition-btn:hover {  
  background-color: #2c3e50;
```

```
}
```

```
/* 2. */
```

```
.box-container {  
  width: 100%;  
  background-color: #f8f9fa;  
  border: 1px dashed #cbd5e1;  
  padding: 10px 0;  
  border-radius: 4px;  
}
```

```
.moving-box {  
  width: 50px;  
  height: 50px;  
  background-color: #e74c3c;  
  animation: moveRight 3s linear infinite;  
}
```

```
@keyframes moveRight {  
  0% {  
    transform: translateX(0);  
  }  
  100% {  
    transform: translateX(calc(100% - 50px));  
  }  
}
```

```
/* 3. */
```

```
.zoom-text {  
  font-size: 18px;
```

```
display: inline-block;
cursor: pointer;
transition: transform 0.4s ease-in-out;
}
```

```
.zoom-text:hover {
  transform: scale(1.25);
}
```

```
/* 4. */
```

```
.advanced-box {
  height: 60px;
  background-color: #2ecc71;
  animation: advancedJourney 4s ease-in-out 5 forwards;
}
```

```
@keyframes advancedJourney {
  0% {
    transform: translateX(0);
    width: 100px;
  }
  50% {
    background-color: #f1c40f;
  }
  70% {
    background-color: #9b59b6;
  }
  100% {
    transform: translateX(200px);
    width: 500px;
  }
}
```

```
        background-color: #e67e22;
    }
}
</style>
</head>
<body>

<div class="section">

    <h2>1. Button Color Transition (Hover Me)</h2>

    <button class="transition-btn">Hover Me</button>

</div>


<div class="section">

    <h2>2. Continuous Left-to-Right Animation</h2>

    <div class="box-container">

        <div class="moving-box"></div>

    </div>

</div>


<div class="section">

    <h2>3. Smooth Text Size Transition (Hover Me)</h2>

    <p class="zoom-text">Move your mouse over this text.</p>

</div>


<div class="section">

    <h2>4. Keyframe Animation (Runs 5 times, changes color, stays at 500px width)</h2>

    <div class="advanced-box"></div>

</div>

</body>
```

</html>