



Manuscript: L^AT_EX Guidelines for authors

First name Surname^{A,*} , First name Surname^B , First name Surname^A , First name Surname^A ,
First name Surname^B , First name Surname^A , and First name Surname^B 

ABSTRACT

This guide is for authors who are preparing papers for the journal using the L^AT_EX document preparation system.

Keywords: keyword 1, keyword 2, key phrase 3. keyword 4, keyword 5, keyword 6, key term 7, keyword 8.

Introduction

The layout design for the journal has been implemented as a L^AT_EX style file. The sample style file is based on the ARTICLE style as discussed in the L^AT_EX manual. Commands which differ from the standard L^AT_EX interface, or which are provided in addition to the standard interface, are explained in this guide. This guide is not a substitute for the L^AT_EX manual itself.

Introduction to L^AT_EX

The L^AT_EX document preparation system is a special version of the T_EX typesetting program. L^AT_EX adds to T_EX a collection of commands which simplify typesetting by allowing the author to concentrate on the logical structure of the document rather than its visual layout.

L^AT_EX provides a consistent and comprehensive document preparation interface. There are simple-to-use commands for generating a table of contents, lists of figures and/or tables, and indexes. L^AT_EX can automatically number list entries, equations, figures, tables, and footnotes, as well as parts, chapters, sections and subsections. Using this numbering system, bibliographic citations, page references and cross references to any other numbered entity (e.g. chapter, section, equation, figure, list entry) are quite straightforward. To know more information about L^AT_EX and its packages, try <https://ctan.org/?lang=en>.

The sample document class

The use of document class allows a simple change of style to transform the appearance of your document. The sample class file preserve the standard L^AT_EX interface such that any docu-

ment which can be produced using the standard L^AT_EX ARTICLE style can also be produced with the sample style. However, the fonts (sizes) and measure of text is slightly different from that for ARTICLE, therefore line breaks will change and it is possible that equations may need re-setting.

Class options

The class file options can be used within optional brackets of the `\documentclass` command with a comma separator as shown below:

```
\documentclass[linenum,doublespace,
ResearchPaper,Review,vancouverrefstyle,
draft]{sample}
```

The sample style provides various class options to cater its specific requirements like:

- `linenum` – for enabling the line numbers in the output.
- `doublespace` – for enabling the text with spaced rows
- `draft` – for showing the output in draft mode
- `ResearchPaper` – for enabling the Article Type as Research Paper
- `Review` – for enabling the Article Type as Review
- `vancouverrefstyle` – for enabling the Vancouver references style

Titles, authors' names and affiliations

In the sample style, the title of the article and the author's name (or authors' names) are used at the beginning of the article for the main title.

Moreover, the main heading can also incorporate new line commands (e.g. `\\`). If more authors have to be used in `\author` command then each author should be captured in a separate `\author{}` command. `\affil` command is used to call the affiliation, if more affiliations have to be used in `\affil` command then each affiliation should be captured in a separate `\affil{ }{ }` command. The author and affiliation indicator should be captured with an option argument in

A. Department, university/workplace, city, state, country,  <https://orcid.org/0000-0000-0000-0001>  <https://orcid.org/0000-0000-0000-0002>; B. Department, university/workplace, city, state, country,  <https://orcid.org/0000-0000-0000-0003>

*Corresponding author. Email: xxx@email.com

#These authors contributed equally to this paper [If relevant]

`\author` and `\affil` command such as `\author[...]{}` and `\affil[...]{}`.

If any author has an ORCID ID, the command `\orc{}` should be used within the option argument (i.e. `\author[...]`) in order to include the ORCID Logo with the said author as superscript with a hyperlink value.

The `\affil` command consists of two arguments along with an optional one in which the second argument to be filled only when its corresponding author has ORCID information as per the sample style requirement. For this, the command `\auorc{}` is used as shown in the below sample coding for "authors and affiliation".

For the corresponding author details, use the `\corau{}`

If required use the `\corautwo{}` also. This is optional.

```
\author[*1\orc{0000-0000-0000-0001}]{Author
A. First}%
\author[1,3\orc{0000-0000-0000-0002}]{Author
B. Second}
\author[2\orc{0000-0000-0000-0003}]{Author
C. Third}
```

```
\affil[1]{First Affiliation, Institute,
City, Country}
{\auorc{0000-0000-0000-0001}{}
\auorc{0000-0000-0000-0002}{} }
```

```
\affil[2]{Second Affiliation, Institute,
City, Country}
{\auorc{0000-0000-0000-0003}{} }
```

```
\affil[3]{Third Affiliation, Institute, City,
Country}
{}
\corau{*Corresponding author: auname@abc.org}
```

```
\corautwo{${\#}$These authors contributed
equally to this paper [If relevant]}
```

Additional elements

- Please use the command for Article type `\journaltype{...}`
- Please use the command for Article opening page right side doi text `\jwebadd{...}`
- Please use the command for Journal name `\journalname{}`

Lists

The sample style provides the three standard list environments.

- Bulleted lists, created using the `itemize` environment.
- Numbered lists, created using the `enumerate` environment.
- Labelled lists, created using the `description` environment.

Footnotes

The sample journal style uses superior numbers for footnotes when using the Harvard referencing system.¹ For journals using the Vancouver (numbered) reference style, footnotes are identified with superior capital letters.^A

Some guidelines for using standard facilities

The following notes may help you to achieve the best effects with the sample style file.

Sections

$\LaTeX$ provides five levels of section headings and they are all defined in the sample style file:

- `\section.`
- `\subsection.`
- `\subsubsection.`
- `\paragraph.`
- `\subparagraph.`

Section numbers are disabled through template as per the sample layout requirements for all level of section headings.

Tables

The figure and table environments are implemented as described in the $\LaTeX$ Manual to provide consecutively numbered floating inserts for illustrations and tables respectively. Line breaks in captions can be inserted as required using `\\`.

The sample style file will cope with most positioning of your tables and you should not normally use the optional positional qualifiers on the `table` environment which would override these decisions. Normal journal style sets the table caption first, followed by a Thick rule, the table body and a rule at the bottom. Single rules and spanner rules (`\cline`) can be used to separate headings from the columns. For example, Table 1 is produced using the following commands:

```
\begin{table}[t]
\tbl{Provide a concise explanation of
your table.\label{tab01}}
{\begin{tabular*}{252pt}{@{\extracolsep{\fill}}
@{p{30pt}p{30pt}p{30pt}p{30pt}@{}} \hline
Column heading & Column heading &
Column heading & Column heading \\ \hline
First data row & 1${}^{\textrm{A}}$ & 2 & 3 \\
Second data row & 4 & 5 & 6 \\
SSR & 7 & 8* & 9** \\ \botrule
\end{tabular*}}{\tabnote{Note: this
```

¹This shows how a footnote is typeset.

^AThis shows how a footnote is typeset.

Table 1 Provide a concise explanation of your table.

Column heading	Column heading	Column heading	Column heading
First data row	1 ^A	2	3
Second data row	4	5	6
SSR	7	8*	9**

Note: this general footnote contains information pertinent to the entire table.

^AFootnotes identified with superscript uppercase letters are pertinent to single cells only.

*Asterisks are used to indicate statistical significance (e.g. $*P < 0.05$; $**P < 0.01$).

SSR, simple sequence repeat (abbreviations should be defined in the footnote if not already explained in the body of the paper).

Source: Bloggs *et al.* (2020) [if required].

```
general footnote contains information
pertinent to the entire table.\\
\noindent  $\text{\textsuperscript{A}}$ $Footnotes identified
with superscript uppercase letters are
pertinent to single cells only.\\
 $\text{\textsuperscript{*}}$ $Asterisks are used to indicate
statistical significance (e.g.
 $\text{\textit{P}}$   $< 0.05$ ;  $\text{\textit{P}}$ 
 $< 0.01$ ).\\
\noindent SSR, simple sequence repeat
(abbreviations should be defined
in the footnote
if not already explained in the body of
the paper).\\
Source: Bloggs  $\text{\textit{et al.}}$ . (2020)
[if required].}}
\end{table}
```

Illustrations (or figures)

The sample style will cope with most positioning of your illustrations and you should not normally use the optional positional qualifiers on the figure environment which would override these decisions. Figure captions should be below the figure itself, therefore the \caption command should appear after the figure or space left for an illustration.

Figure 1 shows an example on working with LaTeX code to load art files. \includegraphics commnad is to load art files scale option used in \includegraphics is to reduce the art. EPS format will be compiled using LaTeX. PNG, PDF and JPG format art files are loaded in the same command but the TeX file should be compiled using PDFLaTeX:

```
\begin{figure}
\centering
\includegraphics{Figures/Sample}
\caption{An example figure with
space for artwork.}
```




Fig. 1. An example figure with space for artwork.

```
\label{sample-figure}
\end{figure}
```

The vertical depth should correspond roughly to the artwork you will submit; it will be adjusted to fit the final artwork exactly.

Side caption Style

The below coding is for the side caption style.
Figure spanning in two column with side caption.

```
\begin{SCfigure*}
%\includegraphics[width=.65\textwidth]
{Figures/Fig_2}
{\fbox{\vbox to 10pc{\hbox to 30pc{}}}}
\caption{If required Two column Side
caption style for image.\label{xxxx}}
\end{SCfigure*}
```

Shaded Box Style

For the shaded box style, we need to use the coding

```
\begin{shadedbox}[Box title]....
\end{shadedbox}

\begin{shadedbox}[Box Title\label{box01}]
...
\end{shadedbox}
```

Box 1. Box Title

Equations can, where appropriate, be included inline with the main body text. Where this is not possible, equations should be provided in an editable format and displayed in the centre of the page with an equation number as shown below. Equations should be cited in the text where needed in the format (Eqn 1).

Creating new theorem-like environments

You can create your own environments in L^AT_EX, and although you may already be familiar with \newtheorem, here is below



Fig. 2. If required Two column Side caption style for image.

few sample definitions to be defined in the preamble before using them in your TeX file.

```
\newtheorem{theorem}{Theorem}
\newtheorem{cor}{Corollary}
\newtheorem{lemma}{Lemma}
\newtheorem{prop}{Proposition}
```

`\newtheorem` is a standard command used for creating new theorem-like environments, such as theorems, corollaries, lemmas, conjectures and propositions, with the body of the text (automatically) in italic.

Mathematics

The sample class file will insert the correct space above and below if standard L^AT_EX commands are used; for example use `\[ ... \]` and `not $$ ... $$`. Do not leave blank lines above and below displayed equations unless a new paragraph is really intended.

`amsmath.sty` is common package to handle various type math equations. The `amsmath` descriptions are available in the document can be find in the web link <https://ctan.org/pkg/amsmath?lang=en>

Numbering of equations

The numbering of the display equations by default are represented with (1), (2), and so on. However, in any occurrence, one needs an equation number to be represented with its further subdivisions [for e.g., one wants the Equation (1) into its sub-equations (1a), (1b), ...], then the user has to code such occurrences as explained below:

The `subequations` and `subeqnarray` environments have been incorporated into the sample class file. Using these two environments, you can automatically number your equations as (1a), (1b)... etc. For example, you can typeset

$$a_1 \equiv (2\Omega M^2/x)^{\frac{1}{4}} y^{\frac{1}{2}} \quad (1a)$$

and

$$a_2 \equiv (x/2\Omega)^{\frac{1}{2}} k_y/M. \quad (1b)$$

by using the `subequations` environment as follows:

```
\begin{subequations}
\begin{equation}
a_1 \equiv (2\Omega M^2/x)
^{\{\textstyle\frac{1}{4}\}}
y^{\{\textstyle\frac{1}{2}\}} \label{a1}
\end{equation}
and
\begin{equation}
a_2 \equiv (x/2\Omega)
^{\{\textstyle\frac{1}{2}\}} k_y/M.
\label{a2}
\end{equation}
\end{subequations}
```

Bibliography

As with standard L^AT_EX, there are two ways of producing a bibliography; either by compiling a list of references by hand (using a `thebibliography` environment), or by using BibT_EX with a suitable bibliographic database for example "Sample.bib" with the bibliography style provided with the AuthorGuide.tex like `\bibliographystyle{samplebib}`. The "samplebib.bst" will produce the bibliography which is similar to sample style but not exactly the same. If any modifications have to be made, "samplebib.bst" can be adjusted during manuscript preparation and the updated bst file should be given with source files. However, contributors are encouraged to format their list of references style outlined in the sections below.

Harvard reference style

References in the text are given author year format. Whichever method is used to produce the bibliography, the references in the text are done in the same way. Each bibliographical entry has a key, which is assigned by the author and used to refer to that entry in the text. For example, use the coding `\citet{}`, `\citep{}`, `\citealt{}`, `\citeauthor{}`, `\citeyear{}`, `\citealp{}`, ...

`natbib.sty` is common package to handle various references and their cross citations. The `natbib` descriptions are available at <https://ctan.org/pkg/natbib?lang=en>

List of references

The following listing shows some references prepared in the Harvard style.

```
\begin{thebibliography}{}
\bibitem[\protect\citeauthoryear{Adelson}
{Adelson}{1979}]{Adelson_1979}
Adelson DL, Brown JR (1979)
Experimental tests of an initiation model. ...
\bibitem[\protect\citeauthoryear{Agricultural}
{Agricultural}{1993}]{Adams_1993}
Agricultural and Food
Research Council (1993) ...
\bibitem[\protect\citeauthoryear{Corcoran}
{Corcoran et al.}{2021}]{Corcoran_2021}
Corcoran AJ, Schirmacher MR, Black E, ...
\bibitem[\protect\citeauthoryear{Cronin}
{Adiyaman et~al.}{2007}]{Cronin_2007}
Cronin GM, Borg SS, Fourdin SP, Storey TH, ...
\end{thebibliography}
```

Harvard references

Adelson DL, Brown JR (1979) Experimental tests of an initiation model. In 'Workshop on wool biology'. (Ed. PI Hynd) pp. 49–56. (Australian Wool Corporation: Melbourne, Vic, Australia)

Agricultural and Food Research Council (1993) 'Energy and protein requirements of ruminants.' (CAB International: Wallingford, UK)

Corcoran AJ, Schirmacher MR, Black E, Hedrick TL (2021) ThruTracker: open-source software for 2-D and 3-D animal video tracking. [Preprint] bioRxiv doi:10.1101/2021.05.12.443854

Cronin GM, Borg SS, Fourdin SP, Storey TH, Barnett JL (2007) Consistent nest site selection for egg laying in cages with a nest box. In 'Proceedings of the 19th Australian poultry science symposium', 12–14 February 2007, Sydney, NSW, Australia. (Ed. RAE Pym) pp. 37–40. (University of Sydney: Sydney, NSW, Australia)

Cruickshank GJ, Thomson BC, Muir PD (2008) Modelling management change on production efficiency and methane output within a sheep flock. Final report June 2008. Sustainable land management and climate change. Ministry of Agriculture and Forestry, Wellington, New Zealand.

Vancouver reference style

To use the Vancouver reference format, pass the class option "vancouverrefstyle" in document class as `\documentclass[vancouverrefstyle]{sample}`.

In the Vancouver style, references in the text are given number format. Whichever method is used to produce the bibliography, the references in the text are done in the same way. Each

bibliographical entry has a key, which is assigned by the author and used to refer to that entry in the text. For example, use the coding `\cite{}`

`natbib.sty` is common package to handle various references and their cross citations. The `natbib` descriptions are available at <https://ctan.org/pkg/natbib?lang=en>

```
\begin{thebibliography}{14}
\bibitem{bib01}
Jago D, Gaschk EE, Koutsantonis...
\bibitem{bib02} Abu Bakar N, ...
\bibitem{bib03} Krick T, Shub DA,
Verstraete N, et al....
\bibitem{bib04} Fiddes S, Pepler A,
Saunders K, Hope P...
\bibitem{bib05} Otwinowski Z, Minor W.
Processing of X-ray diffraction ...
\end{thebibliography}
```

Conflicts of Interest, Data availability, Declaration of funding

For the end of framed box style you can use:

```
\begin{framedbox}...\end{framedbox}.

\begin{framedbox}
\boxsection{...}
Include a Data Availability Statement ....
\boxsection{....}
Include a conflicts statement...
\subsubsection{Author biographies}
\noindent Author biographies are required ...
\end{framedbox}
```

Balance

In order to align the base of the last two column closely in the reference use the command `\balance`.

Framed Box

`framedbox` accomodate only if the half of the page space is available in the page else this box should be moved to next page by using `\clearpage` as shown below.

Data availability (compulsory section). Include a Data Availability Statement indicating whether the data used to generate the results in the paper are available and, if so, where to access them (examples available at <https://www.publish.csiro.au/journals/publishingpolicies#6>).

Conflicts of interest (compulsory section). Include a conflicts statement. If none, use ‘The authors declare that they have no conflicts of interest.’

Declaration of funding (compulsory section). Include a funding statement declaring all sources of funding for the research. Include grant numbers if available. If no funding provided, use ‘This research did not receive any specific funding.’

Author contributions (not compulsory). If required, you can detail the various contributions of each author here.

Declaration of use of AI (if required). Ensure any use of AI is declared. See the Publishing Policies for guidance <https://www.publish.csiro.au/journals/publishingpolicies#2>

Ethics statement (not compulsory). For research involving animal or human experiments or data you likely will be required to provide an ethics statement. Check the journal specific author instructions for more details.

Author biographies

Author biographies are required for some paper types, refer to the Author Instructions for your journal for details and word limits. If required, these should be placed at the end of the manuscript. Use one short paragraph for each author.