

Visual Context Question: Which large language model achieves a lower HVI score than OPT but a higher HVI score than Alpaca?

Reasoning Type: Comparison



Visual Context Question: What method is demonstrated by the solid lavender line?

Reasoning Type: Visual Understanding

Method	Model	10-shot	20-shot	40-shot	80-shot	100-shot
Supervised Method	$\text{BERT}_{\text{BASE}}$ (Devlin et al., 2019)	23.101	34.718	43.138	46.182	46.449
	$\text{RoBERTa}_{\text{BASE}}$ (Liu et al., 2019)	21.073	34.157	39.226	45.735	46.942
	$\text{RoBERTa}_{\text{LARGE}}$ (Liu et al., 2019)	29.137	41.425	51.137	55.057	54.172
	PIQN (Shen et al., 2022)	21.750	22.007	28.533	29.339	38.658
	PL-Marker (Ye et al., 2022)	40.902	48.064	52.395	53.249	53.061
Few-shot Method	LSFS (Ma et al., 2022a)	**47.998**	43.269	50.595	51.420	50.366
Proposed Method	CoFiNER	44.951	**51.142**	**56.409**	**56.847**	**57.178**

Visual Context Question: Which model achieves a score of 21.073 in 10-shot prompting?

Reasoning Type: Data Extraction

	FinQA		TAT-QA	
Method	EA	PA	EM	F1
PromptPG (Lu et al., 2023)	53.56 ± 3e-3	24.09 ± 1e-3	51.64 ± 0.27	58.86 ± 0.27
Random	55.65 ± 3.35	29.5 ± 17.91	49.7 ± 1.38	57.31 ± 1.24
CSP	60.77 ± 0.14	43.62 ± 0.23	57.47 ± 0.19	65.21 ± 0.13
Fixed set	64.05 ± 0.22	38.15 ± 0.08	66.55 ± 0.18	73.8 ± 0.11
KATE (Liu et al., 2022a)	67.07 ± 0.04	58.65 ± 0.04	68.9 ± 0.07	75.77 ± 0.08
Diverse KATE	67.31 ± 0.24	59.54 ± 0.19	61.53 ± 0.23	68.89 ± 0.21
SEER	68.85 ± 0.04	59.78 ± 0.15	69.68 ± 0.07	76.71 ± 0.07
SEER_{gold}	69.25 ± 0.11	60.16 ± 0.14	71.32 ± 0.07	78.12 ± 0.08
SOTA fine-tuned model	71.07	68.94	73.6	81.3

Visual Context Question: Which method is shown in the first row of the table?

Reasoning Type: Location