

+100 questions +100 questions +100 questions +100 questions

Qureo platform questions

البرمجة والذكاء الاصطناعي – الصف الأول الثانوي
الفصل الدراسي الأول

لغات
EN



إعداد م / عامر تمرار
01096066818



```
try {  
  if (this.moe == 101) {  
    ootoune = 20;  
  }  
} catch {  
  function() {  
    aetioatirector.string();  
  }  
}  
try {  
  etbtmaswrikur();  
}  
create = metoomalle;  
arccborEgerunne);  
  
if (izloael = estial) {  
  coretet.ent("opnionr contar");  
  gusen:lttar(hmeot _oainxacon/);  
}  
ehnnorvalit DeasitayWEbolar;  
echoetiz 1 tnlsr;  
  
public class GetitilRaeelaa() {  
  public intiock {  
    name= "cak",  
    burn= "QIP%",  
    baen_xebose = "lap!";  
    nnanoot= "pin";  
  }  
}  
  
public class Samebutorofhscreent() {  
  tartauttz = anenimplean();  
  try {  
    System.out.peneratu"rr, 'localShee");  
    return it;  
  }  
}
```

```
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
preocresior.adaht(0;  
  
<div class="Rettilis -/ </div>  
<div class="natoar"><</llo>  
<div class="notoex" AAw></v  
</div>  
</div>  
  
<div class="oiq">  
</liltbenot class="ikettat lansel"  
  cldor  
  <div class="Vaorkeroklla
```

JS

CSS

HTML



+100 questions +100 questions +100 questions



Qureo questions



1 Choose the correct answer from the following options:

Output "Hello" to the console.

1

- A `consolelog("Hello")` B `console.log("Hello");`
C `log.console("Hello");` D `console.logHello;`



Output "Good morning" to the console.

2

- A `log.console("Good morning");` B `console.log("Good morning");`
C `log.console(Good morning);` D `console.log("Good Morning");`

Please choose the correct way to write a comment.

3

- A `//Write your comments here.` B `Write your comments here.//`
C `/Write your comments here./` D `/Write your comments here.`

Select the correct program to display the result of $50 + 100$ in the console.

4

- A `console.log(50" + "100);` B `console.log("50 + 100");`
C `console.log(50 + 100);` D `console.log("50" + "100");`

Choose the correct division operator used in the program.

5

- A $(\div)$ B $(+)$
C $(//)$ D $(/)$





Have the computer **calculate** $19 + 40$ and display the result in the console. **6**

- A `console.log("19+40");` B `console.log(19+40);`
 C `console.log(19"40");` D `log.console(19+40);`



Select the correct program to display **"Today is the 17th. 7 days ago was the 10th."** in the console. **7**

- A `console.log("Today is the 17th.7 days ago was the (17 - 7)th.");` B `console.log("Today is the 17th.7 days ago was the " + (17 - 7) + "th.");`
 C `console.log("Today is the 17th.7 days ago was the + 17 - 7 + th.");` D `console.log("Today is the 17th.7 days ago was the " + "17 - 7" + "th.");`

Have the computer **calculate** $2 * 5$ and display **"The answer is 10."** in the console. **8**

- A `console.log("The answer is 10.");` B `console.log("The answer is " + (2 * 5) + ".");`
 C `console.log("The answer is 2 * 5");` D `console.log("The answer is " + 2 * 5 + ".");`

Select the correct program to **declare the variable score**. **9**

- A `let score;` B `score let;`
 C `score;` D `score =;`



Select the correct program to **display the value of the variable score** in the console. **10**

- A `console.log = score;` B `console.log score;`
 C `console.log(score);` D `console.log("score");`

The variable **number** has been declared; **assign it the value 100**. **11**

- A `number ="100";` B `number100;`
 C `number =(100);` D `number =100;`



Assign the variable **number** a value **plus 10**. **12**

- A `number + 10;` B `number = 100 + 10;`
 C `number = number + 10;` D `number = number / 10;`





Choose a program that says “if the conditional expression then process”.


13

- A if (conditional){processing}
- B (conditional) if {processing}
- C (conditional){processing} if
- D if {processing}(conditional)

Choose the condition “the variable num equals 50”.

14

- A num == 50
- B 50 >= num
- C 50 = num
- D num = 50



choose the output of the following program: `let num = 200; console.log(num == 100);`

15

- A num
- B true
- C 100
- D false

Choose a program that says if the expression ~ then do A, otherwise do B.

16

- A else (conditional){A} if {B}
- B if (conditional) else {B} {A}
- C if (conditional){A} else{B}
- D else{B} if (conditional){A}

Choose a program that contains the condition “num is less than or equal to 80 ”.


17

- A num > 80
- B num <= 80
- C num < 80
- D num == 80

Choose a program that contains the condition “ num is greater than 30 ”.

18

- A num > 30
- B num < 30
- C num >= 30
- D num == 30



Choose a program that says “If ~, do A; if not, do B.”

19

- A if (conditional){A}{B}else if (conditional)
- B if (conditional){A} else if {B}
- C if (conditional){A}else if (conditional){B}
- D if (conditional) (conditional)else if {A}{B}





Choose the output of the following program:

```
let score = 62;  
if (score == 100){console.log("Perfect score");}  
else if (score >= 80){console.log("So close");}  
else if (score >= 60){console.log("Pass");}
```

20



- A Perfect score
- B Pass
- C No output
- D So close

Choose the output of the following program: let num = 10; console.log(num == 10);

21

- A 100
- B true
- C 10
- D false

Choose the output of the following program:

```
let score = 92;  
if (score == 100){console.log("Perfect score");}  
else if (score >= 80){console.log("So close");}  
else if (score >= 60){console.log("Pass");}
```

22




- A Perfect score
- B Pass
- C No output
- D So close

Choose a program that means "A and B".

23

- A A // B
- B A || B
- C A & B
- D A && B



Choose a program that means "A or B".

24

- A A || B
- B A < B
- C A && B
- D A == B





Choose the output of the following program:

```
let age = 20;  
if (age <= 18 || age >= 60){console.log("20% OFF");}  
else{console.log("Regular Price");}
```



25

- A Regular Price
- B 20% OFF
- C Wrong
- D No output

Choose the first thing to write to print **apple to the console 10 times**.

- A let
- B if
- C for
- D num

26

Select the correct program to **add 1 to the variable i**.

- A 1+1
- B i+
- C i++1
- D i++

27

Please choose the correct answer for the program that **repeats the specified operation 10 times**.

- A for (i<10; let i=0; i++) {Specified process}
- B ifor (let i=0; i++; i<10) {Specified process}
- C for (let i=0; i<10; i++) {Specified process}
- D for {Specified process} (let i=0; i<10; i++)

28


Choose the output of the following program:

```
let num = 9;  
if (num <= 3 || num >= 7) {console.log("A");}  
else{console.log("B");}
```



29

- A A
- B B
- C 9
- D No output





Choose the output of the following program:

```
for (let i = 0; i < 2; i++) {  
  console.log("Hello");  
}
```



30

- A Hello
- B No output
- C Hello Hello
- D Hello Hello Hello

Select the correct program to create a function named **calc** with a parameter named **num**.

31

- A function calc (num) {processing}
- B (num)calc function {processing}
- C function (num) calc {processing}
- D (num)function calc {processing}

Select the correct function for **rounding**.

32

- A round.Math(1.8)
- B Math.round(1.8)
- C round(1.8)
- D Math.roundoff(1.8)

Choose the output of the following program: `console.log(Math.max(20,40,60));`

33

- A 20
- B 120
- C 60
- D 40

Choose the output of the following program:

```
function calc(num) {  
  let result = num * 3;  
  return result;  
}  
console.log(calc(5));
```



34

- A 5
- B 3
- C 0
- D 15





Select the correct program to output **random values**.

35

- A `console.log(Math.max());`
- B `console.log(Math.min());`
- C `console.log(random());`
- D `console.log(Math.random());`

Select the correct function to **truncate decimal fractions**.

36

- A `console.log(Math.max(10.5));`
- B `console.log(Math.min(10.5));`
- C `console.log(Math.floor(10.5));`
- D `console.log(Math.round(10.5));`

Choose the output of the following program: `console.log(Math.floor(7.7));`

37

- A 7
- B 7.7
- C 8
- D No output



Select the correct program to create a function named **sum** with a parameter named **num**.

38

- A `function sum(num) {processing}`
- B `(num)function sum {processing}`
- C `(num)sum function {processing}`
- D `function(num) sum {processing}`

Select the correct function to extract the **maximum value** from a set of values.


39

- A `console.log(Math.max(10,5));`
- B `console.log(Math.min(10,5));`
- C `console.log(Math.floor(10.5));`
- D `console.log(Math.round(10.5));`

Select the correct function to extract the **minimum value** from a set of values.

40

- A `console.log(Math.max(20,50));`
- B `console.log(Math.min(20,50));`
- C `console.log(Math.floor(20.5));`
- D `console.log(Math.round(20.5));`





Choose the correct data type for the following program: `console.log("50+30");`

41

- A No particular data type
- B Numerical value
- C Boolean
- D String



42

Choose the correct program that outputs a **string**.

- A `console.log(typeof "1");`
- B `console.log(string "1");`
- C `console.log(Number "1");`
- D `console.log(typeof 1);`

Choose the output of the following program: `console.log(100 === 500);`

43

- A string
- B false
- C numerical value
- D true

Choose the output of the following program: `console.log(Number("Hello"));`

44


- A number
- B true
- C NaN
- D false

Choose the output of the following program:

```
let num = [5, 10, 15, 20, 25];  
console.log(num[2]);
```

45

- A 2
- B 20
- C 10
- D 15



Choose the output of the following program:

```
let num = [1, 2, 3];  
let sum = 0;  
for (let i = 0; i < 3; i++) {  
  sum = sum + num[i];  
}  
console.log(sum);
```

46

- A 1
- B 2
- C 3
- D 6





HTML is an **abbreviation** for

47

- A HyperText Markup Language
- B HyperText Markup Link
- C HighText Markup Language
- D HighText Machine Language

What is the name given to **HTML commands**?

48

- A Elements
- B Attributes
- C Properties
- D Tags



To write the **largest heading** in HTML, we use the tag.

49

- A `<h1> </h1>`
- B `<h2> </h2>`
- C `<br>`
- D `<p> </p>`

To write a **subheading** in HTML, we use the tag.

50

- A `<h1> </h1>`
- B `<h2> </h2>`
- C `<br>`
- D `<p> </p>`

Choose the appropriate tag to insert a **line break in HTML**.

51

- A b tag
- B h5 tag
- C br tag
- D p tag



Choose the appropriate tag to create an **unordered list**.

52

- A ul tag
- B ol tag
- C br tag
- D p tag

Choose the appropriate tag to create an **ordered list**.

53

- A ul tag
- B ol tag
- C br tag
- D p tag





54

Choose the output of the following program:

```
<ul>
  <li>strawberry</li>
  <li>cherry</li>
  <li>orange</li>
</ul>
```



(strawberry)
(cherry)
(orange) **A**

.strawberry
.cherry
.orange **B**

1.strawberry
2.cherry
3.orange **C**

strawberry
cherry
orange **D**

55

Choose the output of the following program:

```
<ol>
  <li>Cut ingredients</li>
  <li>Stir-fry</li>
  <li>Add seasonings</li>
</ol>
```



(Cut ingredients)
(Stir-fry)
(Add seasonings) **A**

Cut ingredients
Stir-fry
Add seasonings **B**

.Cut ingredients
.Stir-fry
.Add seasonings **C**


1.Cut ingredients
2.Stir-fry
3.Add seasonings **D**

56

What is the correct way to add a comment in HTML?

A <!-- comment -->
C // comment //

B - comment -
D <comment>



57

Choose the tag to display an image named image.png.

A <img="image.png">
C <src="image.png">

B <"image.png">
D

58

Choose the correct way to write the alt attribute that allows you to add a description for an image.

A <"This is an image.">
C

B <img="This is an image.">
D <alt="This is an image.">





Which style language is used to change a **website's appearance**?

59

- A HTML
- B CSS
- C C++
- D JavaScript

Choose the correct description of the **color** property.

60

- A Change text color
- B Change background color
- C Change image color
- D Change font size

Choose the correct description of the **background-color** property.

61

- A Change text color
- B Change background color
- C Change font weight
- D Change image color

Choose the correct description of the **font-weight** value when written as bold.

62

- A The font size becomes smaller
- B The text color changes to gold
- C The text becomes thin
- D The text becomes bold

Choose the correct value for the **font-size** property.

63

- A font-size: 10;
- B font-size: 10size;
- C font-size: 10g;
- D font-size: 10px;



What is the symbol "&" called ?

64

- A Condition
- B Array
- C Ampersand
- D Vertical bar

What is the symbol "|" called ?

65

- A Condition
- B Array
- C Ampersand
- D Vertical bar





2

Complete the following sentences:



JavaScript

Create a program to output "Good morning" to the console.

1

JavaScript

Create a program to output "Programming" to the console.

2

console.log(

);

JavaScript

Comment the program so that the output is as follows:

3

```
console.log("Hello.");  
console.log("My name is");  
console.log("Rick.");  
console.log("Cody.");
```

Hello.
My name is
Cody.

JavaScript

Let the computer calculate "19+40" and output the calculation results to the console.

4

JavaScript

Let the computer calculate "7-2" and output the calculation results to the console.

5

JavaScript

Let the computer calculate "15 ÷ 5" and output the calculation results to the console.

6

JavaScript

Let the computer calculate "2*5" and output "The answer is 10." to the console.

7

JavaScript

Create a program to declare the variable number.

8





JavaScript Assign **100** to the variable **number**.

9

.....

(1) Assign the value of the variable **number** plus **10**

10

JavaScript (2) Output the value of variable **number** to the console

.....
.....

(1) Declare the variable **num** and assign **100** to it.

11

JavaScript (2) If variable **num** is equal to **100**, output “correct”.

let = ;
if(.....){console.log (.....);}

(1) Declare the variable **num** and assign **5** to it.

12

(2) If variable **num** is the same as **10**, output “Win”.

JavaScript (3) Otherwise, output “Lose”.

let = ;
.....
else { }

(1) Declare the variable **score** and assign it the value **80**.

13

(2) If the variable **score** is greater than or equal to **60**, output “Pass”.

JavaScript (3) Otherwise, output “Fail”.

.....
.....
.....

Complete on the third line:

14

If not, and if the value of the variable **num** is **2**,
display “Two”.

JavaScript
let num = 2;
if (num == 1){console.log(“One”);}
else if

.....





Complete on the third line:

15

If not, and if the value of the variable **score** is greater than or equal to 80, display "Pass".

JavaScript

```
let score = 82;
if (score == 100){console.log("Perfect score");}
else if
```

(1) If the variable **num** is less than or equal to 3, print "A".

(2) If not, and if num is greater than or equal to 6, print "B".

(3) If not, print "C".

16

JavaScript

```
let num = 4;
if ( ){console.log("A");}
else if ( ){console.log("B");}
{console.log("C");}
```

(1) Declare the variable **egg** and assign it 5.

(2) If the variable **egg** equals 0, display "No stock".

(3) If not, and if the variable **egg** is less than or equal to 3, display "Low stock".

(4) If not, display "In stock".

17

JavaScript

Please create a program as follows:

- If the variable **a** equals 5 or **b** equals 10, print "Condition met".

*Enter only the conditional expression.

18

JavaScript

```
let a = 5;
let b = 10;
if ( ){console.log("Condition met");}
```

Please create a program as follows:

- If the variable **a** is greater than or equal to 2 and **b** is greater than or equal to 3, print "Condition met".

*Enter only the conditional expression.

19

JavaScript

```
let a = 4;
let b = 3;
if ( ){console.log("Condition met");}
```





Output “Hello” to the console 7 times.

20

*Variable name is **i** and assign **0** at the beginning.

Use the increment operator.

JavaScript

```
(      ) {
  console.log("Hello");
}
```

Please add a program that calls the function **calc**.

21

Please put “3” as an argument.

JavaScript

```
function calc(num) {
  let result = num * 5;
  return result;
}
console.log(      );
```

Please add a program that **returns** the value of the variable **result** to the described program.

22

JavaScript

```
function calc(num) {
  let result = num * 7;
}
console.log(calc(10));
```

Enter the program as follows.

23

(1) Use the function to round off “5.5” and output to the console.

(2) Use the function to round down “8.8” to the nearest whole number and output to the console.

JavaScript

Create a program that outputs “Excellent luck” if the random numerical value is **greater than or equal to 0.5**, and “Bad luck” otherwise.

24

Use the function “**Math.random()**” and enter the conditional expression “if the random value is **greater than or equal to 0.5**”.

JavaScript

```
if (      ) {
  console.log("Excellent luck");
}
else {console.log("Bad luck");}
```





Create a program that returns a random integer as follows.

25

(1) Use the function "Math.random" to return a random numerical value.

(2) Multiply the randomly returned numerical value by 10.

(3) Use the function "Math.floor" to return an integer.

JavaScript

*The program is one line.

.....

Create your program as follows.

26

JavaScript

- Determine the data type of "7" in the computer and output to the console.

.....

Declare an array named num and put the following values in it:

27

JavaScript

5, 10, 15.

.....

JavaScript

Print all the values in the array to the console.

28

let num = [5, 10, 15, 20, 25];

.....

JavaScript

Output the length of the array to the console.

29

let num = [5, 10, 15, 20, 25];

.....

HTML

Please write a comment on the first line of the code.

30

The h1 tag is a heading.

<h1>Hello</h1>

.....

HTML

Please write Hello as a main heading and Welcome as the smallest heading.

31

.....

.....





CSS Set the **selector** to "h1".

32

```
{  
  color: red;}  
.....  
.....
```

CSS Set the **value** to "blue".

33

```
h1 {  
  color:      ;}  
.....  
.....
```

Set the class name as follows:

```
<p class="dog">Dog</p>  
<p class="cat">Cat</p>
```

34

CSS Write CSS to change the word "Dog" to blue.

```
.....  
.....  
.....
```

CSS Leave a comment on the first line of the code.

35

Change the text color to navy.

```
p {  
  color: navy;}  
.....  
.....
```

End of Questions





Correct Answers



1 Choose the correct answer from the following options:

Q.No.	Correct Answer
1	B
2	B
3	A
4	C
5	D
6	B
7	B
8	B
9	A
10	C
11	D
12	C
13	A

Q.No.	Correct Answer
14	A
15	D
16	C
17	B
18	A
19	C
20	B
21	B
22	D
23	D
24	A
25	A
26	C

Q.No.	Correct Answer
27	D
28	C
29	A
30	C
31	A
32	B
33	C
34	D
35	D
36	C
37	A
38	A
39	A

Q.No.	Correct Answer
40	B
41	D
42	A
43	B
44	C
45	D
46	D
47	A
48	D
49	A
50	B
51	C
52	A

Q.No.	Correct Answer
53	B
54	C
55	A
56	A
57	D
58	C
59	B
60	A
61	B
62	D
63	D
64	C
65	D





2 Complete the following sentences:

No.	Correct Answer
19	<code>(a >= 2 && b >= 3)</code>
20	<code>for (let i = 0; i < 7; i ++)</code>
21	<code>(calc(3));</code>
22	<code>return result;</code>
23	<code>console.log(Math.round(5.5));</code> <code>console.log(Math.floor(8.8));</code>
24	<code>(Math.random() >= 0.5)</code>
25	<code>console.log(Math.floor(Math.random() * 10));</code>
26	<code>console.log(typeof "7");</code>
27	<code>let num = [5, 10, 15];</code>
28	<code>console.log(num);</code>
29	<code>console.log(num.length);</code>
30	<code><!--The h1 tag is a heading.--></code>
31	<code><h1>Hello</h1></code> <code><h6>Welcome</h6></code>
32	<code>h1{</code> <code>color: red;</code> <code>}</code>
33	<code>h1 {</code> <code>color:blue;</code> <code>}</code>
34	<code>.dog{</code> <code>color: blue;</code> <code>}</code>
35	<code>/*Change the text color to navy.*/</code>

No.	Correct Answer
1	<code>console.log("Good morning");</code>
2	<code>"Programming"</code>
3	<code>//console.log("Rick");</code>
4	<code>console.log(19+40);</code>
5	<code>console.log(7-2);</code>
6	<code>console.log(15/5);</code>
7	<code>console.log("The answer is " + (2 * 5) + ".");</code>
8	<code>let number;</code>
9	<code>number = 100;</code>
10	<code>number = number + 10;</code> <code>console.log(number);</code>
11	<code>let num = 100;</code> <code>if (num == 100){console.log("Correct");}</code>
12	<code>let num = 5;</code> <code>if (num == 10){console.log("Win");}</code> <code>else{console.log("Lose");}</code>
13	<code>let score = 80;</code> <code>if (score >= 60){console.log("Pass");}</code> <code>else {console.log("Fail");}</code>
14	<code>(num == 2){console.log("Two");}</code>
15	<code>(score >= 80){console.log("Pass");}</code>
16	<code>(num <= 3)</code> <code>(num >= 6)</code> <code>else</code>
17	<code>let egg = 5;</code> <code>if (egg == 0){console.log("Nostock");}</code> <code>else if (egg <= 3){ console.log("Low stock");}</code> <code>else {console.log("In stock");}</code>
18	<code>(a == 5 b == 10)</code>

هذه المذكرة مجانية وليست للبيع
© يُمنع استخدامها تجارياً أو حذف
الإسم أو البيانات.

