

Log In

Join

Back To Course Home

Grokking Modern System Design Interview for Engineers & Managers

0% completed

System Design Interviews

Introduction

Abstractions

Non-functional System Characteristics

Back-of-the-envelope Calculations

Building Blocks

Domain Name System

Load Balancers

Databases

Key-value Store

Content Delivery Network (CDN)

Sequencer

Distributed Monitoring

Monitor Server-side Errors

Monitor Client-side Errors

Distributed Cache

Distributed Messaging Queue

Pub-sub

System Design: The Pub-sub Abstraction

Introduction to Pub-sub

Design of a Pub-sub System

Rate Limiter

Blob Store

Distributed Search

Distributed Logging

Distributed Task Scheduler

Sharded Counters

Concluding the Building Blocks Discussion

Design YouTube

Design Quora

Design Google Maps

Design a Proximity Service / Yelp

Design Uber

Design Twitter

Design Newsfeed System

Design Instagram

Design a URL Shortening Service / TinyURL

Design a Web Crawler

Design WhatsApp

Design Typeahead Suggestion

Design a Collaborative Document Editing Service / Google Docs

Spectacular Failures

Concluding Remarks

Course Certificate

Mark Course as Completed

System Design: The Pub-sub Abstraction

Get introduced to the basics of designing a pub-sub system.

We'll cover the following

- What is a pub-sub system?
- Motivation
- How do we design a pub-sub system?

What is a pub-sub system?#

Publish-subscribe messaging, often known as **pub-sub messaging**, is an asynchronous service-to-service communication method that's popular in serverless and microservices architectures. Messages can be sent asynchronously to different subsystems of a system using the pub-sub system. All the services subscribed to the pub-sub model receive the message that's pushed into the system.

For example, when Cristiano Ronaldo, a famous athlete, posts on Instagram or shares a tweet, all of his followers are updated. Here, Cristiano Ronaldo is the publisher, his post or tweet is the message, and all of his followers are subscribers.

The pub-sub system

Motivation#

The hardware infrastructure of distributed systems consists of millions of machines. Using a pub-sub system to communicate asynchronously increases scalability. Producers and consumers are disconnected and operate independently, thereby allowing us to scale and develop them separately. The decoupling between components, producers and consumers, allows greater scalability because adding or removing any component doesn't

affect the other components.

How do we design a pub-sub system?#

We have divided the pub-sub system design into the following lessons:

- 1. **Introduction:** In this lesson, we learn about the use cases of the pub-sub system, define its requirements, and design the API for it.
- 2. **Design:** In this lesson, we discuss two designs of the pub-sub system, one with messaging queues and the other with a broker.

Back

Quiz on the Distributed Messaging Q...

Next

Introduction to Pub-sub

Mark as Completed

Report an Issue