

Hijacking Trust: Weaponizing Stolen Cookies and Tokens

Stefan Dürnberger
Technical Solutions Architect Incubation
Team EMEA

Cisco Webex App


Questions?

Use Cisco Webex App to chat with the speaker after the session

How

- 1 Find this session in the Cisco Live Mobile App
- 2 Click "Join the Discussion"
- 3 Install the Webex App or go directly to the Webex space
- 4 Enter messages/questions in the Webex space

Webex spaces will be moderated by the speaker until June 13, 2026.



<https://ciscolive.ciscoevents.com/clamer26/BRKSEC-2132>

Who Am I

- Stefan Dürnberger, Technical Solutions Architect Incubation Team EMEA
- Passionate craftsman and huge fan of "good" (hard) rock music
- Cisco 18 years | IT (Security) 25 years
- CCIE #16458 
- No **AI tools** were used for content creation - just a bit of **Photoshop** to make me look better in some photos 😊



Agenda

1. **Session Hijacking**
2. **Passkey Authentication**
3. **"Token binding concepts"**
4. **OAuth**
5. **Shared Signals Framework**

How to get in?




Initial Access - Warez

Geo: Offshore .. (will disclose in PM)
Access: VPN - RDP
Revenue: 1kkk+ not zoom, by documents from inside network
Activity: Property Finance, Mega Projects
Rights: DA Admin
AV: SentinelOne

Lots of financial documentation, nice clean network,

Start: 1000\$
Step: 1000\$
Blitz: 10000\$

PPS: 48 hours



Sunday at 7:30 PM

I sell a bug + base of a large bank (located in Thailand/Bangkok).




The size of the base is 100k+, new records appear, including translations.

Oracle DBMS

In the database are: Thailand, but also other countries from Asia (Indonesia, Malaysia, etc.)
Ideal for worth fref, social engineering and in general for those who specialize in Asia

Start: 10000\$
Minimum step: 1000 \$
Blitz: 45000 \$
End of bidding: 24 hours after last bet

reCAPTCHA





XiTM

Cookies – Primer

- HTTP is a stateless protocol
 - Cookies are designed to remember “stateful information”
 - Session cookies are typically deleted once the user closes their browser
- Each session is associated with a randomly generated unique ID
 - The SessionID sent to the user’s browser and stored as a cookie



"Cookie Bite"

REMOTE WORKFORCE ENDPOINT SECURITY THREAT INTELLIGENCE CLOUD SECURITY

'Cookie Bite' Entra ID Attack Exposes Microsoft 365

A proof-of-concept (PoC) attack vector exploits two Azure authentication tokens from within a browser, giving threat actors persistent access to key cloud services, including Microsoft 365 applications.



Extensions

No access needed
These extensions don't need to see and change information on this site.


M

Microsoft Cookie Stealer


Manage extensions



Proxy Attacks – Cookie Theft




Evilginx - Demo




```
cisco@pi:~/evilginx2$  
cisco@pi:~/evilginx2$  
cisco@pi:~/evilginx2$  
cisco@pi:~/evilginx2$  
cisco@pi:~/evilginx2$  
cisco@pi:~/evilginx2$  
cisco@pi:~/evilginx2$  
cisco@pi:~/evilginx2$
```


EvilnoVNC




EvilnoVNC – Demo



Post-Compromise Actions

- Persistence
 - Adding 2FA devices
- Kerberoasting
- Graph Explorer
- E-Mail forwarding rules
- ...

Bloodhound (by Specterops) attack path visualization shows how to get to Tier0





P(p)asskeys

Passkey Adoption

- The passwordless/passkey journey has just begun for many of our customers



Germany Adopts Passkeys to Replace Passwords in Government Services

02.10.2025

Germany's Federal Office for Information Security (BSI) has launched an ambitious initiative to phase out traditional passwords in favor of passkeys, marking a significant shift in the nation's cybersecurity strategy. Announced on October 1, 2025, this move positions Germany as a pioneer in adopting passwordless authentication at a governmental level, potentially influencing broader European Union policies. The BSI argues that passkeys, which rely on cryptographic keys stored on users' devices and unlocked via biometrics like fingerprints or facial recognition, offer superior protection against phishing and other cyber threats that have plagued password-based systems for decades.

The push comes amid rising concerns over data breaches, with recent reports highlighting how easily passwords can be compromised.

Duo Security
96,005 followers
1mo • 🌐

87% of security pros say phishing-resistant MFA is critical. But only 19% have fully implemented FIDO2 tokens.


That gap between awareness and action leaves organizations exposed: <https://cs.co/6049Adep7>

#IdentitySecurity #MFA #FIDO2




0% 100%
87%
agree that phishing-resistant MFA is critical

0% 100%
19%
have fully implemented FIDO2 tokens


Registration Ceremony (1)




Registration Ceremony (2)






Registration Ceremony (3)




Authentication Ceremony (1)



Authentication Ceremony (2)



Authentication Ceremony (3)




Signed Assertion

```
Form item: "clientDataJSON" = "eyJ0eXB0ibXlrTHhIm9yaWdpbiI6pmYWxzZX0"  
Form item: "authenticatorData" = "nBpJFAAAABg"  
Form item: "signature" = "MEYCIQDfFlU9hAP7EV0nfIirZ8Xi0IG8"  
Form item: "credentialId" = "UCJapnSkSePJDIgGMVNGg"  
Form item: "userHandle" = ""  
Form item: "error" = ""
```

Extras



Passkeys – Anti Replay Protection



EUCLEAK side-channel attack


- Flaw in Infineon Crypto Library
 - Requires physical access to the security token
 - Attacking ECDSA
 - New crypto lib version being actively used now
- <https://www.yubico.com/support/security-advisories/ysa-2024-03/>
- <https://www.youtube.com/watch?v=ylkc8DzANUs>
- <https://opotonnies.github.io/fido-mds-explorer>



© Stefan Dürnberger

Passkeys - Storage


Discoverable vs non-discoverable credentials




Passkeys - Storage

- Discoverable, residential keys
- Non-discoverable- A credential where the authenticator cannot directly list or search for the private key without the relying party providing a credential ID
- Key wrapping

```
PS C:\Users\sduernbe> nitropy fido2 list-credentials
Command line tool to interact with Nitrokey devices 0.8.3
Please provide pin:
There are 1 registered credentials
-----
CL1:
- id: 6147dc16c8e4514fe55b39e58c5fdf66c6a5d9e6173b5bb69c96ed46b394ab52e8aa74a6ea9213c99c2f74b22492b320cf40262a94c1a950a0397f29250b60841ef0240d0000
  user: CL1
-----
There is an estimated amount of 49 credential slots left
PS C:\Users\sduernbe> |
```





Bypassing passkey authentication


Bypassing passkey Authentication

- These attacks do not target, nor break passkey cryptography
- Proxy (phishing) attacks
- Downgrading

/common/GetCredentialType


User-Agent

isFidoSupported



Duo Proximity Verification

- Requires Duo Desktop →
- Supported Duo applications which feature the Duo Universal Prompt
 - AuthAPI not supported
- Bluetooth Low Energy (BLE) enabled on Auth and Access Devices
 - No pairing required
 - Bluetooth adapters supported



☒ Duo Mobile Push ★ Recommended

Approve access requests in the Duo Mobile app.

☒ Require a Verified Duo Push

Requires users to verify every Duo Push with a code or Bluetooth.


Verification code length: digits

☐ Require users to enter a verification code

Requires users to verify every Duo Push with a verification code.

Duo Proximity Verification

- Requires Duo Desktop →
- Supported Duo applications which feature the Duo Universal Prompt
 - AuthAPI not supported
- Bluetooth Low Energy (BLE) enabled on Auth and Access Devices
 - No pairing required
 - Bluetooth adapters supported
 - Autofill the verification code using BLE



☒ Duo Mobile Push ★ Recommended

Approve access requests in the Duo Mobile app.

☒ Require a Verified Duo Push

Requires users to verify every Duo Push with a code or Bluetooth.

Verification code length: digits

☐ Require users to enter a verification code


Requires users to verify every Duo Push with a verification code.

☒ Autofill the verification code with Bluetooth when possible

Requires Duo Desktop, and is only available for browser-based logins on Mac and Windows. The verification code can still be entered manually.

Duo Proximity Verification

- Requires Duo Desktop
- Supported Duo applications which feature the Duo Universal Prompt
 - AuthAPI not supported
- Bluetooth Low Energy (BLE) enabled on Auth and Access Devices
 - No pairing required
 - Bluetooth adapters supported
 - Autofill the verification code using BLE
- Strict proximity Verification
 - Considered to be AAL2 certified
 - Phishing-resistant & AitM resistant
 - channel & "origin" binding



☒ Duo Mobile Push ★ Recommended

Approve access requests in the Duo Mobile app.

☒ Require a Verified Duo Push

Requires users to verify every Duo Push with a code or Bluetooth.

Verification code length: digits

☐ Require users to enter a verification code

Requires users to verify every Duo Push with a verification code.


☒ Autofill the verification code with Bluetooth when possible


Requires Duo Desktop, and is only available for browser-based logins on Mac and Windows. The verification code can still be entered manually.

☐ Require proximity verification with Bluetooth

Requires Duo Desktop, and is only available for browser-based logins on Mac and Windows. If proximity verification fails or isn't possible because of device or platform restrictions, the user will be blocked unless an alternative method is available.

Duo Proximity Verification - Demo






Authentication Method Reference (AMR)

Authentication Method Reference (AMR)

- AMR (RFC 8176) is an **optional** claim that indicates how a user was authenticated
 - Relying applications can understand the authentication **assurance level** and can **enforce policies** based on it
- **Supported by Cisco Duo**

Authentication Method Reference Name ⓘ	Authentication Method Reference Description ⓘ
face	Facial recognition
fpt	Fingerprint biometric
geo	Geolocation
hwk	Proof-of-possession of a hardware-secured key
iris	Iris scan biometric
kba	Knowledge-based authentication
mca	Multiple-channel authentication
mfa	Multiple-factor authentication
otp	One-time password
pin	Personal Identification Number or pattern
pop	Proof-of-possession of a key
pwd	Password-based authentication
rba	Risk-based authentication
retina	Retina scan biometric
sc	Smart card
sms	Confirmation using SMS
swk	Proof-of-possession of a software-secured key
tel	Confirmation by telephone call
user	User presence test
vbm	Voice biometric
wia	Windows integrated authentication

Authentication Method Reference (AMR) - Demo






Securing User Sessions


Device Bound Session Credentials - DBSC

- Enabling DBSC in [Chrome Browser](#)
- [Support for Windows](#)
- Asymmetric key-pair
 - Device-Bound: Private Key stored on TPM
 - Associate a session with this public key
 - Verifies proof-of-possession of the private key throughout the session lifetime
- [DBSC – “is just about the HTTP headers”](#)



Device Bound Session Credentials - DBSC

Source: developer.chrome.com






Duo Passport Session Theft Protection

Duo Passport – Session Theft Protection


- Duo Passport: **Log in once** into the OS with trusted and secure sessions persisting across all web and local applications **without requiring additional authentication** by the user
- Duo Session Token Theft Protection significantly reduces the risk of session hijacking by **minimizing the use of cookies**
 - Strong device binding 
- Supported Use-Cases
 - SSO & MFA protected Applications

```
{
  "compkey": "CR[REDACTED]NZCK",
  "created": "2025-01-09T20:14:04",
  "device_name": "C[REDACTED]:0",
  "device_os": "Windows",
  "identifier": "c0fe[REDACTED]00d070",
  "user": [
    {
      "alias1": "stefan@gold-dust-lab.de",
      "alias2": null,
      "alias3": null,
      "alias4": null,
      "aliases": {
        "alias1": "stefan@gold-dust-lab.de"
      },
      "created": 1540381923,
      "email": "stefan@gold-dust-lab.de",
      "enable_auto_prompt": true,
      "firstname": "",
      "is_enrolled": true,
      "last_directory_sync": 1768345431,
      "last_login": 1768223729,
      "lastname": "",
      "notes": "",
      "realname": "stefan duernberger",
      "status": "active",
      "user_id": "DUM[REDACTED]08",
      "username": "stefan"
    }
  ]
}
```

Session Theft Protection – Duo Desktop Registration



Session Theft Protection – Passport Session





OAuth

Certainly!

The screenshot shows the Blackhat USA 2024 website. At the top left is the Blackhat logo with a silhouette of a person wearing a hat. To the right of the logo is a 'REGISTER NOW' button. Below the logo, the text 'AUGUST 3-8, 2024' and 'MANDALAY BAY / LAS VEGAS' is displayed. A navigation bar contains links for ATTEND, TRAININGS, BRIEFINGS, ARSENAL, SUMMITS, FEATURES, BUSINESS HALL, and SPONSORS. Below the navigation bar, a note states 'All times are Pacific Time (GMT/UTC -7h)'. On the left side, there are two buttons: 'ALL SESSIONS' and 'SPEAKERS'. The main content area features a session titled 'Flipping Bits: Your Credentials Are Certainly Mine' by STÖK STÖK (Hacker / Creative Director) and Joona Hoikkala (Head of Security Testing, Visma). The session details include the date (Thursday, August 8, 11:20am-12:00pm), format (40-Minute Briefings), and tracks (Application Security: Offense, Exploit Development & Vulnerability Discovery). The session description discusses bitflipping domains like coogle.com, oogle.com, and woogle.com.

blackhat[®]
USA 2024

REGISTER NOW

AUGUST 3-8, 2024
MANDALAY BAY / LAS VEGAS

ATTEND ▾ TRAININGS ▾ BRIEFINGS ▾ ARSENAL ▾ SUMMITS ▾ FEATURES ▾ BUSINESS HALL ▾ SPONSORS ▾

All times are Pacific Time (GMT/UTC -7h)

ALL SESSIONS

SPEAKERS

Flipping Bits: Your Credentials Are Certainly Mine

STÖK STÖK | Hacker / Creative Director,
Joona Hoikkala | Head of Security Testing, Visma
Date: Thursday, August 8 | 11:20am-12:00pm (Oceanside A, Level 2)
Format: 40-Minute Briefings
Tracks: Application Security: Offense, Exploit Development & Vulnerability Discovery

Did you know that if you change a single bit from 1 to 0 (or vice versa) in the first 'g' of the domain name google.com (which is 01100111 in binary) you will end up with a variety of valid "bitflip" domains like coogle.com, oogle.com, and woogle.com

So what happens if you generate and register a bunch of cheap bitflipped versions of popular cloud / SaaS provider domains, point them to your VPS, log all incoming requests and then forget about the whole thing for two years?

UNC6395




How???

left many companies racing to invalidate the stolen credentials







OAuth – Grant Types



- Authorization Code Grant Type + PKCE | Humans
- Client Credentials | M2M
-




OAuth Device Code Authorization



Device Code Phishing



Device Code Phishing



The screenshot shows a web browser window with the title "Tenant Lookup" and the address bar displaying "gettenantpartitionweb.azurewebsites.net". The page content includes a heading "Where's My Tenant?", a "Tenant Lookup" section with instructions and a list of capabilities, a search input field with a dropdown menu set to "Worldwide" and the text "contoso.onmicrosoft.com", and a "Lookup Tenant" button. The footer contains version and copyright information.

Tenant Lookup

You can use this web-based tool to query Azure AD for basic tenant information - this will show you:

- if the tenant exists in Azure AD
- what the tenant's GUID is
- which Azure AD instance the tenant resides in

To search, simply enter in the tenant name OR the tenant's GUID in the search box below.

Worldwide contoso.onmicrosoft.com

Lookup Tenant

v1.9.2 - © 2020-2022 - Microsoft Corporation. This tool is brought to you by the Microsoft 365 U.S. Government Programs team with ❤️

Living in OAuth Wonderland ?!?

Revokable Application Sessions



This feature is currently limited to SSO OIDC application sessions with refresh tokens enabled. Not all application sessions are listed.

[Learn more about which application sessions Duo can revoke](#)

Terminate a user's application access mid-session, regardless of the configured session length

Note - Revocation may not be instantaneous. New refresh tokens will not be granted when application session access is revoked.

[Revoke All Application Sessions](#)

Start Time (UTC) ▼

Type

Application

6:32:30 PM
JAN 27, 2026

Single Sign-On: OIDC

OIDC Calendar App

[Revoke Application Session](#)


SaaS to SaaS
Applications
"OAuth Sprawl"

The screenshot displays two overlapping user interfaces. The background interface is Cisco Identity Intelligence, showing a search for 'Azure CLI' and a list of applications including Azure DevOps, Azure Monitor Control Service, Azure Multi-Factor Auth Client, and Microsoft Graph. The foreground interface is the Azure Monitor Control Service 'Additional Details' page for a specific application, showing its organization ID, published permission scopes (including 'Read Data Collection Rules'), publisher name (Microsoft Services), and service principal ID.




Continuous Access Evaluation Profile (CAEP) & Shared Signals Framework (SSF)

Shared Signals Working Group



Mon 06-Dec-21 8:16 AM

!!! Yeah
Moment !!!




CAEP & SSF

- Shared Signals Framework: [Async publish and subscribe model](#)
- Communication (stream) between **Transmitter** and **Receiver**
- Stream Management
- CAEP: Definition of session [security events](#) and use-cases on SSE
- Popular Use-Cases: Session Revocation, Claim Change, Assurance Level Change



```
"aud" : "https://caep.sduernberger.de",  
"events": {  
  "https : //schema s.openid .net /secevent/caep/event-  
type/token-claims-change" : {  
    "claims": {  
      "Stefan": "calendar.app"  
    }.  
    "event_timestamp" : 1736428630,  
    "subject": {  
      "email" : "stefan@gold-dust-lab.de",  
      "format": "email"
```

Demo



Cisco Identity Intelligence & AppOmni – Shared Signals

PIM: sduernberger3 has the Global Administrator role



Microsoft Security <MSSecurity-noreply@microsoft.com>
To: Stefan Duernberger (sduernbe)

stedue (ID: 8b7bbe2b-ed90-4891-b80a-f7e4bdcd6a7c)

sduernberger3 is assigned the Global Administrator role for stedue Directory

The details of this assignment appear below.
View the details of this assignment in the Privileged Identity Management (PIM) portal.

[View details >](#)

Settings	Value
User or Group	sduernberger3
Role	Global Administrator
Resource name	stedue
Resource type	Directory
Updated by	stefan duernberger
Assignment type	Active
Assignment start	March 18, 2026 13:05 UTC
Assignment end	-
Justification	CII Test Shared Signals

Cisco Identity Intelligence & AppOmni – Shared Signals

AppOmni

Notifications13

Dashboards

Discovery

Posture Management

Threat Detection

TRIAGE & INVESTIGATE

Threat Alerts

Investigations

Event Search

CONFIGURE

Threat Detection Rules

Rulesets

Global Ignore List

CONNECT

Event Sources

Destinations

AgentGuard

Inventory

Workflows

Reporting

Threat Detection / Threat Alerts

Ask a question...AskOmniSD

Last 30 Days

Threat Alerts

Alerts by SeverityAlert TrendsEvents in Alerts by Geolocation

Unassigned Alerts by Severity

Critical

High

Medium

Low

Informational

0

0.2

0.4

0.6

0.8

1

Alerts by Status

Severity	Open	In Progress	Closed
Critical	0	0	0
High	2	0	0
Medium	0	0	0
Low	0	0	0
Informational	0	0	0

Filter

Search

Detection Alerts

1 - 2 of 2

<1>

Export

Drag headers here to set display groups

☐	Severity	Timestamp	Message	Monitored Service	Identity	Assignee	Status	Investigation
☐	High	An hour ago 03/18/2026, 02:05 PM	External user 'sduernberger3_gmail.com#ext#@ste...	stedue Microsoft 365	—		Open	—

Cisco Identity Intelligence - Shared Signals Receiver



Identity Intelligence

Integrations > System Logs

Success Mar 18, 2026 13:04:51 UTC (about 2 days ago)

Target: AO Shared Signals Receiver

58 events

Date (UTC)	Event	Initiator
Mar 18, 2026 13:14:27 Ended in 0h 0m 0s	wait-for-shared-signals-inacti...	System
Mar 18, 2026 13:04:52 Ended in 0h 0m 0s	mark-shared-signals-post-proce...	System
Mar 18, 2026 13:04:52 Ended in 0h 0m 0s	get-ssf-users-to-refresh	System
Mar 18, 2026 13:04:51 Ended in 0h 0m 0s	ETL Type: appomni_high_severity_alert	System
Mar 18, 2026 13:04:50 Ended in 0h 0m 1s	ETL Type: EVENT_LOGS	System
Mar 18, 2026 13:02:48 Ended in 0h 0m 0s	wait-for-shared-signals-inacti...	System

End Date: Mar 18, 2026 13:04:51 UTC

Running Time: 0h 0m 0s

Event: ETL

Subactivity: appomni_high_severity_alert

Initiator: system

Logged By: ssf_observations_etl

Integration Target: AO Shared Signals Receiver

From Date: Mar 17, 2026 13:04:51 UTC

© 2026 Identity Intelligence

Practical Takeaways

- Make users phishing resistant!
- Invest in Identity Security. Security for users and machines!
- Think Security not in tables, but in graphs...
Your friendly neighborhood adversary already does!



Complete your session evaluations



Complete a minimum of 4 session surveys and the Overall Event Survey to be entered in a drawing to win 1 of 5 full conference passes to Cisco Live 2027.



Earn 100 points per survey completed and compete on the Cisco Live Challenge leaderboard.



Level up and earn exclusive prizes!



Complete your surveys in the Cisco Live mobile app.

Continue your education



Visit the Cisco Showcase for related demos



Book your one-on-one Meet the Engineer meeting



Attend the interactive education with DevNet, Capture the Flag, and Walk-in Labs



Visit the On-Demand Library for more sessions at www.CiscoLive.com/on-demand

Cisco Live 2026 Las Vegas - Identity Learning Map

Monday—1st		Tuesday—2nd		Wednesday—3rd		Thursday—4th			
	BRKSEC-2416 8:00AM Cisco ISE Meets Azure Cloud. Deploy, Automate... Eugene Korneychuk		BRKSEC-2181 2:30PM Deploy Zero Trust in Minutes with Cisco Acces... Thomas Howard		BRKSEC-2162 10:30AM CII Demystified Andy Winiarski		CTF-2007 10:00AM Unified Visibility and Accountability for AI ... Tal Kronrod		BRKSEC-2347 8:30AM ISE Deployment Improvements - Tips and Tricks Katherine McNamara
	BRKSEC-2164 8:00AM Identity Based Attacks, a Red Team/Blue Team ... Nic Conroy, Ned Zaldivar		BRKSEC-2144 3:30PM Modern Auth for Networkers Aaron Woland		BRKSEC-2234 10:30AM Cisco ISE Performance, Scalability and Best P... Jesse Dubois		BRKSEC-2879 10:30AM Duo ID Security... Jeff Groesbeck		BRKSEC-2067 10:30AM Hunting the Invisible Army: Visibility for AI... Tal Kronrod
	BRKSEC-2064 9:30AM Implementing Zero Trust at Machine Speed: Gov... Scott Wofford	BRKTAC-2000 2:30PM Strengthening Access Security: Deep Dive into... Dakota Brown, Jesse Dubois			BRKSEC-2055 10:30AM Rise of the AI Powered Vibe Kiddies, and How ... Anwar Adil		BRKSEC-2183 1:00PM Networks Under Attack: The Path to Resilient ... Paul Giral		
	BRKSEC-2132 10:00AM Hijacking Trust: Weaponizing Stolen Cookies a... Stefan Duernberger		BRKSEC-3707 3:30PM Advanced SGT - Multi Domain Context Darrin Miller		BRKSEC-2096 10:30AM Securing Industrial Networks: Where Do I Star... Francesca Martucci				
	BRKSEC-1240 11:00AM If You Don't Have a Security Reference Archit... Anis Edavalath		BRKSEC-2176 3:30PM Keeping Up with Zero Trust Jerry Lin		BRKSEC-1038 1:00PM Supercharge Network Access: New Endpoint Prof... Taylor Cook				
	BRKSEC-1017 1:00PM Achieving Industry Standards, Frameworks and ... Ned Zaldivar				BRKSEC-2051 3:30PM Zero Day, Zero Trust Troubleshooting with Sec... Fuad Al Asouli				
	BRKSEC-2065 1:30PM Reclaiming your Agency Jeremiah Williams				BRKSEC-2066 4:00PM Identity is the Foundation for ZT Aaron Woland				
	BRKSEC-2660 1:30PM Setting the Stage for ISE Deployment Success:... Francesca Martucci								

© 2026 Cisco and/or its affiliates. All rights reserved.



CISCO Live !

Thank you

