Practical No: 6-C

Aim: Develop an Android application implementing contextual menus and popup menus.

Contextual Menu

A Contextual Menu appears when the user performs a long press on a view. It provides actions related to the selected item.

Popup Menu

A Popup Menu displays a list of menu items anchored to a specific view, usually a button.

A) activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:id="@+id/main"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity"
  android:orientation="vertical"
  android:gravity="center">

  <TextView
    android:id="@+id/txtContext"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Long Press Me"
    android:textSize="22sp"
    android:padding="20dp"/>

  <Button
    android:id="@+id/btnPopup"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Show Popup Menu"
    android:layout_marginTop="20dp"/>

</LinearLayout>
```

Note: 1) To create **Context_menu.xml and popup_menu.xml**
file Right click on res–Click on new-android resource file==set file name=**Context_menu** and resource

type =menu repeat same to create **popup_menu.xml**

1. Context_menu.xml

```
<?xml version="1.0" encoding="utf-8"?>
<menu xmlns:android="http://schemas.android.com/apk/res/android">

  <item
     android:id="@+id/edit"
     android:title="Edit"/>

  <item
     android:id="@+id/delete"
     android:title="Delete"/>

</menu>
```

2. popup_menu.xml

```
<?xml version="1.0" encoding="utf-8"?>
<menu xmlns:android="http://schemas.android.com/apk/res/android">
  <item
     android:id="@+id/share"
     android:title="Share"/>

  <item
     android:id="@+id/download"
     android:title="Download"/>

</menu>
```

B) MainActivity.java

```
package com.example.menu_pract;

import android.os.Bundle;
import android.view.ContextMenu;
import android.view.Menu;
import android.view.MenuInflater;
import android.view.MenuItem;
import android.view.View;
import android.widget.Button;
import android.widget.PopupMenu;
import android.widget.TextView;
import android.widget.Toast;
```

```
import androidx.appcompat.widget.Toolbar;

import androidx.activity.EdgeToEdge;
import androidx.annotation.NonNull;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;

public class MainActivity extends AppCompatActivity {
  TextView txtContext;
  Button btnPopup;
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    EdgeToEdge.enable(this);
    setContentView(R.layout.activity_main);
    txtContext = findViewById(R.id.txtContext);
    btnPopup = findViewById(R.id.btnPopup);
    registerForContextMenu(txtContext);
    btnPopup.setOnClickListener(v -> {
            PopupMenu popupMenu = new PopupMenu(MainActivity.this,btnPopup);
            popupMenu.getMenuInflater()
                    .inflate(R.menu.popup_menu,
                            popupMenu.getMenu());
      popupMenu.setOnMenuItemClickListener(item -> {

        if(item.getItemId()==R.id.share)
        {
          Toast.makeText(
                  MainActivity.this,
                  "Share Selected",
                  Toast.LENGTH_SHORT).show();
        }
        else if(item.getItemId()==R.id.download)
        {
          Toast.makeText(
                  MainActivity.this,
                  "Download Selected",
                  Toast.LENGTH_SHORT).show();
        }

        return true;
      });
```

```
            popupMenu.show();
        });
    }

    // Context Menu Creation
    @Override
    public void onCreateContextMenu(
            ContextMenu menu,
            View v,
            ContextMenu.ContextMenuInfo menuInfo) {

        super.onCreateContextMenu(menu, v, menuInfo);


        MenuInflater inflater = getMenuInflater();
        inflater.inflate(R.menu.context_menu, menu);
    }


    // Context Menu Item Click
    @Override
    public boolean onContextItemSelected(MenuItem item) {

        if(item.getItemId()==R.id.edit)
        {
            Toast.makeText(this,
                    "Edit Selected",
                    Toast.LENGTH_SHORT).show();
        }
        else if(item.getItemId()==R.id.delete)
        {
            Toast.makeText(this,
                    "Delete Selected",
                    Toast.LENGTH_SHORT).show();
        }

        return true;
    }
}
```

Output:





By: Prof. Krutika H. Churi
SDSM College, Palghar