Practical No : 4-B

Aim: Develop an Android application using AbsoluteLayout demonstrating fixed positioning.

AbsoluteLayout is a layout that allows you to place UI components at fixed X and Y coordinates on the screen.

In AbsoluteLayout, the position of a view is specified using:

Property	Description
`android:layout_x`	Specifies horizontal position
`android:layout_y`	Specifies vertical position

Code:

1) **activity_main.xml**

```
<?xml version="1.0" encoding="utf-8"?>
<AbsoluteLayout xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:id="@+id/main"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <ImageView
     android:id="@+id/imgProfile"
     android:layout_width="120dp"
     android:layout_height="120dp"
    android:layout_x="160dp"
     android:layout_y="40dp"
     android:src="@drawable/user"/>

  <!-- Name Text -->
  <TextView
     android:id="@+id/txtName"
     android:layout_width="wrap_content"
     android:layout_height="wrap_content"
     android:layout_x="180dp"
```

```
    android:layout_y="180dp"
    android:text="John Doe"
    android:textSize="20sp"
    android:textColor="#D11313"
    android:textStyle="bold"/>

  <!-- Button -->
  <Button
    android:id="@+id/btnViewProfile"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="View Profile"
    android:layout_x="160dp"
    android:layout_y="220dp"/>
</AbsoluteLayout>
```

2) MainActivity.java


```
package com.example.scroll_view_pract;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.Toast;
import androidx.activity.EdgeToEdge;
import androidx.appcompat.app.AppCompatActivity;
import androidx.core.graphics.Insets;
import androidx.core.view.ViewCompat;
import androidx.core.view.WindowInsetsCompat;

public class MainActivity extends AppCompatActivity {
Button b1;
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    EdgeToEdge.enable(this);
    setContentView(R.layout.activity_main);
    b1=findViewById(R.id.btnViewProfile);
    b1.setOnClickListener(new View.OnClickListener() {
      @Override
      public void onClick(View v) {
        Toast.makeText(MainActivity.this, "Profile Button Clicked",
Toast.LENGTH_SHORT).show();

      }
```

```
        });
    }
}
```

Output:



By: Prof. Krutika H. Churi
SDSM College, Palghar