PRACTICAL NO.3(F)

Aim:- Create a React component that displays the current date and time dynamically using JavaScript.

Create Components folder
Inside src:
Right-click src → New Folder → name it:
-components

Then right-click the components folder:
New File → DateTime.jsx

Code:-

App.jsx:-

```
import DateTime from "./components/DateTime";

function App(){
  return(
    <div>
      <DateTime/>
    </div>
  );
}

export default App;
```

DateTime.jsx:-

```
function DateTime() {

    const current=new Date();


    return(
        <div>
            <h2>Current Date</h2>
            <p>{current.toLocaleDateString()}</p>
```

```
            <h2>Current Time</h2>
            <p>{current.toLocaleTimeString()}</p>
        </div>
    );

}

export default DateTime;
```

Output:-



PRACTICAL 4. React Components, Props, and State

PRACTICAL NO.4(A)

Aim:- Create multiple components and render them on a single page.

Code:-

```
import React from "react";

function Header(){
  return <h1>Welcome to My React App</h1>;
}


function About(){
  return <p>This is the About component.</p>;
}

function Contact(){
  return <p>This is the Contact component.</p>
}

function App(){
  return(
    <div>
      <Header/>
      <About/>
      <Contact/>
    </div>
  );
}

export default App;
```

Output:-



PRACTICAL NO.4(B)

Aim:- Pass data between components using props.

Code:-

```
import React from "react";

function Student(props){
  return(
    <div>
      <h2>Student Details:</h2>
      <p>Name:{props.name}</p>
      <p>Course:{props.course}</p>
    </div>
  );
}

function App(){
  return(
    <div>
      <h1>Props Example</h1>

      <Student
      name="Rahul"
      course="B.Sc Information Technology"/>


      <br/>

      <Student
```

```
      name="Priya"
      course="B.Sc Computer Science"
      />
    </div>
  );
}

export default App;
```

Output:-



PRACTICAL NO.4(C)

Aim:- Use the useState hook to manage and update data.

Code:-

```
import React,{useState} from "react";

function App(){
  const[name,setName]=useState("Rahul");


    function changeName(){
      setName("Amit");
    }

    return(
```

```
    <div>
      <h1>useState Example</h1>
      <h2>Name: {name}</h2>
      <button onClick={changeName}>Change Name</button>
    </div>
  );
}


export default App;
```

Initial Output:-



Click on Change Name button → Name changes from **Rahul** to **Amit**.

Final Output:-



PRACTICAL NO.4(D)

Aim:- Create a form component to accept user input and display it dynamically.

Code:-

```
import React,{useState} from "react";

function  StudentForm(){
  const[name,setName]=useState("");

  return(
    <div>
      <h1>Student Form</h1>
      <form>
        <label>Enter Your Name:</label>
        <input
        type="text"
        value={name}
        onChange={(e)=>setName(e.target.value)}
        placeholder="Enter Name"
        />
      </form>
      <h2>Hello, {name}</h2>
    </div>
  );
}

function App(){
  return(
    <StudentForm/>
  );
}

export default App;
```

Output:-

