PRACTICAL NO.4(E)

Aim:- Display a list of items sorted in the state using map().

→ In React, map() is a standard JavaScript array method used to loop over an array of data and convert it into an array of HTML elements or components.

Code:-

App.jsx:-

```
import React, { useState } from "react";


function App() {
  const [items, setItems] = useState([
    "HTML",
    "CSS",
    "JavaScript",
    "React"
  ]);

  return (
    <div style={{ textAlign: "left", padding:"20px" }}>
      <h1>Technology List</h1>

      <ul>
        {items.map((item, index) => (
          <li key={index}>{item}</li>
        ))}
      </ul>
    </div>
  );
}

export default App;
```

Output:-



PRACTICAL NO.4(F)

Aim:- Build a samll interactive component.(Eg:- Counter or to-do list)

Code:-

App.jsx:-

```
import React, { useState } from "react";

function Counter(){
  const [count,setCount]=useState(0);

  return(
    <div>
      <h1>Counter Application</h1>

      <h2>Count:{count}</h2>

      <button onClick={()=>setCount(count+1)}>
        Increase
      </button>

       <button onClick={()=>setCount(count-1)}>
```

```
        Decrease
      </button>

      <button onClick={()=>setCount(0)}>
        Reset
      </button>
    </div>
  );
}

function App(){
  return(
    <Counter/>
  );
}

export default App;
```

Output:-

