

Verified Steel Operator A.S.

Verification Readiness & Evidence Assurance Dossier

Prepared for Independent Accredited Verifier Review

Working file A1111-R5 | 2026-ANNUAL | Generated 2027-01-15 12:00:00 UTC

OPERATOR CHECKS INCOMPLETE

Independent verifier status
NOT REVIEWED - PENDING

OPERATOR PREPARATION	EVIDENCE ASSURANCE	PACKAGE INTEGRITY	EXTERNAL VERIFIER COMPLETION
33.3%	33.3%	NOT ASSESSED	0/7
Operator-controlled data and calculation readiness	Material support and quality	Manifest, signature and ZIP controls	Reserved for accredited verifier

Document control			
Exporter / operator	Verified Steel Operator A.S.	Importer	CBAMValid Importer B.V.
Installation	Verified Integrated Steel Installation	Country	TR
Package code	A1111-R5	Controlled report reference	RPT-C6539D99D94E
Product tier	Premium verification preparation	Release	5

RELIANCE BOUNDARY

This operator-prepared package supports preparation for independent CBAM review. It is not an independent verification opinion, a reasonable-assurance conclusion, a customs decision, an EU approval, a CBAM Registry submission, or a guarantee of acceptance.

Contents and document control

Structured navigation for management, data preparers and independent verifier teams

Section	
1	Executive assurance dashboard
2	Controlled identity and reporting period
3	Compliance calendar
4	Emissions result and A-H reconciliation
5	Goods allocation and materiality
6	Evidence assurance and data provenance
7	Calculation reproducibility and audit trail
8	Scenario analysis and materiality simulation
9	Findings and corrective actions
10	Regulatory and registry crosswalk
11	Premium chapter contract
12	Independent verifier handover
13	Package integrity and release control
14	Annex index and legal boundary

HOW TO USE THIS DOSSIER

Start with the executive dashboard, confirm the reporting-period classification, follow the A-H emissions bridge, then inspect evidence, calculations, findings and the verifier handover checklist. Machine-readable source files remain authoritative for recomputation.

Executive assurance dashboard


Decision-ready summary without conflating operator preparation with independent verification

MANAGEMENT DECISION

Operator checks require remediation. Do not submit. Independent verifier completion remains pending.

TOTAL DIRECT EMISSIONS 80 tCO2e Installation plus precursor direct	TOTAL INDIRECT EMISSIONS 40 tCO2e Electricity plus precursor indirect	PRODUCTION VOLUME 100 t Aggregate declared production	SPECIFIC EMBEDDED EMISSIONS 0.8 tCO2e per tonne
---	--	--	--

Result hierarchy



Control		
Sealing critical blockers	1	Remediation required before locking
Reporting-period restrictions	0	None
Material findings	17	Review before handover
Missing material evidence	16	Evidence gap
Calculation exceptions	0	None

Controlled identity and reporting period

Legal parties, installation, production route, boundary and period eligibility

Controlled field		
Importer	CBAMValid Importer B.V.	Legal counterparty recorded in the case
EORI	NL123456789AB	Identifier supplied by operator/importer
Exporter / operator	Verified Steel Operator A.S.	Entity responsible for installation data
Installation	Verified Integrated Steel Installation	Production installation in scope
Country	TR	Country of installation
Production route	Blast Furnace Route (BF-BOF)	Sector-specific route
System boundary	Coke preparation, sinter plant, blast furnace, basic oxygen furnace, casting and finishing operations within the controlled installation boundary.	Operator-declared boundary subject to verifier confirmation

Period control	
Period type	Definitive annual
Start date	2026-01-01
End date	2026-12-31
Covered / expected days	365 / 365
Evidence period coverage	100%
Definitive annual eligible	YES

PERIOD CLASSIFICATION

The period satisfies the automated definitive annual completeness rule at the generated timestamp. This does not replace independent verifier review or registry acceptance.

Compliance calendar

Definitive-period CBAM milestones from certificate sales to annual declaration and surplus repurchase

REFERENCE YEAR

2026

Cycle covered by this milestone calendar

FIRST DECLARATION DEADLINE

2027-09-30

Annual declaration + certificate surrender

DAYS UNTIL DECLARATION

258

Remaining calendar days

MILESTONES TRACKED

6

Certificate, holding and declaration events

Milestone				
CBAM certificate sales open	2027-02-01	Certificate	Due	17 day(s) to go — act now
Q1 2027 certificate holding check	2027-03-31	Holding	Upcoming	In 75 day(s)
Q2 2027 certificate holding check	2027-06-30	Holding	Upcoming	In 166 day(s)
First annual CBAM declaration — 2026 imports	2027-09-30	Declaration	Upcoming	In 258 day(s)
Q3 2027 certificate holding check	2027-09-30	Holding	Upcoming	In 258 day(s)
Surplus certificate repurchase window opens	2027-10-31	Certificate	Upcoming	In 289 day(s)

CALENDAR BOUNDARY

Milestone dates follow the 2026 definitive-period cycle published for CBAM (Regulation (EU) 2023/956 and implementing acts). This calendar is preparation guidance; the competent authority and the CBAM registry remain authoritative for submission timing and certificate obligations.

Emissions result and A-H reconciliation

Transparent bridge from installation activity through certificate-relevant and informational totals

Code			
A	Installation direct emissions	80	Measured/calculated at installation
B	Precursor attributable direct emissions	0	Embedded direct emissions from precursors
C	Electricity indirect emissions	40	Informational indirect component
D	Precursor indirect emissions	0	Informational precursor indirect component
G	Certificate-relevant direct total	80	A + B
H	Total informational embedded emissions	120	G + total indirect emissions

Reconciliation control		
Allocation share total	1	1.000000
Allocation reconciliation delta	0	0.000000
Eligible certificate reduction	10	Applied only when legally eligible
Electricity consumed	100 MWh	Evidence-linked activity data
Grid emission factor	0.4 tCO2e/MWh	Exact source value used for indirect-emissions recomputation

CALCULATION INTERPRETATION

The report separates installation direct emissions, precursor direct emissions, electricity indirect emissions and precursor indirect emissions. A verifier can recompute each bridge from the Calculation Trace, Calculation Graph and Verifier Workspace files.

Goods allocation and materiality

CN-coded production population, allocation reconciliation and 5% verifier planning reference

Good							
1	72011011	IRON_AND_STEEL	60	0.6	48	0.8	0.04
2	72011019	IRON_AND_STEEL	40	0.4	32	0.8	0.04

MATERIALITY BOUNDARY

The 5% values are planning references calculated per good. They do not constitute a verifier-confirmed materiality determination. Final materiality remains an independent verifier-reserved decision.

Precursor				
—	—	—	—	—

Evidence assurance and data provenance

Material input support, quality grades, period coverage and evidence-to-calculation lineage

MATERIAL REQUIREMENTS

16

Assessed material input rows

SUPPORTED

15

Evidence or accepted methodology basis

EVIDENCE ASSURANCE

33.3%

Quality-weighted material support

EVIDENCE FILES

5

Included supporting binaries

Requirement					
REQ-OP-NAME	exporterIdentity.legalName	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-222222222222
REQ-OP-ADDR	exporterIdentity.address	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-222222222222
REQ-IM-NAME	importerIdentity.legalName	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-222222222222
REQ-IM-EORI	importerIdentity.eoriNumber	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-222222222222
REQ-INST-NAME	installation.name	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-222222222222
REQ-INST-COUNTRY	installation.country	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-222222222222
REQ-INST-ROUTE	installation.productionRoute	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-222222222222
REQ-INST-BOUNDS	installation.systemBoundaries	Missing	Pending	0.0/1.0	No linked evidence
REQ-PERIOD-YEAR	reportingPeriod.year	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-222222222222
REQ-GOOD-CN-0	goods.0.cnCode	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-222222222222
REQ-GOOD-VOL-0	goods.0.productionVolume	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-444444444444
REQ-GOOD-ALLOC-0	goods.0.allocationShare	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-222222222222, 111111 11-1111-4111-8111-44444 4444444
REQ-GOOD-CN-1	goods.1.cnCode	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-222222222222
REQ-GOOD-VOL-1	goods.1.productionVolume	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-555555555555
REQ-GOOD-ALLOC-1	goods.1.allocationShare	Partially supported	PENDING	100.00%	11111111-1111-4111-811 1-222222222222, 111111 11-1111-4111-8111-44444 4444444

Requirement					
REQ-DIR-EM	directEmissions	Partially supported	PENDING	100.00%	11111111-1111-4111-8111-555555555555, 11111111-1111-4111-8111-666666666666
REQ-ELEC-CON	electricityConsumed	Partially supported	PENDING	100.00%	11111111-1111-4111-8111-333333333333
REQ-ELEC-FAC	gridEmissionFactor	Partially supported	PENDING	100.00%	11111111-1111-4111-8111-333333333333
REQ-CP-PAY-0	carbonPriceRecords.0.proofOfPaymentEvidenceId	Unlinked	E	0.00%	11111111-1111-4111-8111-555555555555

EVIDENCE GRADING

Grade A represents primary independently issued evidence; B primary operator-controlled evidence; C supplier evidence with controls; D secondary or estimated evidence; E unsupported evidence. Material D/E evidence cannot produce full assurance.

Calculation reproducibility and audit trail

Formula-level outputs, units, assumptions and cryptographic calculation hashes

Formula				
CBAM_INSTALLATION_DIRECT_EMISSIONS	80	tCO2e	678fdcd3d2e530cbb	None
CBAM_INDIRECT_EMISSIONS	40	tCO2e	c6232a73800f3a547c	None
CBAM_PRECURSOR_EMISSIONS_SUM	0	tCO2e	3aa55cc59e584262ad	None
CBAM_TOTAL_EMBEDDED_EMISSIONS_DISCLOSED	120	tCO2e	7f27fc35a5d967e1ae	Disclosed total combines direct and indirect emissions before sector-specific pricing rules.
CBAM_GOOD_EMISSIONS_ALLOCATION_1	0.8	tCO2e/t	9b8e198e316018b493	None
CBAM_GOOD_EMISSIONS_ALLOCATION_2	0.8	tCO2e/t	396635d6df5529d5ce	None
CBAM_TOTAL_EMBEDDED_EMISSIONS_PRICED	80	tCO2e	e0302ee3f4fb777e6b	Priced total applies sector Annex II direct-only rules where applicable.
CBAM_GOODS_ALLOCATION_RECONCILIATION	0	tCO2e	7a08371a15c45394f7	None
CBAM_AGGREGATE_SPECIFIC_EMBEDDED_EMISSIONS	0.8	tCO2e/t	794a3ae67743915f24	The aggregate intensity is a portfolio diagnostic; reportable values are the per-good intensities.
CBAM_CARBON_PRICE_REDUCTION_RECORD_TOTAL	10	certificate-equivalent	54570b887ba1203bf1	Recognition remains subject to documentary evidence and applicable CBAM rules.

Reproduction asset	
Calculation Trace.json	Formula-level machine-readable outputs and hashes
Calculation Graph.json	Dependency graph and root hash
Verifier Workspace.xlsx	Independent recomputation, sampling and sign-off workspace
Data Integrity Manifest.json	Package file hashes, sizes and media types

ROOT-OF-TRUST

Calculation root hash: 1c94a8333f1c71e2bd217e74a1c8ba413c3b5a82615e6691. Case-data hash: 16bb8373384d6198cc02fc8b2912b70a0844bb0d1e513d6a. Full values are preserved in machine-readable package files.

Scenario analysis and materiality simulation

Deterministic what-if sensitivity and per-good 5% planning-materiality reference

SCENARIOS MODELLED

5

Grid-factor and production-volume moves at +/-10%

BASE AGGREGATE INTENSITY

0.8

tCO2e per tonne before scenario moves

WORST-CASE INTENSITY

0.888889

Highest tCO2e/t across modelled scenarios

BEST-CASE INTENSITY

0.727273

Lowest tCO2e/t across modelled scenarios

Scenario intensity (tCO2e/t)



Scenario			
Grid emission factor -10%	76	0.76	-0.04
Base case	80	0.8	0
Grid emission factor +10%	84	0.84	0.04
Production volume -10%	80	0.888889	0.088889
Production volume +10%	80	0.727273	-0.072727

SCENARIO DISCIPLINE

Each scenario is a deterministic mechanical recomputation: one sealed input moves by +/-10% while every other input stays constant. It isolates arithmetic exposure; it is not a statistical uncertainty or probability statement.

Materiality simulation (specific vs 5% reference, tCO2e/t)



Good				
1	72011011	0.8	0.04	100% of the 5% reference
2	72011019	0.8	0.04	100% of the 5% reference

MATERIALITY SIMULATION

The 5% values are verifier planning references calculated per good from total specific embedded emissions. Materiality below the threshold requires expert judgement; the simulation shows how close each good sits to that reference, it does not replace the independent verifier's materiality determination.

Findings and corrective actions

Deterministic exceptions, impact statements and accountable closure requirements

Finding					
Evidence sufficiency for exporterIdentity.legalName	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'exporterIdentity.legalName'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to exporterIdentity.legalName.
Evidence sufficiency for exporterIdentity.address	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'exporterIdentity.address'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to exporterIdentity.address.
Evidence sufficiency for importerIdentity.legalName	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'importerIdentity.legalName'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to importerIdentity.legalName.
Evidence sufficiency for importerIdentity.eoriNumber	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'importerIdentity.eoriNumber'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to importerIdentity.eoriNumber.
Evidence sufficiency for installation.name	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'installation.name'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to installation.name.
Evidence sufficiency for installation.country	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'installation.country'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to installation.country.
Evidence sufficiency for installation.productionRoute	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'installation.productionRoute'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to installation.productionRoute.
Evidence sufficiency for installation.systemBoundaries	Critical	Evidence gap	Open	Unsupported or missing evidence for input path 'installation.systemBoundaries'. State: MISSING.	Upload approved, clean, and supported evidence file linked to installation.systemBoundaries.
Evidence sufficiency for reportingPeriod.year	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'reportingPeriod.year'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to reportingPeriod.year.
Evidence sufficiency for goods.0.cnCode	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'goods.0.cnCode'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to goods.0.cnCode.
Evidence sufficiency for goods.0.productionVolume	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'goods.0.productionVolume'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to goods.0.productionVolume.

Finding					
Evidence sufficiency for goods.0.allocationShare	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'goods.0.allocationShare'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to goods.0.allocationShare.
Evidence sufficiency for goods.1.cnCode	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'goods.1.cnCode'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to goods.1.cnCode.
Evidence sufficiency for goods.1.productionVolume	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'goods.1.productionVolume'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to goods.1.productionVolume.
Evidence sufficiency for goods.1.allocationShare	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'goods.1.allocationShare'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to goods.1.allocationShare.
Evidence sufficiency for directEmissions	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'directEmissions'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to directEmissions.
Evidence sufficiency for electricityConsumed	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'electricityConsumed'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to electricityConsumed.
Evidence sufficiency for gridEmissionFactor	Material	Evidence gap	Open	Unsupported or missing evidence for input path 'gridEmissionFactor'. State: PARTIALLY_SUPPORTED.	Upload approved, clean, and supported evidence file linked to gridEmissionFactor.
Evidence sufficiency for carbonPriceRecords.0.proofOfPaymentEvidenceId	Major	Evidence gap	Open	Unsupported or missing evidence for input path 'carbonPriceRecords.0.proofOfPaymentEvidenceId'. State: UNLINKED.	Upload approved, clean, and supported evidence file linked to carbonPriceRecords.0.proofOfPaymentEvidenceId.

Action				
ACT-FND-EVD-REQ-OP-NAME-48f7b3af	P0	Data preparer	Open	Evidence sufficiency check status for 'exporterIdentity.legalName' is SUPPORTED.
ACT-FND-EVD-REQ-OP-ADDR-a3948e9f	P0	Data preparer	Open	Evidence sufficiency check status for 'exporterIdentity.address' is SUPPORTED.
ACT-FND-EVD-REQ-IM-NAME-04868796	P0	Data preparer	Open	Evidence sufficiency check status for 'importerIdentity.legalName' is SUPPORTED.
ACT-FND-EVD-REQ-IM-EORI-f54bf13a	P0	Data preparer	Open	Evidence sufficiency check status for 'importerIdentity.eoriNumber' is SUPPORTED.
ACT-FND-EVD-REQ-INST-NAME-d33a6c06	P0	Data preparer	Open	Evidence sufficiency check status for 'installation.name' is SUPPORTED.
ACT-FND-EVD-REQ-INST-COUNTRY-27d475dd	P0	Data preparer	Open	Evidence sufficiency check status for 'installation.country' is SUPPORTED.

Action				
ACT-FND-EVD-REQ-I NST-ROUTE-9cb92e3 1	P0	Data preparer	Open	Evidence sufficiency check status for 'installation.productionRoute' is SUPPORTED.
ACT-FND-EVD-REQ-I NST-BOUNDS-3cc9fd4 2	P0	Data preparer	Open	Evidence sufficiency check status for 'installation.systemBoundaries' is SUPPORTED.
ACT-FND-EVD-REQ-P ERIOD-YEAR-73cb0ba 5	P0	Data preparer	Open	Evidence sufficiency check status for 'reportingPeriod.year' is SUPPORTED.
ACT-FND-EVD-REQ-G OOD-CN-0-f953cb54	P0	Data preparer	Open	Evidence sufficiency check status for 'goods.0.cnCode' is SUPPORTED.
ACT-FND-EVD-REQ-G OOD-VOL-0-60f59cb0	P0	Data preparer	Open	Evidence sufficiency check status for 'goods.0.productionVolume' is SUPPORTED.
ACT-FND-EVD-REQ-G OOD-ALLOC-0-4ec513 d1	P0	Data preparer	Open	Evidence sufficiency check status for 'goods.0.allocationShare' is SUPPORTED.
ACT-FND-EVD-REQ-G OOD-CN-1-45ca12cf	P0	Data preparer	Open	Evidence sufficiency check status for 'goods.1.cnCode' is SUPPORTED.
ACT-FND-EVD-REQ-G OOD-VOL-1-9904aa12	P0	Data preparer	Open	Evidence sufficiency check status for 'goods.1.productionVolume' is SUPPORTED.
ACT-FND-EVD-REQ-G OOD-ALLOC-1-883a98 b2	P0	Data preparer	Open	Evidence sufficiency check status for 'goods.1.allocationShare' is SUPPORTED.
ACT-FND-EVD-REQ-D IR-EM-6abf06d4	P0	Data preparer	Open	Evidence sufficiency check status for 'directEmissions' is SUPPORTED.
ACT-FND-EVD-REQ-E LEC-CON-0f05ca12	P0	Data preparer	Open	Evidence sufficiency check status for 'electricityConsumed' is SUPPORTED.
ACT-FND-EVD-REQ-E LEC-FAC-4b99605c	P0	Data preparer	Open	Evidence sufficiency check status for 'gridEmissionFactor' is SUPPORTED.
ACT-FND-EVD-REQ-C P-PAY-0-4d27d543	P1	Data preparer	Open	Evidence sufficiency check status for 'carbonPriceRecords.0.proofOfPaymentEvidenceId' is SUPPORTED.

OPEN-ITEM DISCIPLINE

All open findings remain visible until their closure conditions and evidence are satisfied. Verifier-reserved items are not misrepresented as operator defects.

Regulatory and registry crosswalk

Legal requirements mapped to report sections, source paths, evidence and calculation nodes

Requirement					
CW-OP-NAME	REG_2023_956	Article 8 & Annex VI.1(a)	Operator	Partial	11111111-1111-4111-8111-222222222222 2
CW-INST-INFO	IMPL_2025_2546	Implementing Regulation (EU) 2025/2546, Article 6 and Annex point 1.1	Operator	Partial	11111111-1111-4111-8111-222222222222 2
CW-REP-PERIOD	REG_2023_956	Article 8	Cbamvalid system	Complete	Mapped report section
CW-VER-ID	REG_2023_956	Annex VI.2	Independent verifier	Pending external verifier	Mapped report section
CW-VER-VISIT	IMPL_2025_2546	Implementing Regulation (EU) 2025/2546, Articles 2 to 4 and Annex point 2.2	Independent verifier	Pending external verifier	Mapped report section
CW-GOOD-QTY-0	REG_2023_956	Annex VI.1(c)	Operator	Partial	11111111-1111-4111-8111-444444444444 4
CW-GOOD-QTY-1	REG_2023_956	Annex VI.1(c)	Operator	Partial	11111111-1111-4111-8111-555555555555 5
CW-DIR-EM	REG_2023_956	Annex VI.1(d)	Operator	Partial	11111111-1111-4111-8111-555555555555 5, 11111111-1111-4111-8111-666666666666 666
CW-ALLOC-METHOD	IMPL_2025_2547	Implementing Regulation (EU) 2025/2547, Article 6 & Annex III	Operator	Partial	Mapped report section
CW-NON-ASSOC	IMPL_2025_2547	Implementing Regulation (EU) 2025/2547, Annex II	Operator	Complete	Mapped report section
CW-PRECURSOR-INST	IMPL_2025_2547	Implementing Regulation (EU) 2025/2547, Article 5 & Annex II, point E	Operator	Not applicable	Mapped report section
CW-VER-MISSTATEMENTS	REG_2023_956	Annex VI.3	Independent verifier	Pending external verifier	Mapped report section
CW-VER-NONCONFORMITIES	REG_2023_956	Annex VI.3	Independent verifier	Pending external verifier	Mapped report section
CW-VER-OPINION	REG_2023_956	Annex VI.4	Independent verifier	Pending external verifier	Mapped report section

Registry field					
REG-OP-LEGAL-NAME	Operator	Operator	Complete operator	exporterIdentity.legalName.value	Material evidence quality d or e; Single source concentration; Evidence diversity insufficient
REG-OP-REG-NO	Operator	Operator	Missing operator	exporterIdentity.registrationNumber.value	Passed
REG-OP-ADDRESS	Operator	Operator	Complete operator	exporterIdentity.address.value	Passed
REG-OP-COUNTRY	Operator	Operator	Missing operator	exporterIdentity.exporterCountry.value	Passed
REG-OP-CONTACT-EMAIL	Operator	Operator	Missing operator	exporterIdentity.contactEmail.value	Passed

Registry field					
REG-INST-NAME	Installation	Operator	Complete operator	installation.name.value	Material evidence quality d or e; Single source concentration; Evidence diversity insufficient
REG-INST-REGISTRY-ID	Installation	Operator	Missing operator	installation.registryInstallationId.value	Passed
REG-INST-UNLOCODE	Installation	Operator	Complete operator	installation.unloCode.value	Passed
REG-INST-ADDRESS	Installation	Operator	Missing operator	installation.address.value	Passed
REG-INST-LATITUDE	Installation	Operator	Missing operator	installation.latitude.value	Passed
REG-INST-LONGITUDE	Installation	Operator	Missing operator	installation.longitude.value	Passed
REG-INST-COUNTRY	Installation	Operator	Complete operator	installation.country.value	Passed
REG-INST-PRODUCTION-ROUTE	Installation	Operator	Complete operator	installation.productionRoute.value	Passed
REG-INST-SYSTEM-BOUNDARY	Installation	Operator	Incomplete evidence missing	installation.systemBoundaries	Evidence missing for a mandatory field
REG-INST-EXCLUDED-PROCESSES	Installation	Operator	Missing operator	installation.excludedProcesses	Passed
REG-INST-MONITORING-PLAN	Installation	Operator	Missing operator	installation.monitoringPlanId.value	Passed
REG-PERIOD-YEAR	Reporting period	Cbamvalid system	Complete operator	reportingPeriod.year.value	Passed
REG-PERIOD-START	Reporting period	Cbamvalid system	Complete operator	reportingPeriod.startDate.value	Passed
REG-PERIOD-END	Reporting period	Cbamvalid system	Complete operator	reportingPeriod.endDate.value	Passed
REG-GOOD-CN-0	Goods	Operator	Complete operator	goods.0.cnCode.value	Material evidence quality d or e; Single source concentration; Evidence diversity insufficient
REG-GOOD-PROD-0	Goods	Operator	Complete operator	goods.0.productionVolume.value	Material evidence quality d or e; Evidence diversity insufficient
REG-GOOD-ALLOC-0	Goods	Operator	Complete operator	goods.0.allocationShare.value	Passed
REG-GOOD-CN-1	Goods	Operator	Complete operator	goods.1.cnCode.value	Material evidence quality d or e; Single source concentration; Evidence diversity insufficient
REG-GOOD-PROD-1	Goods	Operator	Complete operator	goods.1.productionVolume.value	Material evidence quality d or e; Evidence diversity insufficient
REG-GOOD-ALLOC-1	Goods	Operator	Complete operator	goods.1.allocationShare.value	Passed
REG-DIRECT-EM	Emissions	Operator	Complete operator	directEmissions.value	Material evidence quality d or e; Evidence diversity insufficient
REG-ELECTRICITY	Emissions	Operator	Complete operator	electricityConsumed.value	Material evidence quality d or e; Evidence diversity insufficient

Registry field					
REG-GRID-FACTOR	Emissions	Operator	Complete operator	gridEmissionFactor.value	Material evidence quality d or e; Evidence diversity insufficient
REG-PRECURSORS	Precursors	Operator	Not applicable with basis	N/A - no precursors declared	Not applicable with basis
REG-ALLOC-METHOD	Allocation	Operator	Complete operator	methodologyDecisions.allocationMethod	Passed
REG-CARBON-PRICE-0	Carbon price	Operator	Complete operator	carbonPriceRecords.0.amountPaid	Passed
REG-VER-NAME	Verifier	Independent verifier	Pending verifier	verifierReserved.verifierLegalName	Verifier action pending
REG-VER-ACC-NO	Verifier	Independent verifier	Pending verifier	verifierReserved.accreditationNumber	Verifier action pending
REG-VER-NAB	Verifier	Independent verifier	Pending verifier	verifierReserved.nationalAccreditationBody	Verifier action pending
REG-VER-ACC-COUNTRY	Verifier	Independent verifier	Pending verifier	verifierReserved.accreditationCountry	Verifier action pending
REG-VER-ACC-EXPIRY	Verifier	Independent verifier	Pending verifier	verifierReserved.accreditationExpiry	Verifier action pending
REG-VER-ACC-SCOPE	Verifier	Independent verifier	Pending verifier	verifierReserved.accreditationScope	Verifier action pending
REG-VER-SITE-VISIT	Verifier	Independent verifier	Pending verifier	verifierReserved.siteVisitType	Verifier action pending
REG-VER-VISIT-DATES	Verifier	Independent verifier	Pending verifier	verifierReserved.siteVisitDates	Verifier action pending
REG-VER-OPINION	Verifier	Independent verifier	Pending verifier	verifierReserved.finalOpinion	Verifier action pending
REG-VER-CERT-REF	Verifier	Independent verifier	Pending verifier	verifierReserved.certificateReference	Verifier action pending

DEFINITIVE LEGAL BASIS

The controlled legal sources are listed row by row in the regulatory crosswalk, including Regulation (EU) 2023/956 and the applicable implementing acts. The package supports preparation and field mapping; it does not constitute a customs decision, registry acceptance or independent verification opinion.

Premium chapter contract

Completeness ledger for the advanced verifier-preparation workpapers included in this product tier

Chapter		
Monitoring Plan Conformance Statement	Applicable complete	12/12 monitoring-plan requirements documented (MP-01..MP-12)
Source Stream & Emission Source Register	Applicable complete	Direct, electricity and grid-factor source streams documented with evidence linkage
Metering & Instrumentation Register	Applicable complete	1 calibration certificate(s) approved and supported
Tier & Uncertainty Assessment	Applicable complete	2 accepted methodology decision(s) governing tier and uncertainty
Mass & Energy Balance Reconciliation	Applicable complete	Allocation reconciliation delta 0 within tolerance
Process-Level Attribution & Non-Associated Flows	Applicable complete	Allocation shares total 1; 2 good(s) attributed
Evidence Integrity and Provenance	Applicable complete	5 approved clean evidence file(s); calculation root 1c94a8333f1c71e2bd217e74a1c8ba413c3b5a82615e669175cd2fbd16d38c3e
Calculation Trace & Reproducibility	Applicable complete	10 hashed calculation trace node(s)
Precursor Embedded Emissions	Not applicable with legal basis	Accepted PRECURSOR_SCOPE decision records no precursor use for this installation
Risk, Materiality and Sampling	Applicable complete	Risk register entries derived for inherent, control and detection risk
Sampling Workpaper	Applicable complete	3 sampling population(s) with rationale and selection
Materiality Workpaper	Applicable complete	2 per-good materiality workpaper(s) (PROVISIONAL_FOR_VERIFIER_PLANNING)
Site-Visit Readiness Pack	Applicable data gap	DATA GAP: site-visit readiness pack incomplete
Sensitivity & Scenario Annex	Applicable complete	Multi-good allocation supports sensitivity and scenario illustration
Registry Field-Mapping Completeness	Applicable data gap	DATA GAP: 9 Registry template field(s) missing operator value
Independent Recomputation Instructions	Applicable complete	Calculation Trace.json + Calculation Graph.json enable independent recomputation; root 1c94a8333f1c71e2bd217e74a1c8ba413c3b5a82615e669175cd2fbd16d38c3e

PREMIUM NAMING RULE

One or more applicable premium chapter requirements remain incomplete. Premium readiness claims must remain conditional until the contract is complete.

Independent verifier handover

Reserved work programme, handover sequence and explicit non-reliance boundary

Verifier-reserved work item		
Verifier legal identity and accreditation	PENDING	Confirm accredited legal entity and scope
Verifier team and independent reviewer	PENDING	Assign team, lead auditor and independent reviewer
Site visit assignment and dates	PENDING	Determine visit type and execute site work
Verification objectives, scope and criteria	PENDING	Document engagement-specific criteria
Verifier-confirmed materiality per good	PENDING	Set and document materiality
Final opinion and signature	PENDING	Issue independent opinion when supported
Verification certificate reference	PENDING	Record external certificate/reference

INDEPENDENT BOUNDARY

CBAMValid prepares and seals operator-controlled evidence, calculations and workpapers. Only an appropriately accredited independent verifier can perform verification procedures and issue a verification opinion. Until then, the correct status is NOT REVIEWED - PENDING.

Package integrity and release control

Manifest, signature scope, immutable release identity and public verification state

Integrity control		
Required top-level components	26	Controlled package contract
Actual top-level components	26	Readback count
Manifest file count	31	Hashed manifest entries
Supporting evidence files	5	Tenant-bound evidence binaries
Package integrity	Not assessed	PASS only after manifest, signature and ZIP verification
KMS algorithm	See Data Integrity Manifest.json and Manifest Signature.sig	—
KMS key version	See Data Integrity Manifest.json and sealed release metadata	—
Public verification	Not published in this environment	Published only when an active verification URL exists

Release control	
Package code	A1111
Report	report_aaa
Release version	5
Generated at	2027-01-15 12:00:00 UTC
Controlled report reference	RPT-C6539D99D94E
Dossier schema	CBAMVALID-DOSSIER-5.0
Release contract	5
Ruleset	EU-CBAM-DEFINITIVE-2026

CRYPTOGRAPHIC SCOPE

The detached KMS signature covers the exact UTF-8 bytes of Data Integrity Manifest.json. Each package artifact is bound by path, SHA-256 hash, byte size and media type. See Data Integrity Manifest.json and Manifest Signature.sig for authoritative cryptographic values; a PDF visual statement never substitutes for manifest verification.

Annex index and legal boundary

Controlled deliverable inventory, reliance statement and final handover checklist

Component	
CBAMValid Verification Readiness & Evidence Assurance Dossier.pdf	Controlled verifier-preparation deliverable
Complete Dossier Compilation.pdf	Controlled verifier-preparation deliverable
Product Scope Assessment.pdf	Controlled verifier-preparation deliverable
CN Code Reasoning.pdf	Controlled verifier-preparation deliverable
Required Data Checklist.pdf	Controlled verifier-preparation deliverable
Installation Monitoring Plan.pdf	Controlled verifier-preparation deliverable
Production Process Map.pdf	Controlled verifier-preparation deliverable
System Boundary Register.pdf	Controlled verifier-preparation deliverable
Source Stream Register.csv	Controlled verifier-preparation deliverable
Emission Source Register.csv	Controlled verifier-preparation deliverable
Measurement and Meter Register.csv	Controlled verifier-preparation deliverable
Activity Data Ledger.csv	Controlled verifier-preparation deliverable
Evidence Register.csv	Controlled verifier-preparation deliverable
Field-to-Evidence Matrix.csv	Controlled verifier-preparation deliverable
Methodology Decision Log.pdf	Controlled verifier-preparation deliverable
Embedded Emissions Calculation Annex.pdf	Controlled verifier-preparation deliverable
Operator Emissions Report.pdf	Controlled verifier-preparation deliverable
Misstatement and Non-Conformity Register.csv	Controlled verifier-preparation deliverable
Corrective Action Log.csv	Controlled verifier-preparation deliverable
O3CI Field Mapping.csv	Controlled verifier-preparation deliverable
Calculation Trace.json	Controlled verifier-preparation deliverable
Calculation Graph.json	Controlled verifier-preparation deliverable
Verifier Workspace.xlsx	Controlled verifier-preparation deliverable
Data Integrity Manifest.json	Controlled verifier-preparation deliverable
Manifest Signature.sig	Controlled verifier-preparation deliverable
Supporting_Evidence/	Supporting evidence directory

FINAL LEGAL BOUNDARY

This operator-prepared package supports preparation for independent CBAM review. It is not an independent verification opinion, a reasonable-assurance conclusion, a customs decision, an EU approval, a CBAM Registry submission, or a guarantee of acceptance.

Final acceptance control	
Operator preparation disclosed separately	PASS
Evidence assurance disclosed separately	PASS
Package integrity disclosed separately	PASS
External verifier completion not included in operator score	PASS
Reporting-period restriction visible when applicable	NOT APPLICABLE
No claim of independent approval or registry acceptance	PASS