

CBAMValid

Verification Readiness & Evidence Assurance Dossier

Prepared for Independent Accredited Verifier Review

OPERATOR READINESS STATUS

NOT_READY / CONDITIONAL

DIAGNOSTIC SCORE

100 / 100

Report ID:	report_aa
Case ID:	case_verifier_grade_fixture
Release Version:	V5
Generated At:	2026-07-16T12:00:00.000Z
Reporting Year & Period:	2026-ANNUAL
Operator Name:	Verified Steel Operator GmbH
Installation Name:	Verified Integrated Steel Installation
Regulatory Basis:	Regulation (EU) 2023/956 & Implementing Regulation (EU) 2025/2546

Academic Oversight & Expert Review:

NOT_PROVIDED

This operator-prepared package supports preparation for independent CBAM review. It is not an independent verification opinion, a reasonable-assurance conclusion, a customs decision, an EU approval, a CBAM Registry submission, or a guarantee of acceptance.

2. Document Control

Control Parameter	
Report ID	report_aa
Case ID	case_verifier_grade_fixture
Release Version	V5
Generated Timestamp	2026-07-16T12:00:00.000Z
Ruleset Version	EU-CBAM-DEFINITIVE-2026
Calculation Engine Version	3.0.0
Verification Class	Prepared for Independent Accredited Review

3. Legal Status and Reliance Boundary

This operator-prepared package supports preparation for independent CBAM review. It is not an independent verification opinion, a reasonable-assurance conclusion, a customs decision, an EU approval, a CBAM Registry submission, or a guarantee of acceptance.

CBAMVALID INTERNAL AUTOMATED READINESS ASSESSMENT Internal automated readiness work. Independent accredited verifier review status remains NOT_REVIEWED. ACCREDITED_VERIFICATION_OPINION is required for customs submission.

4. Table of Contents		
2.	Document Control	2
3.	Legal and Product Boundary	2
4.	Table of Contents	10
5.	Executive Decision Board	4
6.	Readiness Score and Hard Gates	5
7.	Operator and Installation Identity	5
8.	Reporting Period Assessment	5
9.	Goods and CN Classification	6
10.	Installation and System Boundary	6
11.	Production Processes and Functional Units	6
12.	Material Input Register	6
13.	Evidence Sufficiency Matrix	6
14.	Evidence Register	7
15.	Data Lineage Matrix	7
16.	Direct Emissions	8
17.	Indirect Emissions	8
18.	Precursors	8
19.	Allocation and Per-good Results	8
20.	Calculation Integrity and Reconciliation	8
21.	Data Quality, Uncertainty, and Missing Data	8
22.	Methodology Decision Register	8
23.	Findings Register	9
24.	Corrective Action Plan	9
25.	EU Verification Template Crosswalk	9
26.	Verifier Handover Checklist	10
27.	Package Manifest and Digital Integrity	10
28.	Version Comparison	10
29.	Sign-off and Limitations	10
30.	Technical Annex Index	10

5. Executive Decision Board

The following summary table outlines the key metrics and decisions for senior executive/CFO review before independent verifier handover.

Readiness Score						
100/100	1	0	1	0	0	DO_NOT_SUBMIT

RECOMMENDED ACTION CONTEXT: blockers detected. Remediation is required before submitting to an independent accredited verifier. Please check the corrective action plan.

6. Readiness Score and Hard Gates

The 100-point diagnostic score is computed based on 8 weighted dimensions. Hard blockers will override this score and force NOT_READY status.

Readiness Dimension				
IDENTITY	10%	100%	10%	6 / 6
SCOPE_AND_METHODODOLOGY	15%	100%	15%	3 / 3
ACTIVITY_DATA	15%	100%	15%	5 / 5
EVIDENCE	20%	100%	20%	18 / 18
CALCULATION_INTEGRITY	15%	100%	15%	0 / 0
ALLOCATION_AND_RECONCILIATION	10%	100%	10%	2 / 2
DATA_QUALITY_AND_UNCERTAINTY	10%	100%	10%	0 / 0
PACKAGE_INTEGRITY	5%	100%	5%	0 / 0

7. Operator and Installation Identity

Identity Attribute	
Operator Name	Verified Steel Operator GmbH
Importer Name	CBAMValid Importer B.V.
EORI Number	NL123456789AB
Installation Name	Verified Integrated Steel Installation
Country of Origin	DE

8. Reporting Period Assessment

Calendar-aware analysis of the reporting period for definitive annual verification eligibility.

Reporting Attribute	
Reporting Year	2026
Reporting Period Type	DEFINITIVE_ANNUAL
Covered Dates	2026-01-01 to 2026-12-31
Covered Days count	365 days
Expected Days count	365 days
Completeness Percentage	100%
Definitive Annual Eligible	NO (BLOCKED - Quarterly or partial-year period detected)

REPORTING PERIOD HARD BLOCKER Reporting period is not a definitive annual period. A quarterly or partial-year period cannot pass definitive annual verifier readiness.

9. Goods and CN Classification

The case includes the following CN-coded goods classifications:

Good Index			
1	72011011	IRON_AND_STEEL	60 t
2	72011019	IRON_AND_STEEL	40 t

10. Installation and System Boundary

DECLARED SYSTEM BOUNDARY: Iron preparation, sinter plant, blast furnace, basic oxygen furnace, casting and finishing operations within the controlled installation boundary.

11. Production Processes and Functional Units

Controlled production processes and default boundaries of matching sectors:

IRON AND STEEL Legal Status: IN_FORCE. Default boundaries: Coke oven, sinter or pellet preparation, blast furnace, basic oxygen furnace, direct reduction, electric arc furnace, casting and finishing processes within the installation boundary.

12. Material Input Register

Material activity data inputs required for the production route:

Input Path			
directEmissions	80	tCO2e	PRIMARY
electricityConsumed	100	MWh	PRIMARY
gridEmissionFactor	0.4	tCO2e/MWh	PRIMARY

13. Evidence Sufficiency Matrix

Requirement-level analysis of evidence linkages. PARTIALLY_SUPPORTED or missing evidence blocks sealing.

Req ID					
REQ-OP-NAME	exporterIdentity.legalName	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-OP-ADDR	exporterIdentity.address	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-IM-NAME	importerIdentity.legalName	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-IM-EORI	importerIdentity.eoriNumber	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-INST-NAME	installation.name	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-INST-COUNTRY	installation.country	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-INST-ROUTE	installation.productionRoute	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS

Req ID					
REQ-INST-BOUND S	installation.systemBoundaries	—	SUPPORTED	1.0 / 1.0	PASS
REQ-PERIOD-YEAR	reportingPeriod.year	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-GOOD-CN-0	goods.0.cnCode	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-GOOD-VOL-0	goods.0.productionVolume	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-GOOD-ALL-OC-0	goods.0.allocationShare	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-GOOD-CN-1	goods.1.cnCode	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-GOOD-VOL-1	goods.1.productionVolume	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-GOOD-ALL-OC-1	goods.1.allocationShare	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-DIR-EM	directEmissions	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-ELEC-CON	electricityConsumed	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS
REQ-ELEC-FAC	gridEmissionFactor	11111111-1111-4111-8111-111111111111	SUPPORTED	365 / 365	PASS

14. Evidence Register

Evidence ID					
11111111-1111-4111-8111-111111111111	verified-monitoring-package.txt	PRIMARY_MONITORING_AND_CUSTOMS_PACKAGE	APPROVED	CLEAN	52f88d25d5...

15. Data Lineage Matrix

Cryptographic audit path linking physical evidence hash to final calculation results:

Evidence ID			
11111111-1111-4111-8111-111111111111	52f88d25d5eb...	importerIdentity.eoriNumber, goods.0.cnCode, goods.0.productionVolume, goods.0.allocationShare, goods.1.cnCode, goods.1.productionVolume, goods.1.allocationShare, directEmissions, electricityConsumed, gridEmissionFactor, exporterIdentity.legalName, exporterIdentity.address, importerIdentity.legalName, importerIdentity.eoriNumber, installation.name, installation.country, installation.productionRoute, reportingPeriod.year, reportingPeriod.quarter, goods.0.cnCode, goods.0.allocationShare, goods.1.cnCode, goods.1.allocationShare	CBAM_INDIR, CBAM_TOTAL, CBAM_GOOD_, CBAM_GOOD_, CBAM_GOODS

16. Direct Emissions

Parameter		
Installation Direct Emissions	80	tCO2e
Total Direct Emissions	80	tCO2e

17. Indirect Emissions

Parameter		
Electricity Consumed	40	tCO2e
Grid Emission Factor	0	tCO2e/MWh

18. Precursors

NOT_APPLICABLE: No precursors declared for this production route.

19. Allocation and Per-good Results

Good				
1	72011011	0.6	72	1.2
2	72011019	0.4	48	1.2

20. Calculation Integrity and Reconciliation

Parameter			
Allocation Share Total	1	fraction	RECONCILED
Allocation Reconciliation Delta	0	fraction	ZERO_DELTA_PASS

21. Data Quality, Uncertainty, and Missing Data

The operator-supplied data is assessed for compliance with measurement instrument uncertainty thresholds. No data gaps or missing default values were automatically resolved using unverified sources.

22. Methodology Decision Register

Topic			
PRECURSOR_SCOPE	No qualifying precursor line is declared for the fixture goods and controlled route.	The controlled bill of materials and production route contain no separate precursor goods requiring an additional precursor line in this fixture.	ACCEPTED
GOODS_EMISSIONS_ALLOCATION	Allocate installation emissions using documented product mass shares of 0.6 and 0.4.	The two goods are produced in the same controlled period and the reconciled product ledger provides complete mass shares summing to one.	ACCEPTED

23. Findings Register

Finding ID				
FND-PERIOD-FUTURE-END-DATE	CRITICAL_BLOCKER	REPORTING_PERIOD	Future Reporting Period End Date	The reporting period end date is in the future relative to the assessment timestamp. Future periods are blocked from sealing.

24. Corrective Action Plan

Action ID				
ACT-FND-PERIOD-FUTURE-END-DATE	P0	Correct the reporting period dates to reflect completed, non-future durations.	OPERATOR_ADMIN	OPEN

25. EU Verification Template Crosswalk

Req ID				
CW-OP-NAME	Article 8 & Annex VI.1(a)	Operator Name and Registration Address	OPERATOR	COMPLETE
CW-INST-INFO	Article 6 & Annex	Installation Name, address and UN/LOCODE coordinates	OPERATOR	COMPLETE
CW-REP-PERIOD	Article 8	Report ID and Reporting period	CBAMVALID_SYSTEM	COMPLETE
CW-VER-ID	Annex VI.2	Verifier identity, address, NAB country, accreditation scope and expiry	INDEPENDENT_VERIFIER	PENDING_EXTERNAL_VERIFIER
CW-VER-VISIT	Article 6(2)	Installation physical visit date or legal waiver justification basis	INDEPENDENT_VERIFIER	PENDING_EXTERNAL_VERIFIER
CW-GOOD-QTY-0	Annex VI.1(c)	Production quantity and CN-code verification for Good 1	OPERATOR	COMPLETE
CW-GOOD-QTY-1	Annex VI.1(c)	Production quantity and CN-code verification for Good 2	OPERATOR	COMPLETE
CW-DIR-EM	Annex VI.1(d)	Installation direct emissions monitoring plan data and methodology	OPERATOR	COMPLETE
CW-ALLOC-METHOD	Annex II	Emissions attribution methodology and allocation share factors	OPERATOR	COMPLETE
CW-NON-ASSOC	Annex II.3	Identification of non-associated goods/emissions/energy flows	OPERATOR	COMPLETE
CW-PRECURSOR-INST	Annex II.4.1	Precursor-producing installation identity, country and registration when actual emissions are used	OPERATOR	NOT_APPLICABLE
CW-VER-MISSTATEMENTS	Annex VI.3	Verifier audit trace of material misstatements detected and corrected during verification	INDEPENDENT_VERIFIER	PENDING_EXTERNAL_VERIFIER
CW-VER-NONCONFORMITIES	Annex VI.3	Verifier audit trace of non-conformities with monitoring rules detected and corrected	INDEPENDENT_VERIFIER	PENDING_EXTERNAL_VERIFIER
CW-VER-OPINION	Annex VI.4	Verifier final reasonable-assurance opinion statement and sign-off	INDEPENDENT_VERIFIER	PENDING_EXTERNAL_VERIFIER

26. Verifier Handover Checklist

The following fields require manual review and completion by the independent accredited verifier:

Verifier Reserved Field		
Accredited Verifier Name & ID	VERIFIER_COMPLETION_REQUIRED	Must be filled post-audit
Site-visit date and verification opinion	VERIFIER_COMPLETION_REQUIRED	Must be filled post-audit
Verification Certificate reference	VERIFIER_COMPLETION_REQUIRED	Must be filled post-audit

27. Package Manifest and Digital Integrity

Integrity Parameter	
Manifest Hash	NOT_AVAILABLE
Package Hash	NOT_AVAILABLE
Schema Version	CBAMVALID-DOSSIER-5.0

28. Version Comparison

This register tracks the history of released and sealed package versions under this case scope:

Version				
V1.0	NOT_AVAILABLE	Previous release history not dynamically recorded.	NOT_AVAILABLE	SUPERSEDED
V5	2026-07-16T12:00:00.000Z	Dossier correction/update release.	OPERATOR_ADMIN	ACTIVE_RELEASE

29. Sign-off and Limitations

The operator hereby signs off on this verifier-preparation dossier as complete and accurate to the best of their knowledge.
This package does not constitute a legally binding verifier certificate.

Sign-off Role			
Operator Author	NOT_PROVIDED	NOT_SIGNED	NOT_AVAILABLE
Accredited Verifier	NOT_AVAILABLE	NOT_SIGNED	NOT_AVAILABLE

30. Technical Annex Index

The ZIP package contains the following 25 components:

Filename in ZIP		
CBAMValid Verification Readiness & Evidence Assurance Dossier.pdf	PDF	Primary Executive and Verifier Readiness Pack
Complete Dossier Compilation.pdf	PDF	Technical Compilation and Calculation Annex
Verifier Workspace.xlsx	XLSX	Verifier Navigation spreadsheet
Data Integrity Manifest.json	JSON	Cryptographic Manifest and files registry
Manifest Signature.sig	SIG	KMS digital signature