

Verified Steel Operator A.S.

Verification Readiness & Evidence Assurance Dossier

Prepared for Independent Accredited Verifier Review

OPERATOR READINESS STATUS

REMEDiation REQUIRED

DIAGNOSTIC SCORE

28.33 / 100

Package ID:	Assigned at seal — see release record
Technical Report ID:	report_aaa
Case ID:	case_verifier_grade_fixture
Product Delivery Tier:	Premium Dossier Pack
Dossier Release Iteration:	Iteration 5
Generated At:	2027-01-15T12:00:00.000Z
Reporting Year & Period:	2026-ANNUAL
Operator Name:	Verified Steel Operator A.S.
Installation Name:	Verified Integrated Steel Installation

SECURE TRUST STAMP & KMS SIGNATURE RECORD

Case Snapshot SHA-256 Hash: f5764061f0d07153db3540617b637114a20bdde99bccb43453d432a415e226b7

Calculation Root Hash: 9974e21ed553c7a029348d88c16204a5c9107d0f3cf4780eb8f137ab077ee62d

Manifest integrity: See Data Integrity Manifest.json

Detached signature: See Manifest Signature.sig

KMS Key Version: See Data Integrity Manifest.json

Package receipt hash: Available in the CBAMValid release record

The integrity manifest binds the SHA-256 digest of all 26 controlled components. The manifest itself is sealed with a detached KMS signature. Verifying the manifest signature and

This operator-prepared package supports preparation for independent CBAM review. It is not an independent verification opinion, a reasonable-assurance conclusion, a customs decision, an EU approval, a CBAM Registry submission, or a guarantee of acceptance.

Document Control & Legal Framework

Control Parameter

Package ID	—
Technical Report ID	report_aaa
Case ID	case_verifier_grade_fixture
Release Version	V5
Generated Timestamp	2027-01-15T12:00:00.000Z
Ruleset Version	EU-CBAM-DEFINITIVE-2026
Calculation Engine Version	3.0.0
Verification Class	Prepared for Independent Accredited Review

This operator-prepared package supports preparation for independent CBAM review. It is not an independent verification opinion, a reasonable-assurance conclusion, a customs decision, an EU approval, a CBAM Registry submission, or a guarantee of acceptance.

This pack represents the operator's internal automated readiness work. Independent accredited verifier review status remains NOT REVIEWED. ACCREDITED VERIFICATION OPINION is required for customs submission.

Executive Board & Scoring Matrix

The following summary table outlines the key metrics and decisions for senior executive/CFO review before independent verifier handover.

Readiness Score						
28.33/100	1	17	19	16	0	DO_NOT_SUBMIT

Gaps, incomplete assessment coverage, or blockers detected. Remediation is required before accredited verifier engagement.

Assessed coverage: 100% of weighted dimensions. Passed within assessed: 28.33%.

Facility Identity & CN Mapping

7. Operator and Installation Identity

Identity Attribute	
Operator Name	Verified Steel Operator A.S.
Importer Name	CBAMValid Importer B.V.
EORI Number	NL123456789AB
Installation Name	Verified Integrated Steel Installation
Country of Origin	TR

8. Reporting Period Assessment

Calendar-aware analysis of the reporting period for definitive annual verification eligibility. Period end must not exceed the assessment timestamp.

Reporting Attribute	
Reporting Year	2026
Reporting Period Type	DEFINITIVE_ANNUAL
Covered Dates	2026-01-01 to 2026-12-31
Covered Days count	365 days
Expected Days count	365 days
Completeness Percentage	100%
Completeness Status	PASSED
Assessment Timestamp	2027-01-15T12:00:00.000Z
Definitive Annual Eligible	YES (PASSED)

9. Goods and CN Classification

The case includes the following CN-coded goods classifications:

Good Index			
1	72011011	IRON_AND_STEEL	60 t
2	72011019	IRON_AND_STEEL	40 t

34. Metering and Instrumentation

Evidence ID					
11111111-1111-4111 8111-666666666666	meter-calibration-certificate.pdf	directEmissions	Approved	Clean	8adfa9f9eb...

Req ID					
REQ-GOOD ALLOC-0	goods.0.allocationShare	11111111-1111 4111-8111 222222222222, 11111111-1111 4111-8111 444444444444	Partially Supported	365 / 365	Single Source Concentration
REQ-GOOD-CN 1	goods.1.cnCode	11111111-1111 4111-8111 222222222222	Partially Supported	365 / 365	Single Source Concentration, Evidence Diversity Insufficient
REQ-GOOD VOL-1	goods.1.productionVolume	11111111-1111 4111-8111 555555555555	Partially Supported	365 / 365	Evidence Diversity Insufficient
REQ-GOOD ALLOC-1	goods.1.allocationShare	11111111-1111 4111-8111 222222222222, 11111111-1111 4111-8111 444444444444	Partially Supported	365 / 365	Single Source Concentration
REQ-DIR-EM	directEmissions	11111111-1111 4111-8111 555555555555, 11111111-1111 4111-8111 666666666666	Partially Supported	365 / 365	Evidence Diversity Insufficient
REQ-ELEC CON	electricityConsumed	11111111-1111 4111-8111 333333333333	Partially Supported	365 / 365	Evidence Diversity Insufficient
REQ-ELEC-FAC	gridEmissionFactor	11111111-1111 4111-8111 333333333333	Partially Supported	365 / 365	Evidence Diversity Insufficient
REQ-CP-PAY-0	carbonPriceRecords.0.proofOfPa ymentEvidenceId	11111111-1111 4111-8111 555555555555	Unlinked	0 / 365	Input Path Not Linked To Evidence

14. Evidence Register

Evidence ID					
11111111-1111 4111-8111 222222222222	customs-declaration-classification.pdf	Customs Declaration	Approved	Clean	131f55d589...
11111111-1111 4111-8111 333333333333	electricity-utility-invoice.pdf	Utility Bill	Approved	Clean	7e9c3cdb25...
11111111-1111 4111-8111 444444444444	production-reconciliation-ledger.pdf	Production Reconciliation Report	Approved	Clean	c5ecc502cc...
11111111-1111 4111-8111 555555555555	verified-monitoring-package.pdf	Primary Monitoring And Customs Package	Approved	Clean	52f88d25d5...
11111111-1111 4111-8111	meter-calibration-certificate.pdf	Calibration Certificate	Approved	Clean	8adfa9f9eb...

Cryptographic audit path linking physical evidence hash to final calculation results:

CBAMValid · ASSIGNED_AT_SEAL · Release 5 · Page 12 of 24 · CONFIDENTIAL

Direct, Indirect, Precursor & Per-Good Quantifications

Direct greenhouse gas emissions within the installation boundary as declared in the case data:

Sector listed in Annex II of Regulation (EU) 2023/956; only direct emissions are taken into account for specific embedded emissions used for CBAM certificates. Indirect emissions are disclosed but not priced.

NOT APPLICABLE: No precursors declared for this production route.

Node ID				
calc_7e1498210522444ae03dbb6106b3a5cb	CBAM_INSTALLATION_DIRECT_EMISSIONS	80	tCO2e	NONE_INTERMEDIATE
calc_90bff6dba51677ea832d6a39caa9cb59	CBAM_INDIRECT_EMISSIONS	40	tCO2e	NONE_INTERMEDIATE
calc_072b9a66e02f907c3773a5c911fa2cd3	CBAM_PRECURSOR_EMISSIONS_SUM	0	tCO2e	NONE_INTERMEDIATE
calc_51d89a66ef242ddb996ab391a4bc0675	CBAM_TOTAL_EMBEDDED_EMISSIONS_DISCLOSED	120	tCO2e	NONE_INTERMEDIATE
calc_c9b675a88bbe12e9e0499e2c41146bd4	CBAM_GOOD_EMISSIONS_ALLOCATION_1	0.8	tCO2e/t	FINAL_STAGE
calc_abc058b793bf631c47e250d0e59d3959	CBAM_GOOD_EMISSIONS_ALLOCATION_2	0.8	tCO2e/t	FINAL_STAGE
calc_fd4f5ff4cf9362acb25669641f9d5c	CBAM_TOTAL_EMBEDDED_EMISSIONS_PRICED	80	tCO2e	NONE_INTERMEDIATE
calc_f213a13f7232d94ecea0c8aac1a09443	CBAM_GOODS_ALLOCATION_RECONCILIATION	0	tCO2e	NONE_INTERMEDIATE
calc_4a06a2c4bcb1ad330a76282ad9f5a585	CBAM_AGGREGATE_SPECIFIC_EMBEDDED_EMISSIONS	0.8	tCO2e/t	FINAL_STAGE
calc_a1cc0229b9b7de5315261c1f764094a3	CBAM_CARBON_PRICE_REDUCTION_RECORD_TOTAL	10	certificate-equivalent	NONE_INTERMEDIATE

Inherent, control and detection risk are assessed by the operator for verifier planning. They are NOT a verification conclusion — an independent accredited verifier must confirm or override each assessment.

CBAMValid · ASSIGNED_AT_SEAL · Release 5 · Page 14 of 24 · CONFIDENTIAL
Report report aaa

Population Domain				
GOODS	2	1	Every declared good plus all precursor-linked goods; stratify by production share	Operator Proposed
EVIDENCE	5	5	All material-requirement evidence plus random corroboration sample	Operator Proposed
CALCULATION_TRACE	0	0	NOT_ASSESSED	Not Assessed

CHAPTER VI: VERIFIER HANDOVER & TECHNICAL ANNEXES

Governance, Audit Trails & Manifest Sign-Off

21. Data Quality, Uncertainty, and Missing Data

The operator-supplied activity data and monitoring instruments are evaluated against definitive-period embedded-emissions methodology under Commission Implementing Regulation (EU) 2025/2547 of 10 December 2025 laying down rules for the application of Regulation (EU) 2023/956 as regards the methods for the calculation of emissions embedded in goods (CELEX 32025R2547). No data gaps were auto-filled using unverified figures.

Declared Data Stream			
Direct Emissions	Documented direct measurement and reconciled production ledger	11111111-1111-4111-8111-555555555555	COMPLIANT
Electricity Consumed	Documented direct measurement and reconciled production ledger	11111111-1111-4111-8111-333333333333	COMPLIANT
Grid Emission Factor	Documented direct measurement and reconciled production ledger	11111111-1111-4111-8111-333333333333	COMPLIANT

22. Methodology Decision Register

Topic			
Precursor Scope	No qualifying precursor line is declared for the fixture goods and controlled route.	The controlled bill of materials and production route contain no separate precursor goods requiring an additional precursor line in this fixture.	Accepted
Goods Emissions Allocation	Allocate installation emissions using documented product mass shares of 0.6 and 0.4.	The two goods are produced in the same controlled period and the reconciled product ledger provides complete mass shares summing to one.	Accepted

23. Findings Register

Finding ID				
FND-EVD-REQ-OP NAME-48f7b3af	Material	Evidence Gap	Evidence sufficiency for exporterIdentity.legalName	Evidence check failed with status 'PARTIALLY_SUPPORTED'. Reason codes: SINGLE_SOURCE_CONCENTRATION, EVIDENCE_DIVERSITY_INSUFFICIENT
FND-EVD-REQ-OP ADDR-a3948e9f	Material	Evidence Gap	Evidence sufficiency for exporterIdentity.address	Evidence check failed with status 'PARTIALLY_SUPPORTED'. Reason codes: SINGLE_SOURCE_CONCENTRATION, EVIDENCE_DIVERSITY_INSUFFICIENT
FND-EVD-REQ-IM NAME-04868796	Material	Evidence Gap	Evidence sufficiency for importerIdentity.legalName	Evidence check failed with status 'PARTIALLY_SUPPORTED'. Reason codes: SINGLE_SOURCE_CONCENTRATION, EVIDENCE_DIVERSITY_INSUFFICIENT
FND-EVD-REQ-IM EORI-f54bf13a	Material	Evidence Gap	Evidence sufficiency for importerIdentity.eoriNumber	Evidence check failed with status 'PARTIALLY_SUPPORTED'. Reason codes: SINGLE_SOURCE_CONCENTRATION, EVIDENCE_DIVERSITY_INSUFFICIENT
FND-EVD-REQ-INST NAME-d33a6c06	Material	Evidence Gap	Evidence sufficiency for installation.name	Evidence check failed with status 'PARTIALLY_SUPPORTED'. Reason codes:

REMEDATION REQUIRED

25. EU Verification Template Crosswalk

Req ID				
CW-OP-NAME	Article 8 & Annex VI.1(a)	Operator Name and Registration Address	OPERATOR	PARTIAL
CW-INST-INFO	Article 6 & Annex	Installation Name, address and UN/LOCODE coordinates	OPERATOR	PARTIAL
CW-REP PERIOD	Article 8	Report ID and Reporting period	CBAMVALID_SYSTEM	COMPLETE
CW-VER-ID	Annex VI.2	Verifier identity, address, NAB country, accreditation scope and expiry	INDEPENDENT_VERIFIER	PENDING_EXTERNAL_VERIFIER
CW-VER-VISIT	Article 6(2)	Installation physical visit date or legal waiver justification basis	INDEPENDENT_VERIFIER	PENDING_EXTERNAL_VERIFIER
CW-GOOD QTY-0	Annex VI.1(c)	Production quantity and CN-code verification for Good 1	OPERATOR	PARTIAL
CW-GOOD QTY-1	Annex VI.1(c)	Production quantity and CN-code verification for Good 2	OPERATOR	PARTIAL
CW-DIR-EM	Annex VI.1(d)	Installation direct emissions monitoring plan data and methodology	OPERATOR	PARTIAL
CW-ALLOC METHOD	Annex II	Emissions attribution methodology and allocation share factors	OPERATOR	PARTIAL
CW-NON ASSOC	Annex II.3	Identification of non-associated goods/emissions/energy flows	OPERATOR	COMPLETE
CW PRECURSOR INST	Annex II.4.1	Precursor-producing installation identity, country and registration when actual emissions are used	OPERATOR	NOT_APPLICABLE
CW-VER MISS TATEMENTS	Annex VI.3	Verifier audit trace of material misstatements detected and corrected during verification	INDEPENDENT_VERIFIER	PENDING_EXTERNAL_VERIFIER
CW-VER NON CONFORMITIE S	Annex VI.3	Verifier audit trace of non-conformities with monitoring rules detected and corrected	INDEPENDENT_VERIFIER	PENDING_EXTERNAL_VERIFIER
CW-VER OPINION	Annex VI.4	Verifier final reasonable-assurance opinion statement and sign-off	INDEPENDENT_VERIFIER	PENDING_EXTERNAL_VERIFIER

The full field-level mapping is provided as the 'Registry Verification Template Mapping Dataset' (Verifier Workspace.xlsx — Registry Mapping sheet). The European Commission has not published an official machine-readable Registry submission schema, so this dataset is a field-mapped structure of the 'Official Registry XML' submission and not a guarantee of Registry acceptance.

26. Verifier Handover Checklist

The following mandatory verifier-completion items require manual audit and signature by an independent accredited verifier:

Verifier Reserved Field			
Accredited Verifier Name & ID	ISO 14065 / EU AVR Accreditation	VERIFIER_COMPLETION_REQ UIRED	Must be recorded post-audit
Accreditation Body & National Authority	EU National Accreditation Body (NAB)	VERIFIER_COMPLETION_REQ UIRED	Must be recorded post-audit
Site-Visit Execution & Date Range	Article 29 EU AVR 2018/2067	VERIFIER_COMPLETION_REQ UIRED	Physical or virtual site visit log
Materiality Threshold & Misstatement Finding	5% Materiality Threshold Assessment	VERIFIER_COMPLETION_REQ UIRED	Conformity decision statement

