

# CBAMValid

## Verification Readiness & Evidence Assurance Dossier

Prepared for Independent Accredited Verifier Review

OPERATOR READINESS STATUS

REMEDiation REQUIRED

DIAGNOSTIC SCORE

98.50 / 100

|                          |                                                                   |
|--------------------------|-------------------------------------------------------------------|
| Report ID:               | report_sample_v5_test_dossier_hash_12345                          |
| Case ID:                 | case_verifier_grade_fixture                                       |
| Release Version:         | V1                                                                |
| Generated At:            | 2026-07-21T18:00:00.000Z                                          |
| Reporting Year & Period: | 2026-Q1                                                           |
| Operator Name:           | Verified Steel Operator GmbH                                      |
| Installation Name:       | Verified Integrated Steel Installation                            |
| Regulatory Basis:        | Regulation (EU) 2023/956 & Implementing Regulation (EU) 2025/2546 |

SECURE TRUST STAMP & KMS SIGNATURE RECORD

Manifest SHA-256 Hash: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

KMS Digital Signature ID: report\_sample\_v5\_test\_dossier\_hash\_12345

Sealed Package Integrity: All 23 controlled package components frozen & digitally signed.

This operator-prepared dossier is provided exclusively for independent accredited verifier preparation under EU Regulation 2023/956 and Implementing Regulation (EU) 2025/2546.

CHAPTER I: EXECUTIVE & LEGAL OVERVIEW

Document Control & Legal Framework

2. Document Control

| Control Parameter          |                                            |
|----------------------------|--------------------------------------------|
| Report ID                  | report_sample_v5_test_dossier_hash_12345   |
| Case ID                    | case_verifier_grade_fixture                |
| Release Version            | V1                                         |
| Generated Timestamp        | 2026-07-21T18:00:00.000Z                   |
| Ruleset Version            | EU-CBAM-DEFINITIVE-2026                    |
| Calculation Engine Version | 3.0.0                                      |
| Verification Class         | Prepared for Independent Accredited Review |

3. Legal Status and Reliance Boundary

This operator-prepared dossier is provided exclusively for independent accredited verifier preparation under EU Regulation 2023/956 and Implementing Regulation (EU) 2025/2546.

**CBAMVALID INTERNAL AUTOMATED READINESS ASSESSMENT**  
This pack represents the operator's internal automated readiness work. Independent accredited verifier review status remains NOT\_REVIEWED. ACCREDITED\_VERIFICATION\_OPINION is required for customs submission.

**4. Table of Contents**

|     |                                             |    |
|-----|---------------------------------------------|----|
| 2.  | Document Control                            | 2  |
| 3.  | Legal and Product Boundary                  | 2  |
| 4.  | Table of Contents                           | 12 |
| 5.  | Executive Decision Board                    | 4  |
| 6.  | Readiness Score and Hard Gates              | 5  |
| 7.  | Operator and Installation Identity          | 6  |
| 8.  | Reporting Period Assessment                 | 6  |
| 9.  | Goods and CN Classification                 | 6  |
| 10. | Installation and System Boundary            | 7  |
| 11. | Production Processes and Functional Units   | 7  |
| 12. | Material Input Register                     | 8  |
| 13. | Evidence Sufficiency Matrix                 | 8  |
| 14. | Evidence Register                           | 8  |
| 15. | Data Lineage Matrix                         | 8  |
| 16. | Direct Emissions                            | 9  |
| 17. | Indirect Emissions                          | 9  |
| 18. | Precursors                                  | 9  |
| 19. | Allocation and Per-good Results             | 9  |
| 20. | Calculation Integrity and Reconciliation    | 9  |
| 21. | Data Quality, Uncertainty, and Missing Data | 10 |
| 22. | Methodology Decision Register               | 10 |
| 23. | Findings Register                           | 10 |
| 24. | Corrective Action Plan                      | 10 |
| 25. | EU Verification Template Crosswalk          | 10 |
| 26. | Verifier Handover Checklist                 | 11 |
| 27. | Package Manifest and Digital Integrity      | 11 |
| 28. | Version Comparison                          | 11 |
| 29. | Sign-off and Limitations                    | 12 |
| 30. | Technical Annex Index                       | 12 |

CHAPTER II: DIAGNOSTIC AUDIT & READINESS

Executive Board & Scoring Matrix

5. Executive Decision Board

The following summary table outlines the key metrics and decisions for senior executive/CFO review before independent verifier handover.

| Readiness Score |   |   |   |   |   |                    |
|-----------------|---|---|---|---|---|--------------------|
| 98.50/100       | 0 | 0 | 0 | 0 | 0 | READY_TO_HAND_OVER |

RECOMMENDED ACTION CONTEXT

All hard gates passed. No critical blockers or unapproved evidence records. The case is ready to hand over to an independent accredited verifier.

6. Readiness Score and Hard Gates

The 100-point diagnostic score is computed based on 8 weighted dimensions. Hard blockers will override this score and force NOT\_READY status.

| Readiness Dimension           |     |         |        |         |
|-------------------------------|-----|---------|--------|---------|
| IDENTITY                      | 10% | 100.00% | 10.00% | 6 / 6   |
| SCOPE_AND_METHODODOLOGY       | 15% | 100.00% | 15.00% | 4 / 4   |
| ACTIVITY_DATA                 | 15% | 100.00% | 15.00% | 5 / 5   |
| EVIDENCE                      | 20% | 100.00% | 20.00% | 15 / 15 |
| CALCULATION_INTEGRITY         | 15% | 100.00% | 15.00% | 1 / 1   |
| ALLOCATION_AND_RECONCILIATION | 10% | 100.00% | 10.00% | 2 / 2   |
| DATA_QUALITY_AND_UNCERTAINTY  | 10% | 90.00%  | 9.00%  | 1 / 1   |
| PACKAGE_INTEGRITY             | 5%  | 90.00%  | 4.50%  | 1 / 1   |

CHAPTER III: INSTALLATION & SYSTEM BOUNDARY

Facility Identity & CN Mapping

7. Operator and Installation Identity

| Identity Attribute |                                        |
|--------------------|----------------------------------------|
| Operator Name      | Verified Steel Operator GmbH           |
| Importer Name      | CBAMValid Importer B.V.                |
| EORI Number        | NL123456789AB                          |
| Installation Name  | Verified Integrated Steel Installation |
| Country of Origin  | DE                                     |

8. Reporting Period Assessment

Calendar-aware analysis of the reporting period for definitive annual verification eligibility.

| Reporting Attribute        |                                                          |
|----------------------------|----------------------------------------------------------|
| Reporting Year             | 2026                                                     |
| Reporting Period Type      | INTERIM_QUARTERLY                                        |
| Covered Dates              | 2026-01-01 to 2026-03-31                                 |
| Covered Days count         | 90 days                                                  |
| Expected Days count        | 90 days                                                  |
| Completeness Percentage    | 100%                                                     |
| Definitive Annual Eligible | NO (BLOCKED - Quarterly or partial-year period detected) |

REPORTING PERIOD HARD BLOCKER

The reporting period is not a definitive annual period. A quarterly or partial-year period cannot pass definitive annual verifier readiness.

9. Goods and CN Classification

The case includes the following CN-coded goods classifications:

| Good Index |          |                |      |
|------------|----------|----------------|------|
| Good 1     | 72011011 | IRON_AND_STEEL | 60 t |
| Good 2     | 72011019 | IRON_AND_STEEL | 40 t |

10. Installation and System Boundary

**DECLARED SYSTEM BOUNDARY**  
Coke preparation, sinter plant, blast furnace, basic oxygen furnace, casting and finishing operations within the controlled installation boundary.

11. Production Processes and Functional Units

Controlled production processes and default boundaries of matching sectors:

**IRON AND STEEL**  
Legal Status: IN\_FORCE. Default boundaries: Coke oven, sinter or pellet preparation, blast furnace, basic oxygen furnace, direct reduction, electric arc furnace, casting and finishing processes within the installation boundary.

CHAPTER IV: MATERIAL ACTIVITY & EVIDENCE LINEAGE

Activity Ledger & Document Lineage

12. Material Input Register

Material activity data inputs required for the production route:

| Input Path          |     |           |         |
|---------------------|-----|-----------|---------|
| directEmissions     | 80  | tCO2e     | PRIMARY |
| electricityConsumed | 100 | MWh       | PRIMARY |
| gridEmissionFactor  | 0.4 | tCO2e/MWh | PRIMARY |

13. Evidence Sufficiency Matrix

Requirement-level analysis of evidence linkages. PARTIALLY\_SUPPORTED or missing evidence blocks sealing.

| Req ID |
|--------|
|--------|

14. Evidence Register

| Evidence ID                          |                                 |                                        |          |       |               |
|--------------------------------------|---------------------------------|----------------------------------------|----------|-------|---------------|
| 11111111-1111-4111-8111-111111111111 | verified-monitoring-package.txt | PRIMARY_MONITORING_AND_CUSTOMS_PACKAGE | APPROVED | CLEAN | 52f88d25d5... |

15. Data Lineage Matrix

Cryptographic audit path linking physical evidence hash to final calculation results:

| Evidence ID                          |                 |                                                                                                                                                                                                                             |                                                            |
|--------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| 11111111-1111-4111-8111-111111111111 | 52f88d25d5eb... | importerIdentity.eoriNumber, goods.0.cnCode, goods.0.productionVolume, goods.0.allocationShare, goods.1.cnCode, goods.1.productionVolume, goods.1.allocationShare, directEmissions, electricityConsumed, gridEmissionFactor | CBAM_INDIR, CBAM_TOTAL, CBAM_GOOD_, CBAM_GOOD_, CBAM_GOODS |



CHAPTER V: CALCULATION & ALLOCATION ANNEX

Direct, Indirect, Precursor & Per-Good Quantifications

16. Direct Emissions

Direct greenhouse gas emissions resulting from fuel combustion and process reactions within the installation boundary:

| Emissions Category              |                                  |                         |                                                   |             |
|---------------------------------|----------------------------------|-------------------------|---------------------------------------------------|-------------|
| Installation Direct Combustion  | Natural Gas Burners & Kiln Units | 80 tCO2e                | Tier 3 Standard Factors (EU Regulation 2023/1776) | 80.00 tCO2e |
| Process Reactions & Calcination | Raw Material Calcination Streams | Calculated Mass Balance | Tier 2 Stoichiometric Balance                     | 0.00 tCO2e  |
| Total Installation Direct Scope | Combined Direct Sources          | Installation Aggregate  | Authoritative Server Calculation                  | 80.00 tCO2e |

17. Indirect Emissions

Indirect emissions associated with imported electricity consumed in production processes:

| Indirect Emissions Component               |                                       |                            |                                |             |
|--------------------------------------------|---------------------------------------|----------------------------|--------------------------------|-------------|
| Electricity Consumed in Production         | Utility Meter & Sub-Metering Ledger   | 100 MWh                    | 0.4 tCO2e/MWh                  | 40.00 tCO2e |
| PPA / Eligible Green Certificate Deduction | RECS / I-REC Certificate Verification | 0.00 MWh                   | Eligible Certificate Reduction | 0.00 tCO2e  |
| Total Net Indirect Scope                   | Net Purchased Power Footprint         | Aggregate Sub-Installation | Server Engine Quantified       | 40.00 tCO2e |

18. Precursors

NOT\_APPLICABLE: No precursors declared for this production route.

19. Allocation and Per-good Results

| Good   |          |     |             |                |
|--------|----------|-----|-------------|----------------|
| Good 1 | 72011011 | 0.6 | 48.00 tCO2e | 0.8000 tCO2e/t |
| Good 2 | 72011019 | 0.4 | 48.00 tCO2e | 0.8000 tCO2e/t |

20. Calculation Integrity and Reconciliation

| Parameter                       |      |          |                 |
|---------------------------------|------|----------|-----------------|
| Allocation Share Total          | 1.00 | fraction | RECONCILED      |
| Allocation Reconciliation Delta | 0.00 | fraction | ZERO_DELTA_PASS |

CHAPTER VI: VERIFIER HANDOVER & TECHNICAL ANNEXES

Governance, Audit Trails & Manifest Sign-Off

**21. Data Quality, Uncertainty, and Missing Data**  
The operator-supplied activity data and monitoring instruments have been evaluated against EU ETS / CBAM uncertainty tiers (Implementing Regulation (EU) 2023/1776 Annex III). No data gaps were auto-filled using unverified figures.

| Measurement Instrument / Data Stream              |                          |                                  |           |
|---------------------------------------------------|--------------------------|----------------------------------|-----------|
| Direct Fuel & Gas Metering (Natural Gas / Diesel) | ± 2.5% (Tier 4 Standard) | ± 1.2% (Calibrated Meter Log)    | COMPLIANT |
| Electricity Sub-Metering & Revenue Meters         | ± 1.5% (Tier 3 Standard) | ± 0.8% (Utility Billing Grade)   | COMPLIANT |
| Production Volume Weighbridges & Batch Scales     | ± 1.0% (Tier 4 Standard) | ± 0.4% (ISO 9001 Scale Log)      | COMPLIANT |
| Precursor Mass Flow Meters                        | ± 2.5% (Tier 3 Standard) | ± 1.5% (Supplier Invoice Record) | COMPLIANT |

22. Methodology Decision Register

| Topic                      |                                                                                      |                                                                                                                                                   |          |
|----------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| PRECURSOR_SCOPE            | No qualifying precursor line is declared for the fixture goods and controlled route. | The controlled bill of materials and production route contain no separate precursor goods requiring an additional precursor line in this fixture. | ACCEPTED |
| GOODS_EMISSIONS_ALLOCATION | Allocate installation emissions using documented product mass shares of 0.6 and 0.4. | The two goods are produced in the same controlled period and the reconciled product ledger provides complete mass shares summing to one.          | ACCEPTED |

**23. Findings Register**  
No open findings or non-conformities are detected.

**24. Corrective Action Plan**  
All corrective actions are closed or not required.

25. EU Verification Template Crosswalk

| Req ID |                    |                                                      |          |        |
|--------|--------------------|------------------------------------------------------|----------|--------|
| REQ-01 | EU 2025/2546 Art 3 | Operator identity declaration and address validation | OPERATOR | PASSED |
| REQ-02 | EU 2025/2546 Art 4 | Installation production route and process boundary   | OPERATOR | PASSED |

26. Verifier Handover Checklist

The following mandatory verifier-completion items require manual audit and signature by an independent accredited verifier:

| Verifier Reserved Field                      |                                             |                               |                                     |
|----------------------------------------------|---------------------------------------------|-------------------------------|-------------------------------------|
| Accredited Verifier Name & ID                | ISO 14065 / EU AVR Accreditation            | VERIFIER_COMPLETION_REQ UIRED | Must be recorded post-audit         |
| Accreditation Body & National Authority      | EU National Accreditation Body (NAB)        | VERIFIER_COMPLETION_REQ UIRED | Must be recorded post-audit         |
| Site-Visit Execution & Date Range            | Article 29 EU AVR 2018/2067                 | VERIFIER_COMPLETION_REQ UIRED | Physical or virtual site visit log  |
| Materiality Threshold & Misstatement Finding | 5% Materiality Threshold Assessment         | VERIFIER_COMPLETION_REQ UIRED | Conformity decision statement       |
| Verification Opinion & Assurance Class       | Reasonable Assurance Class Statement        | VERIFIER_COMPLETION_REQ UIRED | Opinion certificate required        |
| Verification Report Certificate Ref          | Official Accreditation Registry Number      | VERIFIER_COMPLETION_REQ UIRED | Certificate reference code          |
| Lead Verifier Digital Signature              | Cryptographic / Qualified Digital Signature | VERIFIER_COMPLETION_REQ UIRED | Must sign final verification report |
| Independent Reviewer Sign-off                | Dual-Control Independent Peer Review        | VERIFIER_COMPLETION_REQ UIRED | Peer reviewer verification          |

27. Package Manifest and Digital Integrity

| Integrity Parameter          |                                                                  |
|------------------------------|------------------------------------------------------------------|
| Manifest SHA-256 Hash        | e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855  |
| Sealed Package Hash          | f4c1d2e3f4a5b6c7d8e9f0a1b2c3d4e5f6a7b8c9d0e1f2a3b4c5d6e7f8a9b0c1 |
| Schema Specification         | 5.0.0                                                            |
| Digital Signature ID         | report_sample_v5_test_dossier_hash_12345                         |
| Cryptographic Security Class | FIPS 140-2 Level 3 KMS Sealed Hash                               |

28. Version Comparison

This register tracks the history of released and sealed package versions under this case scope:

No previous sealed release exists.

| Version |                          |                               |                |                |
|---------|--------------------------|-------------------------------|----------------|----------------|
| V1      | 2026-07-21T18:00:00.000Z | Initial base release version. | OPERATOR_ADMIN | ACTIVE_RELEASE |

29. Sign-off and Limitations

The operator hereby signs off on this verifier-preparation dossier as complete and accurate to the best of their knowledge. This package does not constitute a legally binding accredited verifier certificate.

| Sign-off Role                   |               |                              |               |
|---------------------------------|---------------|------------------------------|---------------|
| Operator Author / Preparer      | NOT_PROVIDED  | OPERATOR_PREPARED            | 2026-07-21    |
| Internal Environmental Reviewer | NOT_PROVIDED  | REVIEW_REQUIRED              | NOT_AVAILABLE |
| Independent Accredited Verifier | NOT_AVAILABLE | VERIFIER_COMPLETION_REQUIRED | NOT_AVAILABLE |

30. Technical Annex Index

The sealed ZIP package contains the following 23 controlled components required for independent verifier review:

| Filename in Sealed Package ZIP                                    |      |                                                      |
|-------------------------------------------------------------------|------|------------------------------------------------------|
| CBAMValid Verification Readiness & Evidence Assurance Dossier.pdf | PDF  | Primary 30-Section Executive & Verifier Dossier      |
| Complete Dossier Compilation.pdf                                  | PDF  | Technical Compilation & Calculation Annexes          |
| Product Scope Assessment.pdf                                      | PDF  | System Boundary & Sectoral Scope Register            |
| CN Code Reasoning.pdf                                             | PDF  | Combined Nomenclature Goods Classification Logic     |
| Required Data Checklist.pdf                                       | PDF  | Mandatory Input Data Completeness Ledger             |
| Installation Monitoring Plan.pdf                                  | PDF  | Monitoring Methodology & Metering Calibration Plan   |
| Production Process Map.pdf                                        | PDF  | Functional Process Units & Flow Diagram              |
| System Boundary Register.pdf                                      | PDF  | Direct & Indirect Emissions Boundary Register        |
| Source Stream Register.csv                                        | CSV  | Fuel, Input Material & Mass Balance Data Streams     |
| Emission Source Register.csv                                      | CSV  | Stack, Burner & Process Emission Sources             |
| Measurement and Meter Register.csv                                | CSV  | Metering Instruments & Uncertainty Log               |
| Activity Data Ledger.csv                                          | CSV  | Daily/Monthly Raw Activity Data Records              |
| Evidence Register.csv                                             | CSV  | Physical Evidence Files Index & SHA-256 Hashes       |
| Field-to-Evidence Matrix.csv                                      | CSV  | Input Path to File Hash Audit Crosswalk              |
| Methodology Decision Log.pdf                                      | PDF  | Operator Methodological Justification Log            |
| Embedded Emissions Calculation Annex.pdf                          | PDF  | Step-by-Step Mathematical Trace Annex                |
| Operator Emissions Report.pdf                                     | PDF  | Official Operator Statement & Declaration            |
| Misstatement and Non-Conformity Register.csv                      | CSV  | Quality Controls & Findings Register                 |
| Corrective Action Log.csv                                         | CSV  | Remediation Action Tracking Ledger                   |
| O3CI Field Mapping.csv                                            | CSV  | Registry Export Data Field Crosswalk                 |
| Calculation Trace.json                                            | JSON | Machine-Readable Cryptographic Node Hash Tree        |
| Verifier Workspace.xlsx                                           | XLSX | Interactive Multi-Sheet Verifier Navigation Workbook |
| Data Integrity Manifest.json                                      | JSON | Cryptographic Package Manifest & Hash Index          |