

# Verified Steel Operator A.S.

## Verification Readiness & Evidence Assurance Dossier

Prepared for Independent Accredited Verifier Review

OPERATOR READINESS STATUS

REMEDiation REQUIRED

DIAGNOSTIC SCORE

28.33 / 100

|                            |                                                                      |
|----------------------------|----------------------------------------------------------------------|
| Package ID:                | Assigned at seal — see release record                                |
| Technical Report ID:       | report_aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa |
| Case ID:                   | case_verifier_grade_fixture                                          |
| Product Delivery Tier:     | Premium Dossier Pack                                                 |
| Dossier Release Iteration: | Iteration 5                                                          |
| Generated At:              | 2027-01-15T12:00:00.000Z                                             |
| Reporting Year & Period:   | 2026-ANNUAL                                                          |
| Operator Name:             | Verified Steel Operator A.S.                                         |
| Installation Name:         | Verified Integrated Steel Installation                               |

SECURE TRUST STAMP & KMS SIGNATURE RECORD

Case Snapshot SHA-256 Hash: f5764061f0d07153db3540617b637114a20bdde99bccb43453d432a415e226b7

Calculation Root Hash: 9974e21ed553c7a029348d88c16204a5c9107d0f3cf4780eb8f137ab077ee62d

Manifest integrity: See Data Integrity Manifest.json

Detached signature: See Manifest Signature.sig

KMS Key Version: See Data Integrity Manifest.json

Package receipt hash: Available in the CBAMValid release record

The integrity manifest binds the SHA-256 digest of all 26 controlled components. The manifest itself is sealed with a detached KMS signature. Verifying the manifest signature and

This operator-prepared package supports preparation for independent CBAM review. It is not an independent verification opinion, a reasonable-assurance conclusion, a customs decision, an EU approval, a CBAM Registry submission, or a guarantee of acceptance.

## Document Control & Legal Framework

## Control Parameter

|                            |                                                                      |
|----------------------------|----------------------------------------------------------------------|
| Package ID                 | —                                                                    |
| Technical Report ID        | report_aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa |
| Case ID                    | case_verifier_grade_fixture                                          |
| Release Version            | V5                                                                   |
| Generated Timestamp        | 2027-01-15T12:00:00.000Z                                             |
| Ruleset Version            | EU-CBAM-DEFINITIVE-2026                                              |
| Calculation Engine Version | 3.0.0                                                                |
| Verification Class         | Prepared for Independent Accredited Review                           |

This operator-prepared package supports preparation for independent CBAM review. It is not an independent verification opinion, a reasonable-assurance conclusion, a customs decision, an EU approval, a CBAM Registry submission, or a guarantee of acceptance.

This pack represents the operator's internal automated readiness work. Independent accredited verifier review status remains NOT REVIEWED. ACCREDITED VERIFICATION OPINION is required for customs submission.





| Readiness Dimension           |     |        |       |        |
|-------------------------------|-----|--------|-------|--------|
| Identity                      | 10% | 0%     | 0%    | 0 / 6  |
| Scope And Methodology         | 15% | 0%     | 0%    | 0 / 3  |
| Activity Data                 | 15% | 0%     | 0%    | 0 / 5  |
| Evidence                      | 20% | 0%     | 0%    | 0 / 19 |
| Calculation Integrity         | 15% | 66.67% | 10%   | 2 / 3  |
| Allocation And Reconciliation | 10% | 33.33% | 3.33% | 1 / 3  |
| Data Quality And Uncertainty  | 10% | 100%   | 10%   | 3 / 3  |
| Package Integrity             | 5%  | 100%   | 5%    | 2 / 2  |

## Facility Identity & CN Mapping

| Identity Attribute |                                        |
|--------------------|----------------------------------------|
| Operator Name      | Verified Steel Operator A.S.           |
| Importer Name      | CBAMValid Importer B.V.                |
| EORI Number        | NL123456789AB                          |
| Installation Name  | Verified Integrated Steel Installation |
| Country of Origin  | TR                                     |

| Reporting Attribute        |                          |
|----------------------------|--------------------------|
| Reporting Year             | 2026                     |
| Reporting Period Type      | DEFINITIVE_ANNUAL        |
| Covered Dates              | 2026-01-01 to 2026-12-31 |
| Covered Days count         | 365 days                 |
| Expected Days count        | 365 days                 |
| Completeness Percentage    | 100%                     |
| Completeness Status        | PASSED                   |
| Assessment Timestamp       | 2027-01-15T12:00:00.000Z |
| Definitive Annual Eligible | YES (PASSED)             |

| Good Index |          |                |      |
|------------|----------|----------------|------|
| 1          | 72011011 | IRON_AND_STEEL | 60 t |
| 2          | 72011019 | IRON_AND_STEEL | 40 t |

Coke preparation, sinter plant, blast furnace, basic oxygen furnace, casting and finishing operations within the controlled installation boundary.

Premium chapters E-01..E-16 are evaluated against the premium component contract. Each chapter uses exactly one status: APPLICABLE\_COMPLETE, APPLICABLE\_DATA\_GAP, NOT\_APPLICABLE\_WITH\_LEGAL\_BASIS or VERIFIER\_RESERVED. Premium product naming is suppressed until all applicable chapters render without a DATA GAP.

2 applicable premium chapter(s) have a DATA GAP: E-13, E-15

Controlled production processes and default boundaries of matching sectors:

## IRON AND STEEL

Legal Status: IN\_FORCE. Default boundaries: Coke oven, sinter or pellet preparation, blast furnace, basic oxygen furnace, direct reduction, electric arc furnace, casting and finishing processes within the installation boundary.

## 32. Monitoring Plan Conformance

Conformance of the operator's installation monitoring plan against EU CBAM reporting and verification requirements. Missing or unsupported items block sealing.

| Requirement ID |                                                                 |            |                                                                                                                                                    |
|----------------|-----------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| MP-01          | Monitoring-plan date, version and responsible operator identity | Documented | Case version 1; owner recorded                                                                                                                     |
| MP-02          | Installation description and production processes               | Documented | Blast Furnace Route (BF-BOF)                                                                                                                       |
| MP-03          | CN-coded goods and functional production units                  | Documented | 2 good(s) recorded                                                                                                                                 |
| MP-04          | System boundaries and directly connected processes              | Documented | Coke preparation, sinter plant, blast furnace, basic oxygen furnace, casting and finishing operations within the controlled installation boundary. |
| MP-05          | Source streams, emission sources and measurement methods        | Documented | 0 precursor(s); direct and electricity inputs recorded                                                                                             |
| MP-06          | Data-source hierarchy, corroboration and control activities     | Documented | 5 approved and clean evidence file(s)                                                                                                              |
| MP-07          | Calculation methods, conversions and rounding                   | Documented | 10 hashed trace node(s)                                                                                                                            |
| MP-08          | Goods allocation method and reconciliation                      | Documented | Allocation delta 0                                                                                                                                 |
| MP-09          | Precursor scope and embedded emissions treatment                | Documented | Accepted no-precursor decision                                                                                                                     |
| MP-10          | Methodology deviations, estimates and technical justifications  | Documented | 2/2 methodology decision(s) accepted                                                                                                               |
| MP-11          | Per-good materiality assessment                                 | Documented | 5% per-good specific-emissions threshold (PROVISIONAL_FOR_VERIFIER_PLANNING)                                                                       |
| MP-12          | Evidence integrity and immutable calculation provenance         | Documented | Calculation root 9974e21ed553c7a029348d88c16204a5c9107d0f3cf4780eb8f137ab077ee62d                                                                  |

### 33. Source Streams and Emission Sources

| Source Stream                         |     |           |         |                                     |
|---------------------------------------|-----|-----------|---------|-------------------------------------|
| Direct emissions (installation scope) | 80  | tCO2e     | PRIMARY | 11111111-1111-4111-8111555555555555 |
| Electricity consumed                  | 100 | MWh       | PRIMARY | 11111111-1111-4111-8111333333333333 |
| Grid emission factor                  | 0.4 | tCO2e/MWh | PRIMARY | 11111111-1111-4111-8111333333333333 |

Emission sources are reconciled per installation direct scope. Where a precursor is declared, its attributable emissions appear under the precursor

34. Metering and Instrumentation

| Evidence ID                             |                                   |                 |          |       |               |
|-----------------------------------------|-----------------------------------|-----------------|----------|-------|---------------|
| 11111111-1111-4111<br>8111-666666666666 | meter-calibration-certificate.pdf | directEmissions | Approved | Clean | 8adfa9f9eb... |

CHAPTER IV: MATERIAL ACTIVITY & EVIDENCE LINEAGE

Activity Ledger & Document Lineage

12. Material Input Register

Material activity data inputs required for the production route:

| Input Path          |     |           |         |
|---------------------|-----|-----------|---------|
| directEmissions     | 80  | tCO2e     | Primary |
| electricityConsumed | 100 | MWh       | Primary |
| gridEmissionFactor  | 0.4 | tCO2e/MWh | Primary |

13. Evidence Sufficiency Matrix

Requirement-level analysis of evidence linkages. PARTIALLY\_SUPPORTED or missing evidence blocks sealing.

| Req ID              |                               |                                            |                     |           |                                                                              |
|---------------------|-------------------------------|--------------------------------------------|---------------------|-----------|------------------------------------------------------------------------------|
| REQ-OP-NAME         | exporterIdentity.legalName    | 11111111-1111<br>4111-8111<br>222222222222 | Partially Supported | 365 / 365 | Single Source Concentration,<br>Evidence Diversity Insufficient              |
| REQ-OP-ADDR         | exporterIdentity.address      | 11111111-1111<br>4111-8111<br>222222222222 | Partially Supported | 365 / 365 | Single Source Concentration,<br>Evidence Diversity Insufficient              |
| REQ-IM-NAME         | importerIdentity.legalName    | 11111111-1111<br>4111-8111<br>222222222222 | Partially Supported | 365 / 365 | Single Source Concentration,<br>Evidence Diversity Insufficient              |
| REQ-IM-EORI         | importerIdentity.eoriNumber   | 11111111-1111<br>4111-8111<br>222222222222 | Partially Supported | 365 / 365 | Single Source Concentration,<br>Evidence Diversity Insufficient              |
| REQ-INST<br>NAME    | installation.name             | 11111111-1111<br>4111-8111<br>222222222222 | Partially Supported | 365 / 365 | Single Source Concentration,<br>Evidence Diversity Insufficient              |
| REQ-INST<br>COUNTRY | installation.country          | 11111111-1111<br>4111-8111<br>222222222222 | Partially Supported | 365 / 365 | Single Source Concentration,<br>Evidence Diversity Insufficient              |
| REQ-INST<br>ROUTE   | installation.productionRoute  | 11111111-1111<br>4111-8111<br>222222222222 | Partially Supported | 365 / 365 | Single Source Concentration,<br>Evidence Diversity Insufficient              |
| REQ-INST<br>BOUNDS  | installation.systemBoundaries | —                                          | Missing             | 0.0 / 1.0 | Accepted Methodology Decision<br>Missing, Evidence Diversity<br>Insufficient |
| REQ-PERIOD<br>YEAR  | reportingPeriod.year          | 11111111-1111<br>4111-8111<br>222222222222 | Partially Supported | 365 / 365 | Single Source Concentration,<br>Evidence Diversity Insufficient              |
| REQ-GOOD-CN<br>0    | goods.0.cnCode                | 11111111-1111<br>4111-8111<br>222222222222 | Partially Supported | 365 / 365 | Single Source Concentration,<br>Evidence Diversity Insufficient              |
| REQ-GOOD<br>VOL-0   | goods.0.productionVolume      | 11111111-1111<br>4111-8111<br>444444444444 | Partially Supported | 365 / 365 | Evidence Diversity Insufficient                                              |

| Req ID              |                                                   |                                                                                           |                     |           |                                                                 |
|---------------------|---------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------|-----------|-----------------------------------------------------------------|
| REQ-GOOD<br>ALLOC-0 | goods.0.allocationShare                           | 11111111-1111<br>4111-8111<br>222222222222,<br>11111111-1111<br>4111-8111<br>444444444444 | Partially Supported | 365 / 365 | Single Source Concentration                                     |
| REQ-GOOD-CN<br>1    | goods.1.cnCode                                    | 11111111-1111<br>4111-8111<br>222222222222                                                | Partially Supported | 365 / 365 | Single Source Concentration,<br>Evidence Diversity Insufficient |
| REQ-GOOD<br>VOL-1   | goods.1.productionVolume                          | 11111111-1111<br>4111-8111<br>555555555555                                                | Partially Supported | 365 / 365 | Evidence Diversity Insufficient                                 |
| REQ-GOOD<br>ALLOC-1 | goods.1.allocationShare                           | 11111111-1111<br>4111-8111<br>222222222222,<br>11111111-1111<br>4111-8111<br>444444444444 | Partially Supported | 365 / 365 | Single Source Concentration                                     |
| REQ-DIR-EM          | directEmissions                                   | 11111111-1111<br>4111-8111<br>555555555555,<br>11111111-1111<br>4111-8111<br>666666666666 | Partially Supported | 365 / 365 | Evidence Diversity Insufficient                                 |
| REQ-ELEC<br>CON     | electricityConsumed                               | 11111111-1111<br>4111-8111<br>333333333333                                                | Partially Supported | 365 / 365 | Evidence Diversity Insufficient                                 |
| REQ-ELEC-FAC        | gridEmissionFactor                                | 11111111-1111<br>4111-8111<br>333333333333                                                | Partially Supported | 365 / 365 | Evidence Diversity Insufficient                                 |
| REQ-CP-PAY-0        | carbonPriceRecords.0.proofOfPa<br>ymentEvidenceId | 11111111-1111<br>4111-8111<br>555555555555                                                | Unlinked            | 0 / 365   | Input Path Not Linked To Evidence                               |

14. Evidence Register

| Evidence ID                                |                                        |                                           |          |       |               |
|--------------------------------------------|----------------------------------------|-------------------------------------------|----------|-------|---------------|
| 11111111-1111<br>4111-8111<br>222222222222 | customs-declaration-classification.pdf | Customs Declaration                       | Approved | Clean | 131f55d589... |
| 11111111-1111<br>4111-8111<br>333333333333 | electricity-utility-invoice.pdf        | Utility Bill                              | Approved | Clean | 7e9c3cdb25... |
| 11111111-1111<br>4111-8111<br>444444444444 | production-reconciliation-ledger.pdf   | Production<br>Reconciliation Report       | Approved | Clean | c5ecc502cc... |
| 11111111-1111<br>4111-8111<br>555555555555 | verified-monitoring-package.pdf        | Primary Monitoring And<br>Customs Package | Approved | Clean | 52f88d25d5... |
| 11111111-1111<br>4111-8111                 | meter-calibration-certificate.pdf      | Calibration Certificate                   | Approved | Clean | 8adfa9f9eb... |



## Direct, Indirect, Precursor & Per-Good Quantifications

Direct greenhouse gas emissions within the installation boundary as declared in the case data:

### Emissions Category

## ANNEX II — DIRECT EMISSIONS ONLY

Sector listed in Annex II of Regulation (EU) 2023/956; only direct emissions are taken into account for specific embedded emissions used for CBAM certificates. Indirect emissions are disclosed but not priced.

Indirect emissions associated with imported electricity consumed in production processes:

## Indirect Emissions Component

NOT APPLICABLE: No precursors declared for this production route.

Good

1

## Parameter

Allocation Share Total

| Node ID                               |                                            |     |                        |                   |
|---------------------------------------|--------------------------------------------|-----|------------------------|-------------------|
| calc_7e1498210522444ae03dbb6106b3a5cb | CBAM_INSTALLATION_DIRECT_EMISSIONS         | 80  | tCO2e                  | NONE_INTERMEDIATE |
| calc_90bff6dba51677ea832d6a39caa9cb59 | CBAM_INDIRECT_EMISSIONS                    | 40  | tCO2e                  | NONE_INTERMEDIATE |
| calc_072b9a66e02f907c3773a5c911fa2cd3 | CBAM_PRECURSOR_EMISSIONS_SUM               | 0   | tCO2e                  | NONE_INTERMEDIATE |
| calc_51d89a66ef242ddb996ab391a4bc0675 | CBAM_TOTAL_EMBEDDED_EMISSIONS_DISCLOSED    | 120 | tCO2e                  | NONE_INTERMEDIATE |
| calc_c9b675a88bbe12e9e0499e2c41146bd4 | CBAM_GOOD_EMISSIONS_ALLOCATION_1           | 0.8 | tCO2e/t                | FINAL_STAGE       |
| calc_abc058b793bf631c47e250d0e59d3959 | CBAM_GOOD_EMISSIONS_ALLOCATION_2           | 0.8 | tCO2e/t                | FINAL_STAGE       |
| calc_fd4f5ff4cf9362acbac25669641f9d5c | CBAM_TOTAL_EMBEDDED_EMISSIONS_PRICED       | 80  | tCO2e                  | NONE_INTERMEDIATE |
| calc_f213a13f7232d94ecea0c8aac1a09443 | CBAM_GOODS_ALLOCATION_RECONCILIATION       | 0   | tCO2e                  | NONE_INTERMEDIATE |
| calc_4a06a2c4bcb1ad330a76282ad9f5a585 | CBAM_AGGREGATE_SPECIFIC_EMBEDDED_EMISSIONS | 0.8 | tCO2e/t                | FINAL_STAGE       |
| calc_a1cc0229b9b7de5315261c1f764094a3 | CBAM CARBON PRICE REDUCTION_RECORD_TOTAL   | 10  | certificate-equivalent | NONE_INTERMEDIATE |

Inherent, control and detection risk are assessed by the operator for verifier planning. They are NOT a verification conclusion — an independent accredited verifier must confirm or override each assessment.

CBAMValid · ASSIGNED\_AT\_SEAL · Release 5 · Page 14 of 24 · CONFIDENTIAL

Report report aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa



Operator-proposed sampling for verifier planning. Population definitions, sample sizes and selection methods are documented per domain; the verifier confirms, amends or replaces the operator proposal during planning. Sampling never substitutes for completeness of sealed artefacts.

## Governance, Audit Trails & Manifest Sign-Off

The operator-supplied activity data and monitoring instruments are evaluated against definitive-period embedded-emissions methodology under Commission Implementing Regulation (EU) 2025/2547 of 10 December 2025 laying down rules for the application of Regulation (EU) 2023/956 as regards the methods for the calculation of emissions embedded in goods (CELEX 32025R2547). No data gaps were auto-filled using unverified figures.

| Declared Data Stream |                                                                |                                      |           |
|----------------------|----------------------------------------------------------------|--------------------------------------|-----------|
| Direct Emissions     | Documented direct measurement and reconciled production ledger | 11111111-1111-4111-8111-555555555555 | COMPLIANT |
| Electricity Consumed | Documented direct measurement and reconciled production ledger | 11111111-1111-4111-8111-333333333333 | COMPLIANT |
| Grid Emission Factor | Documented direct measurement and reconciled production ledger | 11111111-1111-4111-8111-333333333333 | COMPLIANT |

| Topic                      |                                                                                      |                                                                                                                                                   |          |
|----------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Precursor Scope            | No qualifying precursor line is declared for the fixture goods and controlled route. | The controlled bill of materials and production route contain no separate precursor goods requiring an additional precursor line in this fixture. | Accepted |
| Goods Emissions Allocation | Allocate installation emissions using documented product mass shares of 0.6 and 0.4. | The two goods are produced in the same controlled period and the reconciled product ledger provides complete mass shares summing to one.          | Accepted |

| Finding ID                        |          |              |                                                         |                                                                                                                                              |
|-----------------------------------|----------|--------------|---------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| FND-EVD-REQ-OP<br>NAME-48f7b3af   | Material | Evidence Gap | Evidence sufficiency for<br>exporterIdentity.legalName  | Evidence check failed with status<br>'PARTIALLY_SUPPORTED'. Reason codes:<br>SINGLE_SOURCE_CONCENTRATION,<br>EVIDENCE_DIVERSITY_INSUFFICIENT |
| FND-EVD-REQ-OP<br>ADDR-a3948e9f   | Material | Evidence Gap | Evidence sufficiency for<br>exporterIdentity.address    | Evidence check failed with status<br>'PARTIALLY_SUPPORTED'. Reason codes:<br>SINGLE_SOURCE_CONCENTRATION,<br>EVIDENCE_DIVERSITY_INSUFFICIENT |
| FND-EVD-REQ-IM<br>NAME-04868796   | Material | Evidence Gap | Evidence sufficiency for<br>importerIdentity.legalName  | Evidence check failed with status<br>'PARTIALLY_SUPPORTED'. Reason codes:<br>SINGLE_SOURCE_CONCENTRATION,<br>EVIDENCE_DIVERSITY_INSUFFICIENT |
| FND-EVD-REQ-IM<br>EORI-f54bf13a   | Material | Evidence Gap | Evidence sufficiency for<br>importerIdentity.eoriNumber | Evidence check failed with status<br>'PARTIALLY_SUPPORTED'. Reason codes:<br>SINGLE_SOURCE_CONCENTRATION,<br>EVIDENCE_DIVERSITY_INSUFFICIENT |
| FND-EVD-REQ-INST<br>NAME-d33a6c06 | Material | Evidence Gap | Evidence sufficiency for<br>installation.name           | Evidence check failed with status<br>'PARTIALLY_SUPPORTED'. Reason codes:                                                                    |

**REMEDATION REQUIRED**










### A-H emission segregation (tCO2e)



|                      |                          |
|----------------------|--------------------------|
| Good 1 · CN 72011011 | 0.8 tCO <sub>2</sub> e/t |
| Good 2 · CN 72011019 | 0.8 tCO <sub>2</sub> e/t |

| Category            | Count |
|---------------------|-------|
| Fully supported     | 0     |
| Partially supported | 17    |
| Unlinked / missing  | 2     |

|          | Impact: LOW | Impact: MODERATE | Impact: HIGH |
|----------|-------------|------------------|--------------|
| HIGH     | 0           | 6                | 2            |
| MODERATE | 0           | 0                | 0            |
| LOW      | 0           | 5                | 1            |

| Good   | Value |
|--------|-------|
| Good 1 | 0.6   |
| Good 2 | 0.4   |

The diagram consists of two rectangular boxes side-by-side, separated by a vertical line. The left box is titled 'INCLUDED PROCESSES (inside boundary)' and contains two entries, 'IRON\_AND\_STEEL', each preceded by a blue checkmark. The right box is titled 'EXCLUDED PROCESSES (outside boundary)' and contains a single entry, '—', preceded by a blue checkmark.

