

# Technical Compilation and Calculation Annex

Consolidated CBAM evidence dossier and preparation statements

Package A1111 | Release 5

AUTOMATED PREPARATION CHECKS  
PASSED

CONFIDENTIAL - VERIFIER PREPARATION WORKSPACE

## DOCUMENT BOUNDARY

This package supports preparation for independent verification. It is not a verification opinion, accreditation decision, customs decision, CBAM Registry submission or acceptance guarantee.

| Control field |                                                                  |                 |                          |
|---------------|------------------------------------------------------------------|-----------------|--------------------------|
| Case ID       | case_verifier_grade_fixture                                      | Generated       | 2027-01-15T12:00:00.000Z |
| Ruleset       | 3.0.0                                                            | Source registry | CBAM-EU-2026.07.31       |
| Root hash     | 1c94a8333f1c71e2bd217e74a1c8ba413c3b5a82615e669175cd2fbd16d38c3e | Verifier status | NOT_REVIEWED             |

## Product Scope - Controlled identity

| Field               |                                        |
|---------------------|----------------------------------------|
| Importer            | CBAMValid Importer B.V.                |
| EORI                | NL123456789AB                          |
| Exporter / operator | Verified Steel Operator A.S.           |
| Installation        | Verified Integrated Steel Installation |
| Country             | TR                                     |
| Production route    | Blast Furnace Route (BF-BOF)           |
| Reporting period    | 2026-ANNUAL                            |

## Product Scope - Goods population

| Good |          |                |    |     |    |     |      |
|------|----------|----------------|----|-----|----|-----|------|
| 1    | 72011011 | IRON_AND_STEEL | 60 | 0.6 | 48 | 0.8 | 0.04 |
| 2    | 72011019 | IRON_AND_STEEL | 40 | 0.4 | 32 | 0.8 | 0.04 |

## Product Scope - Scope conclusion

AUTOMATED READINESS  
READY\_FOR\_INDEPENDENT\_VERIFICATION

## Product Scope - Legal basis

| Source       |            |            |                                                                                                                          |
|--------------|------------|------------|--------------------------------------------------------------------------------------------------------------------------|
| REG_2023_956 | 32023R0956 | 2023-05-17 | CBAM framework; Annex I goods scope; Annex IV embedded-emissions calculation framework; Annex VI verification principles |

# Technical Compilation and Calculation Annex

Consolidated CBAM evidence dossier and preparation statements

Package A1111 | Release 5

AUTOMATED PREPARATION CHECKS  
PASSED

CONFIDENTIAL - VERIFIER PREPARATION WORKSPACE

| Source         |            |            |                                                                                                                                                                                                                                 |
|----------------|------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| REG_2025_2083  | 32025R2083 | 2025-10-20 | 50 tonne annual mass threshold for cement, fertilisers, iron and steel, and aluminium; definitive-period declaration and certificate obligations; actual values require independent verification                                |
| IMPL_2025_2546 | 32025R2546 | 2026-01-01 | reasonable assurance and risk-based verification; 5 percent per-good materiality levels; electronic verification report template; site-visit requirements and waiver conditions; non-conformity and misstatement classification |
| IMPL_2025_2547 | 32025R2547 | 2026-01-01 | functional units and production processes; monitoring plan minimum elements; sector-specific system boundaries and embedded-emissions methods; default values and actual-value calculation methods                              |
| IMPL_2025_2548 | 32025R2548 | 2026-01-01 | calculation and publication of CBAM certificate prices                                                                                                                                                                          |
| DEL_2025_2551  | 32025R2551 | 2026-01-01 | accreditation and competence of verifiers; verification planning, evidence and site-visit framework; oversight and independence                                                                                                 |

## CN Code - Classification register

| Good |          |                |                                      |                                      |
|------|----------|----------------|--------------------------------------|--------------------------------------|
| 1    | 72011011 | IRON_AND_STEEL | 11111111-1111-4111-8111-222222222222 | 11111111-1111-4111-8111-444444444444 |
| 2    | 72011019 | IRON_AND_STEEL | 11111111-1111-4111-8111-222222222222 | 11111111-1111-4111-8111-555555555555 |

## CN Code - Classification boundary

This document records the classification supplied in the sealed case. It does not replace a binding customs classification decision. Any disputed or uncertain CN code remains subject to customs review.

## Checklist - Monitoring-plan requirements

| Require<br>ment |                                                                 |                |                                                                                                                                                    |
|-----------------|-----------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| MP-01           | Monitoring-plan date, version and responsible operator identity | DOCUMENTE<br>D | Case version 1; owner recorded                                                                                                                     |
| MP-02           | Installation description and production processes               | DOCUMENTE<br>D | Blast Furnace Route (BF-BOF)                                                                                                                       |
| MP-03           | CN-coded goods and functional production units                  | DOCUMENTE<br>D | 2 good(s) recorded                                                                                                                                 |
| MP-04           | System boundaries and directly connected processes              | DOCUMENTE<br>D | Coke preparation, sinter plant, blast furnace, basic oxygen furnace, casting and finishing operations within the controlled installation boundary. |
| MP-05           | Source streams, emission sources and measurement methods        | DOCUMENTE<br>D | 0 precursor(s); direct and electricity inputs recorded                                                                                             |
| MP-06           | Data-source hierarchy, corroboration and control activities     | DOCUMENTE<br>D | 5 approved and clean evidence file(s)                                                                                                              |
| MP-07           | Calculation methods, conversions and rounding                   | DOCUMENTE<br>D | 10 hashed trace node(s)                                                                                                                            |

# Technical Compilation and Calculation Annex

Consolidated CBAM evidence dossier and preparation statements

Package A1111 | Release 5

AUTOMATED PREPARATION CHECKS  
PASSED

CONFIDENTIAL - VERIFIER PREPARATION WORKSPACE

| Requirement |                                                                |            |                                                                                   |
|-------------|----------------------------------------------------------------|------------|-----------------------------------------------------------------------------------|
| MP-08       | Goods allocation method and reconciliation                     | DOCUMENTED | Allocation delta 0                                                                |
| MP-09       | Precursor scope and embedded emissions treatment               | DOCUMENTED | Accepted no-precursor decision                                                    |
| MP-10       | Methodology deviations, estimates and technical justifications | DOCUMENTED | 2/2 methodology decision(s) accepted                                              |
| MP-11       | Per-good materiality assessment                                | DOCUMENTED | 5% per-good specific-emissions threshold (PROVISIONAL_FOR_VERIFIER_PLANNING)      |
| MP-12       | Evidence integrity and immutable calculation provenance        | DOCUMENTED | Calculation root 1c94a8333f1c71e2bd217e74a1c8ba413c3b5a82615e669175cd2fbd16d38c3e |

## Checklist - Automated control findings

| Rule         |                                              |                |                      |                             |
|--------------|----------------------------------------------|----------------|----------------------|-----------------------------|
| QC_SCENARIO  | Illustrative scenario replacement            | NOT_APPLICABLE | No automated finding | —                           |
| QC_00        | Operator, installation and boundary identity | PASS           | No automated finding | REM_COMPLETE_CASE_IDENTITY  |
| QC_00_ORIGIN | Installation country of origin CBAM scope    | PASS           | No automated finding | —                           |
| QC_01        | EORI format and evidence                     | PASS           | No automated finding | —                           |
| QC_02        | Definitive-period reporting year             | PASS           | No automated finding | REM_CORRECT_REPORTING_YEAR  |
| QC_03_0      | Good 1 CN code and evidence                  | PASS           | No automated finding | —                           |
| QC_04_0      | Good 1 production and evidence               | PASS           | No automated finding | —                           |
| QC_05_0      | Good 1 sector                                | PASS           | No automated finding | REM_SELECT_SUPPORTED_SECTOR |
| QC_03_1      | Good 2 CN code and evidence                  | PASS           | No automated finding | —                           |
| QC_04_1      | Good 2 production and evidence               | PASS           | No automated finding | —                           |
| QC_05_1      | Good 2 sector                                | PASS           | No automated finding | REM_SELECT_SUPPORTED_SECTOR |
| QC_05A       | Allocation, evidence and reconciliation      | PASS           | No automated finding | —                           |
| QC_06        | directEmissions value, unit and evidence     | PASS           | No automated finding | —                           |
| QC_07        | electricityConsumed value, unit and evidence | PASS           | No automated finding | —                           |
| QC_08        | gridEmissionFactor value, unit and evidence  | PASS           | No automated finding | —                           |
| QC_09        | Precursor scope                              | PASS           | No automated finding | REM_CONFIRM_PRECURSOR_SCOPE |
| QC_10        | Evidence integrity                           | PASS           | No automated finding | —                           |

# Technical Compilation and Calculation Annex

Consolidated CBAM evidence dossier and preparation statements

Package A1111 | Release 5

AUTOMATED PREPARATION CHECKS  
PASSED

CONFIDENTIAL - VERIFIER PREPARATION WORKSPACE

| Rule                                                       |                                  |      |                      |   |
|------------------------------------------------------------|----------------------------------|------|----------------------|---|
| QC_11_555<br>55555-5555<br>-4555-8555-<br>5555555555<br>55 | Carbon price proof               | PASS | No automated finding | — |
| QC_12                                                      | Goods cross-artifact consistency | PASS | No automated finding | — |

## Checklist - Evidence coverage

| Measure                          |      |
|----------------------------------|------|
| Registered evidence files        | 5    |
| Approved and malware-clean files | 5    |
| Linked input fields              | 18   |
| Linked calculation nodes         | 5    |
| Coverage rate                    | 100% |
| Duplicate hashes                 | 0    |

## Monitoring Plan - Installation and boundary

Coke preparation, sinter plant, blast furnace, basic oxygen furnace, casting and finishing operations within the controlled installation boundary.

Production route: Blast Furnace Route (BF-BOF)

## Monitoring Plan - Minimum monitoring-plan elements

| Require<br>ment |                                                                 |                |                                                                                                                                                    |
|-----------------|-----------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| MP-01           | Monitoring-plan date, version and responsible operator identity | DOCUMENTE<br>D | Case version 1; owner recorded                                                                                                                     |
| MP-02           | Installation description and production processes               | DOCUMENTE<br>D | Blast Furnace Route (BF-BOF)                                                                                                                       |
| MP-03           | CN-coded goods and functional production units                  | DOCUMENTE<br>D | 2 good(s) recorded                                                                                                                                 |
| MP-04           | System boundaries and directly connected processes              | DOCUMENTE<br>D | Coke preparation, sinter plant, blast furnace, basic oxygen furnace, casting and finishing operations within the controlled installation boundary. |
| MP-05           | Source streams, emission sources and measurement methods        | DOCUMENTE<br>D | 0 precursor(s); direct and electricity inputs recorded                                                                                             |
| MP-06           | Data-source hierarchy, corroboration and control activities     | DOCUMENTE<br>D | 5 approved and clean evidence file(s)                                                                                                              |
| MP-07           | Calculation methods, conversions and rounding                   | DOCUMENTE<br>D | 10 hashed trace node(s)                                                                                                                            |
| MP-08           | Goods allocation method and reconciliation                      | DOCUMENTE      | Allocation delta 0                                                                                                                                 |

# Technical Compilation and Calculation Annex

Consolidated CBAM evidence dossier and preparation statements

Package A1111 | Release 5

AUTOMATED PREPARATION CHECKS  
PASSED

CONFIDENTIAL - VERIFIER PREPARATION WORKSPACE

| Require<br>ment |                                                                | D              |                                                                                       |
|-----------------|----------------------------------------------------------------|----------------|---------------------------------------------------------------------------------------|
| MP-09           | Precursor scope and embedded emissions treatment               | DOCUMENTE<br>D | Accepted no-precursor decision                                                        |
| MP-10           | Methodology deviations, estimates and technical justifications | DOCUMENTE<br>D | 2/2 methodology decision(s) accepted                                                  |
| MP-11           | Per-good materiality assessment                                | DOCUMENTE<br>D | 5% per-good specific-emissions threshold<br>(PROVISIONAL_FOR_VERIFIER_PLANNING)       |
| MP-12           | Evidence integrity and immutable calculation provenance        | DOCUMENTE<br>D | Calculation root 1c94a8333f1c71e2bd217e74a1c8b<br>a413c3b5a82615e669175cd2fbd16d38c3e |

## Monitoring Plan - Input hierarchy

| Input                |     |           |         |                                          |                                                                |
|----------------------|-----|-----------|---------|------------------------------------------|----------------------------------------------------------------|
| Direct emissions     | 80  | tCO2e     | PRIMARY | 11111111-1111-4111-8111-555<br>555555555 | Documented direct measurement and reconciled production ledger |
| Electricity          | 100 | MWh       | PRIMARY | 11111111-1111-4111-8111-333<br>333333333 | Documented direct measurement and reconciled production ledger |
| Grid emission factor | 0.4 | tCO2e/MWh | PRIMARY | 11111111-1111-4111-8111-333<br>333333333 | Documented direct measurement and reconciled production ledger |

## Process Map - End-to-end process

| Stage |                                                                              |                                            |
|-------|------------------------------------------------------------------------------|--------------------------------------------|
| 1     | Identify installation, operator, CN-coded goods and reporting period         | CASE and GOODS registers                   |
| 2     | Define production processes, source streams, boundaries and functional units | Monitoring Plan and System Boundary        |
| 3     | Capture direct, electricity and precursor data with approved evidence        | INPUTS, PRECURSORS and EVIDENCE            |
| 4     | Apply unit conversions, allocation and embedded-emissions formulae           | CALCULATION_TRACE and root hash            |
| 5     | Run evidence, methodology, reconciliation and integrity controls             | QUALITY_CONTROLS and MONITORING_PLAN       |
| 6     | Apply per-good 5% materiality reference for verifier planning                | GOODS materiality columns                  |
| 7     | Freeze, hash, sign and commit immutable package                              | Manifest, KMS signature and package hash   |
| 8     | Independent accredited verifier performs review and records opinion          | VERIFIER_SIGN_OFF — initially NOT_REVIEWED |

## System Boundary - Declared system boundary

# Technical Compilation and Calculation Annex

Consolidated CBAM evidence dossier and preparation statements

Package A1111 | Release 5

AUTOMATED PREPARATION CHECKS  
PASSED

CONFIDENTIAL - VERIFIER PREPARATION WORKSPACE

## BOUNDARY

Coke preparation, sinter plant, blast furnace, basic oxygen furnace, casting and finishing operations within the controlled installation boundary.

## System Boundary - Sector methodology

| Sector         |          |                                                                                                                                                                                         |                                                                                                                                                                               |
|----------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Iron and Steel | IN_FORCE | Coke oven, sinter or pellet preparation, blast furnace, basic oxygen furnace, direct reduction, electric arc furnace, casting and finishing processes within the installation boundary. | Mass balance and production ledger; Fuel and reducing-agent consumption; Precursor embedded emissions; Waste-gas and transferred-heat treatment; Allocation to CN-coded goods |

## Methodology - Decision register

| Topic                      |                                                                                      |                                                                                                                                                   |                                                                                                                                         |          |                                      |
|----------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------------|
| PRECURSOR_SC OPE           | No qualifying precursor line is declared for the fixture goods and controlled route. | The controlled bill of materials and production route contain no separate precursor goods requiring an additional precursor line in this fixture. | Regulation (EU) 2023/956 Annex IV and Commission Implementing Regulation (EU) 2025/2547; supported by the controlled bill of materials. | ACCEPTED | 11111111-1111-4111-8111-555555555555 |
| GOODS_EMISSIONS_ALLOCATION | Allocate installation emissions using documented product mass shares of 0.6 and 0.4. | The two goods are produced in the same controlled period and the reconciled product ledger provides complete mass shares summing to one.          | Commission Implementing Regulation (EU) 2025/2547 allocation and monitoring-plan requirements; controlled production ledger.            | ACCEPTED | 11111111-1111-4111-8111-444444444444 |

## Calculation Annex - Engine identity

| Control                         |                                                                  |
|---------------------------------|------------------------------------------------------------------|
| Ruleset                         | EU-CBAM-DEFINITIVE-2026                                          |
| Engine version                  | 4.1.0                                                            |
| Calculation root hash           | 1c94a8333f1c71e2bd217e74a1c8ba413c3b5a82615e669175cd2fbd16d38c3e |
| Allocation share total          | 1                                                                |
| Allocation reconciliation delta | 0                                                                |

## Calculation Annex - Formula trace

| Formula                            |    |       |                                                                 |      |
|------------------------------------|----|-------|-----------------------------------------------------------------|------|
| CBAM_INSTALLATION_DIRECT_EMISSIONS | 80 | tCO2e | 678fdcd3d2e530cbb5111edac8ecc97b9166353f13a76020e2c3b591e8f6a67 | None |
| CBAM_INDIRECT_EMISSIONS            | 40 | tCO2e | c6232a73800f3a547c7a12ce6e2c339a65475                           | None |

# Technical Compilation and Calculation Annex

Consolidated CBAM evidence dossier and preparation statements

Package A1111 | Release 5

AUTOMATED PREPARATION CHECKS  
PASSED

CONFIDENTIAL - VERIFIER PREPARATION WORKSPACE

| Formula                                    |     |                        |                                                                  |                                                                                                    |
|--------------------------------------------|-----|------------------------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
|                                            |     |                        | d5533b317d9e24a652846aa98bf                                      |                                                                                                    |
| CBAM_PRECURSOR_EMISSIONS_SUM               | 0   | tCO2e                  | 3aa55cc59e584262ad8465a63402567eeb119dfbdef646458aba86f066678623 | None                                                                                               |
| CBAM_TOTAL_EMBEDDED_EMISSIONS_DISCLOSED    | 120 | tCO2e                  | 7f27fc35a5d967e1aedfa71de63830ede78a9ed2f055949c910dd1550bd4e7ea | Disclosed total combines direct and indirect emissions before sector-specific pricing rules.       |
| CBAM_GOOD_EMISSIONS_ALLLOCATION_1          | 0.8 | tCO2e/t                | 9b8e198e316018b493f309e90cdb33c7fbcd2dde4cf0381d5d7027fa30b52e60 | None                                                                                               |
| CBAM_GOOD_EMISSIONS_ALLLOCATION_2          | 0.8 | tCO2e/t                | 396635d6df5529d5cedf7e480a48749f65098a3904e609feaabef12370fb21a5 | None                                                                                               |
| CBAM_TOTAL_EMBEDDED_EMISSIONS_PRICED       | 80  | tCO2e                  | e0302ee3f4fb777e6b1e70b0a670194f40ca5833ea4698eca3c7254d6de8ed2b | Priced total applies sector Annex II direct-only rules where applicable.                           |
| CBAM_GOODS_ALLOCATION_RECONCILIATION       | 0   | tCO2e                  | 7a08371a15c45394f718657be5baf73e01a63ed555233c0cc93445e0e6983799 | None                                                                                               |
| CBAM_AGGREGATE_SPECIFIC_EMBEDDED_EMISSIONS | 0.8 | tCO2e/t                | 794a3ae67743915f24eb75783c4f327406099a3cdd141cc99b562996e22b5879 | The aggregate intensity is a portfolio diagnostic; reportable values are the per-good intensities. |
| CBAM_CARBON_PRICE_REDUCTION_RECORD_TOTAL   | 10  | certificate-equivalent | 54570b887ba1203bf11a2084bc218298dd144820b35e409986d0a699df472d82 | Recognition remains subject to documentary evidence and applicable CBAM rules.                     |

## Calculation Annex - Per-good reconciliation

| Good |          |                |    |     |    |     |      |
|------|----------|----------------|----|-----|----|-----|------|
| 1    | 72011011 | IRON_AND_STEEL | 60 | 0.6 | 48 | 0.8 | 0.04 |
| 2    | 72011019 | IRON_AND_STEEL | 40 | 0.4 | 32 | 0.8 | 0.04 |