

1. HTML 编辑：不同意图进入不同状态域 • 第 2 页

输入：布局 JSON / 当前完整 HTML
处理：本页保留实际业务步骤；蓝色节点链接专题，回源节点明确返回位置。文件逐项列明用途。 效果图链把HTML作为粗模位置/结构参考；按精细家具图片锁款，二维生成不会回写3D网格。
输出：可离线编辑 HTML + 场景合同

2. 一个门窗编译结果，驱动模型与相机 • 第 9 页

输入：本轮源事实与用户完整空间表达要求
处理：把空间身份和构图放到生成源头；看图后修源规则，不增加事后阻断器。
输出：可运行规则、可追溯镜头与空间关系

逻辑展开与图例

COMPILE • 离线编译完整依赖链 • 第 3 页
CMF • CMF 与智能风格 • 第 4 页
LIBRARY • 真实家具库 • 第 5 页
EDITING • 结构、测量和保存 • 第 6 页
CAPTURE • 白模去材质，不改变可见结构 • 第 7 页
BED • 近裁切与状态恢复 • 第 8 页
同色编号连接主图与展开页；输入输出用平行四边形，处理用矩形，判断用菱形，参考用虚线框，保存用圆柱。


调用标识

interior-html-modeling
将布局 JSON 编译为可离线编辑的完整 Three.js HTML；支持墙门窗、家具库替换、CMF 风格、量尺面积、灯光相机和完整保存往返。


HTML 建模 · 编译、编辑与状态交接 / HTML 编辑：不同意图进入不同状态域

执行逻辑在图内；一个文件及用途写完，换行列下一个文件


本页保留实际业务步骤；蓝色节点链接专题，回源节点明确返回位置。文件逐项列明用途。 效果图链把HTML作为粗模位置/结构参考；按精细家具图片锁款，二维生成不会回写3D网格。




按实际输入、计算、分支和文件消费者展开。




按实际输入、计算、分支和文件消费者展开。




按实际输入、计算、分支和文件消费者展开。



按实际输入、计算、分支和文件消费者展开。




白模曾把玻璃变实板、把背面顶板改为正面剔除。材质转换保留透明与原side，仅中和色彩；不新增后置门禁。




同机位记录跨房间可见实例，再交给产品附图选择

近面裁包络 → 投影 → 裁画幅 → 图像区域回投射线，画边局部不靠3D角点判断
门外邻室同样参与；记录visiblePlacementIds，有限采样不冒称逐像素证明

由已实现代码展开，真实模型不变；虚拟取景须明示。



把空间身份和构图放到生成源头；看图后修源规则，不增加事后阻断器。



职责与工作方法（6）
SKILL.md 调用范围、输入输出与关键规则 data_contract.md 布局、完整 HTML、材质与机位状态 local_runtime.md 运行工具、路径与凭据边界 playbook.md 编辑职责、家具和动线知识 playbook/space-connections.md 空间身份、连接、开合、视野交接及默认值唯一合同 playbook/timing.md 六项共用的逐步骤时间、异步等待和历史未知口径

脚本与调用说明（66）
scripts/engine/LICENSE-Three.js.txt 原第三方运行库许可 scripts/engine/STYLE-GUIDE.md 风格扩展与 CMF 约束 scripts/engine/assets/library/PROVENANCE.md 样本来源说明 scripts/engine/assets/library/dining-chair.glb 餐椅样本 scripts/engine/assets/library/dining-chair.png 餐椅缩略图 scripts/engine/assets/library/library.json 三份示例的目录索引 scripts/engine/assets/library/lounge-chair.glb 单椅样本 scripts/engine/assets/library/lounge-chair.png 单椅缩略图 scripts/engine/assets/library/sideboard.glb 柜体样本 scripts/engine/assets/library/sideboard.png 柜体缩略图 scripts/engine/assets/textures/fabric-color.png 组件贴图或图像参考 scripts/engine/assets/textures/fabric-normal.png 组件贴图或图像参考 scripts/engine/assets/textures/leather-color.png 组件贴图或图像参考 scripts/engine/assets/textures/leather-normal.png 组件贴图或图像参考 scripts/engine/assets/textures/manifest.json 机器读取的 manifest.json 数据/格式 scripts/engine/assets/textures/plaster-color.png 组件贴图或图像参考

起稿材料与说明书（5）
MANIFEST.json 发布版本与完整文件清单 SKILL_MANUAL.pdf 面向人的算法说明书 manual/skill-flowchart.svg 同源说明书内容与图形 manual/skill-manual.json 同源说明书内容与图形 manual/skill-manual.md 同源说明书内容与图形

脚本与调用说明（续）

scripts/engine/assets/textures/plaster-normal.png

组件贴图或图像参考

scripts/engine/assets/textures/stone-color.png

组件贴图或图像参考

scripts/engine/assets/textures/stone-normal.png

组件贴图或图像参考

scripts/engine/assets/textures/wood-color.png

组件贴图或图像参考

scripts/engine/assets/textures/wood-normal.png

组件贴图或图像参考

scripts/engine/assets/textures/woven-color.png

组件贴图或图像参考

scripts/engine/assets/textures/woven-normal.png

组件贴图或图像参考

scripts/engine/catalog/components.json

组件类别和尺寸语义

scripts/engine/catalog/styles.json

保存新配方

scripts/engine/python/bootstrap.py

切换 Windows 专用 Python

scripts/engine/python/cameras.py

初始预设和实体角点

scripts/engine/python/cli.py

分派 build/import-html

scripts/engine/python/common.py

生成摘要与文件

scripts/engine/python/model.py

编译更新后模型

scripts/engine/python/native.py

import_html 提取当前布局

scripts/engine/python/native_image.py

实现 native_image 的确定性行为

脚本与调用说明（续）

scripts/engine/python/openings.py

门型与开合一次编译；输出共享墙局部门扇姿态

scripts/engine/python/render.py

同机位截图；粗模定位/精细参考锁款的实际请求、系列策略与画幅记录

scripts/engine/python/styles.py

证据记录和 style-add

scripts/engine/python/timing.py

命令/嵌套步骤计时及Agent动作start/finish

scripts/engine/python/validate.py

技术输入和业务观察

scripts/engine/runtime/app.js

importProject/exportProject

scripts/engine/runtime/architecture-kit.js

门窗和墙构造

scripts/engine/runtime/components-base.js

家具基元

scripts/engine/runtime/components.js

组件实例化

scripts/engine/runtime/controls.js

相机移动和投影

scripts/engine/runtime/exporter.js

GLB 导出

scripts/engine/runtime/geometry.js

几何基元

scripts/engine/runtime/lights.js

光源序列化

scripts/engine/runtime/materials.js

真实材质参数

scripts/engine/runtime/native-assets.js

内嵌模型保留

scripts/engine/runtime/optimization.js

场景优化

脚本与调用说明（续）

scripts/engine/runtime/scene.js

组装建筑与家具

scripts/engine/runtime/spatial.js

实体使用区观察

scripts/engine/runtime/studio.html

完整编辑器模板

scripts/engine/runtime/style-components.js

风格形体

scripts/engine/runtime/styles.js

配方角色映射

scripts/engine/runtime/three-r164.js

Three.js 渲染器

scripts/engine/runtime/workspace.js

完整状态恢复负责人

scripts/engine/schemas/cameras.schema.json

机器读取的 cameras.schema.json 数据/格式

scripts/engine/schemas/layout.schema.json

布局机器结构

scripts/engine/schemas/style.schema.json

可用配方字段

scripts/engine/styles/cream/PLAYBOOK.md

配方、资源与实现说明：PLAYBOOK.md

scripts/engine/styles/mid-century/PLAYBOOK.md

配方、资源与实现说明：PLAYBOOK.md

scripts/engine/styles/modern-minimal/PLAYBOOK.md

配方、资源与实现说明：PLAYBOOK.md

scripts/engine/styles/new-chinese/PLAYBOOK.md

配方、资源与实现说明：PLAYBOOK.md

scripts/engine/styles/wabi-sabi/PLAYBOOK.md

配方、资源与实现说明：PLAYBOOK.md

scripts/engine/tests/test_space_connections.py

门扇/移门/玻璃与主图构造的11项回归

脚本与调用说明（续）

scripts/requirements.txt

编译/截图 Python 依赖版本

scripts/run.py

模型/风格/资产命令入口