

1. HTML 编辑：不同意图进入不同状态域 · 第 2 页

输入：布局 JSON / 当前完整 HTML

处理：本页保留实际业务步骤；蓝色节点链接专题，回源节点明确返回位置。文件逐项列明用途。效果图链把HTML作为粗模位置/结构参考；按精细家具图片锁款，二维生成不会回写3D网格。

输出：可离线编辑 HTML + 场景合同

逻辑展开与图例

COMPILE · 离线编译完整依赖链 · 第 3 页

CMF · CMF 与智能风格 · 第 4 页

LIBRARY · 真实家具库 · 第 5 页

EDITING · 结构、测量和保存 · 第 6 页

同色编号连接主图与展开页；输入输出用平行四边形，处理用矩形，判断用菱形，参考用虚线框，保存用圆柱。

调用标识


interior-html-modeling

将布局 JSON 编译为可离线编辑的完整 Three.js HTML；支持墙门窗、家具库替换、CMF 风格、量尺面积、灯光相机和完整保存往返。


HTML 建模 · 编译、编辑与状态交接 / HTML 编辑：不同意图进入不同状态域

执行逻辑在图内；一个文件及用途写完后，换行列下一个文件


本页保留实际业务步骤；蓝色节点链接专题，回源节点明确返回位置。文件逐项列明用途。效果图链把HTML作为粗模位置/结构参考；按精细家具图片锁款，二维生成不会回写3D网格。




按实际输入、计算、分支和文件消费者展开。




按实际输入、计算、分支和文件消费者展开。



按实际输入、计算、分支和文件消费者展开。



按实际输入、计算、分支和文件消费者展开。



| 职责与工作方法（5）                                                      | 脚本与调用说明（64）                                                                                  | 起稿材料与说明书（5）                                                 |
|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| <div><b>SKILL.md</b><br/>调用范围、输入输出与关键规则</div>                   | <div><b>scripts/engine/LICENSE-Three.js.txt</b><br/>原第三方运行库许可</div>                          | <div><b>MANIFEST.json</b><br/>发布版本与完整文件清单</div>             |
| <div><b>data_contract.md</b><br/>布局、完整 HTML、材质与机位状态</div>       | <div><b>scripts/engine/STYLE-GUIDE.md</b><br/>风格扩展与 CMF 约束</div>                             | <div><b>SKILL_MANUAL.pdf</b><br/>面向人的算法说明书</div>            |
| <div><b>local_runtime.md</b><br/>运行工具、路径与凭据边界</div>             | <div><b>scripts/engine/assets/library/PROVENANCE.md</b><br/>样本来源说明</div>                     | <div><b>manual/skill-flowchart.svg</b><br/>同源说明书内容与图形</div> |
| <div><b>playbook.md</b><br/>编辑职责、家具和动线知识</div>                  | <div><b>scripts/engine/assets/library/dining-chair.glb</b><br/>餐椅样本</div>                    | <div><b>manual/skill-manual.json</b><br/>同源说明书内容与图形</div>   |
| <div><b>playbook/timing.md</b><br/>六项共用的逐步骤时间、异步等待和历史未知口径</div> | <div><b>scripts/engine/assets/library/dining-chair.png</b><br/>餐椅缩略图</div>                   | <div><b>manual/skill-manual.md</b><br/>同源说明书内容与图形</div>     |
|                                                                 | <div><b>scripts/engine/assets/library/library.json</b><br/>三份示例的目录索引</div>                   |                                                             |
|                                                                 | <div><b>scripts/engine/assets/library/lounge-chair.glb</b><br/>单椅样本</div>                    |                                                             |
|                                                                 | <div><b>scripts/engine/assets/library/lounge-chair.png</b><br/>单椅缩略图</div>                   |                                                             |
|                                                                 | <div><b>scripts/engine/assets/library/sideboard.glb</b><br/>柜体样本</div>                       |                                                             |
|                                                                 | <div><b>scripts/engine/assets/library/sideboard.png</b><br/>柜体缩略图</div>                      |                                                             |
|                                                                 | <div><b>scripts/engine/assets/textures/fabric-color.png</b><br/>组件贴图或图像参考</div>              |                                                             |
|                                                                 | <div><b>scripts/engine/assets/textures/fabric-normal.png</b><br/>组件贴图或图像参考</div>             |                                                             |
|                                                                 | <div><b>scripts/engine/assets/textures/leather-color.png</b><br/>组件贴图或图像参考</div>             |                                                             |
|                                                                 | <div><b>scripts/engine/assets/textures/leather-normal.png</b><br/>组件贴图或图像参考</div>            |                                                             |
|                                                                 | <div><b>scripts/engine/assets/textures/manifest.json</b><br/>机器读取的 manifest.json 数据/格式</div> |                                                             |
|                                                                 | <div><b>scripts/engine/assets/textures/plaster-color.png</b><br/>组件贴图或图像参考</div>             |                                                             |

脚本与调用说明（续）

**scripts/engine/assets/textures/plaster-normal.png**

组件贴图或图像参考

**scripts/engine/assets/textures/stone-color.png**

组件贴图或图像参考

**scripts/engine/assets/textures/stone-normal.png**

组件贴图或图像参考

**scripts/engine/assets/textures/wood-color.png**

组件贴图或图像参考

**scripts/engine/assets/textures/wood-normal.png**

组件贴图或图像参考

**scripts/engine/assets/textures/woven-color.png**

组件贴图或图像参考

**scripts/engine/assets/textures/woven-normal.png**

组件贴图或图像参考

**scripts/engine/catalog/components.json**

组件类别和尺寸语义

**scripts/engine/catalog/styles.json**

保存新配方

**scripts/engine/python/bootstrap.py**

切换 Windows 专用 Python

**scripts/engine/python/cameras.py**

初始预设和实体角点

**scripts/engine/python/cli.py**

分派 build/import-html

**scripts/engine/python/common.py**

生成摘要与文件

**scripts/engine/python/model.py**

编译更新后模型

**scripts/engine/python/native.py**

import\_html 提取当前布局

**scripts/engine/python/native\_image.py**

实现 native\_image 的确定性行为

脚本与调用说明（续）

scripts/engine/python/render.py

同机位截图；粗模定位/精细参考锁款的实际请求、系列策略与画幅记录

scripts/engine/python/styles.py

证据记录和 style-add

scripts/engine/python/timing.py

命令/嵌套步骤计时及Agent动作start/finish

scripts/engine/python/validate.py

技术输入和业务观察

scripts/engine/runtime/app.js

importProject/exportProject

scripts/engine/runtime/architecture-kit.js

门窗和墙构造

scripts/engine/runtime/components-base.js

家具基元

scripts/engine/runtime/components.js

组件实例化

scripts/engine/runtime/controls.js

相机移动和投影

scripts/engine/runtime/exporter.js

GLB 导出

scripts/engine/runtime/geometry.js

几何基元

scripts/engine/runtime/lights.js

光源序列化

scripts/engine/runtime/materials.js

真实材质参数

scripts/engine/runtime/native-assets.js

内嵌模型保留

scripts/engine/runtime/optimization.js

场景优化

scripts/engine/runtime/scene.js

组装建筑与家具

脚本与调用说明（续）

scripts/engine/runtime/spatial.js

实体使用区观察

scripts/engine/runtime/studio.html

完整编辑器模板

scripts/engine/runtime/style-components.js

风格形体

scripts/engine/runtime/styles.js

配方角色映射

scripts/engine/runtime/three-r164.js

Three.js 渲染器

scripts/engine/runtime/workspace.js

完整状态恢复负责人

scripts/engine/schemas/cameras.schema.json

机器读取的 cameras.schema.json 数据/格式

scripts/engine/schemas/layout.schema.json

布局机器结构

scripts/engine/schemas/style.schema.json

可用配方字段

scripts/engine/styles/cream/PLAYBOOK.md

配方、资源与实现说明：PLAYBOOK.md

scripts/engine/styles/mid-century/PLAYBOOK.md

配方、资源与实现说明：PLAYBOOK.md

scripts/engine/styles/modern-minimal/PLAYBOOK.md

配方、资源与实现说明：PLAYBOOK.md

scripts/engine/styles/new-chinese/PLAYBOOK.md

配方、资源与实现说明：PLAYBOOK.md

scripts/engine/styles/wabi-sabi/PLAYBOOK.md

配方、资源与实现说明：PLAYBOOK.md

scripts/requirements.txt

编译/截图 Python 依赖版本

scripts/run.py

模型/风格/资产命令入口