

AdMob Banner

Category	Requires	Version
Monetization > Advertising	API 19, Android 4.4 - 4.4.4 KitKat	3

Overview

A visible component that shows AdMob ads as static banners.

 **Permissions** 

- `android.permission.ACCESS_FINE_LOCATION`
- `android.permission.ACCESS_COARSE_LOCATION`
- `android.permission.INTERNET`
- `android.permission.ACCESS_NETWORK_STATE`

Events

Ad Closed

Called when an ad was closed.

Ad Failed To Load

Called when an ad request failed to load. The message will display the error code and error message.

Params	
error Code	Number
error Message	Text

Ad Loaded

Called when an ad request was loaded.

Ad Opened

Called when an ad was opened.

On Consent Changed

Event triggered when the consent was changed.

Params	
personalized	Boolean

Methods

Load Ad

Load a new AdMob Banner ad.

Revoke Consent

Deletes the user's consent. Useful if you want to test the consent dialog in development.

Properties

Ad Enabled

Boolean **Default: *True*** — **Read** **Write** - **Designer** **Blocks**

This property must be set to true to receive ads.

Ad Unit Id

Text **Default: *ca-app-pub-3940256099942544/6300978111*** — **Write** - **Designer**

Set Ad Unit ID

Consent Development Mode

Boolean **Default: *False*** — **Read** **Write** - **Designer** **Blocks**

If enabled you will see the consent dialog no matter if you are located in Europe or not. Please use this option only in development. If this setting is enabled ALL taken consents will not be saved.

Consent Message

Text **Default: *Can we continue to use your data to tailor ads for you?*** — **Read** **Write** - **Designer** **Blocks**

The message for the consent dialog.

Consent Title

Text **Default: *Data Protection*** — **Read** **Write** - **Designer** **Blocks**

The title for the consent dialog.

Personalized Result

Boolean — Read - Blocks

Returns the current personalized consent. If true user has consent to personalized ads.

Test Mode

Boolean Default: *False* — Write - Designer

If you want to test the component then that this property to true. Then you will receive test ads.

Visible

Boolean Default: *True* — Read Write - Designer Blocks

Returns true iff the component is visible.

Last update: January 25, 2020